

Janie Barry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2623202/publications.pdf>

Version: 2024-02-01

8
papers

67
citations

1937685
4
h-index

1720034
7
g-index

8
all docs

8
docs citations

8
times ranked

57
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the Method for Analyzing Chromium, Cobalt and Titanium Ion Levels in the Blood Following Hip Replacement with a Metal-on-Metal Prosthesis. <i>Journal of Analytical Toxicology</i> , 2013, 37, 90-96.	2.8	24
2	Effect of sleeved ceramic femoral heads on titanium ion release. <i>HIP International</i> , 2018, 28, 139-144.	1.7	11
3	No radiological and biological sign of trunnionosis with Large Diameter Head Ceramic Bearing Total Hip Arthroplasty after 5 years. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102543.	2.0	10
4	Catastrophic failure of femoral stem modular junction when combined with metal-on-metal bearing in comparison to ceramic-on-ceramic: A retrospective cohort study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102749.	2.0	9
5	Whole blood titanium metal ion measurement reproducibility of two laboratories. <i>Practical Laboratory Medicine</i> , 2020, 21, e00167.	1.3	4
6	Despite higher revision rate, MoM large-head THA offers better clinical scores than HR: 14-year results from a randomized controlled trial involving 48 patients. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 400.	1.9	4
7	Hip Resurfacing Compared with 28-mm Metal-on-Metal Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 80-90.	3.0	4
8	Bilateral Pseudoarthrosis. <i>JBJS Case Connector</i> , 2022, 12, .	0.3	1