

Han Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2623849/han-zhang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,896
citations

23
h-index

62
g-index

74
ext. papers

4,893
ext. citations

8.3
avg, IF

5.56
L-index

#	Paper	IF	Citations
73	Shear-flow-induced graphene coating microfibers from microfluidic spinning.. <i>Innovation(China)</i> , 2022 , 3, 100209	17.8	3
72	Nature inspired hierarchical structures in nano-cellular epoxy/graphene-Fe ₃ O ₄ nanocomposites with ultra-efficient EMI and robust mechanical strength. <i>Journal of Materials Science and Technology</i> , 2022 , 103, 177-185	9.1	2
71	Responsive and self-healing structural color supramolecular hydrogel patch for diabetic wound treatment.. <i>Bioactive Materials</i> , 2022 , 15, 194-202	16.7	4
70	Roe-inspired stem cell microcapsules for inflammatory bowel disease treatment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
69	Best of Both Worlds: Synergistically Derived Material Properties via Additive Manufacturing of Nanocomposites (Adv. Funct. Mater. 46/2021). <i>Advanced Functional Materials</i> , 2021 , 31, 2170343	15.6	
68	Highly stretchable and sensitive self-powered sensors based on the N-Type thermoelectric effect of polyurethane/Nax(Ni-ett)n/graphene oxide composites. <i>Composites Communications</i> , 2021 , 28, 100952	6.7	2
67	Morphological Hydrogel Microfibers with MXene Encapsulation for Electronic Skin. <i>Research</i> , 2021 , 2021, 7065907	7.8	16
66	Polymer Nanocomposites for Temperature Sensing and Self-regulating Heating Devices 2021 , 247-266		
65	Emerging Functional Biomaterials as Medical Patches. <i>ACS Nano</i> , 2021 , 15, 5977-6007	16.7	14
64	Protein-Based Hybrid Responsive Microparticles for Wound Healing. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 18413-18422	9.5	14
63	PN junction-based ZnO wearable textile nanogenerator for biomechanical energy harvesting. <i>Nano Energy</i> , 2021 , 85, 105938	17.1	8
62	Tailoring nanofibrillated cellulose through sonication and its potential use in molded pulp packaging. <i>Nanocomposites</i> , 2021 , 7, 109-122	3.4	0
61	Enhancing the reinforcing efficiency in CNT nanocomposites the development of pyrene-based active dispersants.. <i>RSC Advances</i> , 2021 , 11, 23892-23900	3.7	
60	Best of Both Worlds: Synergistically Derived Material Properties via Additive Manufacturing of Nanocomposites. <i>Advanced Functional Materials</i> , 2021 , 31, 2103334	15.6	2
59	Recent progress in acoustic materials and noise control strategies A review. <i>Applied Materials Today</i> , 2021 , 24, 101141	6.6	4
58	Elastic MXene Hydrogel Microfiber-Derived Electronic Skin for Joint Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 47800-47806	9.5	12
57	Microcellular epoxy/graphene nanocomposites with outstanding electromagnetic interference shielding and mechanical performance by overcoming nanofiller loading/dispersion dichotomy. <i>Composites Science and Technology</i> , 2021 , 215, 109000	8.6	8

56	Multifunctional epoxy nanocomposites reinforced by two-dimensional materials: A review. <i>Carbon</i> , 2021 , 185, 57-81	10.4	5
55	Self-powered ultrasensitive and highly stretchable temperature-strain sensing composite yarns. <i>Materials Horizons</i> , 2021 , 8, 2513-2519	14.4	6
54	High-Performance Transparent Laminates Based on Highly Oriented Polyethylene Films. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 2458-2468	4.3	3
53	Giant energy storage density in PVDF with internal stress engineered polar nanostructures. <i>Nano Energy</i> , 2020 , 72, 104662	17.1	32
52	Ultra-High Actuation Stress Polymer Actuators as Light-Driven Artificial Muscles. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33210-33218	9.5	21
51	Sustainable and self-regulating out-of-oven manufacturing of FRPs with integrated multifunctional capabilities. <i>Composites Science and Technology</i> , 2020 , 190, 108032	8.6	9
50	High-modulus rotary jet spun co-polyimide nanofibers and their composites. <i>Nanocomposites</i> , 2020 , 6, 1-11	3.4	6
49	A Review on Functionally Graded Materials and Structures via Additive Manufacturing: From Multi-Scale Design to Versatile Functional Properties. <i>Advanced Materials Technologies</i> , 2020 , 5, 1900981	6.8	73
48	The effect of conductive network on positive temperature coefficient behaviour in conductive polymer composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 139, 106074	8.4	9
47	Dual In-Situ Water Diffusion Monitoring of GFRPs based on Optical Fibres and CNTs. <i>Journal of Composites Science</i> , 2020 , 4, 97	3	0
46	Photo-thermal actuation of ultra-drawn high-density polyethylene. <i>Polymer</i> , 2020 , 207, 122897	3.9	4
45	Multiscale understanding of electric polarization in poly(vinylidene fluoride)-based ferroelectric polymers. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 16436-16442	7.1	16
44	Multifunctional composites based on hierarchical micro/nanostructures: design, manufacturing, properties, and applications 2020 , 183-198		
43	A responsive porous hydrogel particle-based delivery system for oncotherapy. <i>Nanoscale</i> , 2019 , 11, 2687-2693	7.7	23
42	Transparent, Lightweight, and High Strength Polyethylene Films by a Scalable Continuous Extrusion and Solid-State Drawing Process. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1900138	3.9	8
41	Additive manufacturing high performance graphene-based composites: A review. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 124, 105483	8.4	78
40	Fabrication of Graphene-Reinforced Nanocomposites with Improved Fracture Toughness in Net Shape for Complex 3D Structures via Digital Light Processing. <i>Journal of Carbon Research</i> , 2019 , 5, 25	3.3	14
39	Glass-like transparent high strength polyethylene films by tuning drawing temperature. <i>Polymer</i> , 2019 , 171, 180-191	3.9	19

38	Tissue-Engineered Trachea Consisting of Electrospun Patterned sc-PLA/GO- g-IL Fibrous Membranes with Antibacterial Property and 3D-Printed Skeletons with Elasticity. <i>Biomacromolecules</i> , 2019 , 20, 1765-1776	6.9	77
37	Conductive Polymer Hydrogel Microfibers from Multiflow Microfluidics. <i>Small</i> , 2019 , 15, e1805162	11	37
36	Determination of multi-direction loading path based on analytical method in forming of multi-cavity parts by considering folding defect. <i>International Journal of Advanced Manufacturing Technology</i> , 2019 , 100, 475-483	3.2	2
35	Ultrahigh Ep phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors. <i>Nature Communications</i> , 2019 , 10, 4535	17.4	126
34	Flexible and Stretchable Self-Powered Multi-Sensors Based on the N-Type Thermoelectric Response of Polyurethane/Nax(Ni-ett)n Composites. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900582	6.4	17
33	Tofu-inspired microcarriers from droplet microfluidics for drug delivery. <i>Science China Chemistry</i> , 2019 , 62, 87-94	7.9	37
32	Pyroresistivity in conductive polymer composites: a perspective on recent advances and new applications. <i>Polymer International</i> , 2019 , 68, 299-305	3.3	15
31	The effect of graphene network formation on the electrical, mechanical, and multifunctional properties of graphene/epoxy nanocomposites. <i>Composites Science and Technology</i> , 2019 , 169, 224-231	8.6	45
30	Tailored pyroresistive performance and flexibility by introducing a secondary thermoplastic elastomeric phase into graphene nanoplatelet (GNP) filled polymer composites for self-regulating heating devices. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2760-2768	7.1	21
29	Dissolvable thermoplastic interleaves for carbon nanotube localization in carbon/epoxy laminates with integrated damage sensing capabilities. <i>Structural Health Monitoring</i> , 2018 , 17, 59-66	4.4	10
28	Synergistic effects of spray-coated hybrid carbon nanoparticles for enhanced electrical and thermal surface conductivity of CFRP laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 105, 9-18	8.4	52
27	Multicolored photonic barcodes from dynamic micromolding. <i>Materials Horizons</i> , 2018 , 5, 979-983	14.4	30
26	Smart cord-rubber composites with integrated sensing capabilities by localised carbon nanotubes using a simple swelling and infusion method. <i>Composites Science and Technology</i> , 2018 , 167, 24-31	8.6	12
25	Toward Stretchable Self-Powered Sensors Based on the Thermoelectric Response of PEDOT:PSS/Polyurethane Blends. <i>Advanced Functional Materials</i> , 2018 , 28, 1704285	15.6	119
24	Breaking the Nanoparticle Loading-Dispersion Dichotomy in Polymer Nanocomposites with the Art of Croissant-Making. <i>ACS Nano</i> , 2018 , 12, 9040-9050	16.7	12
23	Programmable wettability on photocontrolled graphene film. <i>Science Advances</i> , 2018 , 4, eaat7392	14.3	172
22	High temperature self-healing SiBCN ceramics derived from hyperbranched polyborosilazanes. <i>Advanced Composites and Hybrid Materials</i> , 2018 , 1, 506-517	8.7	14
21	Mechanical, electrical and thermal properties of in-situ exfoliated graphene/epoxy nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017 , 95, 229-236	8.4	82

20	Filtration effects of graphene nanoplatelets in resin infusion processes: Problems and possible solutions. <i>Composites Science and Technology</i> , 2017 , 139, 138-145	8.6	36
19	Nano-Engineered Hierarchical Carbon Fibres and Their Composites: Preparation, Properties and Multifunctionalities 2017 , 101-116		2
18	Interlaminar toughening of woven fabric carbon/epoxy composite laminates using hybrid aramid/phenoxy interleaves. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017 , 101, 151-159	8.4	46
17	Synergistic effects of filler size on thermal annealing-induced percolation in polylactic acid (PLA)/graphite nanoplatelet (GNP) nanocomposites. <i>Nanocomposites</i> , 2017 , 3, 67-75	3.4	11
16	Universal Control on Pyroresistive Behavior of Flexible Self-Regulating Heating Devices. <i>Advanced Functional Materials</i> , 2017 , 27, 1702253	15.6	23
15	Graphite Nanoplatelet Modified Epoxy Resin for Carbon Fibre Reinforced Plastics with Enhanced Properties. <i>Journal of Nanomaterials</i> , 2017 , 2017, 1-10	3.2	27
14	Effect of mixed fillers on positive temperature coefficient of conductive polymer composites. <i>Nanocomposites</i> , 2016 , 2, 58-64	3.4	19
13	In Situ Exfoliation of Graphene in Epoxy Resins: A Facile Strategy to Efficient and Large Scale Graphene Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 24112-22	9.5	46
12	Optimization of Three-Roll Mill Parameters for In-Situ Exfoliation of Graphene. <i>MRS Advances</i> , 2016 , 1, 1389-1394	0.7	4
11	Enhanced Thermal and Electrical Properties of Polystyrene-Graphene Nanofibers via Electrospinning. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-8	3.2	13
10	Graphene Delivery Systems for Hierarchical Fiber Reinforced Composites. <i>MRS Advances</i> , 2016 , 1, 1339-1344	0.7	8
9	Static and dynamic percolation of phenoxy/carbon nanotube nanocomposites. <i>European Polymer Journal</i> , 2015 , 68, 128-138	5.2	25
8	Localized toughening of carbon/epoxy laminates using dissolvable thermoplastic interleaves and electrospun fibres. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 79, 116-126	8.4	43
7	Integrated Damage Sensing in Fibre-Reinforced Composites with Extremely Low Carbon Nanotube Loadings. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-7	3.2	22
6	In-Situ Monitoring of Interlaminar Shear Damage in Carbon Fibre Composites. <i>Advanced Composites Letters</i> , 2015 , 24, 096369351502400	1.2	18
5	The use of carbon nanotubes for damage sensing and structural health monitoring in laminated composites: a review. <i>Nanocomposites</i> , 2015 , 1, 167-184	3.4	87
4	Improved fracture toughness and integrated damage sensing capability by spray coated CNTs on carbon fibre prepreg. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 70, 102-110	8.4	158
3	Controlling the dynamic percolation of carbon nanotube based conductive polymer composites by addition of secondary nanofillers: The effect on electrical conductivity and tuneable sensing behaviour. <i>Composites Science and Technology</i> , 2013 , 74, 85-90	8.6	131

2	Atomic-Layer Graphene as a Saturable Absorber for Ultrafast Pulsed Lasers. <i>Advanced Functional Materials</i> , 2009 , 19, 3077-3083	15.6	1875
1	Light-Driven Actuation in Synthetic Polymers: A Review from Fundamental Concepts to Applications. <i>Advanced Optical Materials</i> , 2102186	8.1	2