

# Lars Lien

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2624671/lars-lien-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

2,084  
citations

22  
h-index

42  
g-index

95  
ext. papers

2,550  
ext. citations

3.3  
avg, IF

4.96  
L-index

#	Paper	IF	Citations
92	Levels of Peripheral Circulating IL-6 and IL-10 Decrease Over Time Despite High Depression Burden in PTSD Patients.. <i>Neuropsychiatric Disease and Treatment</i> , <b>2022</b> , 18, 737-747	3.1	
91	Significance of Self-Transcendence for Rehabilitation and Relapse Prevention among Patients with Substance Use Disorder: A Qualitative Study. <i>Religions</i> , <b>2022</b> , 13, 491	0.6	1
90	Effects of age and gender on the relationship between alcohol use disorder and somatic diseases: a national register study in Norway. <i>BMJ Open</i> , <b>2021</b> , 11, e050608	3	
89	Childhood abuse and its association with adults' mental health problems: a cross-sectional study among men and women in the Yangon Region of Myanmar. <i>BMJ Open</i> , <b>2021</b> , 11, e045870	3	
88	Persistent level of mental distress in PTSD patients is not reflected in cytokine levels 1 year after the treatment. <i>Acta Neuropsychiatrica</i> , <b>2021</b> , 33, 254-260	3.9	1
87	Antisocial Personality Disorder Among Patients in Treatment for Alcohol Use Disorder (AUD): Characteristics and Predictors of Early Relapse or Drop-Out. <i>Substance Abuse and Rehabilitation</i> , <b>2021</b> , 12, 11-22	5.5	0
86	Factors associated with the level of prolactin in patients under remission from Alcohol Use Disorder: A gender perspective. <i>Neuropsychopharmacology Reports</i> , <b>2021</b> , 41, 352-361	2.2	1
85	ADHD symptoms as risk factor for PTSD in inpatients treated for alcohol use disorder. <i>Psychiatry Research</i> , <b>2021</b> , 300, 113904	9.9	1
84	The Use of Antidepressants, Antipsychotics, and Stimulants in Youth Residential Care. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2021</b> , 31, 350-357	2.9	2
83	Circulating cytokine levels in the treatment of comorbid anxiety disorders. <i>Acta Neuropsychiatrica</i> , <b>2021</b> , 33, 65-71	3.9	2
82	Health Professionals' Experiences with Treatment Engagement Among Immigrants with Co-occurring Substance Use- and Mental Health Disorders in Norway. <i>Substance Abuse: Research and Treatment</i> , <b>2021</b> , 15, 11782218211028667	1.6	1
81	Changes in prevalence of mental disorders among internally displaced persons in central Sudan: a 1-year follow-up study. <i>Global Mental Health (Cambridge, England)</i> , <b>2020</b> , 7, e24	3.9	1
80	The Use of Sleep Medication in Youth Residential Care. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2020</b> , 30, 335-341	2.9	1
79	Domestic violence victimisation and its association with mental distress: a cross-sectional study of the Yangon Region, Myanmar. <i>BMJ Open</i> , <b>2020</b> , 10, e037936	3	2
78	Relational recovery in co-occurring conditions: a qualitative study of first-person experiences. <i>Advances in Dual Diagnosis</i> , <b>2020</b> , 13, 89-100	1.1	5
77	Treatment Experiences with Norwegian Health Care among Immigrant Men Living with Co-Occurring Substance Use- and Mental Health Disorders. <i>Substance Abuse: Research and Treatment</i> , <b>2020</b> , 14, 1178221820970929	1.6	4
76	The significance ascribed to contacting a diaconal suicide-prevention crisis line in Norway: a qualitative study. <i>Mental Health, Religion and Culture</i> , <b>2020</b> , 23, 113-126	1.1	2

75	Cytokine concentrations are related to level of mental distress in inpatients not using anti-inflammatory drugs. <i>Acta Neuropsychiatrica</i> , <b>2020</b> , 32, 23-31	3.9	4
74	Emotional stressors among volunteers operating a diaconal suicide-prevention crisis line in Norway: a qualitative study. <i>British Journal of Guidance and Counselling</i> , <b>2020</b> , 48, 563-575	0.8	2
73	Itch and Mental Health in Dermatological Patients across Europe: A Cross-Sectional Study in 13 Countries. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 568-573	4.3	19
72	How women experience and cope with daily hassles after sexual abuse - a retrospective qualitative study. <i>Scandinavian Journal of Caring Sciences</i> , <b>2019</b> , 33, 487-497	2.3	1
71	Is there a relationship between PTSD and complicated obesity? A review of the literature. <i>Biomedicine and Pharmacotherapy</i> , <b>2019</b> , 117, 108834	7.5	9
70	Parental immigration and offspring post-traumatic stress disorder: A nationwide population-based register study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 294-300	6.6	4
69	Caught Between Expectations and the Practice Field. <i>Crisis</i> , <b>2019</b> , 40, 340-346	2.8	4
68	Change in Mental Health Stigma After a Brief Intervention Among Internally Displaced Persons in Central Sudan. <i>Community Mental Health Journal</i> , <b>2019</b> , 55, 534-541	2.1	3
67	First-line managers' experience of the use of audit and feedback cycle in specialist mental health care: A qualitative case study. <i>Archives of Psychiatric Nursing</i> , <b>2019</b> , 33, 103-109	2.1	1
66	The Sources of Meaning and Meaning in Life Questionnaire in the Norwegian Context: Relations to Mental Health, Quality of Life, and Self-Efficacy. <i>International Journal for the Psychology of Religion, The</i> , <b>2019</b> , 29, 32-45	1.8	26
65	Occurrence, Chronicity and Intensity of Itch in a Clinical Consecutive Sample of Patients with Skin Diseases: A Multi-centre Study in 13 European Countries. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 146-151	2.2	18
64	The psychosocial burden of hand eczema: Data from a European dermatological multicentre study. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 406-412	2.7	18
63	Circulating cytokine levels are associated with symptoms of depression and anxiety among people with alcohol and drug use disorders. <i>Journal of Neuroimmunology</i> , <b>2018</b> , 318, 80-86	3.5	15
62	Coping, resilience and posttraumatic growth among Eritrean female refugees living in Norwegian asylum reception centres: A qualitative study. <i>International Journal of Social Psychiatry</i> , <b>2018</b> , 64, 359-366	8.5	19
61	Psychiatric symptoms experienced by adolescents in Nepal following the 2015 earthquakes. <i>Journal of Affective Disorders</i> , <b>2018</b> , 234, 239-246	6.6	14
60	The Role of Therapy in Impairing Quality of Life in Dermatological Patients: A Multinational Study. <i>Acta Dermato-Venereologica</i> , <b>2018</b> , 98, 563-569	2.2	9
59	Existential themes in the treatment of people at suicide risk. Understandings and practices of specialist healthcare professionals. <i>Mental Health, Religion and Culture</i> , <b>2018</b> , 21, 588-600	1.1	8
58	Stigmatisation and body image impairment in dermatological patients: protocol for an observational multicentre study in 16 European countries. <i>BMJ Open</i> , <b>2018</b> , 8, e024877	3	12

57	PTSD patients show increasing cytokine levels during treatment despite reduced psychological distress. <i>Neuropsychiatric Disease and Treatment</i> , <b>2018</b> , 14, 2367-2378	3.1	22
56	Immigrants' utilization of specialist mental healthcare according to age, country of origin, and migration history: a nation-wide register study in Norway. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2017</b> , 52, 679-687	4.5	40
55	Religiousness in First-Episode Psychosis. <i>Archive for the Psychology of Religion</i> , <b>2017</b> , 39, 139-164	1.1	7
54	Medical school predictors of later perceived mastery of clinical work among Norwegian doctors: a cohort study with 10-year and 20-year follow-up. <i>BMJ Open</i> , <b>2017</b> , 7, e014462	3	6
53	Alcohol use in South Sudan in relation to social factors, mental distress and traumatic events. <i>BMC Public Health</i> , <b>2016</b> , 16, 937	4.1	4
52	Determinants of postnatal depression in Sudanese women at 3 months postpartum: a cross-sectional study. <i>BMJ Open</i> , <b>2016</b> , 6, e009443	3	25
51	Psychotic-like experiences in a conflict-affected population: a cross-sectional study in South Sudan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 971-9	4.5	9
50	Mental health in adolescence and subsequent receipt of medical benefits in young adulthood: The mediating role of upper secondary school completion. <i>Scandinavian Journal of Public Health</i> , <b>2016</b> , 44, 431-8	3	8
49	Psychosomatic symptoms and stressful working conditions among Palestinian nurses: a cross-sectional study. <i>Contemporary Nurse</i> , <b>2016</b> , 52, 381-397	1.5	10
48	Binge Drinking, Cannabis and Tobacco Use Among Ethnic Norwegian and Ethnic Minority Adolescents in Oslo, Norway. <i>Journal of Immigrant and Minority Health</i> , <b>2015</b> , 17, 992-1001	2.2	22
47	The Influence of Parental Divorce on Educational Ambitions of 18/19-Year-Old Adolescents from Oslo, Norway. <i>Journal of Child and Family Studies</i> , <b>2015</b> , 24, 2865-2873	2.3	4
46	The psychological burden of skin diseases: a cross-sectional multicenter study among dermatological out-patients in 13 European countries. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 984-991	4.3	394
45	Serum brain-derived neurotrophic factor levels in relation to comorbid depression and cytokine levels in Nepalese men with alcohol-use disorders. <i>Alcohol</i> , <b>2015</b> , 49, 471-8	2.7	18
44	Chronic pain in multi-traumatized outpatients with a refugee background resettled in Norway: a cross-sectional study. <i>BMC Psychology</i> , <b>2015</b> , 3, 7	2.8	39
43	Social phobia among long-term internally displaced persons: An epidemiological study of adults in two internally displaced person settlements in Sudan. <i>International Journal of Social Psychiatry</i> , <b>2015</b> , 61, 550-9	8.5	1
42	The relationship of alcohol use disorders and depressive symptoms to tryptophan metabolism: cross-sectional data from a Nepalese alcohol treatment sample. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2015</b> , 39, 514-21	3.7	17
41	Self-reported symptoms and health service use in adolescence in persons who later develop psychotic disorders: a prospective case-control study. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 221-7	3.3	8
40	A prospective population-based study of health complaints in adolescence and use of social welfare benefits in young adulthood. <i>Scandinavian Journal of Public Health</i> , <b>2015</b> , 43, 629-37	3	15

39	Postnatal depression among Sudanese women: prevalence and validation of the Edinburgh Postnatal Depression Scale at 3 months postpartum. <i>International Journal of Women's Health</i> , <b>2015</b> , 7, 677-84	2.8	37
38	Meaning-Making, Religiousness and Spirituality in Religiously Founded Substance Misuse Services: A Qualitative Study of Staff and Patients' Experiences. <i>Religions</i> , <b>2015</b> , 6, 92-106	0.6	11
37	Medical benefits in young adulthood: a population-based longitudinal study of health behaviour and mental health in adolescence and later receipt of medical benefits. <i>BMJ Open</i> , <b>2015</b> , 5, e007139	3	9
36	Perceived current needs, psychological distress and functional impairment in a war-affected setting: a cross-sectional study in South Sudan. <i>BMJ Open</i> , <b>2015</b> , 5, e007534	3	8
35	Community attitudes and social distance towards the mentally ill in South Sudan: a survey from a post-conflict setting with no mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 771-80	4.5	26
34	Suicidal ideation, mental health problems, and social function in adolescents with eczema: a population-based study. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 1847-1854	4.3	53
33	Predictors of disordered eating in adolescence and young adulthood: A population-based, longitudinal study of females and males in Norway. <i>International Journal of Behavioral Development</i> , <b>2014</b> , 38, 128-138	2.6	7
32	What we know and don't know about mental health problems among immigrants in Norway. <i>Journal of Immigrant and Minority Health</i> , <b>2014</b> , 16, 60-7	2.2	75
31	Environmental factors during adolescence associated with later development of psychotic disorders - a nested case-control study. <i>Psychiatry Research</i> , <b>2014</b> , 215, 579-85	9.9	18
30	Social dysfunction in first-episode psychosis and relations to neurocognition, duration of untreated psychosis and clinical symptoms. <i>Psychiatry Research</i> , <b>2013</b> , 207, 33-9	9.9	19
29	The mental health of internally displaced persons: an epidemiological study of adults in two settlements in Central Sudan. <i>International Journal of Social Psychiatry</i> , <b>2013</b> , 59, 782-8	8.5	21
28	Expressive art therapy for psychosis: A multiple case study. <i>Arts in Psychotherapy</i> , <b>2013</b> , 40, 312-321	1.6	21
27	Ethnic differences in seasonal affective disorder and associated factors among five immigrant groups in Norway. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 237-42	6.6	14
26	Exposure to life adversity in high school and later work participation: a longitudinal population-based study. <i>Journal of Adolescence</i> , <b>2013</b> , 36, 1143-51	3.4	19
25	Vitamin D deficiency in alcohol-use disorders and its relationship to comorbid major depression: a cross-sectional study of inpatients in Nepal. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 133, 480-5	4.9	14
24	'If I Didn't Have My Faith I Would Have Killed Myself!': Spiritual Coping in Patients Suffering From Schizophrenia. <i>International Journal for the Psychology of Religion, The</i> , <b>2013</b> , 23, 126-144	1.8	15
23	Prevalence and risk factors for postpartum depressive symptoms in Argentina: a cross-sectional study. <i>International Journal of Women's Health</i> , <b>2013</b> , 5, 787-93	2.8	32
22	Factors Associated with the Persistence of Bullying Victimization From 10th grade to 13th Grade: A Longitudinal Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , <b>2013</b> , 9, 243-50	3.2	16

21	Mental health problems and post-migration stress among multi-traumatized refugees attending outpatient clinics upon resettlement to Norway. <i>Scandinavian Journal of Psychology</i> , <b>2012</b> , 53, 316-32	2.2	74
20	The development of bulimic symptoms from adolescence to young adulthood in females and males: a population-based longitudinal cohort study. <i>International Journal of Eating Disorders</i> , <b>2012</b> , 45, 737-45	6.3	44
19	The relation of early experienced negative life events and current itch. A longitudinal study among adolescents in Oslo, Norway. <i>Journal of Psychosomatic Research</i> , <b>2012</b> , 72, 226-9	4.1	8
18	The association between anomalous self-experience and suicidality in first-episode schizophrenia seems mediated by depression. <i>Comprehensive Psychiatry</i> , <b>2012</b> , 53, 456-60	7.3	34
17	The association between self-disorders and neurocognitive dysfunction in schizophrenia. <i>Schizophrenia Research</i> , <b>2012</b> , 135, 79-83	3.6	31
16	Distribution and understanding of items of religiousness in the Nord-Trøndelag Health Study, Norway. <i>Mental Health, Religion and Culture</i> , <b>2012</b> , 15, 571-585	1.1	11
15	A population-based study of acne and body mass index in adolescents. <i>Archives of Dermatology</i> , <b>2012</b> , 148, 131-2		30
14	Is Seeking God's Help Associated with Life Satisfaction and Disease-specific Quality of Life in Cancer Patients? The HUNT Study. <i>Archive for the Psychology of Religion</i> , <b>2012</b> , 34, 191-213	1.1	10
13	Selective aggregation of self-disorders in first-treatment DSM-IV schizophrenia spectrum disorders. <i>Journal of Nervous and Mental Disease</i> , <b>2012</b> , 200, 632-6	1.8	85
12	The relationship between religious attendance and blood pressure: the HUNT Study, Norway. <i>International Journal of Psychiatry in Medicine</i> , <b>2011</b> , 42, 13-28	1	24
11	Pain complaints as risk factor for mental distress: a three-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , <b>2011</b> , 20, 509-16	5.5	15
10	Experiences with general practitioners described by families of children with intellectual disabilities and challenging behaviour: a qualitative study. <i>BMJ Open</i> , <b>2011</b> , 1, e000304	3	3
9	Suicidal ideation, mental health problems, and social impairment are increased in adolescents with acne: a population-based study. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 363-70	4.3	215
8	The Personal Significance of Religiousness and Spirituality in Patients With Schizophrenia. <i>International Journal for the Psychology of Religion, The</i> , <b>2011</b> , 21, 145-158	1.8	10
7	Atopic conditions and mental health problems: a 3-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , <b>2010</b> , 19, 705-13	5.5	11
6	Itch and mental distress: a cross-sectional study among late adolescents. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 39-44	2.2	27
5	Is the relationship between smoking and mental health influenced by other unhealthy lifestyle factors? Results from a 3-year follow-up study among adolescents in Oslo, Norway. <i>Journal of Adolescent Health</i> , <b>2009</b> , 45, 609-17	5.8	17
4	Ethnic Norwegian and ethnic minority adolescents in Oslo, Norway. A longitudinal study comparing changes in mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 87-95	4.5	38

3	Is breakfast consumption related to mental distress and academic performance in adolescents? <i>Public Health Nutrition</i> , <b>2007</b> , 10, 422-8	3.3	95
2	Bodily pain and associated mental distress among immigrant adolescents. A population-based cross-sectional study. <i>European Child and Adolescent Psychiatry</i> , <b>2005</b> , 14, 371-5	5.5	15
1	Financial and organisational reforms in the health sector; implications for the financing and management of mental health care services. <i>Health Policy</i> , <b>2003</b> , 63, 73-80	3.2	4