

# Isabelle Coppens

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/262571/isabelle-coppens-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145  
papers

10,253  
citations

49  
h-index

99  
g-index

157  
ext. papers

11,903  
ext. citations

7  
avg, IF

5.78  
L-index

#	Paper	IF	Citations
145	Endothelial thrombomodulin downregulation caused by hypoxia contributes to severe infiltration and coagulopathy in COVID-19 patient lungs.. <i>EBioMedicine</i> , <b>2022</b> , 75, 103812	8.8	6
144	.. <i>Molecular Biology of the Cell</i> , <b>2022</b> , mbcE21060284	3.5	0
143	§ Basal Complex: The Other Apicomplexan Business End Is Multifunctional.. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2022</b> , 12, 882166	5.9	2
142	Unusual features and localization of the membrane kinome of <i>Trypanosoma brucei</i> . <i>PLoS ONE</i> , <b>2021</b> , 16, e0258814	3.7	
141	A plastid two-pore channel essential for inter-organelle communication and growth of <i>Toxoplasma gondii</i> . <i>Nature Communications</i> , <b>2021</b> , 12, 5802	17.4	6
140	The Modular Circuitry of Apicomplexan Cell Division Plasticity. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 670049	5.9	5
139	<i>Toxoplasma</i> TgATG9 is critical for autophagy and long-term persistence in tissue cysts. <i>ELife</i> , <b>2021</b> , 10,	8.9	7
138	Quantitative Fluorescence Microscopy for Detecting Mammalian Rab Vesicles within the Parasitophorous Vacuole of the Human Pathogen <i>Toxoplasma gondii</i> . <i>Methods in Molecular Biology</i> , <b>2021</b> , 2293, 295-305	1.4	2
137	Chemoprophylaxis vaccination with a <i>Plasmodium</i> liver stage autophagy mutant affords enhanced and long-lasting protection. <i>Npj Vaccines</i> , <b>2021</b> , 6, 98	9.5	1
136	A <i>Plasmodium</i> homolog of ER tubule-forming proteins is required for parasite virulence. <i>Molecular Microbiology</i> , <b>2020</b> , 114, 454-467	4.1	3
135	Fussing About Fission: Defining Variety Among Mainstream and Exotic Apicomplexan Cell Division Modes. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2020</b> , 10, 269	5.9	20
134	Sitting in the driver's seat: Manipulation of mammalian cell Rab GTPase functions by apicomplexan parasites. <i>Biology of the Cell</i> , <b>2020</b> , 112, 187-195	3.5	1
133	Mitochondria form contact sites with the nucleus to couple prosurvival retrograde response. <i>Science Advances</i> , <b>2020</b> , 6,	14.3	25
132	A single Na <sup>+</sup> -Pi cotransporter in <i>Toxoplasma</i> plays key roles in phosphate import and control of parasite osmoregulation. <i>PLoS Pathogens</i> , <b>2020</b> , 16, e1009067	7.6	1
131	Biochemistry and metabolism of <i>Toxoplasma gondii</i> : lipid synthesis and uptake <b>2020</b> , 367-395		1
130	A single Na <sup>+</sup> -Pi cotransporter in <i>Toxoplasma</i> plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		
129	A single Na <sup>+</sup> -Pi cotransporter in <i>Toxoplasma</i> plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		

128	A single Na <sup>+</sup> -Pi cotransporter in Toxoplasma plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		
127	A single Na <sup>+</sup> -Pi cotransporter in Toxoplasma plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		
126	A single Na <sup>+</sup> -Pi cotransporter in Toxoplasma plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		
125	A single Na <sup>+</sup> -Pi cotransporter in Toxoplasma plays key roles in phosphate import and control of parasite osmoregulation <b>2020</b> , 16, e1009067		
124	Robbing Host Phosphatidic Acid to Survive: A Strategy of a Fly Parasite. <i>Trends in Parasitology</i> , <b>2019</b> , 35, 336-338	6.4	1
123	Identification and Localization of the First Known Proteins of the Cytostome Cytopharynx Endocytic Complex. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2019</b> , 9, 445	5.9	7
122	Role of Chloroquine Resistance Transporter in Bradyzoite Viability and Digestive Vacuole Maintenance. <i>MBio</i> , <b>2019</b> , 10,	7.8	11
121	The Cardiac Microenvironment Instructs Divergent Monocyte Fates and Functions in Myocarditis. <i>Cell Reports</i> , <b>2019</b> , 28, 172-189.e7	10.6	15
120	virulence factors, including listeriolysin O, are secreted in biologically active extracellular vesicles. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 1202-1217	5.4	61
119	Aquaglyceroporin PbAQP is required for efficient progression through the liver stage of Plasmodium infection. <i>Scientific Reports</i> , <b>2018</b> , 8, 655	4.9	4
118	Remodeling of the malaria parasite and host human red cell by vesicle amplification that induces artemisinin resistance. <i>Blood</i> , <b>2018</b> , 131, 1234-1247	2.2	55
117	TgTKL1 Is a Unique Plant-Like Nuclear Kinase That Plays an Essential Role in Acute Toxoplasmosis. <i>MBio</i> , <b>2018</b> , 9,	7.8	4
116	AAH2 gene is not required for dopamine-dependent neurochemical and behavioral abnormalities produced by Toxoplasma infection in mouse. <i>Behavioural Brain Research</i> , <b>2018</b> , 347, 193-200	3.4	17
115	Novel Approaches To Kill Toxoplasma gondii by Exploiting the Uncontrolled Uptake of Unsaturated Fatty Acids and Vulnerability to Lipid Storage Inhibition of the Parasite. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	24
114	Hostile intruder: Toxoplasma holds host organelles captive. <i>PLoS Pathogens</i> , <b>2018</b> , 14, e1006893	7.6	17
113	Modelling Toxoplasma gondii infection in a 3D cell culture system In Vitro: Comparison with infection in 2D cell monolayers. <i>PLoS ONE</i> , <b>2018</b> , 13, e0208558	3.7	12
112	KCTD7 deficiency defines a distinct neurodegenerative disorder with a conserved autophagy-lysosome defect. <i>Annals of Neurology</i> , <b>2018</b> , 84, 766-780	9.4	26
111	Plasmodium falciparum CRK4 directs continuous rounds of DNA replication during schizogony. <i>Nature Microbiology</i> , <b>2017</b> , 2, 17017	26.6	41

110	A novel dense granule protein, GRA41, regulates timing of egress and calcium sensitivity in <i>Toxoplasma gondii</i> . <i>Cellular Microbiology</i> , <b>2017</b> , 19, e12749	3.9	19
109	<i>Toxoplasma</i> depends on lysosomal consumption of autophagosomes for persistent infection. <i>Nature Microbiology</i> , <b>2017</b> , 2, 17096	26.6	50
108	A Glycosylphosphatidylinositol-Anchored Carbonic Anhydrase-Related Protein of Is Important for Rhoptry Biogenesis and Virulence. <i>MSphere</i> , <b>2017</b> , 2,	5	16
107	Eosinophil-derived IL-4 drives progression of myocarditis to inflammatory dilated cardiomyopathy. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 943-957	16.6	53
106	The parasite sequesters diverse Rab host vesicles within an intravacuolar network. <i>Journal of Cell Biology</i> , <b>2017</b> , 216, 4235-4254	7.3	44
105	Lipids Affect the <i>Cryptococcus neoformans</i> -Macrophage Interaction and Promote Nonlytic Exocytosis. <i>Infection and Immunity</i> , <b>2017</b> , 85,	3.7	10
104	Host lipid droplets: An important source of lipids salvaged by the intracellular parasite <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , <b>2017</b> , 13, e1006362	7.6	81
103	How <i>Toxoplasma</i> and malaria parasites defy first, then exploit host autophagic and endocytic pathways for growth. <i>Current Opinion in Microbiology</i> , <b>2017</b> , 40, 32-39	7.9	22
102	In Vivo Biotinylation of the <i>Toxoplasma</i> Parasitophorous Vacuole Reveals Novel Dense Granule Proteins Important for Parasite Growth and Pathogenesis. <i>MBio</i> , <b>2016</b> , 7,	7.8	89
101	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838
100	A Lipolytic Lecithin:Cholesterol Acyltransferase Secreted by <i>Toxoplasma</i> Facilitates Parasite Replication and Egress. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 3725-46	5.4	29
99	The Plasmodium PHIST and RESA-Like Protein Families of Human and Rodent Malaria Parasites. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152510	3.7	11
98	Na <sup>+</sup> Influx Induced by New Antimalarials Causes Rapid Alterations in the Cholesterol Content and Morphology of Plasmodium falciparum. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005647	7.6	26
97	Overexpression of Plasmodium berghei ATG8 by Liver Forms Leads to Cumulative Defects in Organelle Dynamics and to Generation of Noninfectious Merozoites. <i>MBio</i> , <b>2016</b> , 7,	7.8	22
96	<i>Neospora caninum</i> Recruits Host Cell Structures to Its Parasitophorous Vacuole and Salvages Lipids from Organelles. <i>Eukaryotic Cell</i> , <b>2015</b> , 14, 454-73		32
95	Fundamental Roles of the Golgi-Associated <i>Toxoplasma</i> Aspartyl Protease, ASP5, at the Host-Parasite Interface. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1005211	7.6	81
94	Studying Membrane Trafficking in <i>Toxoplasma gondii</i> Using Correlative Light and Electron Microscopy (CLEM). <i>Microscopy and Microanalysis</i> , <b>2015</b> , 21, 535-536	0.5	4
93	<i>Toxoplasma</i> , or the discovery of a heterophage. <i>Trends in Parasitology</i> , <b>2014</b> , 30, 467-9	6.4	4

92	Exploitation of auxotrophies and metabolic defects in <i>Toxoplasma</i> as therapeutic approaches. <i>International Journal for Parasitology</i> , <b>2014</b> , 44, 109-20	4.3	41
91	Characterization of the ATG8-conjugation system in 2 <i>Plasmodium</i> species with special focus on the liver stage: possible linkage between the apicomplex and autophagic systems?. <i>Autophagy</i> , <b>2014</b> , 10, 269-84	10.2	34
90	Biochemistry and Metabolism of <i>Toxoplasma gondii</i> <b>2014</b> , 257-295		2
89	<i>Plasmodium falciparum</i> Rab5B is an N-terminally myristoylated Rab GTPase that is targeted to the parasite's plasma and food vacuole membranes. <i>PLoS ONE</i> , <b>2014</b> , 9, e87695	3.7	27
88	Host Organelle Hijackers: a similar modus operandi for <i>Toxoplasma gondii</i> and <i>Chlamydia trachomatis</i> : co-infection model as a tool to investigate pathogenesis. <i>Pathogens and Disease</i> , <b>2013</b> , 69, 72-86	4.2	22
87	<i>Cryptosporidium parvum</i> scavenges LDL-derived cholesterol and micellar cholesterol internalized into enterocytes. <i>Cellular Microbiology</i> , <b>2013</b> , 15, 1182-97	3.9	33
86	Fierce competition between <i>Toxoplasma</i> and <i>Chlamydia</i> for host cell structures in dually infected cells. <i>Eukaryotic Cell</i> , <b>2013</b> , 12, 265-77		14
85	Characterization of a second sterol-esterifying enzyme in <i>Toxoplasma</i> highlights the importance of cholesterol storage pathways for the parasite. <i>Molecular Microbiology</i> , <b>2013</b> , 87, 951-67	4.1	29
84	Targeting lipid biosynthesis and salvage in apicomplexan parasites for improved chemotherapies. <i>Nature Reviews Microbiology</i> , <b>2013</b> , 11, 823-35	22.2	68
83	A novel co-infection model with <i>Toxoplasma</i> and <i>Chlamydia trachomatis</i> highlights the importance of host cell manipulation for nutrient scavenging. <i>Cellular Microbiology</i> , <b>2013</b> , 15, 619-46	3.9	12
82	A <i>Toxoplasma</i> palmitoyl acyl transferase and the palmitoylated armadillo repeat protein TgARO govern apical rhoptry tethering and reveal a critical role for the rhoptries in host cell invasion but not egress. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003162	7.6	65
81	Identification and characterization of <i>Cryptosporidium parvum</i> Clec, a novel C-type lectin domain-containing mucin-like glycoprotein. <i>Infection and Immunity</i> , <b>2013</b> , 81, 3356-65	3.7	23
80	Dynamics of the major histocompatibility complex class I processing and presentation pathway in the course of malaria parasite development in human hepatocytes: implications for vaccine development. <i>PLoS ONE</i> , <b>2013</b> , 8, e75321	3.7	10
79	<i>Toxoplasma gondii</i> salvages sphingolipids from the host Golgi through the rerouting of selected Rab vesicles to the parasitophorous vacuole. <i>Molecular Biology of the Cell</i> , <b>2013</b> , 24, 1974-95	3.5	72
78	Non-canonical maturation of two papain-family proteases in <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 3523-34	5.4	26
77	<i>Plasmodium falciparum</i> ATG8 implicated in both autophagy and apicoplast formation. <i>Autophagy</i> , <b>2013</b> , 9, 1540-52	10.2	60
76	<i>Plasmodium falciparum</i> -derived uric acid precipitates induce maturation of dendritic cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e55584	3.7	16
75	Structural characterization and inhibition of the <i>Plasmodium</i> Atg8-Atg3 interaction. <i>Journal of Structural Biology</i> , <b>2012</b> , 180, 551-62	3.4	36

74	Introduction of caveolae structural proteins into the protozoan <i>Toxoplasma</i> results in the formation of heterologous caveolae but not caveolar endocytosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e51773	3.7	6
73	Aberrant sporogonic development of Dmc1 (a meiotic recombinase) deficient <i>Plasmodium berghei</i> parasites. <i>PLoS ONE</i> , <b>2012</b> , 7, e52480	3.7	16
72	Conditional mutagenesis of a novel choline kinase demonstrates plasticity of phosphatidylcholine biogenesis and gene expression in <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 16289-99	5.4	18
71	<i>Plasmodium</i> salvages cholesterol internalized by LDL and synthesized de novo in the liver. <i>Cellular Microbiology</i> , <b>2011</b> , 13, 569-86	3.9	86
70	Autophagy in parasitic protists: unique features and drug targets. <i>Molecular and Biochemical Parasitology</i> , <b>2011</b> , 177, 83-99	1.9	93
69	<i>Plasmodium</i> ookinetes coopt mammalian plasminogen to invade the mosquito midgut. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 17153-8	11.5	78
68	Autophagy in protists. <i>Autophagy</i> , <b>2011</b> , 7, 127-58	10.2	124
67	Deficiency of a Niemann-Pick, type C1-related protein in toxoplasma is associated with multiple lipidoses and increased pathogenicity. <i>PLoS Pathogens</i> , <b>2011</b> , 7, e1002410	7.6	25
66	Evidence that mutant PfCRT facilitates the transmission to mosquitoes of chloroquine-treated <i>Plasmodium</i> gametocytes. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 203, 228-36	7	27
65	Metamorphoses of malaria: the role of autophagy in parasite differentiation. <i>Essays in Biochemistry</i> , <b>2011</b> , 51, 127-36	7.6	18
64	A high-affinity putrescine-cadaverine transporter from <i>Trypanosoma cruzi</i> . <i>Molecular Microbiology</i> , <b>2010</b> , 76, 78-91	4.1	55
63	Characterization of a novel organelle in <i>Toxoplasma gondii</i> with similar composition and function to the plant vacuole. <i>Molecular Microbiology</i> , <b>2010</b> , 76, 1358-75	4.1	116
62	Novel roles for ATP-binding cassette G transporters in lipid redistribution in <i>Toxoplasma</i> . <i>Molecular Microbiology</i> , <b>2010</b> , 76, 1232-49	4.1	31
61	Cathepsin L occupies a vacuolar compartment and is a protein maturase within the endo/exocytic system of <i>Toxoplasma gondii</i> . <i>Molecular Microbiology</i> , <b>2010</b> , 76, 1340-57	4.1	100
60	Glutathione reductase-null malaria parasites have normal blood stage growth but arrest during development in the mosquito. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 27045-27056	5.4	39
59	MYST family lysine acetyltransferase facilitates ataxia telangiectasia mutated (ATM) kinase-mediated DNA damage response in <i>Toxoplasma gondii</i> . <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 11154-61	5.4	29
58	Metamorphosis of the malaria parasite in the liver is associated with organelle clearance. <i>Cell Research</i> , <b>2010</b> , 20, 1043-59	24.7	63
57	An update on the rapid advances in malaria parasite cell biology. <i>Trends in Parasitology</i> , <b>2010</b> , 26, 305-106.4	9	

56	Distinct roles of Plasmodium rhomboid 1 in parasite development and malaria pathogenesis. <i>PLoS Pathogens</i> , <b>2009</b> , 5, e1000262	7.6	32
55	The glutathione biosynthetic pathway of Plasmodium is essential for mosquito transmission. <i>PLoS Pathogens</i> , <b>2009</b> , 5, e1000302	7.6	48
54	Role of an ancestral d-bifunctional protein containing two sterol-carrier protein-2 domains in lipid uptake and trafficking in Toxoplasma. <i>Molecular Biology of the Cell</i> , <b>2009</b> , 20, 658-72	3.5	21
53	Host ER-parasitophorous vacuole interaction provides a route of entry for antigen cross-presentation in Toxoplasma gondii-infected dendritic cells. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 399-410	16.6	125
52	Rapid membrane disruption by a perforin-like protein facilitates parasite exit from host cells. <i>Science</i> , <b>2009</b> , 323, 530-3	33.3	216
51	Targeted deletion of SAP1 abolishes the expression of infectivity factors necessary for successful malaria parasite liver infection. <i>Molecular Microbiology</i> , <b>2008</b> , 69, 152-63	4.1	84
50	A transient forward-targeting element for microneme-regulated secretion in Toxoplasma gondii. <i>Biology of the Cell</i> , <b>2008</b> , 100, 253-64	3.5	26
49	Effect of host cell lipid metabolism on alphavirus replication, virion morphogenesis, and infectivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 16326-31	11.5	32
48	Translation regulation by eukaryotic initiation factor-2 kinases in the development of latent cysts in Toxoplasma gondii. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 16591-601	5.4	88
47	A thioredoxin family protein of the apicoplast periphery identifies abundant candidate transport vesicles in Toxoplasma gondii. <i>Eukaryotic Cell</i> , <b>2008</b> , 7, 1518-29		70
46	New host nuclear functions are not required for the modifications of the parasitophorous vacuole of Toxoplasma. <i>Cellular Microbiology</i> , <b>2008</b> , 10, 465-76	3.9	20
45	Molecular dissection and expression of the LdK39 kinesin in the human pathogen, Leishmania donovani. <i>Molecular Microbiology</i> , <b>2007</b> , 63, 962-79	4.1	13
44	Cell cycle-regulated vesicular trafficking of Toxoplasma APT1, a protein localized to multiple apicoplast membranes. <i>Molecular Microbiology</i> , <b>2007</b> , 63, 1653-68	4.1	63
43	A membrane protease is targeted to the relict plastid of toxoplasma via an internal signal sequence. <i>Traffic</i> , <b>2007</b> , 8, 1543-53	5.7	41
42	Cellular interactions of Plasmodium liver stage with its host mammalian cell. <i>International Journal for Parasitology</i> , <b>2007</b> , 37, 1329-41	4.3	98
41	Protective properties and surface localization of Plasmodium falciparum enolase. <i>Infection and Immunity</i> , <b>2007</b> , 75, 5500-8	3.7	60
40	Plasmodium yoelii sporozoites with simultaneous deletion of P52 and P36 are completely attenuated and confer sterile immunity against infection. <i>Infection and Immunity</i> , <b>2007</b> , 75, 3758-68	3.7	123
39	Vacuolar and plasma membrane stripping and autophagic elimination of Toxoplasma gondii in primed effector macrophages. <i>Journal of Experimental Medicine</i> , <b>2006</b> , 203, 2063-71	16.6	293



38	A cleavable propeptide influences Toxoplasma infection by facilitating the trafficking and secretion of the TgMIC2-M2AP invasion complex. <i>Molecular Biology of the Cell</i> , <b>2006</b> , 17, 4551-63	3.5	81
37	Toxoplasma gondii sequesters lysosomes from mammalian hosts in the vacuolar space. <i>Cell</i> , <b>2006</b> , 125, 261-74	56.2	246
36	The host cell transcription factor hypoxia-inducible factor 1 is required for Toxoplasma gondii growth and survival at physiological oxygen levels. <i>Cellular Microbiology</i> , <b>2006</b> , 8, 339-52	3.9	84
35	Contribution of host lipids to Toxoplasma pathogenesis. <i>Cellular Microbiology</i> , <b>2006</b> , 8, 1-9	3.9	62
34	Host cell lipids control cholesteryl ester synthesis and storage in intracellular Toxoplasma. <i>Cellular Microbiology</i> , <b>2005</b> , 7, 849-67	3.9	73
33	Peculiarities of host cholesterol transport to the unique intracellular vacuole containing Toxoplasma. <i>Traffic</i> , <b>2005</b> , 6, 1125-41	5.7	40
32	Insights into unique physiological features of neutral lipids in Apicomplexa: from storage to potential mediation in parasite metabolic activities. <i>International Journal for Parasitology</i> , <b>2005</b> , 35, 597-615	4.3	57
31	Toxoplasma gondii is capable of exogenous folate transport. A likely expansion of the BT1 family of transmembrane proteins. <i>Molecular and Biochemical Parasitology</i> , <b>2005</b> , 144, 44-54	1.9	32
30	Selective disruption of phosphatidylcholine metabolism of the intracellular parasite Toxoplasma gondii arrests its growth. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 16345-53	5.4	67
29	A surface phospholipase is involved in the migration of plasmodium sporozoites through cells. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 6752-60	5.4	67
28	The Plasmodium falciparum Vps4 homolog mediates multivesicular body formation. <i>Journal of Cell Science</i> , <b>2004</b> , 117, 3831-8	5.3	42
27	A member of a conserved Plasmodium protein family with membrane-attack complex/perforin (MACPF)-like domains localizes to the micronemes of sporozoites. <i>Molecular and Biochemical Parasitology</i> , <b>2004</b> , 133, 15-26	1.9	83
26	Neutral lipid synthesis and storage in the intraerythrocytic stages of Plasmodium falciparum. <i>Molecular and Biochemical Parasitology</i> , <b>2004</b> , 135, 197-209	1.9	43
25	On the biogenesis of lipid bodies in ancient eukaryotes: synthesis of triacylglycerols by a Toxoplasma DGAT1-related enzyme. <i>Molecular and Biochemical Parasitology</i> , <b>2004</b> , 138, 107-22	1.9	53
24	Apicomplexan gliding motility and host cell invasion: overhauling the motor model. <i>Trends in Parasitology</i> , <b>2004</b> , 20, 13-6	6.4	101
23	A molecular docking strategy identifies Eosin B as a non-active site inhibitor of protozoal bifunctional thymidylate synthase-dihydrofolate reductase. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 14092-100	5.4	21
22	Host but not parasite cholesterol controls Toxoplasma cell entry by modulating organelle discharge. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 3804-20	3.5	111
21	Oxidosqualene cyclase inhibitors as antimicrobial agents. <i>Journal of Medicinal Chemistry</i> , <b>2003</b> , 46, 4240-8.3		33



20	Myosin A tail domain interacting protein (MTIP) localizes to the inner membrane complex of Plasmodium sporozoites. <i>Journal of Cell Science</i> , <b>2003</b> , 116, 39-49	5.3	158
19	Activation of NF-kappaB by Toxoplasma gondii correlates with increased expression of antiapoptotic genes and localization of phosphorylated IkappaB to the parasitophorous vacuole membrane. <i>Journal of Cell Science</i> , <b>2003</b> , 116, 4359-71	5.3	131
18	Pleiotropic effect due to targeted depletion of secretory rhoptry protein ROP2 in Toxoplasma gondii. <i>Journal of Cell Science</i> , <b>2003</b> , 116, 2311-20	5.3	49
17	Toxoplasma gondii Rab5 enhances cholesterol acquisition from host cells. <i>Cellular Microbiology</i> , <b>2002</b> , 4, 139-52	3.9	49
16	Golgi biogenesis in Toxoplasma gondii. <i>Nature</i> , <b>2002</b> , 418, 548-52	50.4	164
15	Endocytosis in different lifestyles of protozoan parasitism: role in nutrient uptake with special reference to Toxoplasma gondii. <i>International Journal for Parasitology</i> , <b>2001</b> , 31, 1343-53	4.3	27
14	Production of Neisseria meningitidis transferrin-binding protein B by recombinant Bordetella pertussis. <i>Infection and Immunity</i> , <b>2001</b> , 69, 5440-6	3.7	19
13	Toxoplasma gondii exploits host low-density lipoprotein receptor-mediated endocytosis for cholesterol acquisition. <i>Journal of Cell Biology</i> , <b>2000</b> , 149, 167-80	7.3	229
12	Intracellular trafficking of dense granule proteins in Toxoplasma gondii and experimental evidences for a regulated exocytosis. <i>European Journal of Cell Biology</i> , <b>1999</b> , 78, 463-72	6.1	42
11	The mevalonate pathway in parasitic protozoa and helminths. <i>Experimental Parasitology</i> , <b>1996</b> , 82, 76-85	2.1	22
10	Activity, pharmacological inhibition and biological regulation of 3-hydroxy-3-methylglutaryl coenzyme A reductase in Trypanosoma brucei. <i>Molecular and Biochemical Parasitology</i> , <b>1995</b> , 69, 29-40	1.9	38
9	Exogenous and endogenous sources of sterols in the culture-adapted procyclic trypomastigotes of Trypanosoma brucei. <i>Molecular and Biochemical Parasitology</i> , <b>1995</b> , 73, 179-88	1.9	46
8	Host plasma low density lipoprotein particles as an essential source of lipids for the bloodstream forms of Trypanosoma brucei. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 5736-41	5.4	64
7	Identification of a specific epitope on the extracellular domain of the LDL-receptor of Trypanosoma brucei brucei. <i>Molecular and Biochemical Parasitology</i> , <b>1994</b> , 63, 193-202	1.9	13
6	The uptake of the trypanocidal drug suramin in combination with low-density lipoproteins by Trypanosoma brucei and its possible mode of action. <i>Acta Tropica</i> , <b>1993</b> , 54, 237-50	3.2	62
5	Role of acidic compartments in Trypanosoma brucei, with special reference to low-density lipoprotein processing. <i>Molecular and Biochemical Parasitology</i> , <b>1993</b> , 58, 223-32	1.9	44
4	Dense granule protein, GRA64 interacts with host cell ESCRT proteins during Toxoplasma gondii infection		1
3	Toxoplasma ferlin1 is a versatile and dynamic mediator of microneme trafficking and secretion		2

- 2 Toxoplasma TgATG9 is critical for autophagy and long-term persistence in tissue cysts 1
- 1 *Listeria monocytogenes* virulence factors are secreted in biologically active Extracellular Vesicles 1