Andrew W Murphy

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/262854/andrew-w-murphy-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers
4,790
citations
h-index

5,694
ext. papers

35
h-index

3-4
g-index

5-35
L-index

#	Paper	IF	Citations
183	Enhancing the implementation of the Making Every Contact Count brief behavioural intervention programme in Ireland: protocol for the Making MECC Work research programme <i>HRB Open Research</i> , 2022 , 5, 6	1.2	O
182	Quality improvement in a crisis: a qualitative study of experiences and lessons learned from the Irish National Ambulance Service response to the COVID-19 pandemic <i>BMJ Open</i> , 2022 , 12, e057162	3	О
181	Community first response and out-of-hospital cardiac arrest: Identifying priorities for data collection, analysis, and use via the nominal group technique <i>Resuscitation Plus</i> , 2022 , 9, 100197	1.4	O
180	The MultimorbiditY COllaborative Medication Review And DEcision Making (MyComrade) study: a protocol for a cross-border pilot cluster randomised controlled trial <i>Pilot and Feasibility Studies</i> , 2022 , 8, 73	1.9	О
179	A systematic review of the outcomes reported in the treatment of uncomplicated urinary tract infection clinical trials <i>JAC-Antimicrobial Resistance</i> , 2022 , 4, dlac025	2.9	О
178	A Systematic Review of Measurement Tools for the Proactive Assessment of Patient Safety in General Practice. <i>Journal of Patient Safety</i> , 2021 , 17, e406-e412	1.9	9
177	Prevalence and predictors of medication non-adherence among people living with multimorbidity: a systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e044987	3	8
176	'Just keep taking them, keep hoping they'll work': A qualitative study of adhering to medications for multimorbidity. <i>British Journal of Health Psychology</i> , 2021 ,	8.3	1
175	Community first response and out-of-hospital cardiac arrest: a qualitative study of the views and experiences of international experts. <i>BMJ Open</i> , 2021 , 11, e042307	3	3
174	Out-of-hospital cardiac arrests in the young population; a 6-year review of the Irish out-of-hospital cardiac arrest register. <i>Postgraduate Medical Journal</i> , 2021 , 97, 280-285	2	1
173	A cost-analysis of outpatient paediatric penicillin allergy de-labelling using telemedicine. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 495-498	4.1	3
172	Family Burning pointDexperiences and the process of youth becoming homeless. <i>Child and Family Social Work</i> , 2021 , 26, 415	1.3	1
171	Development and validation of a patient-report measure of safety climate for general practice. <i>Family Practice</i> , 2021 , 38, 837-844	1.9	2
170	Juggling with theory, evidence, practice, and real-world circumstances: Development of a complex community intervention to increase physical activity in inactive adults aged 50 years and older - The Move for Life Study. <i>Evaluation and Program Planning</i> , 2021 , 89, 101983	1.7	1
169	Patients' perception of safety climate in Irish general practice: a cross-sectional study <i>BMC Family Practice</i> , 2021 , 22, 257	2.6	1
168	A cluster analysis of device-measured physical activity behaviours and the association with chronic conditions, multi-morbidity and healthcare utilisation in adults aged 45 years and older <i>Preventive Medicine Reports</i> , 2021 , 24, 101641	2.6	1
167	AAAAI Work Group Report: Physician Wellness in Allergy and Immunology. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1224-1229	5.4	8

(2019-2020)

166	Designing an e-learning tool to support health practitioners caring for patients taking multiple medications. <i>HRB Open Research</i> , 2020 , 3, 59	1.2	2
165	The effectiveness of digital multimedia presentation of trial information on recruitment and retention of patients: Protocol for a study within a trial (SWAT). <i>HRB Open Research</i> , 2020 , 3, 10	1.2	О
164	De-labeling penicillin-allergic children in outpatients using telemedicine: Potential to replicate in primary care. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1750-1752	5.4	10
163	Effects of Biopsychosocial Education on the Clinical Judgments of Medical Students and GP Trainees Regarding Future Risk of Disability in Chronic Lower Back Pain: A Randomized Control Trial. <i>Pain Medicine</i> , 2020 , 21, 939-950	2.8	4
162	Oseltamivir plus usual care versus usual care for influenza-like illness in primary care: an open-label, pragmatic, randomised controlled trial. <i>Lancet, The</i> , 2020 , 395, 42-52	40	35
161	A comparison, for older people with diabetes, of health and health care utilisation in two different health systems on the island of Ireland. <i>BMC Public Health</i> , 2020 , 20, 1446	4.1	2
160	Blood pressure control in patients with a previous stroke/transient ischaemic attack in primary care in Ireland: a cross sectional study. <i>BMC Family Practice</i> , 2020 , 21, 139	2.6	2
159	Quality, scope and reporting standards of randomised controlled trials in Irish Health Research: an observational study. <i>Trials</i> , 2020 , 21, 494	2.8	1
158	The feasibility of a Comprehensive Resilience-building psychosocial Intervention (CREST) for people with dementia in the community: protocol for a non-randomised feasibility study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 177	1.9	1
157	Designing an e-learning tool to support health practitioners caring for patients taking multiple medications. <i>HRB Open Research</i> , 2020 , 3, 59	1.2	O
156	A qualitative comparison of high and low adherers with apparent treatment-resistant hypertension. <i>Psychology, Health and Medicine</i> , 2020 , 25, 64-77	2.1	1
155	Comparative efficacy of exercise and anti-hypertensive pharmacological interventions in reducing blood pressure in people with hypertension: A network meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 247-255	3.9	20
154	Rapid response and learning for later: establishing high quality information networks and evaluation frameworks for the National Ambulance Service response to COVID-19 - the ENCORE COVID Project Protocol. <i>HRB Open Research</i> , 2020 , 3, 68	1.2	2
153	An analysis of general practitioners' perspectives on patient safety incidents using critical incident technique interviews. <i>Family Practice</i> , 2019 , 36, 736-742	1.9	5
152	Safety in primary care (SAP-C): a randomised, controlled feasibility study in two different healthcare systems. <i>BMC Family Practice</i> , 2019 , 20, 22	2.6	6
151	An evaluation of an intervention designed to help inactive adults become more active with a peer mentoring component: a protocol for a cluster randomised feasibility trial of the Move for Life programme. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 88	1.9	4
150	Prevalence and predictors of medication non-adherence among patients with multimorbidity: A systematic review protocol. <i>HRB Open Research</i> , 2019 , 2, 29	1.2	3
149	COSUTI: a protocol for the development of a core outcome set (COS) for interventions for the treatment of uncomplicated urinary tract infection (UTI) in adults. <i>Trials</i> , 2019 , 20, 106	2.8	6

148	A pilot study of the duration of GP consultations in Ireland. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 142	1.9	2
147	Measuring adherence to therapy in apparent treatment-resistant hypertension: a feasibility study in Irish primary care. <i>British Journal of General Practice</i> , 2019 , 69, e621-e628	1.6	3
146	The Effect of Rurality on Out-of-Hospital Cardiac Arrest Resuscitation Incidence: An Exploratory Study of a National Registry Utilizing a Categorical Approach. <i>Journal of Rural Health</i> , 2019 , 35, 78-86	4.6	2
145	Participants' Experiences of a Sexual Counseling Intervention During Cardiac Rehabilitation: A Nested Qualitative Study Within the CHARMS Pilot Randomized Controlled Trial. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, E35-E45	2.1	2
144	Out-of-hospital cardiac arrest in the home: Can area characteristics identify at-risk communities in the Republic of Ireland?. <i>International Journal of Health Geographics</i> , 2018 , 17, 6	3.5	3
143	A Systematic Review of Primary Care Safety Climate Survey Instruments: Their Origins, Psychometric Properties, Quality, and Usage. <i>Journal of Patient Safety</i> , 2018 , 14, e9-e18	1.9	12
142	The CHARMS pilot study: a multi-method assessment of the feasibility of a sexual counselling implementation intervention in cardiac rehabilitation in Ireland. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 88	1.9	6
141	Platelet-rich plasma (PRP) therapy for knee arthritis: a feasibility study in primary care. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 93	1.9	23
140	Medication adherence for resistant hypertension: Assessing theoretical predictors of adherence using direct and indirect adherence measures. <i>British Journal of Health Psychology</i> , 2018 , 23, 949-966	8.3	20
139	Prognosis of patients with apparent treatment-resistant hypertension-a feasibility study. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 43	1.9	O
138	Prevalence of treatment-resistant hypertension after considering pseudo-resistance and morbidity: a cross-sectional study in Irish primary care. <i>British Journal of General Practice</i> , 2018 , 68, e394-e400	1.6	10
137	Potential value of patient record review to assess and improve patient safety in general practice: A systematic review. <i>European Journal of General Practice</i> , 2018 , 24, 192-201	2.8	13
136	Judgement analysis of case severity and future risk of disability regarding chronic low back pain by general practitioners in Ireland. <i>PLoS ONE</i> , 2018 , 13, e0194387	3.7	3
135	Rivaroxaban with or without aspirin in patients with stable coronary artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 205-218	40	204
134	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The,</i> 2018 , 391, 219-229	40	414
133	Perceived safety climate in Irish primary care settings-a comparison with Scotland and England. <i>European Journal of General Practice</i> , 2018 , 24, 252-257	2.8	1
132	Patient reported health status and all-cause mortality in patients with coronary heart disease. <i>Family Practice</i> , 2018 , 35, 172-178	1.9	3
131	Long-term cost effectiveness of cardiac secondary prevention in primary care in the Republic of Ireland and Northern Ireland. <i>European Journal of Health Economics</i> , 2017 , 18, 321-335	3.6	3

(2015-2017)

130	Penicillin Allergy Testing Should Be Performed Routinely in Patients with Self-Reported Penicillin Allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 333-334	5.4	53	
129	The cost effectiveness of the SIMPle intervention to improve antimicrobial prescribing for urinary tract infection in primary care. <i>Journal of Public Health</i> , 2017 , 39, e282-e289	3.5	1	
128	Medication adherence among patients with apparent treatment-resistant hypertension: systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2017 , 35, 2346-2357	1.9	80	
127	Out-of-hospital cardiac arrests in the older population in Ireland. <i>Emergency Medicine Journal</i> , 2017 , 34, 659-664	1.5	5	
126	Sleep to Lower Elevated Blood Pressure: A Randomized Controlled Trial (SLEPT). <i>American Journal of Hypertension</i> , 2017 , 30, 319-327	2.3	45	
125	Using Mobile Phones to Collect Patient Data: Lessons Learned From the SIMPle Study. <i>JMIR</i> Research Protocols, 2017 , 6, e61	2	7	
124	Effectiveness of a biopsychosocial e-learning intervention on the clinical judgements of medical students and GP trainees regarding future risk of disability in patients with chronic lower back pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e010407	3	3	
123	The safety climate in primary care (SAP-C) study: study protocol for a randomised controlled feasibility study. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 56	1.9	1	
122	How do we learn about improving health care: a call for a new epistemological paradigm. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 420-4	1.9	9	
121	Intervention to improve the quality of antimicrobial prescribing for urinary tract infection: a cluster randomized trial. <i>Cmaj</i> , 2016 , 188, 108-115	3.5	34	
12 0	Exploring Experiences of Delayed Prescribing and Symptomatic Treatment for Urinary Tract Infections among General Practitioners and Patients in Ambulatory Care: A Qualitative Study. <i>Antibiotics</i> , 2016 , 5,	4.9	6	
119	Reconsultation and Antimicrobial Treatment of Urinary Tract Infection in Male and Female Patients in General Practice. <i>Antibiotics</i> , 2016 , 5,	4.9	14	
118	Effect of Health Literacy on Quality of Life amongst Patients with Ischaemic Heart Disease in Australian General Practice. <i>PLoS ONE</i> , 2016 , 11, e0151079	3.7	44	
117	Using qualitative insights to change practice: exploring the culture of antibiotic prescribing and consumption for urinary tract infections. <i>BMJ Open</i> , 2016 , 6, e008894	3	31	
116	Sexual counselling for patients with cardiovascular disease: protocol for a pilot study of the CHARMS sexual counselling intervention. <i>BMJ Open</i> , 2016 , 6, e011219	3	7	
115	Out-of-hospital cardiac arrest attended by ambulance services in Ireland: first 2 years' results from a nationwide registry. <i>Emergency Medicine Journal</i> , 2016 , 33, 776-781	1.5	7	
114	A comparison of medical records and patient questionnaires as sources for the estimation of costs within research studies and the implications for economic evaluation. <i>Family Practice</i> , 2016 , 33, 733-739	1.9	6	
113	Primary care organisational interventions for secondary prevention of ischaemic heart disease: a systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2015 , 65, e460-8	1.6	13	

112	Urban and rural differences in out-of-hospital cardiac arrest in Ireland. Resuscitation, 2015, 91, 42-7	4	50
111	Prescription contraception use: a cross-sectional population study of psychosocial determinants. <i>BMJ Open</i> , 2015 , 5, e007794	3	10
110	Improving antimicrobial prescribing in Irish primary care through electronic data collection and surveillance: a feasibility study. <i>BMC Family Practice</i> , 2015 , 16, 77	2.6	3
109	Six-year follow-up of the SPHERE RCT: secondary prevention of heart disease in general practice. <i>BMJ Open</i> , 2015 , 5, e007807	3	2
108	A Qualitative Study of Prescription Contraception Use: The Perspectives of Users, General Practitioners and Pharmacists. <i>PLoS ONE</i> , 2015 , 10, e0144074	3.7	11
107	The prevalence, impact and cost of chronic non-cancer pain in Irish primary schoolchildren (PRIME-C): protocol for a longitudinal school-based survey. <i>BMJ Open</i> , 2015 , 5, e007426	3	1
106	General practitioner contribution to out-of-hospital cardiac arrest outcome: A national registry study. <i>European Journal of General Practice</i> , 2015 , 21, 131-7	2.8	6
105	Sleep to lower elevated blood pressure: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 393	2.8	3
104	Using postal questionnaires to evaluate physical activity and diet behaviour change: case study exploring implications of valid responder characteristics in interpreting intervention outcomes. <i>BMC Research Notes</i> , 2014 , 7, 725	2.3	3
103	Views of doctors of varying disciplines on HPAT-Ireland as a selection tool for medicine. <i>Medical Teacher</i> , 2014 , 36, 775-82	3	5
102	Patients' experiences of using a smartphone application to increase physical activity: the SMART MOVE qualitative study in primary care. <i>British Journal of General Practice</i> , 2014 , 64, e500-8	1.6	46
101	Vascular risk factors, cardiovascular disease and functional impairment in community-dwelling adults. <i>Gerontology</i> , 2014 , 60, 212-21	5.5	6
100	Comparing the clinical-effectiveness and cost-effectiveness of an internet-delivered Acceptance and Commitment Therapy (ACT) intervention with a waiting list control among adults with chronic pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e005092	3	11
99	The fairness, predictive validity and acceptability of multiple mini interview in an internationally diverse student populationa mixed methods study. <i>BMC Medical Education</i> , 2014 , 14, 267	3.3	22
98	Effectiveness of a smartphone application to promote physical activity in primary care: the SMART MOVE randomised controlled trial. <i>British Journal of General Practice</i> , 2014 , 64, e384-91	1.6	177
97	Translating policy into practice: a case study in the secondary prevention of coronary heart disease. Health Expectations, 2014 , 17, 291-301	3.7	5
96	SMART MOVE - a smartphone-based intervention to promote physical activity in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 157	2.8	44
95	Community cardiac first responders in Ireland. <i>Resuscitation</i> , 2013 , 84, S33	4	4

(2011-2013)

94	Effectiveness of a cognitive behavioural therapy-based rehabilitation programme (Progressive Goal Attainment Program) for patients who are work-disabled due to back pain: study protocol for a multicentre randomised controlled trial. <i>Trials</i> , 2013 , 14, 290	2.8	11
93	Supporting the improvement and management of prescribing for urinary tract infections (SIMPle): protocol for a cluster randomized trial. <i>Trials</i> , 2013 , 14, 441	2.8	10
92	Communicating about sexual concerns within cardiac health services: do service providers and service users agree?. <i>Patient Education and Counseling</i> , 2013 , 92, 398-403	3.1	23
91	Mild chronic kidney disease and functional impairment in community-dwelling older adults. <i>Age and Ageing</i> , 2013 , 42, 488-94	3	29
90	The effectiveness of a structured education pulmonary rehabilitation programme for improving the health status of people with moderate and severe chronic obstructive pulmonary disease in primary care: the PRINCE cluster randomised trial. <i>Thorax</i> , 2013 , 68, 922-8	7:3	19
89	The Cardiac Health and Assessment of Relationship Management and Sexuality study: a qualitative inquiry of patient, general practitioner, and cardiac rehabilitation staff views on sexual assessment and counseling for cardiac patients. <i>Journal of Cardiovascular Nursing</i> , 2013 , 28, E1-13	2.1	18
88	Service users' and caregivers' perspectives on continuity of care in out-of-hours primary care. <i>Qualitative Health Research</i> , 2013 , 23, 407-21	3.9	14
87	The CHARMS Study: cardiac patients' experiences of sexual problems following cardiac rehabilitation. <i>European Journal of Cardiovascular Nursing</i> , 2013 , 12, 558-66	3.3	29
86	Patients' views about the use of their personal information from general practice medical records in health research: a qualitative study in Ireland. <i>Family Practice</i> , 2013 , 30, 105-12	1.9	19
85	Exploratory Spatial Mapping of the Occurrence of Antimicrobial Resistance in E. coli in the Community. <i>Antibiotics</i> , 2013 , 2, 328-38	4.9	11
84	Trimethoprim and ciprofloxacin resistance and prescribing in urinary tract infection associated with Escherichia coli: a multilevel model. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 2523-30	5.1	36
83	Preventing cardiovascular disease in primary care: role of a national risk factor management program. <i>American Heart Journal</i> , 2012 , 163, 714-9	4.9	7
82	The economic cost of chronic noncancer pain in Ireland: results from the PRIME study, part 2. <i>Journal of Pain</i> , 2012 , 13, 139-45	5.2	63
81	Thirty-minute compared to standardised office blood pressure measurement in general practice. <i>British Journal of General Practice</i> , 2012 , 62, 126	1.6	
80	Relative cost effectiveness of the SPHERE intervention in selected patient subgroups with existing coronary heart disease. <i>European Journal of Health Economics</i> , 2012 , 13, 429-43	3.6	7
79	Principles of multilevel analysis and its relevance to studies of antimicrobial resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 2316-22	5.1	6
78	Chronic pain in the Republic of Irelandcommunity prevalence, psychosocial profile and predictors of pain-related disability: results from the Prevalence, Impact and Cost of Chronic Pain (PRIME) study, part 1. <i>Pain</i> , 2011 , 152, 1096-1103	8	114
77	Opt-out as an acceptable method of obtaining consent in medical research: a short report. <i>BMC Medical Research Methodology</i> , 2011 , 11, 40	4.7	59

76	Antimicrobial management and appropriateness of treatment of urinary tract infection in general practice in Ireland. <i>BMC Family Practice</i> , 2011 , 12, 108	2.6	20
75	A pilot study of the use of near-patient C-Reactive Protein testing in the treatment of adult respiratory tract infections in one Irish general practice. <i>BMC Family Practice</i> , 2011 , 12, 93	2.6	17
74	A cluster randomised controlled trial evaluating the effectiveness of a structured pulmonary rehabilitation education programme for improving the health status of people with chronic obstructive pulmonary disease (COPD): The PRINCE Study protocol. <i>BMC Pulmonary Medicine</i> , 2011 ,	3.5	20
73	11, 4 The prevalence of multimorbidity in primary care and its effect on health care utilization and cost. Family Practice, 2011 , 28, 516-23	1.9	372
72	Interpreting asymptomatic bacteriuria. <i>BMJ, The</i> , 2011 , 343, d4780	5.9	19
71	Cardiac rehabilitation staff views about discussing sexual issues with coronary heart disease patients: a national survey in Ireland. <i>European Journal of Cardiovascular Nursing</i> , 2011 , 10, 101-7	3.3	47
70	Out-of-hospital cardiac arrest (OHCA) survival in rural Northwest Ireland: 17 years' experience. <i>Emergency Medicine Journal</i> , 2011 , 28, 437-8	1.5	3
69	Public attitudes to the use in research of personal health information from general practitioners' records: a survey of the Irish general public. <i>Journal of Medical Ethics</i> , 2011 , 37, 50-5	2.5	45
68	Five-year prognosis in an incident cohort of people presenting with acute myocardial infarction. <i>PLoS ONE</i> , 2011 , 6, e26573	3.7	22
67	A multilevel analysis of trimethoprim and ciprofloxacin prescribing and resistance of uropathogenic Escherichia coli in general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 1514-20	5.1	32
66	The cost-effectiveness of the SPHERE intervention for the secondary prevention of coronary heart disease. <i>International Journal of Technology Assessment in Health Care</i> , 2010 , 26, 263-71	1.8	20
65	Predictive value of antimicrobial susceptibility from previous urinary tract infection in the treatment of re-infection. <i>British Journal of General Practice</i> , 2010 , 60, 511-3	1.6	11
64	Self-monitoring and other non-pharmacological interventions to improve the management of hypertension in primary care: a systematic review. <i>British Journal of General Practice</i> , 2010 , 60, e476-88	1.6	81
63	Determinants of partial or no primary immunisations. <i>Archives of Disease in Childhood</i> , 2010 , 95, 603-5	2.2	14
62	"We need to get you focused": general practitioners' representations of chronic low back pain patients. <i>Qualitative Health Research</i> , 2010 , 20, 977-86	3.9	26
61	A mixed-methods prospective study of death certification in general practice. <i>Family Practice</i> , 2010 , 27, 351-5	1.9	6
60	Considerable differences exist between prevalent and incident myocardial infarction cohorts derived from the same population. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1351-7	5.7	7
59	Interventions used to improve control of blood pressure in patients with hypertension. <i>The Cochrane Library</i> , 2010 , CD005182	5.2	240

(2007-2010)

58	General practitioners' attitudes and preparedness towards Clinical Decision Support in e-Prescribing (CDS-eP) adoption in the West of Ireland: a cross sectional study. <i>BMC Medical Informatics and Decision Making</i> , 2010 , 10, 2	3.6	18
57	General practitioner views about discussing sexual issues with patients with coronary heart disease: a national survey in Ireland. <i>BMC Family Practice</i> , 2010 , 11, 40	2.6	59
56	WestREN: a description of an Irish academic general practice research network. <i>BMC Family Practice</i> , 2010 , 11, 74	2.6	24
55	Five year prognosis in patients with angina identified in primary care: incident cohort study. <i>BMJ, The</i> , 2009 , 339, b3058	5.9	33
54	Expanding the value of qualitative theories of illness experience in clinical practice: a grounded theory of secondary heart disease prevention. <i>Health Education Research</i> , 2009 , 24, 357-68	1.8	12
53	The impact of renal insufficiency and anaemia on survival in patients with cardiovascular disease: a cohort study. <i>BMC Cardiovascular Disorders</i> , 2009 , 9, 51	2.3	13
52	Identifying strategies to maximise recruitment and retention of practices and patients in a multicentre randomised controlled trial of an intervention to optimise secondary prevention for coronary heart disease in primary care. <i>BMC Medical Research Methodology</i> , 2009 , 9, 40	4.7	39
51	The current state of general practicediabetes care in the West of Ireland. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2009 , 26, 322-325		3
50	Research activity and capacity in primary healthcare: the REACH study: a survey. <i>BMC Family Practice</i> , 2009 , 10, 33	2.6	15
49	Using the opinions of coronary heart disease patients in designing a health education booklet for use in general practice consultations. <i>Primary Health Care Research and Development</i> , 2009 , 10, 189	1.6	4
48	The acceptability of a four-part protocol for penicillin allergy testing by practicing allergists. <i>Allergy and Asthma Proceedings</i> , 2009 , 30, 192-201	2.6	2
47	How effective is prevention in coronary heart disease?. <i>Heart</i> , 2008 , 94, 1370-1	5.1	3
46	Multimorbidity and risk among patients with established cardiovascular disease: a cohort study. British Journal of General Practice, 2008 , 58, 488-94	1.6	50
45	Responses to language barriers in consultations with refugees and asylum seekers: a telephone survey of Irish general practitioners. <i>BMC Family Practice</i> , 2008 , 9, 68	2.6	21
44	Selection bias in enrollment to a programme aimed at the secondary prevention of ischaemic heart disease in general practice: a cohort study. <i>International Journal of Clinical Practice</i> , 2007 , 61, 1767-72	2.9	6
43	Selection bias resulting from the requirement for prior consent in observational research: a community cohort of people with ischaemic heart disease. <i>Heart</i> , 2007 , 93, 1116-20	5.1	45
42	Chronic kidney disease and mortality and morbidity among patients with established cardiovascular disease: a West of Ireland community-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2586-94	4.3	24
41	The complexity of patients' satisfaction with out-of-hours care: a qualitative study. <i>European Journal of General Practice</i> , 2007 , 13, 83-8	2.8	2

40	Consultation charges in Ireland deter a large proportion of patients from seeing the GP: results of a cross-sectional survey. <i>European Journal of General Practice</i> , 2007 , 13, 231-6	2.8	36
39	Patients' attitudes to co-payments for general practitioner services: do they reflect the prevailing system?. <i>Journal of Health Services Research and Policy</i> , 2007 , 12, 197-201	2.4	5
38	The contribution of qualitative research in designing a complex intervention for secondary prevention of coronary heart disease in two different healthcare systems. <i>BMC Health Services Research</i> , 2006 , 6, 90	2.9	36
37	Patients and health professionals' perspectives on the sociocultural influences on secondary cardiac behaviour: a qualitative study of the implications in policy and practice. <i>Family Practice</i> , 2006 , 23, 587-96	1.9	9
36	A qualitative study of factors influencing antimicrobial prescribing by non-consultant hospital doctors. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 58, 840-3	5.1	66
35	A cross-sectional study of secondary cardiac care in general practice: impact of personal and practice characteristics. <i>Family Practice</i> , 2006 , 23, 295-302	1.9	9
34	Cluster randomized controlled trials in primary care: an introduction. <i>European Journal of General Practice</i> , 2006 , 12, 70-3	2.8	16
33	Socio-economic gradients in self-reported health in Ireland and Northern Ireland. <i>Irish Journal of Medical Science</i> , 2006 , 175, 43-51	1.9	3
32	Telemedicine services in the Republic of Ireland: an evolving policy context. <i>Health Policy</i> , 2006 , 76, 245	-58	26
31	Helping each other to learna process evaluation of peer assisted learning. <i>BMC Medical Education</i> , 2006 , 6, 18	3.3	94
30	Development of a complex intervention for secondary prevention of coronary heart disease in primary care using the UK Medical Research Council framework. <i>American Journal of Managed Care</i> , 2006 , 12, 261-6	2.1	21
29	The Sphere Study: Using Psychological Theory to Inform the Development of Behaviour Change Training for Primary Care Staff to Increase Secondary Prevention of Coronary Heart Disease. <i>Irish Journal of Psychology</i> , 2005 , 26, 53-64		3
28	International variations in the generation of the evidence base for primary care. <i>European Journal of General Practice</i> , 2005 , 11, 33-4	2.8	
27	Secondary prevention of coronary heart disease: patient beliefs and health-related behaviour. Journal of Psychosomatic Research, 2005 , 58, 403-15	4.1	154
26	The SPHERE Study. Secondary prevention of heart disease in general practice: protocol of a randomised controlled trial of tailored practice and patient care plans with parallel qualitative, economic and policy analyses. [ISRCTN24081411]. Current Controlled Trials in Cardiovascular		22
25	Medicine, 2005, 6, 11 A comparative study on attitudes, mental health and job stress amongst GPs participating, or not, in a rural out-of-hours co-operative. Family Practice, 2005, 22, 275-9	1.9	3
24	The effect of health status on patients' satisfaction with out-of-hours care provided by a family doctor co-operative. <i>Family Practice</i> , 2004 , 21, 677-83	1.9	30
23	An evaluation of the cost of designing, delivering and assessing an undergraduate communication skills module. <i>Medical Teacher</i> , 2004 , 26, 610-4	3	24

22	The potential use of prehospital thrombolysis in a rural community. Resuscitation, 2004, 61, 303-7	4	11
21	Factors influencing the decision to seek treatment for symptoms of acute myocardial infarction: an evaluation of the Self-Regulatory Model of illness behaviour. <i>Journal of Psychosomatic Research</i> , 2004 , 56, 67-73	4.1	54
20	Frequent attenders to an emergency department: a study of primary health care use, medical profile, and psychosocial characteristics. <i>Annals of Emergency Medicine</i> , 2003 , 41, 309-18	2.1	243
19	Primary care anticoagulant management using near patient testing. <i>Irish Journal of Medical Science</i> , 2003 , 172, 30-2	1.9	2
18	Alternatives for automated communication in research. <i>Annals of Emergency Medicine</i> , 2003 , 42, 712-3; author reply 713	2.1	
17	An approach to the education about, and assessment of, attitudes in undergraduate medical education. <i>Irish Journal of Medical Science</i> , 2002 , 171, 206-10	1.9	5
16	Evidence based medicine in clinical practice: how to advise patients on the influence of age on the outcome of surgical anterior cruciate ligament reconstruction: a review of the literature. <i>British Journal of Sports Medicine</i> , 2002 , 36, 200-3; discussion 204	10.3	12
15	A national general practice census: characteristics of rural general practices. <i>Family Practice</i> , 2001 , 18, 622-6	1.9	25
14	Do rural GPs have more out-of-hours patient consultations?. <i>European Journal of General Practice</i> , 2001 , 7, 75-76	2.8	2
13	A national census of ambulance response times to emergency calls in Ireland. <i>Emergency Medicine Journal</i> , 2000 , 17, 392-5	1.5	19
12	Effect of patients seeing a general practitioner in accident and emergency on their subsequent reattendance: cohort study. <i>BMJ: British Medical Journal</i> , 2000 , 320, 903-4		10
11	Vital capacity reservoir and online measurement of childhood nitrosopnea are linearly related. Clinical implications. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 311-4	10.2	38
10	Characteristics of attenders and their attendances at an urban accident and emergency department over a one year period. <i>Emergency Medicine Journal</i> , 1999 , 16, 425-7	1.5	49
9	The teaching of immediate cardiac and trauma care to general practitioners in a skills-based outreach format: an assessment in terms of information gain. <i>Medical Education</i> , 1999 , 33, 774-6	3.7	3
8	'Inappropriate' attenders at accident and emergency departments II: health service responses. <i>Family Practice</i> , 1998 , 15, 33-7	1.9	23
7	'Inappropriate' attenders at accident and emergency departments I: definition, incidence and reasons for attendance. <i>Family Practice</i> , 1998 , 15, 23-32	1.9	83
6	Respiratory nitric oxide levels in experimental human influenza. <i>Chest</i> , 1998 , 114, 452-6	5.3	75
5	Effect of the introduction of a financial incentive for fee-paying A&E attenders to consult their general practitioner before attending the A&E department. <i>Family Practice</i> , 1997 , 14, 407-10	1.9	8

4	A national survey of career pathways of all graduates of vocational training programmes in GP in Ireland. <i>European Journal of General Practice</i> , 1996 , 2, 157-161	2.8	3
3	Randomised controlled trial of general practitioner versus usual medical care in an urban accident and emergency department: process, outcome, and comparative cost. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1135-42		74
2	Development of a primary care research network focused on chronic disease: a feasibility study for both practices and research networks. <i>HRB Open Research</i> ,4, 89	1.2	
1	Laser photocoagulation for diabetic retinopathy		2