

Camila Rubio-Patiño

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2628663/publications.pdf>

Version: 2024-02-01

18
papers

889
citations

623734

14
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

2397
citing authors

#	ARTICLE	IF	CITATIONS
1	GAPDH Overexpression in the T Cell Lineage Promotes Angioimmunoblastic T Cell Lymphoma through an NF- κ B-Dependent Mechanism. <i>Cancer Cell</i> , 2019, 36, 268-287.e10.	16.8	34
2	MDM2 Integrates Cellular Respiration and Apoptotic Signaling through NDUFS1 and the Mitochondrial Network. <i>Molecular Cell</i> , 2019, 74, 452-465.e7.	9.7	43
3	Caspase 1/11 Deficiency or Pharmacological Inhibition Mitigates Psoriasis-Like Phenotype in Mice. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1306-1317.	0.7	16
4	GAPDH Expression Predicts the Response to R-CHOP, the Tumor Metabolic Status, and the Response of DLBCL Patients to Metabolic Inhibitors. <i>Cell Metabolism</i> , 2019, 29, 1243-1257.e10.	16.2	56
5	MDM2 and mitochondrial function: One complex intersection. <i>Biochemical Pharmacology</i> , 2019, 162, 14-20.	4.4	13
6	Regulation of tumor-stroma interactions by the unfolded protein response. <i>FEBS Journal</i> , 2019, 286, 279-296.	4.7	33
7	Low-Protein Diet Induces IRE1-Dependent Anticancer Immunosurveillance. <i>Cell Metabolism</i> , 2018, 27, 828-842.e7.	16.2	99
8	Reshaping the Immune Tumor Microenvironment Through IRE1 Signaling. <i>Trends in Molecular Medicine</i> , 2018, 24, 607-614.	6.7	22
9	Parkin-Independent Mitophagy Controls Chemotherapeutic Response in Cancer Cells. <i>Cell Reports</i> , 2017, 20, 2846-2859.	6.4	217
10	Mitochondrial permeabilization engages NF- κ B-dependent anti-tumour activity under caspase deficiency. <i>Nature Cell Biology</i> , 2017, 19, 1116-1129.	10.3	181
11	Hyperthermic intraperitoneal chemotherapy leads to an anticancer immune response via exposure of cell surface heat shock protein 90. <i>Oncogene</i> , 2016, 35, 261-268.	5.9	54
12	Low carbohydrate diet prevents Mcl-1-mediated resistance to BH3-mimetics. <i>Oncotarget</i> , 2016, 7, 73270-73279.	1.8	1
13	A Trifluorinated Thiazoline Scaffold Leading to Proapoptotic Agents Targeting Prohibitins. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10150-10154.	13.8	35
14	AICAR induces Bax/Bak-dependent apoptosis through upregulation of the BH3-only proteins Bim and Noxa in mouse embryonic fibroblasts. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2013, 18, 1008-1016.	4.9	21
15	Epigenetic profile in chronic lymphocytic leukemia using methylation-specific multiplex ligation-dependent probe amplification. <i>Epigenomics</i> , 2012, 4, 491-501.	2.1	9
16	Glycogen Synthase Kinase-3 β Is Involved in Ligand-Dependent Activation of Transcription and Cellular Localization of the Glucocorticoid Receptor. <i>Molecular Endocrinology</i> , 2012, 26, 1508-1520.	3.7	22
17	Analysis of apoptosis regulatory genes altered by histone deacetylase inhibitors in chronic lymphocytic leukemia cells. <i>Epigenetics</i> , 2011, 6, 1228-1235.	2.7	22
18	Isoform-selective phosphoinositide 3-kinase inhibitors induce apoptosis in chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2010, 150, 108-110.	2.5	11