

# Lin Jiang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2629042/publications.pdf>

Version: 2024-02-01

239  
papers

4,231  
citations

126708

33  
h-index

161609

54  
g-index

243  
all docs

243  
docs citations

243  
times ranked

3451  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Nanotubular 3D Coordination Polymer Based on a 3d-4f Heterometallic Assembly. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 934-936.	7.2	462
2	pH-Dependent Cu(II) Coordination Polymers with Tetrazole-1-acetic Acid: Synthesis, Crystal Structures, EPR and Magnetic Properties. <i>Crystal Growth and Design</i> , 2008, 8, 1140-1146.	1.4	139
3	Syntheses, Structures, and Photoluminescence of One-Dimensional Lanthanide Coordination Polymers with 2,4,6-Pyridinetricarboxylic Acid. <i>Crystal Growth and Design</i> , 2007, 7, 1851-1857.	1.4	128
4	Microporous Metal-Organic Frameworks Built on a Ln <sub>3</sub> Cluster as a Six-Connecting Node. <i>Chemistry of Materials</i> , 2005, 17, 2866-2874.	3.2	108
5	Co(II) Coordination Polymers: Positional Isomeric Effect, Structural and Magnetic Diversification. <i>Crystal Growth and Design</i> , 2010, 10, 1145-1154.	1.4	106
6	Crystal structure, redox and spectral properties of copper(II) complexes with macrocyclic ligands incorporating both oxamido and imine groups. <i>Dalton Transactions RSC</i> , 2000, , 1431-1436.	2.3	87
7	Two water-soluble copper(II) complexes: Synthesis, characterization, DNA cleavage, protein binding activities and in vitro anticancer activity studies. <i>Journal of Inorganic Biochemistry</i> , 2014, 137, 46-56.	1.5	83
8	Copper complexes based on chiral Schiff-base ligands: DNA/BSA binding ability, DNA cleavage activity, cytotoxicity and mechanism of apoptosis. <i>European Journal of Medicinal Chemistry</i> , 2016, 114, 244-256.	2.6	79
9	Two-dimensional Coordination Polymers of Copper(II) with Oxalate: A Lattice Water Control of Structure. <i>Inorganic Chemistry</i> , 2001, 40, 2652-2659.	1.9	73
10	A case study of the ZnII-BDC/bpt mixed-ligand system: positional isomeric effect, structural diversification and luminescent properties. <i>CrystEngComm</i> , 2010, 12, 1269-1279.	1.3	70
11	Syntheses, Structures, and Characterization of a Series of Novel Zinc(II) and Cadmium(II) Compounds Based on 2,6-Di-(1,2,4-triazole-4-yl)pyridine. <i>Crystal Growth and Design</i> , 2007, 7, 1483-1489.	1.4	65
12	Self-Assembly of a Series of Metal-Organic Frameworks Based on 4-Pyridyl-1,2,4-triazole and Copper(II) Ion. <i>Crystal Growth and Design</i> , 2009, 9, 2137-2145.	1.4	61
13	Oxamato-Bridged Trinuclear NiII CuII NiII Complexes with Irregular Spin State Structures and a Binuclear NiII CuII Complex with an Unusual Supramolecular Structure: A Crystal Structure and Magnetic Properties. <i>Inorganic Chemistry</i> , 2001, 40, 3134-3140.	1.9	57
14	Synthesis, structure, fluorescent and magnetic properties of a series of coordination polymers based on a long and flexible bis-triazole ligand. <i>CrystEngComm</i> , 2012, 14, 2769.	1.3	56
15	Magnetic and Luminescent Properties of Sm, Eu, Tb, and Dy Coordination Polymers with 2-Hydroxynicotinic Acid. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2387-2393.	1.0	50
16	Title is missing!. <i>Journal of Chemical Crystallography</i> , 1998, 28, 303-307.	0.5	49
17	A New Class of Heterobinuclear Complexes: Crystal Structure and Magnetism of Copper(II)-Nickel(II) Complexes Incorporating Two Different Macrocyclic Ligands. <i>Helvetica Chimica Acta</i> , 2001, 84, 908-917.	1.0	49
18	Reactions between macrocyclic nickel(II) complexes and ferricyanide. Metamagnetic properties of a two-dimensional honeycomb assembly [NiL <sub>3</sub> ] <sub>3</sub> [Fe(CN) <sub>6</sub> ] <sub>2</sub> ·8H <sub>2</sub> O (L <sub>3</sub> =...=...3,10-dihydroxyethyl-1,3,6,8,10,12-hexaazacyclotetradecane)·5H <sub>2</sub> O. <i>Dalton Transactions RSC</i> , 2000, , 2996-3000.	2.3	44

#	ARTICLE	IF	CITATIONS
19	Synthesis, Crystal Structures, and Magnetic Properties of 2D Manganese(II) and 1D Gadolinium(III) Coordination Polymers with 1H-1,2,3-Triazole-4,5-dicarboxylic Acid. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4931-4937.	1.0	44
20	Coordination Assemblies of Co <sup>II</sup> /Ni <sup>II</sup> /Zn <sup>II</sup> /Cd <sup>II</sup> with Succinic Acid and Bent Connectors: Structural Diversity and Spin-Canted Antiferromagnetism. <i>Crystal Growth and Design</i> , 2012, 12, 1890-1898.	1.4	40
21	Coordination assemblies of the CdII-BDC/bpt mixed-ligand system: positional isomeric effect, structural diversification and luminescent properties. <i>CrystEngComm</i> , 2013, 15, 2657.	1.3	40
22	Two dpa-based zinc(II) complexes as potential anticancer agents: nuclease activity, cytotoxicity and apoptosis studies. <i>New Journal of Chemistry</i> , 2016, 40, 7513-7521.	1.4	40
23	Title is missing!. <i>Transition Metal Chemistry</i> , 2000, 25, 630-634.	0.7	38
24	Synthesis, magnetism and spectral studies of six defective dicubane tetranuclear {M <sub>4</sub> O <sub>6</sub> } (M = Ni <sup>II</sup> , Co <sup>II</sup> , Zn <sup>II</sup> ) and three trinuclear Cd <sup>II</sup> complexes with polydentate Schiff base ligands. <i>Dalton Transactions</i> , 2016, 45, 10233-10248.	1.6	38
25	Synthesis, structure, and DNA binding of three reduced amino-acid Schiff-base zinc(II), nickel(II), and cadmium(II) complexes. <i>Journal of Coordination Chemistry</i> , 2010, 63, 115-123.	0.8	37
26	Heterobinuclear copper(II)-manganese(II) complexes behaving as three-dimensional supramolecular networks via both macrocyclic oxamido-bridges and hydrogen bonds. <i>Dalton Transactions RSC</i> , 2002, , 1607-1612.	2.3	36
27	Unique Magnetic Behavior in a One-Dimensional Coordination Polymer [Co(tmpyim) <sub>2</sub> (tp)]. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 62-65.	1.0	36
28	A new one-dimensional coordination polymer and a new supramolecular dimer made of trinuclear copper(II) complexes: crystal structure and magnetic properties. <i>Dalton Transactions RSC</i> , 2001, , 1537-1540.	2.3	35
29	Pillared cobalt-organic framework with an unprecedented (3,4,6)-connected architecture showing the coexistence of spin canting and long-range magnetic ordering. <i>CrystEngComm</i> , 2010, 12, 395-400.	1.3	35
30	Metal-organic frameworks based on transition-metal carboxylate clusters as secondary building units: synthesis, structures and properties. <i>CrystEngComm</i> , 2011, 13, 907-913.	1.3	34
31	Two dimensional stair-shaped coordination polymer exhibiting three-dimensional structure with cavities. <i>Chemical Communications</i> , 2000, , 717-718.	2.2	33
32	A novel two-dimensional copper(II)-radical complex [Cu(NITmPy) <sub>2</sub> (N <sub>3</sub> ) <sub>2</sub> ] <sub>n</sub> : structure and magnetic properties. Dedicated to the memory of Professor Olivier Kahn.. <i>Dalton Transactions RSC</i> , 2002, , 1350-1353.	2.3	33
33	First Crystal Structure of a (1/4-Oxamidato)tricopper(II)metal(II)-Type Tetranuclear Complex: Synthesis, Crystal Structure, and Magnetism of a Copper(II)manganese(II) Complex ([Cu <sub>3</sub> MnII(1/4-L) <sub>3</sub> ](N <sub>3</sub> ) <sub>2</sub> ·...EtOH) Incorporating a Macrocyclic Oxamide Ligand L (Macrocyclic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 172 Td (Oxamide=1,4,8,11-Tetraazacyclononane) <i>Journal of Inorganic Chemistry</i> , 2004, 2004, 2369-2378.	1.0	33
34	A Nanotubular 3D Coordination Polymer Based on a 3d-4f Heterometallic Assembly. <i>Angewandte Chemie</i> , 2003, 115, 964-966.	1.6	33
35	Ferromagnetic and Antiferromagnetic Polymeric Complexes with the Macrocyclic Ligand 1,4,7-Triazacyclononane. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2369-2378.	1.0	32
36	Hydrothermal Syntheses, Crystal Structures, Magnetism and Fluorescence Quenching of Oxamidato-Bridged Pentanuclear CuII4LnIII Complexes Containing Macrocyclic Ligands (Ln = Eu, Tb) and the Crystal Structure of a Hexanuclear NiII5SmIII Complex. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 1514-1521.	1.0	31

#	ARTICLE	IF	CITATIONS
37	A Structural and Magnetic Investigation of Ferromagnetically Coupled Copper(II) Isophthalates. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2297-2305.	1.0	31
38	The first one-dimensional copper(ii)-radical system with alternating double end-on and end-to-end azido bridges. <i>New Journal of Chemistry</i> , 2003, 27, 752-755.	1.4	30
39	Synthesis, X-ray Crystal Structures, DNA Binding and Nuclease Activities of Two Novel 1,2,4-Triazole-Based CuII Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 5036-5045.	1.0	30
40	DNA binding and cleavage activity of reduced amino-acid Schiff base complexes of cobalt(II), copper(II), and cadmium(II). <i>Transition Metal Chemistry</i> , 2009, 34, 475-481.	0.7	30
41	Oxamido-Bridged Bimetallic Complexes Involving Nitronyl Nitroxide Radical Ligands: Crystal Structure and Magnetic Behavior. <i>Crystal Growth and Design</i> , 2005, 5, 783-787.	1.4	29
42	Synthesis, Crystal Structures, and Magnetic Properties of MnII, CoII, and ZnII Coordination Polymers Containing 1,2,4,5-Benzenetetracarboxylic Acid and 4,4'-Azobispyridine. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1983-1990.	1.0	29
43	A Chiral Metal-Organic Framework Based on Heptanuclear Zinc Cores. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2599-2602.	1.0	27
44	Three series of heterometallic Ni <sup>II</sup> -Ln <sup>III</sup> Schiff base complexes: synthesis, crystal structures and magnetic characterization. <i>Dalton Transactions</i> , 2017, 46, 12558-12573.	1.6	27
45	Synthesis and Magnetic Properties of 1/4-Terephthalato Binuclear Cobalt(II) Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1993, 23, 239-245.	1.8	26
46	Open and closed copper chain coordination polymers with alternating ferromagnetic and antiferromagnetic interactions. <i>CrystEngComm</i> , 2009, 11, 102-108.	1.3	26
47	3D heterometal-organic frameworks based on oxydiacetic acid. <i>CrystEngComm</i> , 2010, 12, 1086-1089.	1.3	26
48	A New Bimetallic Ferrimagnet ([Mn <sup>II</sup> (H <sub>2</sub> O) <sub>2</sub> (CH <sub>3</sub> COO)] <sub>2</sub> [Mo <sup>V</sup> (CN) <sub>8</sub> ]·2H <sub>2</sub> O) <sub>n</sub> and Its Antiferromagnetic Analogue ([Mn <sup>II</sup> (H <sub>2</sub> O) <sub>3</sub> Cl][Mo <sup>V</sup> (CN) <sub>8</sub> ]·4H <sub>2</sub> O) <sub>n</sub> . <i>Crystal Growth and Design</i> , 2008, 8, 3761-3765.	1.4	25
49	Synthesis, structure, DNA binding, and cleavage activity of two copper(II) complexes. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2157-2169.	0.8	25
50	Co(ii)/Ni(ii) coordination polymers incorporated with a bent connector: crystal structures and magnetic properties. <i>CrystEngComm</i> , 2012, 14, 4756.	1.3	25
51	Two Ferromagnetic One-Dimensional Nickel(II) Complexes Containing the Diamagnetic [Ni(CN) <sub>4</sub> ] <sup>2-</sup> Group. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 699-702.	1.0	24
52	Four related mixed-ligand nickel(II) complexes: effect of steric encumbrance on the structure, DNA/BSA binding, DNA cleavage and cytotoxicity. <i>RSC Advances</i> , 2015, 5, 30768-30779.	1.7	24
53	Two different three-dimensional microporous framework structures in [Mn <sub>2</sub> (H <sub>2</sub> O) <sub>4</sub> {W(CN) <sub>8</sub> }·4H <sub>2</sub> O] <sub>n</sub> and [Mn <sub>2</sub> (H <sub>2</sub> O) <sub>4</sub> {W(CN) <sub>8</sub> }(OH)·2H <sub>2</sub> O] <sub>n</sub> . <i>New Journal of Chemistry</i> , 2003, 27, 1760-1764.	1.4	23
54	Design of two 3D homochiral Co(II) metal-organic open frameworks by layered-pillar strategy: structure and properties. <i>CrystEngComm</i> , 2008, 10, 963.	1.3	23

#	ARTICLE	IF	CITATIONS
55	Oxidative DNA cleavage by Cu(II) complexes of 1,10-phenanthroline-5,6-dione. <i>Journal of Coordination Chemistry</i> , 2009, 62, 2182-2192.	0.8	23
56	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 244-246.	0.7	22
57	Synthesis, Crystal Structure and Properties of Novel Zinc(II) and Cobalt(II) Chain Complexes with 3,5-dimethylpyrazole and Thiocyanate. <i>Journal of Coordination Chemistry</i> , 2002, 55, 363-372.	0.8	22
58	Cobalt(II) Complexes with Dicyanamide <sup>2-</sup> from Binuclear Entities to Chains. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2591-2595.	0.6	22
59	Synthesis and Characterisation of Two Supramolecular Polymers [CuAg <sub>4</sub> (CN) <sub>6</sub> (tacn)] <sub>n</sub> and [CuAu <sub>2</sub> (CN) <sub>4</sub> (tacn)] <sub>n</sub> Containing Metal <sup>2+</sup> -Metal Interactions. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2130-2136.	1.0	22
60	Hydrolytic synthesis and structural characterization of five hexanuclear oxo-hydroxo lanthanide clusters. <i>CrystEngComm</i> , 2010, 12, 543-548.	1.3	22
61	A Novel Mixed-Ligand Manganese(II) Complex Containing a V-shape Water Trimer: Synthesis, Structure and Magnetic Properties of {[Mn(azpy) <sub>2</sub> (dca)(H <sub>2</sub> O) <sub>2</sub> ](ClO <sub>4</sub> )(azpy)(H <sub>2</sub> O) <sub>2</sub> ] <sub>n</sub> . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 1693-1697.	0.6	21
62	Three types of heterometallic structural motifs based on [Mo(CN) <sub>8</sub> ] <sup>3-/4-</sup> anion and Mn <sup>II</sup> cation as building blocks. <i>Structural Chemistry</i> , 2009, 20, 145-154.	1.0	21
63	Compartmental ligand approach for constructing 3d <sup>4</sup> -4f heterometallic [Cu <sup>II</sup> <sub>5</sub> Ln <sup>III</sup> <sub>2</sub> ] clusters: synthesis and magnetostructural properties. <i>CrystEngComm</i> , 2017, 19, 1816-1830.	1.3	21
64	Three novel octacyanomolybdate(IV)-M(II) [M = Mn and Cu] bimetallic assemblies: crystal structures and magnetic properties. <i>Structural Chemistry</i> , 2008, 19, 329-338.	1.0	20
65	Binuclear Nickel(II) and Cobalt(III) Complexes with Dissimilar Bridges: Synthesis, Spectroscopy, Crystal Structure, and Magnetism. <i>Helvetica Chimica Acta</i> , 2003, 86, 2441-2451.	1.0	19
66	Synthesis, Crystal Structure and Magnetic Properties of A New Thiazolyl-Substituted Nitronyl Nitroxide and Its Copper(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2266-2271.	1.0	19
67	Synthesis, crystal structures and luminescent properties of two supramolecular assemblies containing [Au(CN) <sub>2</sub> ] <sup>-</sup> building block. <i>New Journal of Chemistry</i> , 2004, 28, 1347.	1.4	19
68	Coordination assemblies of Co <sup>II</sup> /Ni <sup>II</sup> /Mn <sup>II</sup> /Zn <sup>II</sup> with 1,1'-biphenyl-2,2'-dicarboxylic acid and three positional isomeric ligands: structural diversity and properties. <i>CrystEngComm</i> , 2011, 13, 6538.	1.3	19
69	Synthesis and Magnetic Properties of 1/4-Phthalato Binuclear Cobalt(II) Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1994, 24, 137-146.	1.8	18
70	Binuclear Copper(II) Complexes with Robson-Type Ligands. Synthesis, characterization, crystal structure, and magnetic properties. <i>Helvetica Chimica Acta</i> , 1997, 80, 213-220.	1.0	18
71	A new mixed-ligand copper(II) complex containing azide and 1,10-phenanthroline: crystal structure and properties. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1473-1480.	0.8	18
72	Three Dicyanidometallate(I)-based Complexes Incorporating Hydrogen-bonding, $\pi$ - $\pi$ Packing and $d^{10}$ - $d^{10}$ Interactions with Auxiliary 2,2'-bipyridyl-like Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 865-871.	0.6	18

#	ARTICLE	IF	CITATIONS
73	Novel oxalate-bridged trinuclear FeIII-MII-FeIII (M = Cu and VO) complexes: synthesis and magnetism. <i>Transition Metal Chemistry</i> , 1998, 23, 313-315.	0.7	17
74	Synthesis, characterization, and DNA-binding of two new Cd(II) complexes with 8-[(2-pyridylmethyl)amino]-quinoline. <i>Journal of Coordination Chemistry</i> , 2013, 66, 3280-3290.	0.8	17
75	Synthesis, crystal structures, DNA binding and cleavage properties and protein binding activities of three mononuclear cobalt(II) complexes. <i>Applied Organometallic Chemistry</i> , 2014, 28, 259-266.	1.7	17
76	A Binuclear Copper(II) Complex with Two Symmetric End-on Azido Bridges. <i>Synthesis, Spectroscopy, Crystal Structure and Magnetism. Transition Metal Chemistry</i> , 2006, 31, 434-440.	0.7	16
77	Two [Au(CN) <sub>2</sub> ] <sup>-</sup> -bridged heterometallic coordination polymers directed by different 2,2'-bipyridyl-like ligands. <i>CrystEngComm</i> , 2009, 11, 61-66.	1.3	16
78	The first iron(III)-nickel(II) heterodinuclear complex containing both terminal and bridged phosphato ligands relevant to structural core models for dimetalloenzymes. <i>Dalton Transactions RSC</i> , 2001, , 1398-1400.	2.3	15
79	Synthesis, Structures and Magnetic Properties of Two Binuclear Cobalt(II) Complexes Bridged by Bis( <i>p</i> -nitrophenyl) Phosphate or Diphenylphosphinate Ion. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 1775-1779.	0.6	15
80	A high-spin cyanide-bridged Mo6Mn9 cluster: crystal structure and magnetism. <i>Structural Chemistry</i> , 2009, 20, 161-167.	1.0	15
81	A family of 3D lanthanide oxalatosuccinate with rare structures: 3D host framework incorporating a 3D alkali metal guest lattice. <i>CrystEngComm</i> , 2009, 11, 351-358.	1.3	15
82	Synthesis, Crystal Structure, DNA Binding, and Hydrolytic Cleavage Activity of a Manganese(II) Complex. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 3109-3116.	1.0	15
83	Biological evaluation of rare earth complexes bearing 1 <i>H</i> -imidazo[4,5- <i>f</i> ]phenanthroline moiety as promising anticancer chemotherapeutics. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4617.	1.7	15
84	Synthesis and Magnetic Properties of New Trinuclear Lanthanide (III) Complexes Bridged by Terephthalato Groups. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1996, 26, 409-422.	1.8	14
85	Synthesis, Crystal Structure and Magnetic Properties of a Terephthalato-bridged Binuclear Nickel(II) Complex. <i>Journal of Coordination Chemistry</i> , 2002, 55, 205-213.	0.8	14
86	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 621-624.	0.7	14
87	A novel heterospin polynuclear complex containing both macrocyclic and imino nitroxide radical ligands: {[CuL(H <sub>2</sub> O)](CuL)Mn(IM-2Py)}{[CuL(MeOH)](CuL)Mn(IM-2Py)}(ClO <sub>4</sub> ) <sub>4</sub> ·MeOH. <i>New Journal of Chemistry</i> , 2003, 27, 583-587.	1.4	14
88	Significant differences in the biological activity of mononuclear Cu(II) and Ni(II) complexes with the polyquinolinyl ligand. <i>New Journal of Chemistry</i> , 2015, 39, 529-538.	1.4	14
89	Synthesis and Magnetism of Binuclear Nd(III), Gd(III) and Dy(III) Complexes Using the Dianions of Chloranilic Acid as Bridging Ligands. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1993, 23, 247-256.	1.8	13
90	A Novel 3-D Heterobimetallic Cyano-bridged Coordination Polymer Incorporating Ag <sup>+</sup> ·Ag <sup>+</sup> Interaction: [Cu(dien)Ag(CN) <sub>2</sub> ] <sub>2</sub> [Ag <sub>2</sub> (CN) <sub>3</sub> ][Ag(CN) <sub>2</sub> ]. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 498-500.	0.6	13

#	ARTICLE	IF	CITATIONS
91	Two Novel Diamagnetic-metal Coordination Polymers of Nitronyl Nitroxide Radical Incorporating Isophthalate Bridges. <i>Transition Metal Chemistry</i> , 2006, 31, 214-219.	0.7	13
92	Synthesis and Crystal Structures of Two Zinc(II) Complexes with the Tripodal Ligand Tris(2-Benzimidazolymethyl)Amine. <i>Journal of Coordination Chemistry</i> , 2003, 56, 275-281.	0.8	12
93	Syntheses, structures, and spectroscopic properties of binuclear copper(II) complexes containing N,N-bis(2-pyridylmethyl)amine ligands. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3276-3283.	0.8	12
94	Bio-relevant cobalt(II) complexes with compartmental polyquinoline ligand: Synthesis, crystal structures and biological activities. <i>Journal of Inorganic Biochemistry</i> , 2015, 145, 19-29.	1.5	12
95	Crystal structures and spectroscopic properties of copper(II) and zinc(II) complexes with the macrocycle 1,4,7-tris(2-pyridylmethyl)-1,4,7-triazacyclononane. <i>Journal of Chemical Crystallography</i> , 2004, 34, 495-500.	0.5	11
96	One-dimensional Diamagnetic-metal Nitronyl Nitroxide Radical Complexes with Dicyanoargentate(I) Bridges: $M(\text{NIT4Py})_2[\text{Ag}(\text{CN})_2]_2$ ( $M = \text{Zn}, \text{Cd}$ ). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 1702-1705.	0.6	11
97	Cu(II) and Ni(II)-1,10-phenanthroline-5,6-dione-amino acid ternary complexes exhibiting pH-sensitive redox properties. <i>Applied Organometallic Chemistry</i> , 2006, 20, 351-356.	1.7	11
98	Synthesis, Structure and Magnetic Properties of a Novel Nickel(II) Radical Heterospin Complex with Salicylaldehyde. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 657-660.	0.6	11
99	Synthesis, structure, magnetic, and spectroscopic properties of a chloro-bridged trinuclear copper(II) complex: $\{[\text{Cu}(\text{bpea})\text{Cl}]_2\text{CuCl}_4\}$ . <i>Journal of Coordination Chemistry</i> , 2010, 63, 2239-2246.	0.8	11
100	A Novel 4, 4'-Azopyridine-Bridged Manganese Polymer: Quasi Two-dimensional Structure and Magnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2000-2003.	0.6	10
101	Structure and Magnetic Properties of a Novel Two-Dimensional Complex from 1, 3, 5-Benzenetricarboxylate and Neodymium(III) $\{[\text{Nd}(1, 3, 5\text{-benzenetricarboxylate})(\text{H}_2\text{O})_4] \cdot \text{H}_2\text{O}\}_n$ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 613-616.	0.6	10
102	Structure and magnetic properties of a dtm-bridged two-dimensional supramolecular complex $\{[\text{Fe}(\text{dtm})_2(\text{H}_2\text{O})_2](\text{ClO}_4)_2 \cdot 2\text{H}_2\text{O}\}_n$ (dtm = 4,4'-ditriazolemethane). <i>Transition Metal Chemistry</i> , 2006, 31, 801-804.	0.7	10
103	Manganese(II)-phenanthroline-azide compounds: Versatile Precursors as Ligands in Designing Heteropolymetallic Systems. <i>Journal of Coordination Chemistry</i> , 2002, 55, 1263-1270.	0.8	9
104	The First Tetranuclear Complex with a $(\frac{1}{4}\text{-CrO}_4\text{-O, O}^2\text{-O}^3)$ Bridge: Crystal Structure and Ferromagnetic Behavior of $\{[\text{Cu}(\text{bpy})_2]_3(\frac{1}{4}\text{-CrO}_4)\}(\text{ClO}_4)_4 \cdot \text{H}_2\text{O}$ . <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 1937-1940.	1.0	9
105	A novel 4,4'-azopyridine-bridged binuclear zinc complex. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1447-1453.	0.8	9
106	A Novel, three-dimensional, Tetrachlorophthalato-bridged Samarium(III) complex $[\text{Sm}(\text{tcph})_2(\text{H}_2\text{O})_6]\text{Hpip} \cdot 5\text{H}_2\text{O}$ . <i>Journal of Coordination Chemistry</i> , 2004, 57, 275-280.	0.8	9
107	Synthesis, structure and magnetic properties of a Pr(III) complex with chelating nitronyl nitroxide radicals. <i>Journal of Coordination Chemistry</i> , 2004, 57, 1571-1576.	0.8	9
108	Synthesis, crystal structure and spectroscopic properties of two new complexes containing azido or dicyanamido bridges. <i>Structural Chemistry</i> , 2006, 17, 43-47.	1.0	9

#	ARTICLE	IF	CITATIONS
109	Synthesis, Crystal Structure and Magnetic Behaviour of Two 1D Chain Manganese Nitroxide Complexes Bridged by Isophthalate Anions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 1950-1954.	0.6	9
110	Synthesis, crystal structure and magnetic properties of a dinuclear manganese(III) tetradentate Schiff-base complex. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3568-3574.	0.8	9
111	A Novel Bimetallic Chain Based on [Mo(CN) <sub>8</sub> ] <sup>3-</sup> and Yb <sup>3+</sup> Ions as Building Blocks in Which Containing Many Intriguing Structural Features. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2010, 20, 229-234.	1.9	9
112	Coordination assemblies of the M <sup>II</sup> -tm/bpt (M = Zn/Cd/Co/Ni) mixed-ligand system: positional isomeric effect, structural diversification and properties. <i>RSC Advances</i> , 2014, 4, 43641-43652.	1.7	9
113	Synthesis, characterization, and biological activities of two Cu(II) and Zn(II) complexes with one polyquinoline ligand. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 130, 390-396.	2.0	9
114	Title is missing!. <i>Transition Metal Chemistry</i> , 1999, 24, 581-583.	0.7	8
115	Synthesis, crystal structure of diferrous complex and its reactivity with dioxygen. <i>Science in China Series B: Chemistry</i> , 2000, 43, 405-411.	0.8	8
116	Synthesis, structure and spectroscopy of a copper complex of the chiral pendant-arm macrocycle N,N,N',N''-tris[2S-2-hydroxypropyl]-1,4,7-triazacyclononane. <i>Journal of Coordination Chemistry</i> , 2004, 57, 41-47.	0.8	8
117	Ferromagnetic interactions in a Zn(II) nitronyl nitroxide complex with dicyanoaurate(I) bridges. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1695-1702.	0.8	8
118	Structure and magnetic properties of a novel heterospin 1-D chain complex containing both Cu(II) and nitroxide radicals as spin branches. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1438-1443.	0.8	8
119	The self-assembly of a heteronuclear complex monitored with ESI-MS and fluorescence spectrophotometry. <i>CrystEngComm</i> , 2009, 11, 1811.	1.3	8
120	Synthesis, crystal structure, spectroscopy, and magnetism of a mixed valence Co(III)Co(II)Co(III) complex stabilized by N-(2-hydroxybenzyl)salicylalimine. <i>Journal of Coordination Chemistry</i> , 2010, 63, 505-514.	0.8	8
121	SYNTHESIS AND MAGNETIC PROPERTIES OF Cu(II)-Mn(II) COMPLEXES WITHN,N'-BIS(2-AMINOETHYL)OXAMIDOCOPPER(II). <i>Journal of Coordination Chemistry</i> , 1994, 31, 321-327.	0.8	7
122	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 506-510.	0.7	7
123	Cyano-bridged Heterotrinnuclear Molybdenum(IV)-Nickel(II) Complexes: Synthesis, Crystal Structure and Magnetic Properties. <i>Journal of Coordination Chemistry</i> , 2003, 56, 337-341.	0.8	7
124	Synthesis, crystal structure and magnetic properties of a novel complex containing a diamagnetic metal ion and thiazole-substituted nitronyl nitroxide radicals. <i>Journal of Coordination Chemistry</i> , 2005, 58, 969-973.	0.8	7
125	Title is missing!. <i>Transition Metal Chemistry</i> , 1997, 22, 42-45.	0.7	6
126	Synthesis and Magnetic Properties of the First (1/4-End-To-End-Azido)Gadolinium(III) Compound: Gd <sub>2</sub> (phen) <sub>4</sub> (N <sub>3</sub> ) <sub>6</sub> (H <sub>2</sub> O). <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1998, 28, 405-414.	1.8	6

#	ARTICLE	IF	CITATIONS
127	Crystal and molecular structure of a nickel(II) complex with a macrocyclic [14]N4 ligand. <i>Journal of Chemical Crystallography</i> , 2003, 33, 5-9.	0.5	6
128	Synthesis, Structure and Properties of an Oxalato-Bridged Dinuclear Nickel(II) Complex. <i>Journal of Coordination Chemistry</i> , 2003, 56, 961-966.	0.8	6
129	Heterometallic two-dimensional polymer containing cyanide-bridged praseodymium(III) and transition metals. <i>Transition Metal Chemistry</i> , 2004, 29, 12-15.	0.7	6
130	Synthesis, structures and properties of two novel copper(II) complexes with hydrogen bonding supramolecular networks. <i>Transition Metal Chemistry</i> , 2004, 29, 200-204.	0.7	6
131	Synthesis, Structure, and Spectroscopic Properties of Copper(II) and Nickel(II) Complexes Containing the 1, 4, 7-Triisopropyl-1, 4, 7-triazacyclononane Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 591-596.	0.6	6
132	Syntheses and crystal structures of two 2D coordination polymers of cobalt(II) and nickel(II) with the Malonate Dianion Ligand. <i>Journal of Coordination Chemistry</i> , 2004, 57, 1577-1585.	0.8	6
133	Grid-like Cobalt(II) Layered Complex with an Unprecedented Double 1,2-Bis(1,2,4-triazole-1-yl)methane Bridges. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 3104-3107.	0.6	6
134	A novel dicyanamide-bridged zinc(II) complex incorporating the 4,4'-azopyridine ligand. <i>Journal of Coordination Chemistry</i> , 2006, 59, 457-465.	0.8	6
135	Synthesis, Structure, and Magnetic Behavior of a 1-D Coordination Polymer [Ni(NIT4py)2(ip)(H2O)] <sub>n</sub> . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 491-494.	0.6	6
136	Synthesis, magnetic property and DNA cleavage behavior of a new dialkoxo-bridged diiron(III) complex. <i>Applied Organometallic Chemistry</i> , 2007, 21, 129-134.	1.7	6
137	Synthesis, crystal structure, and characterization of [Nd(tcph)(Htcph)(H2O)5]. <i>Journal of Coordination Chemistry</i> , 2008, 61, 435-440.	0.8	6
138	Synthesis and pH-sensitive redox properties of 1,10-phenanthroline-5,6-dione complexes. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3147-3157.	0.8	6
139	Structure, spectroscopic, and magnetic properties of a new cobalt(II) complex with 5-sulfoisophthalic anion. <i>Journal of Coordination Chemistry</i> , 2010, 63, 988-995.	0.8	6
140	The first 3-D supramolecular Mn(III) salen complex with 4,4-dicarboxy-2,2-bipyridine: structure and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3093-3100.	0.8	6
141	Direct evidence for the role of imidazole in disproportionation of hydrogen peroxide by a mononuclear manganese salen complex. <i>Transition Metal Chemistry</i> , 2011, 36, 811-817.	0.7	6
142	A copper(II) complex of 1,4,7-triazacyclononane featuring acetate pendant: an efficient DNA cleavage agent. <i>Journal of Coordination Chemistry</i> , 2012, 65, 122-130.	0.8	6
143	Synthesis, crystal structure, DNA cleavage properties, and protein binding activities of an unsymmetrical dinuclear copper(II) complex. <i>Journal of Coordination Chemistry</i> , 2014, 67, 300-314.	0.8	6
144	Self-activated DNA cleavage of a water-soluble mononuclear Cu(II) complex with polyquinolinyl ligand. <i>Journal of Coordination Chemistry</i> , 2014, 67, 3598-3612.	0.8	6

#	ARTICLE	IF	CITATIONS
145	Synthesis and Properties of a Series of Novel Mononuclear Complexes with Binucleating Ligand 2, 6-Diformyl-Methylphenol Di (Benzoylhydrazone). <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1993, 23, 501-508.	1.8	5
146	Syntheses and Magnetism of Squarate Complexes. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1996, 26, 105-114.	1.8	5
147	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 473-476.	0.7	5
148	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 16-20.	0.7	5
149	Syntheses and Crystal Structures of Two Ion Pair Complexes, [Ru(bpy) <sub>3</sub> ] <sub>2</sub> [Fe(CN) <sub>6</sub> ] <sup>-</sup> · 7H <sub>2</sub> O and [Ru(bpy) <sub>3</sub> ] <sup>-</sup> [Fe(CN) <sub>5</sub> NO]CH <sub>3</sub> OH · H <sub>2</sub> O. <i>Journal of Coordination Chemistry</i> , 2003, 56, 531-538.	0.8	5
150	Molecular and Supramolecular Structures of a Nickel(II)Copper(II)Nickel(II) Trinuclear Complex Containing a New Macrocyclic Oxamido Complex Ligand. <i>Structural Chemistry</i> , 2004, 15, 547-551.	1.0	5
151	A Macrocyclic Chromium(III) complex with mixed Hydroxo and Carbonato bridges: Crystal structure and Magnetic properties of [(tacn)Cr(½-OH) <sub>2</sub> (½-CO <sub>3</sub> )Cr(tacn)](ClO <sub>4</sub> ) <sub>2</sub> · 3H <sub>2</sub> O (tacn=1,4,7-Triazacyclononane). <i>Journal of Coordination Chemistry</i> , 2004, 57, 231-237.	0.8	5
152	Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M <sub>2</sub> Au <sub>4</sub> ] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies. <i>Helvetica Chimica Acta</i> , 2005, 88, 3000-3010.	1.0	5
153	Synthesis, Crystal Structure, and Characterization of Two Oxamido-bridged NiII CuII NiII Heteronuclear Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 2500-2504.	0.6	5
154	A novel three-dimensional malonate-bridged complex {[Cu <sub>4</sub> (4,4'-) Tj ETQq <sub>0</sub> 0 0 rgBT /Overlock 10 Tf 50 382 Td (bpy) <sub>8</sub> (mal) <sub>5</sub> (H <sub>2</sub> O) <sub>4</sub> ]	1.0	5
155	Two hetero-spin metal-radical complexes exhibiting strong antiferromagnetic interactions between the metal ions and nitroxide radicals. <i>Transition Metal Chemistry</i> , 2008, 33, 107-112.	0.7	5
156	Sodium-Mediated Self-Assembly: Three Novel 2D Coordination Aggregates of 1,4,7-Triazacyclononane-N,N'-tripropionate. <i>Crystal Growth and Design</i> , 2009, 9, 2662-2667.	1.4	5
157	A Novel Chromium Azametallacrown Complex with Antiferromagnetic Interactions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 374-376.	0.6	5
158	Synthesis, crystal structures, DNA/bovine serum albumin binding, DNA cleavage and cytotoxicity of five mononuclear zinc(II) complexes. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3802.	1.7	5
159	Dicyanamide Bridged Cu(II) <sub>3</sub> -Metallacrown-6 Complex with 1,4,7-Triisopropyl-1,4,7-Triazacyclononane and Binding Properties with DNA. <i>Molecules</i> , 2018, 23, 1269.	1.7	5
160	Synthesis and Magnetism of Novel ½-Oxamido Heterotetranuclear Complexes [Cu <sub>3</sub> IIIMII] (M = Mn, Co, Ni). <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1993, 23, 1117-1127.	1.8	4
161	The first oxalato-bridged dinuclear Collato-VIVO complexes: synthesis and magnetism. <i>Transition Metal Chemistry</i> , 1997, 22, 126-128.	0.7	4
162	Dinuclear iron (III) complex with a bridging diphenylphosphate and two terminal diphenylphosphate ligands. <i>Science in China Series B: Chemistry</i> , 1998, 41, 168-173.	0.8	4

#	ARTICLE	IF	CITATIONS
163	Title is missing!. <i>Transition Metal Chemistry</i> , 2003, 28, 326-330.	0.7	4
164	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2003, 33, 257-262.	0.5	4
165	Synthesis and Crystal Structure of an Azido-Bridged Cadmium(II) Dimer [L <sub>2</sub> Cd <sub>2</sub> (N <sub>3</sub> ) <sub>2</sub> (N <sub>3</sub> ) <sub>2</sub> ] (L=1,4,7-Triazacyclononane). <i>Journal of Coordination Chemistry</i> , 2003, 56, 427-431.	0.8	4
166	Synthesis and crystal structure of a new copper(II) binuclear complex bridged by the reduced derivative of a nitronyl nitroxide biradical. <i>Journal of Coordination Chemistry</i> , 2004, 57, 843-848.	0.8	4
167	A one-dimensional zigzag chain involving a cadmium(II)-imino nitroxide: structure and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2007, 60, 1599-1606.	0.8	4
168	A new 3d-3d heterometallic polymer containing N-methyliminodiacetic acid: synthesis, structure and characterization. <i>Applied Organometallic Chemistry</i> , 2007, 21, 350-354.	1.7	4
169	Synthesis and crystal structures of two metal-nitroxide complexes including a phenanthroline-substituted nitroxide radical. <i>Journal of Coordination Chemistry</i> , 2008, 61, 2413-2421.	0.8	4
170	Synthesis, crystal structure, magnetic property, and nuclease activity of a binuclear iron(III) complex. <i>Journal of Coordination Chemistry</i> , 2009, 62, 1260-1270.	0.8	4
171	Synthesis, crystal structure, DNA binding, and DNA cleavage of a zinc complex containing N,N-bis(2-pyridylmethyl)amine. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2480-2488.	0.8	4
172	Synthesis, crystal structure, spectroscopy, and nuclease activity of copper(II) complexes containing N,N-bis(2-pyridylmethyl)amine ligand. <i>Journal of Coordination Chemistry</i> , 2011, 64, 1991-2001.	0.8	4
173	Synthesis, magnetic properties, DNA binding and cleavage activity of a new oxalato bridged copper(II) complex. <i>Applied Organometallic Chemistry</i> , 2012, 26, 511-517.	1.7	4
174	Title is missing!. <i>Journal of Cluster Science</i> , 1998, 9, 465-471.	1.7	3
175	Crystal Structure, Magnetic Exchange Interaction, and DFT Study of 2,2'-(1-Oxidopyridine-2,6-diyl)bis[4,5-dihydro-4,4,5,5-tetramethyl-3-oxido-1H-imidazol-1-oxyl] Hydrate. <i>Helvetica Chimica Acta</i> , 2001, 84, 834-841.	1.0	3
176	Title is missing!. <i>Transition Metal Chemistry</i> , 2001, 26, 598-601.	0.7	3
177	Synthesis and Characterization of A Nickel(II) Complex With Bis(Benzimidazol-2-Ylmethyl) (2-Hydroxyethyl)Amine. <i>Journal of Coordination Chemistry</i> , 2002, 55, 537-543.	0.8	3
178	Copper(II) Complexes with N, N'-Bis(picolinidene-N-oxide)-2-hydroxy-1, 3-diaminopropane: Designing Binuclear Entities and Helical Chains by Versatile Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1996-1999.	0.6	3
179	Synthesis and Structure of an Unusual Carbonyl Ruthenium(II) Complex Containing Neutral NO <sub>2</sub> as Ligand: [Ru(NO <sub>2</sub> ) <sub>4</sub> (CO)(H <sub>2</sub> O)]Cl <sub>2</sub> ·2H <sub>2</sub> O. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1585-1588.	0.6	3
180	Synthesis and structure of a novel one-dimensional chain compound formed by copper(II) and nitronyl nitroxide radical. <i>Journal of Chemical Crystallography</i> , 2004, 34, 191-194.	0.5	3

#	ARTICLE	IF	CITATIONS
181	Synthesis, crystal structure, spectroscopic and magnetic properties of [Cu(dien) <sub>2</sub> ][Ni(CN) <sub>4</sub> ]. Journal of Coordination Chemistry, 2004, 57, 865-870.	0.8	3
182	Three new copper(II)–nickel(II) heterodinuclear complexes with the N,N'-bis(2-pyridyl-ethyl)oxamide dianion. Syntheses, spectra, and magnetic properties. Transition Metal Chemistry, 2005, 30, 460-463.	0.7	3
183	Two Novel Oxamidato-bridged Tetranuclear Complexes M[Cu(PMoxd)] <sub>3</sub> (ClO <sub>4</sub> ) <sub>2</sub> (M=Mn, Ni). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Electrochemical Properties. Transition Metal Chemistry, 2005, 30, 964-967.	0.7	3
184	A new terephthalato-bridged binuclear manganese(II) complex [Mn <sub>2</sub> (dmpnacn) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> : synthesis, structure and properties. Journal of Coordination Chemistry, 2007, 60, 1913-1921.	0.8	3
185	Syntheses, structures, and spectroscopic properties of copper(II) and cobalt(III) complexes containing 1,4,7-tribenzyl-1,4,7-triazacyclononane ligand. Journal of Coordination Chemistry, 2007, 60, 1681-1690.	0.8	3
186	Crystal structure and ferromagnetic properties of the oxamidato-bridged Cu(II)–VO(IV) complex containing macrocyclic ligands. Structural Chemistry, 2007, 18, 599-603.	1.0	3
187	Two new tetranuclear complexes of the macrocyclic oxamide [MCu <sub>3</sub> ] (M=Ag, Cd, Mn, macrocyclic) Tj ETQq1 1 0.784314 rgBT /Overlock Structural Chemistry, 2007, 18, 891-898.	1.0	3
188	Two novel dinuclear iron(III) complexes containing 1/4-oxo-di-1/4-carboxylato motif. Transition Metal Chemistry, 2007, 32, 847-850.	0.7	3
189	Synthesis and crystal structure of a three-dimensional 3d-4f heterometallic supramolecular complex {Eu(DMF) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> Cr(CN) <sub>6</sub> ·H <sub>2</sub> O} <sub>n</sub> . Journal of Coordination Chemistry, 2008, 61, 997-1004.	0.8	3
190	A new oxamato-bridged heterotrinnuclear NiII CuI NiII complex: synthesis, structure and properties. Journal of Coordination Chemistry, 2008, 61, 571-578.	0.8	3
191	Novel Assembly of a Cyanide-Bridged Copper(II)–Nickel(II) Binuclear Complex with a Copper(II) Macrocyclic Ligand. Journal of Chemical Crystallography, 2010, 40, 1011-1015.	0.5	3
192	Synthesis, characterization and crystal structures of manganese (II) complexes containing nitronyl nitroxide and its reduced derivative. Chinese Journal of Chemistry, 2010, 17, 342-349.	2.6	3
193	A New 3D Manganese(II) Coordination Polymer with 4,4'-dicarboxy-2,2'-bipyridine and 1,10-phenanthroline: Synthesis, Structural, and Magnetic Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2010, 636, 2704-2708.	0.6	3
194	Synthesis and Magnetism of Novel 1/4-Oxamido Heterotetranuclear Complexes [Cu <sub>3</sub> Ln <sub>3</sub> ] (Ln = Gd, Nd). Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1992, 22, 1507-1516.	1.8	2
195	Title is missing!. Journal of Chemical Crystallography, 1999, 29, 623-627.	0.5	2
196	Synthesis and Characterization of Copper(II), Iron(II), Cobalt(II), Nickel(II) and Manganese(II) Complexes of Azido-1, 4-Bis(Imidazol-1-yl-Methyl)Benzene (Bix) Or 1, 4-Bis(Imidazol-L-yl-Methyl)-2, Chemistry, 1999, 29, 1331-1338.	1.8	2
197	Structure and Magnetic Property of a Novel Nitronyl Nitroxide Biradical. Journal of the Chinese Chemical Society, 2001, 48, 723-726.	0.8	2
198	Title is missing!. Transition Metal Chemistry, 2001, 26, 457-460.	0.7	2

#	ARTICLE	IF	CITATIONS
199	Crystal Structure and Magnetic Properties of a Copper(II) Chloride Complex with Nitronyl Nitroxide. <i>Journal of Coordination Chemistry</i> , 2002, 55, 293-299.	0.8	2
200	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2002, 32, 331-335.	0.5	2
201	Crystal Structure and Magnetic Properties of A One-Dimensional Polymer [Mn(im2-py)(tp)(H2O)2]·1.25H2O. <i>Journal of Coordination Chemistry</i> , 2003, 56, 383-388.	0.8	2
202	Structure and magnetic properties of a dinuclear complex [Cu2(TPA)2(o-phth)](ClO4)2. <i>Journal of Chemical Crystallography</i> , 2005, 35, 555-559.	0.5	2
203	A heterobinuclear Cu(II)–Ni(II) complex of a macrocyclic oxamide: synthesis, crystal structure, spectroscopic and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2005, 58, 787-793.	0.8	2
204	Synthesis, crystal structure and magnetic properties of a new complex containing Cu(I) and radicals, [Cu(imme2py)2](ClO4). <i>Journal of Coordination Chemistry</i> , 2005, 58, 909-914.	0.8	2
205	Synthesis and crystal structure of two metal complexes involving reduced imino nitroxides. <i>Journal of Coordination Chemistry</i> , 2006, 59, 1045-1053.	0.8	2
206	Synthesis and structure of ytterbium (III) complex containing tetrachlorophthalate dianions. <i>Journal of Chemical Crystallography</i> , 2006, 36, 581-585.	0.5	2
207	Magnetic interactions in a new heterospin complex involving nitroxide radical and oxamido-bridged copper(II). <i>Journal of Coordination Chemistry</i> , 2007, 60, 929-936.	0.8	2
208	Synthesis, Crystal Structure and Spectral Properties of [Fe3(2,2'-bipy)6(ox)3]·12.25H2O Complex. <i>Journal of Chemical Crystallography</i> , 2007, 37, 651-654.	0.5	2
209	Nuclease activity of copper(II) complex containing 1,10-phenanthroline-5,6-dione and L-phenylalanine ligands. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2008, 3, 138-142.	0.4	2
210	Structure and Magnetism of two Polynuclear Complexes Containing both Macrocyclic and Azido Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, NA-NA.	0.6	2
211	Synthesis and magnetic properties of copper (II)–lanthanoid (III) binuclear complexes with <i>N,N</i> -bis(3-aminopropyl) oxamido ligand. <i>Chinese Journal of Chemistry</i> , 1994, 12, 414-418.	2.6	2
212	A new <i>N,N</i> -bis(2-pyridylmethyl)methylamine iron(III) complex: synthesis, structure, DNA binding, and nuclease activity. <i>Journal of Coordination Chemistry</i> , 2011, 64, 3256-3264.	0.8	2
213	A Nickel(II) Metallamacrocycle Complex with Antiferromagnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 475-477.	0.6	2
214	Synthesis, crystal structure, magnetism, and biological activities of an oxo-bridged diiron(III) complex. <i>Journal of Coordination Chemistry</i> , 2014, 67, 2062-2075.	0.8	2
215	Three pairs of enantiomers bearing mitochondria-targeted TPP groups as potential anti-cancer agents. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4920.	1.7	2
216	Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. <i>Transition Metal Chemistry</i> , 1996, 21, 515.	0.7	1

#	ARTICLE	IF	CITATIONS
217	Synthesis and Characterization of New Cu(II) and [Cu <sup>II</sup> Mn <sup>II</sup> ] Complexes of Macrocyclic Oxamides. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1999, 29, 1053-1061.	1.8	1
218	SYNTHESIS AND CHARACTERIZATION OF OXAMIDO-BRIDGED PENTANUCLEAR [Cu(II)] <sub>4</sub> Ln(III) COMPLEXES WITH A [14]N <sub>4</sub> MACROCYCLIC OXAMIDE. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2001, 31, 953-962.	1.8	1
219	SYNTHESES, SPECTRA, AND MAGNETIC PROPERTIES OF Fe(II) COMPLEXES WITH 7,7,8,8-TETRACYANOQUINODIMETHANE. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2001, 31, 613-621.	1.8	1
220	Synthesis and crystal structure of a nickel(II) complex involving imino nitroxide radicals. <i>Journal of Chemical Crystallography</i> , 2002, 32, 251-254.	0.5	1
221	Synthesis and magnetic properties of one-dimensional Mn(II) complexes linked by dithiooxalato. <i>Science Bulletin</i> , 2003, 48, 859-861.	4.3	1
222	The First Hexa-coordinated Tetranuclear Nickel Complex {[Ni(en) <sub>2</sub> ] <sub>4</sub> [H <sub>4</sub> L]}(ClO <sub>4</sub> ) <sub>4</sub> ·7H <sub>2</sub> O with Tetrakis-bidentate Oxamate Bridge. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 1655-1658.	0.6	1
223	Crystallographic report: Bis[N,N-dimethyl-N-(pyrid-2-ylmethyl)-ethylenediamine]zinc(II) diperchlorate. <i>Applied Organometallic Chemistry</i> , 2004, 18, 416-417.	1.7	1
224	Synthesis, crystal structure and magnetic properties of a new macrocyclic trinuclear Cu <sup>I</sup> -Cu <sup>I</sup> -Cu <sup>I</sup> complex. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1169-1176.	0.8	1
225	Synthesis, crystal structure and magnetic properties of a new binuclear copper(II)-copper(II) complex of a macrocyclic oxamide. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1361-1367.	0.8	1
226	A new assembly containing [Fe(dien) <sub>2</sub> ] <sup>2+</sup> and [Ni(CN) <sub>4</sub> ] <sup>2-</sup> ions. <i>Journal of Chemical Crystallography</i> , 2006, 36, 13-16.	0.5	1
227	Synthesis, crystal structure and magnetic properties of an oxamate-bridged heterobinuclear Ni <sup>II</sup> Cu <sup>I</sup> complex [Ni(cyclam)Cu(opba)] <sub>2</sub> ·3DMSO. <i>Journal of Coordination Chemistry</i> , 2008, 61, 1804-1810.	0.8	1
228	Synthesis, structural, and magnetic properties of a supramolecular assembly constructed from radical cations and [Au(CN) <sub>2</sub> ] <sup>-</sup> anions. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3913-3920.	0.8	1
229	Synthesis and magnetic properties of binuclear cobalt(II), nickel(II) and copper (II) complexes bridged by oxamidate group. <i>Chinese Journal of Chemistry</i> , 2010, 12, 231-236.	2.6	1
230	A Ladder-like One-dimensional Chain Based on a New Biradical and Cu <sup>II</sup> : Crystal Structure and Magnetic Properties. <i>Chinese Journal of Chemistry</i> , 2010, 28, 1593-1599.	2.6	1
231	Binuclear complexes of chromium, manganese and rhodium with N-hydroxyethyl-N,N',N'-tribenzimidazolymethylethylenediamine. <i>Transition Metal Chemistry</i> , 1995, 20, 273.	0.7	0
232	First Oxalate-Bridged Heterobinuclear Co(II)-Mn(III) Complexes: Synthesis and Magnetism. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 1997, 27, 751-758.	1.8	0
233	Synthesis and crystal structure of a new oxamidato-bridged trinuclear Cu <sub>2</sub> II Mn <sup>II</sup> complex containing a macrocyclic ligand. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1441-1445.	0.8	0
234	Synthesis, crystal structure and magnetic properties of a nickel(II) complex containing a 2-pyridyl-substituted nitronyl nitroxide. <i>Journal of Coordination Chemistry</i> , 2004, 57, 763-769.	0.8	0

#	ARTICLE	IF	CITATIONS
235	Synthesis, crystal structure and properties of a 1D copper(II) complex with 1,5,9-triazacyclododecane bridged by p-benzenedicarboxylate. Journal of Coordination Chemistry, 2008, 61, 661-668.	0.8	0
236	Structures and magnetic properties of two new heterospin complexes involving nitroxide radicals and oxamido-bridged copper(II). Journal of Coordination Chemistry, 2008, 61, 294-301.	0.8	0
237	Synthesis, Crystal Structures and Spectra Properties of Two New Cu(II) Complexes Containing Thiocyanato Anions as Ancillary Ligand. Journal of Chemical Research, 2009, 2009, 274-276.	0.6	0
238	Cyano-bridged Molecular Square: [Ni(iprtacn)Fe(phen) <sub>2</sub> (CN) <sub>2</sub> ] <sub>2</sub> (PF <sub>6</sub> ) <sub>4</sub> ·6CH <sub>3</sub> CN Preparation, Structure, Magnetic Properties and Binding with DNA. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2017, 643, 340-344.	0.6	0
239	Synthesis and Magnetic Properties of New Tetranuclear Copper(II)-Nickel(II) Complexes of Macrocyclic Oxamides. Journal of Chemical Research, 1999, 23, 278-279.	0.6	0