

Lin Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2629042/publications.pdf>

Version: 2024-02-01

239
papers

4,231
citations

126708

33
h-index

161609

54
g-index

243
all docs

243
docs citations

243
times ranked

3451
citing authors

#	ARTICLE	IF	CITATIONS
1	Three pairs of enantiomers bearing mitochondria-targeted TPP ⁺ groups as potential anti-cancer agents. Applied Organometallic Chemistry, 2019, 33, e4920.	1.7	2
2	Biological evaluation of rare earth complexes bearing 1 <i>H</i> -imidazo[4,5- <i>i</i>]-1,10-phenanthroline moiety as promising anticancer chemotherapeutics. Applied Organometallic Chemistry, 2018, 32, e4617.	1.7	15
3	Dicyanamide Bridged Cu(II) ₃ -Metallacrown-6 Complex with 1,4,7-Triisopropyl-1,4,7-Triazacyclononane and Binding Properties with DNA. Molecules, 2018, 23, 1269.	1.7	5
4	Cyano-bridged Molecular Square: [Ni(iprtacn)Fe(phen) ₂ (CN) ₂] ₂ (PF ₆) ₄ ·6CH ₃ CN Preparation, Structure, Magnetic Properties and Binding with DNA. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2017, 643, 340-344.	0.6	0
5	Compartmental ligand approach for constructing 3d-4f heterometallic [Cu ^{II} ₅ Ln ^{III}] ₂ clusters: synthesis and magnetostructural properties. CrystEngComm, 2017, 19, 1816-1830.	1.3	21
6	Synthesis, crystal structures, DNA/bovine serum albumin binding, DNA cleavage and cytotoxicity of five mononuclear zinc(II) complexes. Applied Organometallic Chemistry, 2017, 31, e3802.	1.7	5
7	Three series of heterometallic Ni ^{II} -Ln ^{III} Schiff base complexes: synthesis, crystal structures and magnetic characterization. Dalton Transactions, 2017, 46, 12558-12573.	1.6	27
8	Two dpa-based zinc(II) complexes as potential anticancer agents: nuclease activity, cytotoxicity and apoptosis studies. New Journal of Chemistry, 2016, 40, 7513-7521.	1.4	40
9	Synthesis, magnetism and spectral studies of six defective dicubane tetranuclear {M ₄ O ₆ } (M = Ni ^{II} , Co ^{II} , Zn ^{II}) and three trinuclear Cd ^{II} complexes with polydentate Schiff base ligands. Dalton Transactions, 2016, 45, 10233-10248.	1.6	38
10	Copper complexes based on chiral Schiff-base ligands: DNA/BSA binding ability, DNA cleavage activity, cytotoxicity and mechanism of apoptosis. European Journal of Medicinal Chemistry, 2016, 114, 244-256.	2.6	79
11	Bio-relevant cobalt(II) complexes with compartmental polyquinoline ligand: Synthesis, crystal structures and biological activities. Journal of Inorganic Biochemistry, 2015, 145, 19-29.	1.5	12
12	Four related mixed-ligand nickel(II) complexes: effect of steric encumbrance on the structure, DNA/BSA binding, DNA cleavage and cytotoxicity. RSC Advances, 2015, 5, 30768-30779.	1.7	24
13	Significant differences in the biological activity of mononuclear Cu(II) and Ni(II) complexes with the polyquinolinyl ligand. New Journal of Chemistry, 2015, 39, 529-538.	1.4	14
14	Synthesis, crystal structure, DNA cleavage properties, and protein binding activities of an unsymmetrical dinuclear copper(II) complex. Journal of Coordination Chemistry, 2014, 67, 300-314.	0.8	6
15	Synthesis, crystal structures, DNA binding and cleavage properties and protein binding activities of three mononuclear cobalt(II) complexes. Applied Organometallic Chemistry, 2014, 28, 259-266.	1.7	17
16	Two water-soluble copper(II) complexes: Synthesis, characterization, DNA cleavage, protein binding activities and in vitro anticancer activity studies. Journal of Inorganic Biochemistry, 2014, 137, 46-56.	1.5	83
17	Self-activated DNA cleavage of a water-soluble mononuclear Cu(II) complex with polyquinolinyl ligand. Journal of Coordination Chemistry, 2014, 67, 3598-3612.	0.8	6
18	Coordination assemblies of the M ^{II} -tm/bpt (M = Zn/Cd/Co/Ni) mixed-ligand system: positional isomeric effect, structural diversification and properties. RSC Advances, 2014, 4, 43641-43652.	1.7	9

#	ARTICLE	IF	CITATIONS
19	Synthesis, crystal structure, magnetism, and biological activities of an oxo-bridged diiron(III) complex. <i>Journal of Coordination Chemistry</i> , 2014, 67, 2062-2075.	0.8	2
20	Synthesis, characterization, and biological activities of two Cu(II) and Zn(II) complexes with one polyquinoline ligand. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 130, 390-396.	2.0	9
21	Synthesis, characterization, and DNA-binding of two new Cd(II) complexes with 8-[(2-pyridylmethyl)amino]-quinoline. <i>Journal of Coordination Chemistry</i> , 2013, 66, 3280-3290.	0.8	17
22	Coordination assemblies of the CdIIâ€“BDC/bpt mixed-ligand system: positional isomeric effect, structural diversification and luminescent properties. <i>CrystEngComm</i> , 2013, 15, 2657.	1.3	40
23	A Nickel(II) Metallamacrocyclic Complex with Antiferromagnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 475-477.	0.6	2
24	A copper(II) complex of 1,4,7-triazacyclononane featuring acetate pendant: an efficient DNA cleavage agent. <i>Journal of Coordination Chemistry</i> , 2012, 65, 122-130.	0.8	6
25	Synthesis, structure, fluorescent and magnetic properties of a series of coordination polymers based on a long and flexible bis-triazole ligand. <i>CrystEngComm</i> , 2012, 14, 2769.	1.3	56
26	Co(ii)/Ni(ii) coordination polymers incorporated with a bent connector: crystal structures and magnetic properties. <i>CrystEngComm</i> , 2012, 14, 4756.	1.3	25
27	Coordination Assemblies of Co ^{II} /Ni ^{II} /Zn ^{II} /Cd ^{II} with Succinic Acid and Bent Connectors: Structural Diversity and Spin-Canted Antiferromagnetism. <i>Crystal Growth and Design</i> , 2012, 12, 1890-1898.	1.4	40
28	Synthesis, magnetic properties, DNA binding and cleavage activity of a new oxalato bridged copper(II) complex. <i>Applied Organometallic Chemistry</i> , 2012, 26, 511-517.	1.7	4
29	Coordination assemblies of Co ^{II} /Ni ^{II} /Mn ^{II} /Zn ^{II} with 1,1'-biphenyl-2,2'-dicarboxylic acid and three positional isomeric ligands: structural diversity and properties. <i>CrystEngComm</i> , 2011, 13, 6538.	1.3	19
30	Synthesis, crystal structure, DNA binding, and DNA cleavage of a zinc complex containing N,N-bis(2-pyridylmethyl)amine. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2480-2488.	0.8	4
31	Synthesis, crystal structure, spectroscopy, and nuclease activity of copper(II) complexes containing N,N-bis(2-pyridylmethyl)amine ligand. <i>Journal of Coordination Chemistry</i> , 2011, 64, 1991-2001.	0.8	4
32	A new N,N-bis(2-pyridylmethyl)methylamine iron(III) complex: synthesis, structure, DNA binding, and nuclease activity. <i>Journal of Coordination Chemistry</i> , 2011, 64, 3256-3264.	0.8	2
33	Metal-organic frameworks based on transition-metal carboxylate clusters as secondary building units: synthesis, structures and properties. <i>CrystEngComm</i> , 2011, 13, 907-913.	1.3	34
34	Direct evidence for the role of imidazole in disproportionation of hydrogen peroxide by a mononuclear manganese salen complex. <i>Transition Metal Chemistry</i> , 2011, 36, 811-817.	0.7	6
35	A Novel Chromium 18â€“Azametallacrownâ€“6 Complex with Antiferromagnetic Interactions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 374-376.	0.6	5
36	Magnetic and Luminescent Properties of Sm, Eu, Tb, and Dy Coordination Polymers with 2â€“Hydroxynicotinic Acid. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2387-2393.	1.0	50

#	ARTICLE	IF	CITATIONS
37	Synthesis, structure, DNA binding, and cleavage activity of two copper(II) complexes. <i>Journal of Coordination Chemistry</i> , 2011, 64, 2157-2169.	0.8	25
38	Synthesis and magnetic properties of binuclear cobalt(II), nickel(II) and copper (II) complexes bridged by oxamidate group. <i>Chinese Journal of Chemistry</i> , 2010, 12, 231-236.	2.6	1
39	Novel Assembly of a Cyanide-Bridged Copper(II)-Nickel(II) Binuclear Complex with a Copper(II) Macrocyclic Ligand. <i>Journal of Chemical Crystallography</i> , 2010, 40, 1011-1015.	0.5	3
40	A Novel Bimetallic Chain Based on [Mo(CN) ₈] ³⁻ and Yb ³⁺ Ions as Building Blocks in Which Containing Many Intriguing Structural Features. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2010, 20, 229-234.	1.9	9
41	Synthesis, characterization and crystal structures of manganese (II) complexes containing nitronyl nitroxide and its reduced derivative. <i>Chinese Journal of Chemistry</i> , 2010, 17, 342-349.	2.6	3
42	A Ladder-Like One-Dimensional Chain Based on a New Biradical and Cu ^{II} : Crystal Structure and Magnetic Properties. <i>Chinese Journal of Chemistry</i> , 2010, 28, 1593-1599.	2.6	1
43	Synthesis, Crystal Structure, DNA Binding, and Hydrolytic Cleavage Activity of a Manganese(II) Complex. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 3109-3116.	1.0	15
44	Synthesis, Crystal Structures, and Magnetic Properties of MnII, CoII, and ZnII Coordination Polymers Containing 1,2,4,5-Benzenetetracarboxylic Acid and 4,4'-Azobispyridine. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 1983-1990.	1.0	29
45	Three Dicyanidometallate(I)-Based Complexes Incorporating Hydrogen-Bonding, π - π Packing and d ¹⁰ -d ¹⁰ Interactions with Auxiliary 2,2'-Bipyridyl-Like Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 865-871.	0.6	18
46	A New 3D Manganese(II) Coordination Polymer with 4,4'-Dicarboxy-2,2'-bipyridine and 1,10-Phenanthroline: Synthesis, Structural, and Magnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 2704-2708.	0.6	3
47	Synthesis, structure, and DNA binding of three reduced amino-acid Schiff-base zinc(II), nickel(II), and cadmium(II) complexes. <i>Journal of Coordination Chemistry</i> , 2010, 63, 115-123.	0.8	37
48	Synthesis, structure, magnetic, and spectroscopic properties of a chloro-bridged trinuclear copper(II) complex: {[Cu(bpea)Cl] ₂ CuCl ₄ }. <i>Journal of Coordination Chemistry</i> , 2010, 63, 2239-2246.	0.8	11
49	A case study of the ZnII-BDC/bpt mixed-ligand system: positional isomeric effect, structural diversification and luminescent properties. <i>CrystEngComm</i> , 2010, 12, 1269-1279.	1.3	70
50	Co(II) Coordination Polymers: Positional Isomeric Effect, Structural and Magnetic Diversification. <i>Crystal Growth and Design</i> , 2010, 10, 1145-1154.	1.4	106
51	Hydrolytic synthesis and structural characterization of five hexanuclear oxo-hydroxo lanthanideclusters. <i>CrystEngComm</i> , 2010, 12, 543-548.	1.3	22
52	3D heterometal-organic frameworks based on oxydiacetic acid. <i>CrystEngComm</i> , 2010, 12, 1086-1089.	1.3	26
53	Synthesis, crystal structure, spectroscopy, and magnetism of a mixed valence Co(III)-Co(II)-Co(III) complex stabilized by <i>N</i> -(2-hydroxybenzyl)salicylalimine. <i>Journal of Coordination Chemistry</i> , 2010, 63, 505-514.	0.8	8
54	Structure, spectroscopic, and magnetic properties of a new cobalt(II) complex with 5-sulfoisophthalic anion. <i>Journal of Coordination Chemistry</i> , 2010, 63, 988-995.	0.8	6

#	ARTICLE	IF	CITATIONS
55	The first 3-D supramolecular Mn(III) salen complex with 4,4-dicarboxy-2,2-bipyridine: structure and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3093-3100.	0.8	6
56	Pillared cobalt-organic framework with an unprecedented (3,4,6)-connected architecture showing the coexistence of spin canting and long-range magnetic ordering. <i>CrystEngComm</i> , 2010, 12, 395-400.	1.3	35
57	Synthesis, crystal structure, magnetic property, and nuclease activity of a binuclear iron(III) complex. <i>Journal of Coordination Chemistry</i> , 2009, 62, 1260-1270.	0.8	4
58	A Chiral Metal-Organic Framework Based on Heptanuclear Zinc Cores. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2599-2602.	1.0	27
59	Synthesis, X-ray Crystal Structures, DNA Binding and Nuclease Activities of Two Novel 1,2,4-Triazole-Based Cu(II) Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 5036-5045.	1.0	30
60	Three types of heterometallic structural motifs based on [Mo(CN) ₈] ³⁻ anion and Mn(II) cation as building blocks. <i>Structural Chemistry</i> , 2009, 20, 145-154.	1.0	21
61	A high-spin cyanide-bridged Mo ₆ Mn ₉ cluster: crystal structure and magnetism. <i>Structural Chemistry</i> , 2009, 20, 161-167.	1.0	15
62	DNA binding and cleavage activity of reduced amino-acid Schiff base complexes of cobalt(II), copper(II), and cadmium(II). <i>Transition Metal Chemistry</i> , 2009, 34, 475-481.	0.7	30
63	Structure and magnetic properties of a novel heterospin 1-D chain complex containing both Cu(II) and nitroxide radicals as spin branches. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1438-1443.	0.8	8
64	Structure and Magnetism of two Polynuclear Complexes Containing both Macrocyclic and Azido Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, NA-NA.	0.6	2
65	Self-Assembly of a Series of Metal-Organic Frameworks Based on 4-Pyridyl-1,2,4-triazole and Copper(II) Ion. <i>Crystal Growth and Design</i> , 2009, 9, 2137-2145.	1.4	61
66	Sodium-Mediated Self-Assembly: Three Novel 2D Coordination Aggregates of 1,4,7-Triazacyclononane-N,N'-di- <i>tert</i> -butyl-tripropionate. <i>Crystal Growth and Design</i> , 2009, 9, 2662-2667.	1.4	5
67	Oxidative DNA cleavage by Cu(II) complexes of 1,10-phenanthroline-5,6-dione. <i>Journal of Coordination Chemistry</i> , 2009, 62, 2182-2192.	0.8	23
68	A family of 3D lanthanide oxalatosuccinate with rare structures: 3D host framework incorporating a 3D alkali metal guest lattice. <i>CrystEngComm</i> , 2009, 11, 351-358.	1.3	15
69	Two [Au(CN) ₂] ⁻ -bridged heterometallic coordination polymers directed by different 2,2'-bipyridyl-like ligands. <i>CrystEngComm</i> , 2009, 11, 61-66.	1.3	16
70	The self-assembly of a heteronuclear complex monitored with ESI-MS and fluorescence spectrophotometry. <i>CrystEngComm</i> , 2009, 11, 1811.	1.3	8
71	Open and closed copper chain coordination polymers with alternating ferromagnetic and antiferromagnetic interactions. <i>CrystEngComm</i> , 2009, 11, 102-108.	1.3	26
72	Syntheses, structures, and spectroscopic properties of binuclear copper(II) complexes containing N,N'-bis(2-pyridylmethyl)amine ligands. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3276-3283.	0.8	12

#	ARTICLE	IF	CITATIONS
73	Synthesis, Crystal Structures and Spectra Properties of Two New Cu(II) Complexes Containing Thiocyanato Anions as Ancillary Ligand. <i>Journal of Chemical Research</i> , 2009, 2009, 274-276.	0.6	0
74	Synthesis, structural, and magnetic properties of a supramolecular assembly constructed from radical cations and $[\text{Au}(\text{CN})_2]^-$ anions. <i>Journal of Coordination Chemistry</i> , 2009, 62, 3913-3920.	0.8	1
75	Three novel octacyanomolybdate(IV) \leftrightarrow M(II) [$\text{M}=\text{Mn}$ and Cu] bimetallic assemblies: crystal structures and magnetic properties. <i>Structural Chemistry</i> , 2008, 19, 329-338.	1.0	20
76	Two hetero-spin metal \leftrightarrow radical complexes exhibiting strong antiferromagnetic interactions between the metal ions and nitroxide radicals. <i>Transition Metal Chemistry</i> , 2008, 33, 107-112.	0.7	5
77	Nuclease activity of copper(II) complex containing 1,10-phenanthroline-5,6-dione and L-phenylalanine ligands. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2008, 3, 138-142.	0.4	2
78	Synthesis, Structures and Magnetic Properties of Two Binuclear Cobalt(II) Complexes Bridged by Bis(<i>p</i> -nitrophenyl) Phosphate or Diphenylphosphinate Ion. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 1775-1779.	0.6	15
79	Synthesis, Crystal Structure and Magnetic Behaviour of Two 1D Chain Manganese \leftrightarrow Nitroxide Complexes Bridged by Isophthalate Anions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008, 634, 1950-1954.	0.6	9
80	Design of two 3D homochiral Co(II) metal \leftrightarrow organic open frameworks by layered-pillar strategy: structure and properties. <i>CrystEngComm</i> , 2008, 10, 963.	1.3	23
81	pH-Dependent Cu(II) Coordination Polymers with Tetrazole-1-acetic Acid: Synthesis, Crystal Structures, EPR and Magnetic Properties. <i>Crystal Growth and Design</i> , 2008, 8, 1140-1146.	1.4	139
82	Synthesis, crystal structure and properties of a 1D copper(II) complex with 1,5,9-triazacyclododecane bridged by <i>p</i> -benzenebicarboxylate. <i>Journal of Coordination Chemistry</i> , 2008, 61, 661-668.	0.8	0
83	Synthesis and crystal structure of a three-dimensional 3d-4f heterometallic supramolecular complex $\{\text{Eu}(\text{DMF})_4(\text{H}_2\text{O})_2\text{Cr}(\text{CN})_6\cdot\text{H}_2\text{O}\}_n$. <i>Journal of Coordination Chemistry</i> , 2008, 61, 997-1004.	0.8	3
84	Synthesis, crystal structure, and characterization of $[\text{Nd}(\text{tcph})(\text{Htcph})(\text{H}_2\text{O})_5]$. <i>Journal of Coordination Chemistry</i> , 2008, 61, 435-440.	0.8	6
85	Synthesis and pH-sensitive redox properties of 1,10-phenanthroline-5,6-dione complexes. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3147-3157.	0.8	6
86	A New Bimetallic Ferrimagnet ($[\text{Mn}^{2+}(\text{H}_2\text{O})_2(\text{CH}_3\text{COO})][\text{MoV}(\text{CN})_8]\cdot 2\text{H}_2\text{O}$) $_n$ and Its Antiferromagnetic Analogue ($[\text{Mn}^{2+}(\text{H}_2\text{O})_3\text{Cl}][\text{MoV}(\text{CN})_8]\cdot 4\text{H}_2\text{O}$) $_n$. <i>Crystal Growth and Design</i> , 2008, 8, 3761-3765.	1.4	25
87	Synthesis, crystal structure and magnetic properties of a dinuclear manganese(III) tetradentate Schiff-base complex. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3568-3574.	0.8	9
88	Synthesis, crystal structure and magnetic properties of an oxamato-bridged heterobinuclear NiII/CuII complex $[\text{Ni}(\text{cyclam})\text{Cu}(\text{opba})]_2\cdot 3\text{DMSO}$. <i>Journal of Coordination Chemistry</i> , 2008, 61, 1804-1810.	0.8	1
89	Synthesis and crystal structures of two metal-nitroxide complexes including a phenanthroline-substituted nitroxide radical. <i>Journal of Coordination Chemistry</i> , 2008, 61, 2413-2421.	0.8	4
90	A new oxamato-bridged heterotrinnuclear NiII/CuIINiII complex: synthesis, structure and properties. <i>Journal of Coordination Chemistry</i> , 2008, 61, 571-578.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Structures and magnetic properties of two new heterospin complexes involving nitroxide radicals and oxamido-bridged copper(II). <i>Journal of Coordination Chemistry</i> , 2008, 61, 294-301.	0.8	0
92	Magnetic interactions in a new heterospin complex involving nitroxide radical and oxamido-bridged copper(II). <i>Journal of Coordination Chemistry</i> , 2007, 60, 929-936.	0.8	2
93	A new terephthalato-bridged binuclear manganese(II) complex [Mn ₂ (dmptacn) ₂](ClO ₄) ₂ : synthesis, structure and properties. <i>Journal of Coordination Chemistry</i> , 2007, 60, 1913-1921.	0.8	3
94	Syntheses, Structures, and Characterization of a Series of Novel Zinc(II) and Cadmium(II) Compounds Based on 2,6-Di-(1,2,4-triazole-4-yl)pyridine. <i>Crystal Growth and Design</i> , 2007, 7, 1483-1489.	1.4	65
95	Syntheses, Structures, and Photoluminescence of One-Dimensional Lanthanide Coordination Polymers with 2,4,6-Pyridinetri-carboxylic Acid. <i>Crystal Growth and Design</i> , 2007, 7, 1851-1857.	1.4	128
96	Syntheses, structures, and spectroscopic properties of copper(II) and cobalt(III) complexes containing 1,4,7-tribenzyl-1,4,7-triazacyclononane ligand. <i>Journal of Coordination Chemistry</i> , 2007, 60, 1681-1690.	0.8	3
97	A one-dimensional zigzag chain involving a cadmium(II)-imino nitroxide: structure and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2007, 60, 1599-1606.	0.8	4
98	Synthesis, magnetic property and DNA cleavage behavior of a new dialkoxo-bridged diiron(III) complex. <i>Applied Organometallic Chemistry</i> , 2007, 21, 129-134.	1.7	6
99	A new 3s-3d heterometallic polymer containing N-methyliminodiacetic acid: synthesis, structure and characterization. <i>Applied Organometallic Chemistry</i> , 2007, 21, 350-354.	1.7	4
100	Synthesis, Structure and Magnetic Properties of a Novel Nickel(II) Radical Heterospin Complex with Salicylaldehyde. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 657-660.	0.6	11
101	A novel three-dimensional malonate-bridged complex {[Cu ₄ (4,4'-) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,342 Td (bpy) ₈ (ma)] _n	1.0	3
102	Crystal structure and ferromagnetic properties of the oxamidato-bridged Cu(II)-VO(IV) complex containing macrocyclic ligands. <i>Structural Chemistry</i> , 2007, 18, 599-603.	1.0	3
103	Two new tetranuclear complexes of the macrocyclic oxamide [MCu ₃] (M=Cd, Mn, macrocyclic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,342 Td (bpy) ₈ (ma)] _n <i>Structural Chemistry</i> , 2007, 18, 891-898.	1.0	3
104	Two novel dinuclear iron(III) complexes containing 1/4-oxo-di-1/4-carboxylato motif. <i>Transition Metal Chemistry</i> , 2007, 32, 847-850.	0.7	3
105	Synthesis, Crystal Structure and Spectral Properties of [Fe ₃ (2,2'-bipy) ₆ (ox) ₃ ·12.25H ₂ O] Complex. <i>Journal of Chemical Crystallography</i> , 2007, 37, 651-654.	0.5	2
106	A novel dicyanamide-bridged zinc(II) complex incorporating the 4,4'-azopyridine ligand. <i>Journal of Coordination Chemistry</i> , 2006, 59, 457-465.	0.8	6
107	Synthesis and crystal structure of two metal complexes involving reduced imino nitroxides. <i>Journal of Coordination Chemistry</i> , 2006, 59, 1045-1053.	0.8	2
108	Synthesis, Structure, and Magnetic Behavior of a 1-D Coordination Polymer [Ni(NIT4py) ₂ (ip)(H ₂ O)] _n . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 491-494.	0.6	6

#	ARTICLE	IF	CITATIONS
109	Synthesis, Crystal Structure, and Characterization of Two Oxamido-bridged NiII CuII NiII Heteronuclear Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 2500-2504.	0.6	5
110	Synthesis, crystal structure and spectroscopic properties of two new complexes containing azido or dicyanamido bridges. <i>Structural Chemistry</i> , 2006, 17, 43-47.	1.0	9
111	Two Novel Diamagnetic-metal Coordination Polymers of Nitronyl Nitroxide Radical Incorporating Isophthalate Bridges. <i>Transition Metal Chemistry</i> , 2006, 31, 214-219.	0.7	13
112	A Binuclear Copper(II) Complex with Two Symmetric End-on Azido Bridges. <i>Synthesis, Spectroscopy, Crystal Structure and Magnetism</i> . <i>Transition Metal Chemistry</i> , 2006, 31, 434-440.	0.7	16
113	Structure and magnetic properties of a dtm-bridged two-dimensional supramolecular complex $\{[\text{Fe}(\text{dtm})_2(\text{H}_2\text{O})_2](\text{ClO}_4)_2 \cdot 2\text{H}_2\text{O}\}_n$ (dtm = 4,4'-ditriazolemethane). <i>Transition Metal Chemistry</i> , 2006, 31, 801-804.	0.7	10
114	A new assembly containing $[\text{Fe}(\text{dien})_2]^{2+}$ and $[\text{Ni}(\text{CN})_4]^{2-}$ ions. <i>Journal of Chemical Crystallography</i> , 2006, 36, 13-16.	0.5	1
115	Synthesis and structure of ytterbium (III) complex containing tetrachlorophthalate dianions. <i>Journal of Chemical Crystallography</i> , 2006, 36, 581-585.	0.5	2
116	Cu(II) and Ni(II)-1,10-phenanthroline-5,6-dione-amino acid ternary complexes exhibiting pH-sensitive redox properties. <i>Applied Organometallic Chemistry</i> , 2006, 20, 351-356.	1.7	11
117	Synthesis, Crystal Structures, and Magnetic Properties of 2D Manganese(II) and 1D Gadolinium(III) Coordination Polymers with 1H-1,2,3-Triazole-4,5-dicarboxylic Acid. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4931-4937.	1.0	44
118	A Structural and Magnetic Investigation of Ferromagnetically Coupled Copper(II) Isophthalates. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2297-2305.	1.0	31
119	Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms $[\text{M}_2\text{Au}_4]$ (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies. <i>Helvetica Chimica Acta</i> , 2005, 88, 3000-3010.	1.0	5
120	Three new copper(II)-nickel(II) heterodinuclear complexes with the N,N'-bis(2-pyridyl-ethyl)oxamide dianion. Syntheses, spectra, and magnetic properties. <i>Transition Metal Chemistry</i> , 2005, 30, 460-463.	0.7	3
121	Two Novel Oxamidato-bridged Tetranuclear Complexes $\text{M}[\text{Cu}(\text{PMoxd})]_3(\text{ClO}_4)_2$ (M=Mn, Ni). <i>Transition Metal Chemistry</i> , 2005, 30, 964-967.	0.7	3
122	Structure and magnetic properties of a dinuclear complex $[\text{Cu}_2(\text{TPA})_2(\text{o-phth})](\text{ClO}_4)_2$. <i>Journal of Chemical Crystallography</i> , 2005, 35, 555-559.	0.5	2
123	A Novel Mixed-Ligand Manganese(II) Complex Containing a V-shape Water Trimer: Synthesis, Structure and Magnetic Properties of $\{[\text{Mn}(\text{azpy})_2(\text{dca})(\text{H}_2\text{O})_2](\text{ClO}_4)(\text{azpy})(\text{H}_2\text{O})_2\}_n$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 1693-1697.	0.6	21
124	One-dimensional Diamagnetic-metal Nitronyl Nitroxide Radical Complexes with Dicyanoargentate(I) Bridges: $\text{M}(\text{NIT4Py})_2[\text{Ag}(\text{CN})_2]_2$ (M= Zn, Cd). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 1702-1705.	0.6	11
125	Grid-like Cobalt(II) Layered Complex with an Unprecedented Double 1,2-Bis(1,2,4-triazole-1-yl)methane Bridges. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 3104-3107.	0.6	6
126	Ferromagnetic interactions in a Zn(II)-nitronyl nitroxide complex with dicyanoaurate(I) bridges. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1695-1702.	0.8	8

#	ARTICLE	IF	CITATIONS
127	A heterobinuclear Cu(II)-Ni(II) complex of a macrocyclic oxamide: synthesis, crystal structure, spectroscopic and magnetic properties. <i>Journal of Coordination Chemistry</i> , 2005, 58, 787-793.	0.8	2
128	Synthesis, crystal structure and magnetic properties of a new macrocyclic trinuclear Cu(I)-Cu(I)-Cu(I) complex. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1169-1176.	0.8	1
129	Synthesis, crystal structure and magnetic properties of a new binuclear copper(II)-copper(II) complex of a macrocyclic oxamide. <i>Journal of Coordination Chemistry</i> , 2005, 58, 1361-1367.	0.8	1
130	Synthesis, crystal structure and magnetic properties of a novel complex containing a diamagnetic metal ion and thiazole-substituted nitronyl nitroxide radicals. <i>Journal of Coordination Chemistry</i> , 2005, 58, 969-973.	0.8	7
131	Oxamido-Bridged Bimetallic Complexes Involving Nitronyl Nitroxide Radical Ligands: Crystal Structure and Magnetic Behavior. <i>Crystal Growth and Design</i> , 2005, 5, 783-787.	1.4	29
132	Synthesis, crystal structure and magnetic properties of a new complex containing Cu(I) and radicals, [Cu(imme2py) ₂](ClO ₄). <i>Journal of Coordination Chemistry</i> , 2005, 58, 909-914.	0.8	2
133	Microporous Metal-Organic Frameworks Built on a Ln ₃ Cluster as a Six-Connecting Node. <i>Chemistry of Materials</i> , 2005, 17, 2866-2874.	3.2	108
134	Synthesis, crystal structure and magnetic properties of a nickel(II) complex containing a 2-pyridyl-substituted nitronyl nitroxide. <i>Journal of Coordination Chemistry</i> , 2004, 57, 763-769.	0.8	0
135	A Novel, three-dimensional, Tetrachlorophthalato-bridged Samarium(III) complex [Sm(tcph) ₂ (H ₂ O) ₆]H ₂ O·5H ₂ O. <i>Journal of Coordination Chemistry</i> , 2004, 57, 275-280.	0.8	9
136	Heterometallic two-dimensional polymer containing cyanide-bridged praseodymium(III) and transition metals. <i>Transition Metal Chemistry</i> , 2004, 29, 12-15.	0.7	6
137	Synthesis, structures and properties of two novel copper(II) complexes with hydrogen bonding supramolecular networks. <i>Transition Metal Chemistry</i> , 2004, 29, 200-204.	0.7	6
138	Synthesis and structure of a novel one-dimensional chain compound formed by copper(II) and nitronyl nitroxide radical. <i>Journal of Chemical Crystallography</i> , 2004, 34, 191-194.	0.5	3
139	Crystal structures and spectroscopic properties of copper(II) and zinc(II) complexes with the macrocycle 1,4,7-tris(2-pyridylmethyl)-1,4,7-triazacyclononane. <i>Journal of Chemical Crystallography</i> , 2004, 34, 495-500.	0.5	11
140	Molecular and Supramolecular Structures of a Nickel(II)-Copper(II)-Nickel(II) Trinuclear Complex Containing a New Macrocyclic Oxamido Complex Ligand. <i>Structural Chemistry</i> , 2004, 15, 547-551.	1.0	5
141	Structure and Magnetic Properties of a Novel Two-Dimensional Complex from 1, 3, 5-Benzenetricarboxylate and Neodymium(III) {[Nd(1, 3, 5-benzenetricarboxylate)(H ₂ O) ₄]·H ₂ O} _n . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 613-616.	0.6	10
142	Synthesis, Structure, and Spectroscopic Properties of Copper(II) and Nickel(II) Complexes Containing the 1, 4, 7-Triisopropyl-1, 4, 7-triazacyclononane Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 591-596.	0.6	6
143	A Novel 3-D Heterobimetallic Cyano-bridged Coordination Polymer Incorporating Ag-...-Ag Interaction: [Cu(dien)Ag(CN) ₂] ₂ [Ag ₂ (CN) ₃][Ag(CN) ₂]. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 498-500.	0.6	13
144	The First Hexa-coordinated Tetranuclear Nickel Complex {[Ni(en) ₂] ₄ [H ₄ L]}(ClO ₄) ₄ ·7H ₂ O with Tetrakis-bidentate Oxamato Bridge. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 1655-1658.	0.6	1

#	ARTICLE	IF	CITATIONS
145	Crystallographic report: Bis[N,N-dimethyl-Nâ€²-(pyrid-2-ylmethyl)-ethylenediamine]zinc(II) diperchlorate. Applied Organometallic Chemistry, 2004, 18, 416-417.	1.7	1
146	Hydrothermal Syntheses, Crystal Structures, Magnetism and Fluorescence Quenching of Oxamidato-Bridged Pentanuclear Cull4LnIII Complexes Containing Macrocyclic Ligands (Ln = Eu, Tb) and the Crystal Structure of a Hexanuclear NiII5SmIII Complex. European Journal of Inorganic Chemistry, 2004, 2004, 1514-1521.	1.0	31
147	Synthesis and Characterisation of Two Supramolecular Polymers [CuAg4(CN)6(tacn)]n and [CuAu2(CN)4(tacn)]n Containing Metalâˆ™Metal Interactions. European Journal of Inorganic Chemistry, 2004, 2004, 2130-2136.	1.0	22
148	Ferromagnetic and Antiferromagnetic Polymeric Complexes with the Macrocyclic Ligand 1,4,7-Triazacyclononane. European Journal of Inorganic Chemistry, 2004, 2004, 2369-2378.	1.0	32
149	Synthesis, Crystal Structure and Magnetic Properties of A New Thiazolyl-Substituted Nitronyl Nitroxide and Its Copper(II) Complexes. European Journal of Inorganic Chemistry, 2004, 2004, 2266-2271.	1.0	19
150	Synthesis, crystal structure, spectroscopic and magnetic properties of [Cu(dien)2][Ni(CN)4]. Journal of Coordination Chemistry, 2004, 57, 865-870.	0.8	3
151	Synthesis, crystal structures and luminescent properties of two supramolecular assemblies containing [Au(CN)2]? building block. New Journal of Chemistry, 2004, 28, 1347.	1.4	19
152	Synthesis, structure and spectroscopy of a copper complex of the chiral pendant-arm macrocycle N,Nâ€²,Nâ€²â€²-tris[2S-2-hydroxypropyl]-1,4,7-triazacyclononane. Journal of Coordination Chemistry, 2004, 57, 41-47.	0.8	8
153	Synthesis, structure and magnetic properties of a Pr(III) complex with chelating nitronyl nitroxide radicals. Journal of Coordination Chemistry, 2004, 57, 1571-1576.	0.8	9
154	Synthesis and crystal structure of a new copper(II) binuclear complex bridged by the reduced derivative of a nitronyl nitroxide biradical. Journal of Coordination Chemistry, 2004, 57, 843-848.	0.8	4
155	Syntheses and crystal structures of two 2D coordination polymers of cobalt(II) and nickel(II) with the Malonate Dianion Ligand. Journal of Coordination Chemistry, 2004, 57, 1577-1585.	0.8	6
156	A Macrocyclic Chromium(III) complex with mixed Hydroxo and Carbonato bridges: Crystal structure and Magnetic properties of [(tacn)Cr(1/4-OH)2(1/4-CO3)Cr(tacn)](ClO4)2Âˆ3H2O (tacn=1,4,7-Triazacyclononane). Journal of Coordination Chemistry, 2004, 57, 231-237.	0.8	5
157	Title is missing!. Transition Metal Chemistry, 2003, 28, 326-330.	0.7	4
158	Title is missing!. Journal of Chemical Crystallography, 2003, 33, 257-262.	0.5	4
159	Title is missing!. Transition Metal Chemistry, 2003, 28, 506-510.	0.7	7
160	Title is missing!. Transition Metal Chemistry, 2003, 28, 621-624.	0.7	14
161	Crystal and molecular structure of a nickel(II) complex with a macrocyclic [14]N4 ligand. Journal of Chemical Crystallography, 2003, 33, 5-9.	0.5	6
162	Title is missing!. Transition Metal Chemistry, 2003, 28, 16-20.	0.7	5

#	ARTICLE	IF	CITATIONS
163	Binuclear Nickel(II) and Cobalt(III) Complexes with Dissimilar Bridges: Synthesis, Spectroscopy, Crystal Structure, and Magnetism. <i>Helvetica Chimica Acta</i> , 2003, 86, 2441-2451.	1.0	19
164	Unique Magnetic Behavior in a One-Dimensional Coordination Polymer [Co(tmpyim) ₂ (tp)]. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 62-65.	1.0	36
165	A Nanotubular 3D Coordination Polymer Based on a 3d-4f Heterometallic Assembly. <i>Angewandte Chemie</i> , 2003, 115, 964-966.	1.6	33
166	A Nanotubular 3D Coordination Polymer Based on a 3d-4f Heterometallic Assembly. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 934-936.	7.2	462
167	Copper(II) Complexes with N, N'-Bis(picolinidene-N-oxide)-2-hydroxy-1, 3-diaminopropane: Designing Binuclear Entities and Helical Chains by Versatile Ligand. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1996-1999.	0.6	3
168	Synthesis and Structure of an Unusual Carbonyl Ruthenium(II) Complex Containing Neutral NO ₂ as Ligand: [Ru(NO ₂) ₄ (CO)(H ₂ O)]Cl ₂ ·2H ₂ O. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1585-1588.	0.6	3
169	A Novel 4, 4'-Azopyridine-Bridged Manganese Polymer: Quasi Two-dimensional Structure and Magnetic Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2000-2003.	0.6	10
170	Cobalt(II) Complexes with Dicyanamide from Binuclear Entities to Chains. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2591-2595.	0.6	22
171	A novel heterospin polynuclear complex containing both macrocyclic and imino nitroxide radical ligands: {[CuL(H ₂ O)](CuL)Mn(IM-2Py)}{[CuL(MeOH)](CuL)Mn(IM-2Py)}(ClO ₄) ₄ ·MeOH. <i>New Journal of Chemistry</i> , 2003, 27, 583-587.	1.4	14
172	Synthesis and crystal structure of a new oxamidato-bridged trinuclear Cu ₂ II MnII complex containing a macrocyclic ligand. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1441-1445.	0.8	0
173	Crystal Structure and Magnetic Properties of A One-Dimensional Polymer [Mn(im ₂ -py)(tp)(H ₂ O) ₂]·1.25H ₂ O. <i>Journal of Coordination Chemistry</i> , 2003, 56, 383-388.	0.8	2
174	A new mixed-ligand copper(II) complex containing azide and 1,10-phenanthroline: crystal structure and properties. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1473-1480.	0.8	18
175	Cyano-bridged Heterotrinnuclear Molybdenum(IV)-Nickel(II) Complexes: Synthesis, Crystal Structure and Magnetic Properties. <i>Journal of Coordination Chemistry</i> , 2003, 56, 337-341.	0.8	7
176	Two different three-dimensional microporous framework structures in [Mn ₂ (H ₂ O) ₄ {W(CN) ₈ }·4H ₂ O] _n and [Mn ₂ (H ₂ O) ₄ {W(CN) ₈ } (OH)·2H ₂ O] _n . <i>New Journal of Chemistry</i> , 2003, 27, 1760-1764.	1.4	23
177	Syntheses and Crystal Structures of Two Ion Pair Complexes, [Ru(bpy) ₃] ₂ [Fe(CN) ₆]I·7H ₂ O and [Ru(bpy) ₃] ⁻ [Fe(CN) ₅ NO]CH ₃ OH·H ₂ O. <i>Journal of Coordination Chemistry</i> , 2003, 56, 531-538.	0.8	5
178	The first one-dimensional copper(ii)-radical system with alternating double end-on and end-to-end azido bridges. <i>New Journal of Chemistry</i> , 2003, 27, 752-755.	1.4	30
179	Synthesis, Structure and Properties of an Oxalato-Bridged Dinuclear Nickel(II) Complex. <i>Journal of Coordination Chemistry</i> , 2003, 56, 961-966.	0.8	6
180	Synthesis and Crystal Structure of an Azido-Bridged Cadmium(II) Dimer [L ₂ Cd ₂ (N ₃) ₂ (N ₃) ₂] (L=1,4,7-Triazacyclononane). <i>Journal of Coordination Chemistry</i> , 2003, 56, 427-431.	0.8	4

#	ARTICLE	IF	CITATIONS
181	A novel 4,4'-azopyridine-bridged binuclear zinc complex. <i>Journal of Coordination Chemistry</i> , 2003, 56, 1447-1453.	0.8	9
182	Synthesis and magnetic properties of one-dimensional Mn(II) complexes linked by dithiooxalato. <i>Science Bulletin</i> , 2003, 48, 859-861.	4.3	1
183	Synthesis and Crystal Structures of Two Zinc(II) Complexes with the Tripodal Ligand Tris(2-Benzimidazolymethyl)Amine. <i>Journal of Coordination Chemistry</i> , 2003, 56, 275-281.	0.8	12
184	Manganese(II)-phenanthroline-azide compounds: Versatile Precursors as Ligands in Designing Heteropolymetallic Systems. <i>Journal of Coordination Chemistry</i> , 2002, 55, 1263-1270.	0.8	9
185	Synthesis, Crystal Structure and Properties of Novel Zinc(II) and Cobalt(II) Chain Complexes with 3,5-dimethylpyrazole and Thiocyanate. <i>Journal of Coordination Chemistry</i> , 2002, 55, 363-372.	0.8	22
186	Synthesis and Characterization of A Nickel(II) Complex With Bis(Benzimidazol-2-Ylmethyl) (2-Hydroxyethyl)Amine. <i>Journal of Coordination Chemistry</i> , 2002, 55, 537-543.	0.8	3
187	Crystal Structure and Magnetic Properties of a Copper(II) Chloride Complex with Nitronyl Nitroxide. <i>Journal of Coordination Chemistry</i> , 2002, 55, 293-299.	0.8	2
188	Heterobinuclear copper(ii)-manganese(ii) complexes behaving as three-dimensional supramolecular networks via both macrocyclic oxamido-bridges and hydrogen bonds. <i>Dalton Transactions RSC</i> , 2002, , 1607-1612.	2.3	36
189	A novel two-dimensional copper(ii)-radical complex [Cu(NITmPy) ₂ (N ₃) ₂] _n : structure and magnetic properties Dedicated to the memory of Professor Olivier Kahn.. <i>Dalton Transactions RSC</i> , 2002, , 1350-1353.	2.3	33
190	Synthesis, Crystal Structure and Magnetic Properties of a Terephthalato-bridged Binuclear Nickel(II) Complex. <i>Journal of Coordination Chemistry</i> , 2002, 55, 205-213.	0.8	14
191	Two Ferromagnetic One-Dimensional Nickel(II) Complexes Containing the Diamagnetic [Ni(CN) ₄] ²⁻ Group. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 699-702.	1.0	24
192	The First Tetranuclear Complex with a (1/4-CrO ₄ -O, O ²⁻ , O ³⁻) Bridge: Crystal Structure and Ferromagnetic Behavior of [{Cu(bpy) ₂ }] ₃ (1/4-CrO ₄)(ClO ₄) ₄ ·H ₂ O. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 1937-1940.	1.0	9
193	First Crystal Structure of a (1/4-Oxamidato)tricopper(II)metal(II)-Type Tetranuclear Complex: Synthesis, Crystal Structure, and Magnetism of a Copper(II)manganese(II) Complex ([Cu ₃ MnII(1/4-L) ₃](N ₃) ₂ ·EtOH) Incorporating a Macrocyclic Oxamide Ligand L (Macrocyclic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 252 Td (Oxamide=1,4,8,11)	1.0	33
194	Synthesis and crystal structure of a nickel(II) complex involving imino nitroxide radicals. <i>Journal of Chemical Crystallography</i> , 2002, 32, 251-254.	0.5	1
195	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2002, 32, 331-335.	0.5	2
196	Two-dimensional Coordination Polymers of Copper(II) with Oxalate: A Lattice Water Control of Structure. <i>Inorganic Chemistry</i> , 2001, 40, 2652-2659.	1.9	73
197	Oxamato-Bridged Trinuclear NiIIICuIINiIIComplexes with Irregular Spin State Structures and a Binuclear NiIICuIIComplex with an Unusual Supramolecular Structure: A Crystal Structure and Magnetic Properties. <i>Inorganic Chemistry</i> , 2001, 40, 3134-3140.	1.9	57
198	A new one-dimensional coordination polymer and a new supramolecular dimer made of trinuclear copper(II) complexes: crystal structure and magnetic properties. <i>Dalton Transactions RSC</i> , 2001, , 1537-1540.	2.3	35

#	ARTICLE	IF	CITATIONS
199	The first iron(III)-nickel(II) heterodinuclear complex containing both terminal and bridged phosphato ligands relevant to structural core models for dimetalloenzymes. Dalton Transactions RSC, 2001, , 1398-1400.	2.3	15
200	SYNTHESIS AND CHARACTERIZATION OF OXAMIDO-BRIDGED PENTANUCLEAR [Cu(II)] ₄ Ln(III) COMPLEXES WITH A [14]N ₄ MACROCYCLIC OXAMIDE. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2001, 31, 953-962.	1.8	1
201	Structure and Magnetic Property of a Novel Nitronyl Nitroxide Biradical. Journal of the Chinese Chemical Society, 2001, 48, 723-726.	0.8	2
202	Crystal Structure, Magnetic Exchange Interaction, and DFT Study of 2,2'-[1-Oxidopyridine-2,6-diyl]bis[4,5-dihydro-4,4,5,5-tetramethyl-3-oxido-1H-imidazol-1-oxyl] Hydrate. Helvetica Chimica Acta, 2001, 84, 834-841.	1.0	3
203	A New Class of Heterobinuclear Complexes: Crystal Structure and Magnetism of Copper(II)-Nickel(II) Complexes Incorporating Two Different Macrocyclic Ligands. Helvetica Chimica Acta, 2001, 84, 908-917.	1.0	49
204	Title is missing!. Transition Metal Chemistry, 2001, 26, 473-476.	0.7	5
205	Title is missing!. Transition Metal Chemistry, 2001, 26, 598-601.	0.7	3
206	Title is missing!. Transition Metal Chemistry, 2001, 26, 457-460.	0.7	2
207	SYNTHESSES, SPECTRA, AND MAGNETIC PROPERTIES OF Fe(II) COMPLEXES WITH 7,7'-,8,8'-TETRACYANOQUINODIMETHANE. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2001, 31, 613-621.	1.8	1
208	Title is missing!. Transition Metal Chemistry, 2000, 25, 630-634.	0.7	38
209	Synthesis, crystal structure of diferrous complex and its reactivity with dioxygen. Science in China Series B: Chemistry, 2000, 43, 405-411.	0.8	8
210	Two dimensional stair-shaped coordination polymer exhibiting three-dimensional structure with cavities. Chemical Communications, 2000, , 717-718.	2.2	33
211	Reactions between macrocyclic nickel(II) complexes and ferricyanide. Metamagnetic properties of a two-dimensional honeycomb assembly [NiL ₃] ₃ [Fe(CN) ₆]2·8H ₂ O (L ₃ =...=...3,10-dihydroxyethyl-1,3,6,8,10,12-hexaazacyclotetradecane). Dalton Transactions RSC, 2000, , 2996-3000.	2.3	44
212	Crystal structure, redox and spectral properties of copper(II) complexes with macrocyclic ligands incorporating both oxamido and imine groups. Dalton Transactions RSC, 2000, , 1431-1436.	2.3	87
213	Synthesis and Characterization of New Cu(II) and [Cu ^{II} Mn ^{II}] Complexes of Macrocyclic Oxamides. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1999, 29, 1053-1061.	1.8	1
214	Title is missing!. Journal of Chemical Crystallography, 1999, 29, 623-627.	0.5	2
215	Title is missing!. Transition Metal Chemistry, 1999, 24, 244-246.	0.7	22
216	Title is missing!. Transition Metal Chemistry, 1999, 24, 581-583.	0.7	8

#	ARTICLE	IF	CITATIONS
217	Synthesis and Characterization of Copper(II), Iron(II), Cobalt(II), Nickel(II) and Manganese(II) Complexes of Azido-1, 4-Bis(Imidazol-1-Yl-Methyl)Benzene (Bix) Or 1, 4-Bis(Imidazol-L-Yl-Methyl)-2, Chemistry, 1999, 29, 1331-1338.	1.8	2
218	Synthesis and Magnetic Properties of New Tetranuclear Copper(II)â€“Nickel(II) Complexes of Macrocyclic Oxamides. Journal of Chemical Research, 1999, 23, 278-279.	0.6	0
219	Novel oxalate-bridged trinuclear FeIII-MII-FeIII (M = Cu and VO) complexes: synthesis and magnetism. Transition Metal Chemistry, 1998, 23, 313-315.	0.7	17
220	Title is missing!. Journal of Chemical Crystallography, 1998, 28, 303-307.	0.5	49
221	Title is missing!. Journal of Cluster Science, 1998, 9, 465-471.	1.7	3
222	Dinuclear iron (III) complex with a bridging diphenylphosphate and two terminal diphenylphosphate ligands. Science in China Series B: Chemistry, 1998, 41, 168-173.	0.8	4
223	Synthesis and Magnetic Properties of the First (1/4-End-To-End-Azido)Gadolinium(III) Compound: Gd₂(phen)₄(N₃)₆(H₂O). Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1998, 28, 405-414.	1.8	6
224	First Oxalate-Bridged Heterobinuclear Co(II)-Mn(III) Complexes: Synthesis and Magnetism. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1997, 27, 751-758.	1.8	0
225	The first oxalato-bridged dinuclear Collâ€“VIVO complexes: synthesis and magnetism. Transition Metal Chemistry, 1997, 22, 126-128.	0.7	4
226	Title is missing!. Transition Metal Chemistry, 1997, 22, 42-45.	0.7	6
227	Binuclear Copper(II) Complexes with Robson-Type Ligands. Synthesis, characterization, crystal structure, and magnetic properties. Helvetica Chimica Acta, 1997, 80, 213-220.	1.0	18
228	Paramagnetic and diamagnetic binuclear copper(II) complexes with different bidentate exogenous bridges: synthesis, spectroscopy and magnetic properties. Transition Metal Chemistry, 1996, 21, 515.	0.7	1
229	Syntheses and Magnetism of Squarate Complexes. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1996, 26, 105-114.	1.8	5
230	Synthesis and Magnetic Properties of New Trinuclear Lanthanide (III) Complexes Bridged by Terephthalato Groups. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1996, 26, 409-422.	1.8	14
231	Binuclear complexes of chromium, manganese and rhodium with N-hydroxyethyl-N,N',N'-tribenzimidazolylmethylethylenediamine. Transition Metal Chemistry, 1995, 20, 273.	0.7	0
232	Synthesis and Magnetic Properties of 1/4-Phthalato Binuclear Cobalt(II) Complexes. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1994, 24, 137-146.	1.8	18
233	SYNTHESIS AND MAGNETIC PROPERTIES OF Cu(II)-Mn(II) COMPLEXES WITH N,N'-BIS(2-AMINOETHYL)OXAMIDOCOPPER(II). Journal of Coordination Chemistry, 1994, 31, 321-327.	0.8	7
234	Synthesis and magnetic properties of copper (II)â€“lanthanoid (III) binuclear complexes with <i>N,N'-bis(3-aminopropyl) oxamido ligand. Chinese Journal of Chemistry, 1994, 12, 414-418.	2.6	2

#	ARTICLE	IF	CITATIONS
235	Synthesis and Magnetic Properties of $\frac{1}{4}$ -Terephthalato Binuclear Cobalt(II) Complexes. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 239-245.	1.8	26
236	Synthesis and Magnetism of Novel $\frac{1}{4}$ -Oxamido Heterotetranuclear Complexes $[\text{Cu}_3\text{MIII}]$ (M = Mn, Co, Ni). Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 1117-1127.	1.8	4
237	Synthesis and Magnetism of Binuclear Nd(III), Gd(III) and Dy(III) Complexes Using the Dianions of Chloranilic Acid as Bridging Ligands. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 247-256.	1.8	13
238	Synthesis and Properties of a Series of Novel Mononuclear Complexes with Binucleating Ligand 2, 6-Diformyl-Methylphenol Di (Benzoylhydrazone). Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1993, 23, 501-508.	1.8	5
239	Synthesis and Magnetism of Novel $\frac{1}{4}$ -Oxamido Heterotetranuclear Complexes $[\text{Cu}_3\text{LnIII}]$ (Ln = Gd, Nd). Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1992, 22, 1507-1516.	1.8	2