Bryan M Jenkins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2629191/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Anthropocene Geochemical and Technological Signatures of an Experimental Landfill Bioreactor in the Central Valley of California. Anthropocene Science, 2022, 1, 246-263.	1.6	1
2	Chemical and Toxicological Properties of Emissions from a Light-Duty Compressed Natural Gas Vehicle Fueled with Renewable Natural Gas. Environmental Science & Technology, 2021, 55, 2820-2830.	4.6	10
3	Effects of Leaching Method and Ashing Temperature of Rice Residues for Energy Production and Construction Materials. ACS Sustainable Chemistry and Engineering, 2021, 9, 3677-3687.	3.2	2
4	Bioleaching of Sorghum Straw in Bioreactors for Biomass Cleaning. Fermentation, 2021, 7, 270.	1.4	2
5	Development of a dynamic model to estimate canopy par interception. Biosystems Engineering, 2020, 198, 120-136.	1.9	5
6	Air and Steam Gasification of Almond Biomass. Frontiers in Energy Research, 2019, 7, .	1.2	17
7	Pretreatment of lignocellulosic biomass using bioleaching to reduce inorganic elements. Fuel, 2019, 246, 386-393.	3.4	14
8	Optimization under uncertainty of a biomass-integrated renewable energy microgrid with energy storage. Renewable Energy, 2018, 123, 204-217.	4.3	87
9	Hybrid Poplar based Biorefinery Siting Web Application (HP-BiSWA): An online decision support application for siting hybrid poplar based biorefineries. Computers and Electronics in Agriculture, 2018, 155, 76-83.	3.7	4
10	Optimization of a biomass-integrated renewable energy microgrid with demand side management under uncertainty. Applied Energy, 2018, 230, 836-844.	5.1	80
11	Optimal design and operating strategies for a biomass-fueled combined heat and power system with energy storage. Energy, 2018, 155, 620-629.	4.5	12
12	Economic impact of combined torrefaction and pelletization processes on forestry biomass supply. GCB Bioenergy, 2017, 9, 681-693.	2.5	20
13	Emerging role of Geographical Information System (GIS), Life Cycle Assessment (LCA) and spatial LCA (GIS-LCA) in sustainable bioenergy planning. Bioresource Technology, 2017, 242, 218-226.	4.8	117
14	Trace metal release during wood pyrolysis. Fuel, 2017, 203, 548-556.	3.4	14
15	Impact of biases in gridded weather datasets on biomass estimates of short rotation woody cropping systems. Agricultural and Forest Meteorology, 2017, 233, 71-79.	1.9	15
16	White Poplar Microwave Pyrolysis: Heating Rate and Optimization of Biochar Yield. BioResources, 2017, 13, .	0.5	3
17	Review of research to inform California's climate scoping plan: Agriculture and working lands. California Agriculture, 2017, 71, 160-168.	0.5	3
18	Chapter 5. Assessing the Need for High Impact Technology Research, Development & Deployment for Mitigating Climate Change, Collabra, 2016, 2, .	1.3	3

#	Article	IF	CITATIONS
19	Multiâ€øbjective optimization of transesterification in biodiesel production catalyzed by immobilized lipase. Biofuels, Bioproducts and Biorefining, 2016, 10, 804-818.	1.9	19
20	Technical and economic feasibility of unitary, horizontal ground-loop geothermal heat pumps for space conditioning in selected california climate zones. Energy and Buildings, 2016, 119, 164-172.	3.1	17
21	A comparative study of district and individual energy systems providing electrical-based heating, cooling, and domestic hot water to a low-energy use residential community. Energy and Buildings, 2015, 92, 306-312.	3.1	19
22	Characterization of almond processing residues from the Central Valley of California for thermal conversion. Fuel Processing Technology, 2015, 140, 132-147.	3.7	28
23	Modeling poplar growth as a short rotation woody crop for biofuels in the Pacific Northwest. Biomass and Bioenergy, 2015, 79, 12-27.	2.9	23
24	Economic sustainability modeling provides decision support for assessing hybrid poplar-based biofuel development in California. California Agriculture, 2015, 69, 171-176.	0.5	14
25	Design of a GIS-Based Web Application for Simulating Biofuel Feedstock Yields. ISPRS International Journal of Geo-Information, 2014, 3, 929-941.	1.4	7
26	Thirdhand cigarette smoke in an experimental chamber: evidence of surface deposition of nicotine, nitrosamines and polycyclic aromatic hydrocarbons and de novo formation of NNK. Tobacco Control, 2014, 23, 152-159.	1.8	76
27	Ultrasound irradiation in the production of ethanol from biomass. Renewable and Sustainable Energy Reviews, 2014, 40, 400-421.	8.2	66
28	Influence of leaching pretreatment on fuel properties of biomass. Fuel Processing Technology, 2014, 128, 43-53.	3.7	103
29	Climate-smart agriculture global research agenda: scientific basis for action. Agriculture and Food Security, 2014, 3, .	1.6	165
30	Inorganic Composition of Saline-Irrigated Biomass. Water, Air, and Soil Pollution, 2013, 224, 1.	1.1	6
31	Inorganic Composition and Environmental Impact of Biomass Feedstock. Energy & Fuels, 2013, 27, 3969-3987.	2.5	48
32	Dilute acid pretreatment and fermentation of sugar beet pulp to ethanol. Applied Energy, 2013, 105, 1-7.	5.1	118
33	SuperGrid or SmartGrid: Competing strategies for large-scale integration of intermittent renewables?. Energy Policy, 2013, 58, 381-390.	4.2	55
34	Hybrid response surface methodology-genetic algorithm optimization of ultrasound-assisted transesterification of waste oil catalysed by immobilized lipase on mesoporous silica/iron oxide magnetic core-shell nanoparticles. Environmental Technology (United Kingdom), 2013, 34, 2201-2211.	1.2	29
35	An Apparatus for Generating Aged Cigarette Smoke for Controlled Human Exposure Studies. Aerosol Science and Technology, 2012, 46, 1246-1255.	1.5	14
36	Anaerobic Digestion technologies for the treatment of Municipal Solid Waste. International Journal of Environment and Waste Management, 2012, 9, 100.	0.2	36

#	Article	IF	CITATIONS
37	Ensilage and Bioconversion of Grape Pomace into Fuel Ethanol. Journal of Agricultural and Food Chemistry, 2012, 60, 11128-11134.	2.4	56
38	Improving the efficiency of enzyme utilization for sugar beet pulp hydrolysis. Bioprocess and Biosystems Engineering, 2012, 35, 1531-1539.	1.7	13
39	Integrating sugar beet pulp storage, hydrolysis and fermentation for fuel ethanol production. Applied Energy, 2012, 93, 168-175.	5.1	81
40	Influence of moisture content on microbial activity and silage quality during ensilage of food processing residues. Bioprocess and Biosystems Engineering, 2011, 34, 987-995.	1.7	16
41	Effects of ensilage on storage and enzymatic degradability of sugar beet pulp. Bioresource Technology, 2011, 102, 1489-1495.	4.8	54
42	Gypsum scale reduction and collection from drainage water in solar concentration. Desalination, 2011, 265, 140-147.	4.0	8
43	Modeling the performance of the anaerobic phased solids digester system for biogas energy production. Biomass and Bioenergy, 2011, 35, 1263-1272.	2.9	25
44	Evaluation of High Solids Alkaline Pretreatment of Rice Straw. Applied Biochemistry and Biotechnology, 2010, 162, 1768-1784.	1.4	210
45	Mercury in Biomass Feedstock and Combustion Residuals. Water, Air, and Soil Pollution, 2010, 209, 429-437.	1.1	21
46	Bed agglomeration in fluidized combustor fueled by wood and rice straw blends. Fuel Processing Technology, 2010, 91, 1464-1485.	3.7	42
47	Development of a biorefinery optimized biofuel supply curve for the Western United States. Biomass and Bioenergy, 2010, 34, 1597-1607.	2.9	120
48	Solid–liquid extraction of alkali metals and organic compounds by leaching of food industry residues. Bioresource Technology, 2010, 101, 4331-4336.	4.8	11
49	Biogas production from municipal solid wastes using an integrated rotary drum and anaerobic-phased solids digester system. Bioresource Technology, 2010, 101, 6374-6380.	4.8	38
50	Interview: Interview with Bryan Jenkins. Biofuels, 2010, 1, 27-31.	1.4	1
51	A spatially explicit techno-economic model of bioenergy and biofuels production in California. Journal of Transport Geography, 2010, 18, 715-728.	2.3	84
52	Kinetic modeling for enzymatic hydrolysis of pretreated creeping wild ryegrass. Biotechnology and Bioengineering, 2009, 102, 1558-1569.	1.7	76
53	On representative sampling and reliable chemical characterization in thermal biomass conversion studies. Biomass and Bioenergy, 2009, 33, 1513-1519.	2.9	17
54	Characteristics and biogas production potential of municipal solid wastes pretreated with a rotary drum reactor. Bioresource Technology, 2009, 100, 1122-1129.	4.8	107

#	Article	IF	CITATIONS
55	Anaerobic digestion of saline creeping wild ryegrass for biogas production and pretreatment of particleboard material. Bioresource Technology, 2009, 100, 1582-1588.	4.8	43
56	Biofuels:. California Agriculture, 2009, 63, 155-158.	0.5	1
57	Sustainable use of California biomass resources can help meet state and national bioenergy targets. California Agriculture, 2009, 63, 168-177.	0.5	12
58	Rates of drainage-water evaporite salt dissolution in water. Desalination, 2008, 227, 306-313.	4.0	1
59	Wood residues from sawmills in California. Biomass and Bioenergy, 2008, 32, 101-108.	2.9	9
60	Non-ionic Surfactants and Non-Catalytic Protein Treatment on Enzymatic Hydrolysis of Pretreated Creeping Wild Ryegrass. Applied Biochemistry and Biotechnology, 2008, 146, 231-248.	1.4	109
61	Optimal Orientation of a Liquid-Film Solar-Assisted Brine Concentrator. Journal of Solar Energy Engineering, Transactions of the ASME, 2008, 130, .	1.1	1
62	Salt recovery from agricultural drainage water using a liquid film solar-assisted concentrator – Simulation and model validation. Solar Energy, 2007, 81, 1314-1321.	2.9	9
63	Simulation and model validation of a horizontal shallow basin solar concentrator. Solar Energy, 2007, 81, 463-475.	2.9	15
64	Particleboard quality characteristics of saline jose tall wheatgrass and chemical treatment effect. Bioresource Technology, 2007, 98, 1304-1310.	4.8	60
65	Food and processing residues in California: Resource assessment and potential for power generation. Bioresource Technology, 2007, 98, 3098-3105.	4.8	75
66	Physical properties of thin particleboard made from saline eucalyptus. Industrial Crops and Products, 2007, 26, 185-194.	2.5	52
67	Evaluation of different biomass materials as feedstock for fermentable sugar production. Applied Biochemistry and Biotechnology, 2007, 137-140, 423-435.	1.4	26
68	Non-ionic Surfactants and Non-Catalytic Protein Treatment on Enzymatic Hydrolysis of Pretreated Creeping Wild Ryegrass. , 2007, , 351-368.		1
69	Test results from sugar cane bagasse and high fiber cane co-fired with fossil fuels. Biomass and Bioenergy, 2006, 30, 565-574.	2.9	37
70	High temperature elemental losses and mineralogical changes in common biomass ashes. Fuel, 2006, 85, 783-795.	3.4	217
71	Compositional constraints on slag formation and potassium volatilization from rice straw blended wood fuel. Fuel Processing Technology, 2006, 87, 383-408.	3.7	68
72	Properties of medium-density particleboard from saline Athel wood. Industrial Crops and Products, 2006, 23, 318-326.	2.5	51

#	Article	IF	CITATIONS
73	Analytical Controlled Losses of Potassium from Straw Ashes. Energy & amp; Fuels, 2005, 19, 2571-2575.	2.5	16
74	Heating process characteristics and kinetics of sewage sludge in different atmospheres. Thermochimica Acta, 2004, 409, 127-135.	1.2	76
75	Heating process characteristics and kinetics of rice straw in different atmospheres. Fuel Processing Technology, 2004, 85, 279-291.	3.7	63
76	Fuel characteristics of processed, high-fiber sugarcane. Fuel Processing Technology, 2003, 81, 35-55.	3.7	20
77	Biomass leachate treatment by reverse osmosis. Fuel Processing Technology, 2003, 81, 223-246.	3.7	52
78	Biomass production and allocation in rice with implications for straw harvesting and utilization. Biomass and Bioenergy, 2003, 24, 163-173.	2.9	38
79	Feasibility of collecting naturally leached rice straw for thermal conversion. Biomass and Bioenergy, 2003, 25, 597-614.	2.9	52
80	Rice Straw Smoke Generation System for Controlled Human Inhalation Exposures. Aerosol Science and Technology, 2003, 37, 437-454.	1.5	19
81	Fluidized Bed Combustion of Leached Rice Straw. Energy & Fuels, 2002, 16, 356-365.	2.5	59
82	Experimental determination of high-temperature elemental losses from biomass slag. Fuel, 2000, 79, 693-700.	3.4	115
83	Bioconversion of Mixed Solids Waste to Ethanol. Applied Biochemistry and Biotechnology, 1999, 78, 455-472.	1.4	29
84	Release of Inorganic Constituents from Leached Biomass during Thermal Conversion. Energy & Fuels, 1999, 13, 860-870.	2.5	228
85	High-Temperature Melting Behavior of Urban Wood Fuel Ash. Energy & Fuels, 1999, 13, 839-850.	2.5	43
86	Combustion properties of biomass. Fuel Processing Technology, 1998, 54, 17-46.	3.7	1,538
87	The behavior of inorganic material in biomass-fired power boilers: field and laboratory experiences. Fuel Processing Technology, 1998, 54, 47-78.	3.7	557
88	A comment on the optimal sizing of a biomass utilization facility under constant and variable cost scaling. Biomass and Bioenergy, 1997, 13, 1-9.	2.9	143
89	Combustion of residual biosolids from a high solids anaerobic digestion/aerobic composting process. Biomass and Bioenergy, 1997, 12, 367-381.	2.9	11
90	Emission Factors for Polycyclic Aromatic Hydrocarbons from Biomass Burning. Environmental Science & amp; Technology, 1996, 30, 2462-2469.	4.6	340

#	Article	IF	CITATIONS
91	Particle concentrations, gas-particle partitioning, and species intercorrelations for Polycyclic Aromatic Hydrocarbons (PAH) emitted during biomass burning. Atmospheric Environment, 1996, 30, 3825-3835.	1.9	148
92	Boiler deposits from firing biomass fuels. Biomass and Bioenergy, 1996, 10, 125-138.	2.9	349
93	On the properties of washed straw. Biomass and Bioenergy, 1996, 10, 177-200.	2.9	329
94	Optimum specific gasification rate for static bed rice hull gasifiers. Biomass and Bioenergy, 1996, 11, 51-62.	2.9	20
95	Measurements of the upstream turbulent flow during wind tunnel simulations of agricultural field burning. Boundary-Layer Meteorology, 1995, 76, 233-258.	1.2	1
96	Durability and relaxation of sawdust and wheat-straw briquettes as possible fuels for Kenya. Biomass and Bioenergy, 1995, 8, 175-179.	2.9	67
97	Exposure to Amorphous Silica Fibers and Other Particulate Matter During Rice Farming Operations. Journal of Occupational and Environmental Hygiene, 1995, 10, 677-684.	0.5	22
98	Biomass fueled fluidized bed combustion: Atmospheric emissions, emission control devices and environmental regulations. Biomass and Bioenergy, 1994, 6, 243-260.	2.9	42
99	Control of in-bed agglomeration by fuel blending in a pilot scale straw and wood fueled AFBC. Biomass and Bioenergy, 1993, 4, 117-133.	2.9	63
100	Wind tunnel modeling of atmospheric emissions from agricultural burning: influence of operating configuration on flame structure and particle emission factor for a spreading-type fire. Environmental Science & Technology, 1993, 27, 1763-1775.	4.6	13
101	Plant response and energy savings for bench-top-heated greenhouses. Scientia Horticulturae, 1992, 49, 135-146.	1.7	8
102	Atmospheric emissions from agricultural burning in California: Determination of burn fractions, distribution factors, and crop-specific contributions. Agriculture, Ecosystems and Environment, 1992, 38, 313-330.	2.5	42
103	On the electric power potential from paddy straw in the Punjab and the optimal size of the power generation station. Bioresource Technology, 1991, 37, 35-41.	4.8	34
104	Survey documents open burning in the San Joaquin Valley. California Agriculture, 1991, 45, 12-16.	0.5	7
105	Temperature exposure of greenhouses from monthly means of daily maximum and minimum temperatures. Biosystems Engineering, 1987, 37, 191-208.	0.4	2
106	Setting the Foundations for International and Cross-disciplinary Innovation: The U.SDenmark Summer School "Renewable Energy: In Practice". , 0, , .		0