

Antonietta Vella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2631844/publications.pdf>

Version: 2024-02-01

30
papers

1,423
citations

430843

18
h-index

454934

30
g-index

31
all docs

31
docs citations

31
times ranked

1867
citing authors

#	ARTICLE	IF	CITATIONS
1	SARS-CoV-2 Antigen Test Results to Infer Active or Non-Active Virus Replication Status in COVID-19 Patients. <i>Diagnostics</i> , 2022, 12, 1338.	2.6	2
2	Pan-Echinocandin-Resistant <i>Candida glabrata</i> Bloodstream Infection Complicating COVID-19: A Fatal Case Report. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 163.	3.5	62
3	Microbiologic and clinical characteristics of biofilm-forming <i>Candida parapsilosis</i> isolates associated with fungaemia and their impact on mortality. <i>Clinical Microbiology and Infection</i> , 2018, 24, 771-777.	6.0	41
4	Fatal fulminant cryptococemia complicating sarcoidosis: Is it to be expected?. <i>Medical Mycology Case Reports</i> , 2018, 22, 42-44.	1.3	3
5	Susceptibility Testing of Common and Uncommon <i>Aspergillus</i> Species against Posaconazole and Other Mold-Active Antifungal Azoles Using the Sensititre Method. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	24
6	Potential Use of MALDI-ToF Mass Spectrometry for Rapid Detection of Antifungal Resistance in the Human Pathogen <i>Candida glabrata</i> . <i>Scientific Reports</i> , 2017, 7, 9099.	3.3	47
7	Molecular Detection of Resistance to Azole Components. <i>Methods in Molecular Biology</i> , 2017, 1508, 423-435.	0.9	4
8	Molecular Detection of Resistance to Echinocandins. <i>Methods in Molecular Biology</i> , 2017, 1508, 413-421.	0.9	3
9	A rapid diagnostic workflow for cefotaxime-resistant <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> detection from blood cultures by MALDI-TOF mass spectrometry. <i>PLoS ONE</i> , 2017, 12, e0185935.	2.5	12
10	<i>In vitro</i> effect of clarithromycin and alginate lyase against <i>Helicobacter pylori</i> biofilm. <i>Biotechnology Progress</i> , 2016, 32, 1584-1591.	2.6	25
11	Targeted gene disruption in <i>Candida parapsilosis</i> demonstrates a role for <i>CPAR2_404800</i> in adhesion to a biotic surface and in a murine model of ascending urinary tract infection. <i>Virulence</i> , 2016, 7, 85-97.	4.4	40
12	Clusters of patients with candidaemia due to genotypes of <i>Candida albicans</i> and <i>Candida parapsilosis</i> : differences in frequency between hospitals. <i>Clinical Microbiology and Infection</i> , 2015, 21, 677-683.	6.0	15
13	Antifungal Susceptibility Profiles of Bloodstream Yeast Isolates by Sensititre YeastOne over Nine Years at a Large Italian Teaching Hospital. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 3944-3955.	3.2	68
14	Evaluation of matrix-assisted laser desorption ionization-time of flight mass spectrometry (MALDI-TOF) Tj ETQq0 0 0 rgBT /Overlock 10 T	3.8	20
15	<i>Geotrichum capitatum</i> septicaemia in a haematological patient after acute myeloid leukaemia relapse: identification using MALDI-TOF mass spectrometry and review of the literature. <i>Infezioni in Medicina</i> , 2015, 23, 161-7.	1.1	11
16	Application of MALDI-TOF mass spectrometry in clinical diagnostic microbiology. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 1081-1088.	1.2	75
17	<i>Candida utilis</i> catheter-related bloodstream infection. <i>Medical Mycology Case Reports</i> , 2014, 6, 70-72.	1.3	13
18	Development and Validation of an In-House Database for Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry-Based Yeast Identification Using a Fast Protein Extraction Procedure. <i>Journal of Clinical Microbiology</i> , 2014, 52, 1453-1458.	3.9	59

#	ARTICLE	IF	CITATIONS
19	Histoplasmosis in a lung transplant recipient from a nonendemic area. <i>Transplant International</i> , 2014, 27, e99-e101.	1.6	8
20	Identification and typing of the <i>Candida parapsilosis</i> complex: MALDI-TOF MS vs. AFLP. <i>Medical Mycology</i> , 2014, 52, 123-130.	0.7	37
21	Typing of Nosocomial Outbreaks of <i>Acinetobacter baumannii</i> by Use of Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry. <i>Journal of Clinical Microbiology</i> , 2013, 51, 603-606.	3.9	68
22	MALDI-TOF mass spectrometry in the clinical mycology laboratory: identification of fungi and beyond. <i>Expert Review of Proteomics</i> , 2013, 10, 151-164.	3.0	105
23	Rapid Antifungal Susceptibility Testing by Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry Analysis. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2964-2969.	3.9	114
24	Comparative Evaluation of the Bruker Biotyper and Vitek MS Matrix-Assisted Laser Desorption Ionization–Time Of Flight (MALDI-TOF) Mass Spectrometry Systems for Identification of Yeasts of Medical Importance. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2453-2457.	3.9	79
25	Comparative Evaluation of BD Phoenix and Vitek 2 Systems for Species Identification of Common and Uncommon Pathogenic Yeasts. <i>Journal of Clinical Microbiology</i> , 2013, 51, 3841-3845.	3.9	15
26	Use of Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry for Caspofungin Susceptibility Testing of <i>Candida</i> and <i>Aspergillus</i> Species. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2479-2483.	3.9	120
27	Species identification of <i>Aspergillus</i> , <i>Fusarium</i> and <i>Mucorales</i> with direct surface analysis by matrix-assisted laser desorption ionization time-of-flight mass spectrometry. <i>Clinical Microbiology and Infection</i> , 2012, 18, 475-484.	6.0	227
28	Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry-Based Method for Discrimination between Molecular Types of <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> . <i>Journal of Clinical Microbiology</i> , 2012, 50, 2472-2476.	3.9	87
29	Ventilator-associated Pneumonia and MRSA ST398, Italy. <i>Emerging Infectious Diseases</i> , 2010, 16, 730-731.	4.3	28
30	A combined molecular typing approach does not discriminate <i>Legionella pneumophila</i> serogroup 1 strains of a predominant sequence-based type in Palermo, Italy. <i>Journal of Infection and Public Health</i> , 2009, 2, 184-188.	4.1	3