

Mark Hipp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2632550/mark-hipp-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35 papers	3,716 citations	22 h-index	43 g-index
43 ext. papers	4,788 ext. citations	16.7 avg, IF	5.85 L-index

#	Paper	IF	Citations
35	Plasticity-Related Gene 5 Is Expressed in a Late Phase of Neurodifferentiation After Neuronal Cell-Fate Determination.. <i>Frontiers in Cellular Neuroscience</i> , 2022 , 16, 797588	6.1	0
34	Gel-like inclusions of C-terminal fragments of TDP-43 sequester stalled proteasomes in neurons.. <i>EMBO Reports</i> , 2022 , e53890	6.5	1
33	Systematic expression analysis of plasticity-related genes in mouse brain development brings PRG4 into play. <i>Developmental Dynamics</i> , 2021 ,	2.9	1
32	In situ architecture of neuronal β -Synuclein inclusions. <i>Nature Communications</i> , 2021 , 12, 2110	17.4	24
31	Multiple pathways of toxicity induced by dipeptide repeat aggregates and GC RNA in a cellular model. <i>ELife</i> , 2021 , 10,	8.9	2
30	The extracellular chaperone Clusterin enhances Tau aggregate seeding in a cellular model. <i>Nature Communications</i> , 2021 , 12, 4863	17.4	8
29	Fluc-EGFP reporter mice reveal differential alterations of neuronal proteostasis in aging and disease. <i>EMBO Journal</i> , 2021 , 40, e107260	13	5
28	Role for ribosome-associated quality control in sampling proteins for MHC class I-mediated antigen presentation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 4099-4108	11.5	15
27	Cell-to-cell transmission of C9orf72 poly-(Gly-Ala) triggers key features of ALS/FTD. <i>EMBO Journal</i> , 2020 , 39, e102811	13	27
26	An inventory of interactors of the human HSP60/HSP10 chaperonin in the mitochondrial matrix space. <i>Cell Stress and Chaperones</i> , 2020 , 25, 407-416	4	8
25	Sis1 potentiates the stress response to protein aggregation and elevated temperature. <i>Nature Communications</i> , 2020 , 11, 6271	17.4	11
24	Functional Modules of the Proteostasis Network. <i>Cold Spring Harbor Perspectives in Biology</i> , 2020 , 12,	10.2	57
23	A protein quality control pathway regulated by linear ubiquitination. <i>EMBO Journal</i> , 2019 , 38,	13	22
22	The proteostasis network and its decline in ageing. <i>Nature Reviews Molecular Cell Biology</i> , 2019 , 20, 421-485	48.5	391
21	The nucleolus functions as a phase-separated protein quality control compartment. <i>Science</i> , 2019 , 365, 342-347	33.3	185
20	In Situ Structure of Neuronal C9orf72 Poly-GA Aggregates Reveals Proteasome Recruitment. <i>Cell</i> , 2018 , 172, 696-705.e12	56.2	196
19	High capacity of the endoplasmic reticulum to prevent secretion and aggregation of amyloidogenic proteins. <i>EMBO Journal</i> , 2018 , 37, 337-350	13	21

18	Molecular and structural architecture of polyQ aggregates in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E3446-E3453	11.5	40
17	The endoplasmic reticulum: A hub of protein quality control in health and disease. <i>Free Radical Biology and Medicine</i> , 2017 , 108, 383-393	7.8	35
16	Nuclear inclusion bodies of mutant and wild-type p53 in cancer: a hallmark of p53 inactivation and proteostasis remodelling by p53 aggregation. <i>Journal of Pathology</i> , 2017 , 242, 24-38	9.4	29
15	In Situ Architecture and Cellular Interactions of PolyQ Inclusions. <i>Cell</i> , 2017 , 171, 179-187.e10	56.2	177
14	Spatiotemporal Proteomic Profiling of Huntington's Disease Inclusions Reveals Widespread Loss of Protein Function. <i>Cell Reports</i> , 2017 , 21, 2291-2303	10.6	71
13	The Formation, function and regulation of amyloids: insights from structural biology. <i>Journal of Internal Medicine</i> , 2016 , 280, 164-76	10.8	32
12	Cytoplasmic protein aggregates interfere with nucleocytoplasmic transport of protein and RNA. <i>Science</i> , 2016 , 351, 173-6	33.3	267
11	Proteotoxic stress and ageing triggers the loss of redox homeostasis across cellular compartments. <i>EMBO Journal</i> , 2015 , 34, 2334-49	13	63
10	Proteostasis impairment in protein-misfolding and -aggregation diseases. <i>Trends in Cell Biology</i> , 2014 , 24, 506-14	18.3	418
9	Overexpression of Q-rich prion-like proteins suppresses polyQ cytotoxicity and alters the polyQ interactome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 18219-24	11.5	38
8	PolyQ proteins interfere with nuclear degradation of cytosolic proteins by sequestering the Sis1p chaperone. <i>Cell</i> , 2013 , 154, 134-45	56.2	255
7	Molecular chaperone functions in protein folding and proteostasis. <i>Annual Review of Biochemistry</i> , 2013 , 82, 323-55	29.1	937
6	Heat shock response activation exacerbates inclusion body formation in a cellular model of Huntington disease. <i>Journal of Biological Chemistry</i> , 2013 , 288, 23633-8	5.4	44
5	Indirect inhibition of 26S proteasome activity in a cellular model of Huntington's disease. <i>Journal of Cell Biology</i> , 2012 , 196, 573-87	7.3	135
4	Live-cell imaging of ubiquitin-proteasome system function. <i>Methods in Molecular Biology</i> , 2012 , 832, 463-72	17.2	5
3	Ubiquitin accumulation in autophagy-deficient mice is dependent on the Nrf2-mediated stress response pathway: a potential role for protein aggregation in autophagic substrate selection. <i>Journal of Cell Biology</i> , 2010 , 191, 537-52	7.3	137
2	Proteasome inhibition leads to NF-kappaB-independent IL-8 transactivation in human endothelial cells through induction of AP-1. <i>European Journal of Immunology</i> , 2002 , 32, 2208-17	6.1	56
1	Gel-like inclusions of C-terminal fragments of TDP-43 sequester and inhibit proteasomes in neurons		1

