

# Christian Berndt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/26332/christian-berndt-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 papers	3,524 citations	31 h-index	54 g-index
164 ext. papers	4,083 ext. citations	4.4 avg, IF	5.29 L-index

#	Paper	IF	Citations
126	Gas Hydrate and Fluid-Related Seismic Indicators Across the Passive and Active Margins off SW Taiwan <b>2022</b> , 173-181		
125	Finding and Using the World's Gas Hydrates <b>2022</b> , 33-52		
124	Reply to comment on "Greenhouse gas emissions from marine decommissioned hydrocarbon wells: Leakage detection, monitoring and mitigation strategies" <i>International Journal of Greenhouse Gas Control</i> , <b>2022</b> , 113, 103518	4.2	
123	Insights into Gas Hydrate Dynamics from 3D Seismic Data, Offshore Mauritania <b>2022</b> , 323-329		
122	Characterizing ancient and modern hydrothermal venting systems. <i>Marine Geology</i> , <b>2022</b> , 447, 106781	3.3	0
121	Comparison of Different Coupling Methods for Joint Inversion of Geophysical Data: A Case Study for the Namibian Continental Margin. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2021</b> , 126, e2021JB022092	3.6	0
120	Volcanic-Island Lateral Collapses and Their Submarine Deposits. <i>Advances in Volcanology</i> , <b>2021</b> , 255-279	0	6
119	Towards improved monitoring of offshore carbon storage: A real-world field experiment detecting a controlled sub-seafloor CO <sub>2</sub> release. <i>International Journal of Greenhouse Gas Control</i> , <b>2021</b> , 106, 103237	4.2	22
118	Core-Log-Seismic Integration in Metamorphic Rocks and Its Implication for the Regional Geology: A Case Study for the ICDP Drilling Project COSC-1, Sweden. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2021</b> , 22, e2020GC009376	3.6	4
117	Multiscale characterisation of chimneys/pipes: Fluid escape structures within sedimentary basins. <i>International Journal of Greenhouse Gas Control</i> , <b>2021</b> , 106, 103245	4.2	6
116	Focused methane migration formed pipe structures in permeable sandstones: Insights from uncrewed aerial vehicle-based digital outcrop analysis in Varna, Bulgaria. <i>Sedimentology</i> , <b>2021</b> , 68, 2765-2782	3.3	0
115	Cross-Scale Seismic Anisotropy Analysis in Metamorphic Rocks From the COSC-1 Borehole in the Scandinavian Caledonides. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2021</b> , 126, e2020JB021154	3.6	3
114	A Rapid Numerical Method to Constrain 2D Focused Fluid Flow Rates Along Convergent Margins Using Dense BSR-Based Temperature Field Data. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2021</b> , 126, e2021JB021668	3.6	1
113	Offshore Freshened Groundwater in Continental Margins. <i>Reviews of Geophysics</i> , <b>2021</b> , 59, e2020RG000706	3.6	10
112	Does Retrogression Always Account for the Large Volume of Submarine Megaslides? Evidence to the Contrary From the Tampen Slide, Offshore Norway. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2021</b> , 126, e2020JB020655	3.6	2
111	Electrical Resistivity Anomalies Offshore a Carbonate Coastline: Evidence for Freshened Groundwater?. <i>Geophysical Research Letters</i> , <b>2021</b> , 48, e2020GL091909	4.9	5
110	Porosity and free gas estimates from controlled source electromagnetic data at the Scanner Pockmark in the North Sea. <i>International Journal of Greenhouse Gas Control</i> , <b>2021</b> , 109, 103343	4.2	4

109	Anisotropic velocity models for (3-D) seismic imaging of the Lower Seve Nappe in Jämtland, Sweden. <i>Geophysical Journal International</i> , <b>2021</b> , 228, 66-77	2.6	1
108	Seismic reconstruction of seafloor sediment deformation during volcanic debris avalanche emplacement offshore Sakar, Papua New Guinea. <i>Marine Geology</i> , <b>2021</b> , 439, 106563	3.3	0
107	Seismic chimney characterisation in the North Sea [Implications for pockmark formation and shallow gas migration. <i>Marine and Petroleum Geology</i> , <b>2021</b> , 133, 105301	4.7	3
106	Seismic imaging of an active fluid conduit below Scanner Pockmark, Central North Sea. <i>Marine and Petroleum Geology</i> , <b>2021</b> , 133, 105302	4.7	1
105	A Hybrid Lister-Outrigger Probe for Rapid Marine Geothermal Gradient Measurement. <i>Earth and Space Science</i> , <b>2021</b> , 8, e2020EA001327	3.1	
104	Biogeochemical Consequences of Nonvertical Methane Transport in Sediment Offshore Northwestern Svalbard. <i>Journal of Geophysical Research G: Biogeosciences</i> , <b>2020</b> , 125, e2019JG005371	3.7	4
103	A gas hydrate site with bi-verging folding in the outer wedge offshore SW Taiwan: Results from kinematic structural modeling and finite strain analysis. <i>Tectonophysics</i> , <b>2020</b> , 790, 228540	3.1	
102	Reduced methane seepage from Arctic sediments during cold bottom-water conditions. <i>Nature Geoscience</i> , <b>2020</b> , 13, 144-148	18.3	29
101	Correlation of core and downhole seismic velocities in high-pressure metamorphic rocks: a case study for the COSC-1 borehole, Sweden. <i>Solid Earth</i> , <b>2020</b> , 11, 607-626	3.3	7
100	Geomechanical behaviour of gassy soils and implications for submarine slope stability: a literature analysis. <i>Geological Society Special Publication</i> , <b>2020</b> , 500, 277-288	1.7	4
99	New insights into geology and geochemistry of the Kerch seep area in the Black Sea. <i>Marine and Petroleum Geology</i> , <b>2020</b> , 113, 104162	4.7	10
98	A Shallow Seabed Dynamic Gas Hydrate System off SW Taiwan: Results From 3-D Seismic, Thermal, and Fluid Migration Analyses. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2020</b> , 125, e2019JB019245-T	3.6	4
97	Combining 3D seismics, eyewitness accounts and numerical simulations to reconstruct the 1888 Ritter Island sector collapse and tsunamis. <i>International Journal of Earth Sciences</i> , <b>2020</b> , 109, 2659-2677	2.2	1
96	Greenhouse gas emissions from marine decommissioned hydrocarbon wells: leakage detection, monitoring and mitigation strategies. <i>International Journal of Greenhouse Gas Control</i> , <b>2020</b> , 100, 103119	4.2	17
95	Imaging zero-offset 3-D P-cable data with CRS method. <i>Geophysical Journal International</i> , <b>2019</b> , 219, 1876-1884	2.6	3
94	From gradual spreading to catastrophic collapse [Reconstruction of the 1888 Ritter Island volcanic sector collapse from high-resolution 3D seismic data. <i>Earth and Planetary Science Letters</i> , <b>2019</b> , 517, 1-13	5.3	30
93	From catastrophic collapse to multi-phase deposition: Flow transformation, seafloor interaction and triggered eruption following a volcanic-island landslide. <i>Earth and Planetary Science Letters</i> , <b>2019</b> , 517, 135-147	5.3	22
92	Seismic analysis of the gas hydrate system at Pointer Ridge offshore SW Taiwan. <i>Marine and Petroleum Geology</i> , <b>2019</b> , 105, 158-167	4.7	9

91	Pockmarks in the Witch Ground Basin, Central North Sea. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2019</b> , 20, 1698-1719	3.6	20
90	Polyphase tectonic inversion and its role in controlling hydrocarbon prospectivity in the Greater East Shetland Platform and Mid North Sea High, UK. <i>Geological Society Special Publication</i> , <b>2019</b> , 471, 177-235	1.7	14
89	Polyphase Magmatism During the Formation of the Northern East Greenland Continental Margin. <i>Tectonics</i> , <b>2019</b> , 38, 2961-2982	4.3	10
88	Late Eocene onset of the Proto-Antarctic Circumpolar Current. <i>Scientific Reports</i> , <b>2019</b> , 9, 10125	4.9	13
87	Prediction of seismic P-wave velocity using machine learning. <i>Solid Earth</i> , <b>2019</b> , 10, 1989-2000	3.3	3
86	Deep-seated focused fluid migration as indicator for hydrocarbon leads in the East Shetland Platform, North Sea Province. <i>Geological Society Special Publication</i> , <b>2019</b> , SP494-2019-26	1.7	4
85	Tectonic Controls on Gas Hydrate Distribution Off SW Taiwan. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2019</b> , 124, 1164-1184	3.6	21
84	Submarine slope failures due to pipe structure formation. <i>Nature Communications</i> , <b>2018</b> , 9, 715	17.4	49
83	Giant depressions on the Chatham Rise offshore New Zealand [Morphology, structure and possible relation to fluid expulsion and bottom currents. <i>Marine Geology</i> , <b>2018</b> , 399, 158-169	3.3	7
82	Redox conditions and authigenic mineralization related to cold seeps in central Guaymas Basin, Gulf of California. <i>Marine and Petroleum Geology</i> , <b>2018</b> , 95, 1-15	4.7	12
81	In Situ Temperature Measurements at the Svalbard Continental Margin: Implications for Gas Hydrate Dynamics. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2018</b> , 19, 1165-1177	3.6	13
80	Glacigenic sedimentation pulses triggered post-glacial gas hydrate dissociation. <i>Nature Communications</i> , <b>2018</b> , 9, 635	17.4	24
79	Gas hydrate dissociation off Svalbard induced by isostatic rebound rather than global warming. <i>Nature Communications</i> , <b>2018</b> , 9, 83	17.4	67
78	Elongate fluid flow structures: Stress control on gas migration at Opouawe Bank, New Zealand. <i>Marine and Petroleum Geology</i> , <b>2018</b> , 92, 913-931	4.7	7
77	High-resolution resistivity imaging of marine gas hydrate structures by combined inversion of CSEM towed and ocean-bottom receiver data. <i>Geophysical Journal International</i> , <b>2018</b> , 214, 1701-1714	2.6	19
76	Potential impacts of gas hydrate exploitation on slope stability in the Danube deep-sea fan, Black Sea. <i>Marine and Petroleum Geology</i> , <b>2018</b> , 92, 1056-1068	4.7	15
75	On the formation of hydrothermal vents and cold seeps in the Guaymas Basin, Gulf of California. <i>Biogeosciences</i> , <b>2018</b> , 15, 5715-5731	4.6	18
74	Toward one-meter resolution in 3D seismic. <i>The Leading Edge</i> , <b>2018</b> , 37, 818-828	1	13

73	Chronology of the Fram Slide Complex offshore NW Svalbard and its implications for local and regional slope stability. <i>Marine Geology</i> , <b>2017</b> , 393, 141-155	3.3	8
72	Methane in shallow subsurface sediments at the landward limit of the gas hydrate stability zone offshore western Svalbard. <i>Geochimica Et Cosmochimica Acta</i> , <b>2017</b> , 198, 419-438	5.5	20
71	On the origin of multiple BSRs in the Danube deep-sea fan, Black Sea. <i>Earth and Planetary Science Letters</i> , <b>2017</b> , 462, 15-25	5.3	41
70	Morphology, age and sediment dynamics of the upper headwall of the Sahara Slide Complex, Northwest Africa: Evidence for a large Late Holocene failure. <i>Marine Geology</i> , <b>2017</b> , 393, 109-123	3.3	18
69	Focused fluid flow and the sub-seabed storage of CO <sub>2</sub> : Evaluating the leakage potential of seismic chimney structures for the Sleipner CO <sub>2</sub> storage operation. <i>Marine and Petroleum Geology</i> , <b>2017</b> , 88, 81-93	4.7	10
68	Ocean mixing in deep-sea trenches: New insights from the Challenger Deep, Mariana Trench. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2017</b> , 129, 1-9	2.5	19
67	Igneous seismic geomorphology of buried lava fields and coastal escarpments on the Vøring volcanic rifted margin. <i>Interpretation</i> , <b>2017</b> , 5, SK161-SK177	1.4	33
66	Fluid venting and seepage at accretionary ridges: the Four Way Closure Ridge offshore SW Taiwan. <i>Geo-Marine Letters</i> , <b>2016</b> , 36, 165-174	1.9	18
65	Rifting under steamflow rift magmatism triggers methane venting from sedimentary basins. <i>Geology</i> , <b>2016</b> , 44, 767-770	5	46
64	3-D magnetotelluric image of offshore magmatism at the Walvis Ridge and rift basin. <i>Tectonophysics</i> , <b>2016</b> , 683, 98-108	3.1	11
63	Gas migration through Opouawe Bank at the Hikurangi margin offshore New Zealand. <i>Geo-Marine Letters</i> , <b>2016</b> , 36, 187-196	1.9	13
62	Gas hydrate distribution and hydrocarbon maturation north of the Knipovich Ridge, western Svalbard margin. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2016</b> , 121, 1405-1424	3.6	23
61	Submarine spreading in the Storegga Slide, Norwegian Sea. <i>Geological Society Memoir</i> , <b>2016</b> , 46, 411-412	0.4	3
60	Controlled-source electromagnetic and seismic delineation of subseafloor fluid flow structures in a gas hydrate province, offshore Norway. <i>Geophysical Journal International</i> , <b>2016</b> , 206, 1093-1110	2.6	26
59	Water column methanotrophy controlled by a rapid oceanographic switch. <i>Nature Geoscience</i> , <b>2015</b> , 8, 378-382	18.3	67
58	Gas-controlled seafloor doming. <i>Geology</i> , <b>2015</b> , 43, 571-574	5	43
57	Seismic reflection imaging of mixing processes in Fram Strait. <i>Journal of Geophysical Research: Oceans</i> , <b>2015</b> , 120, 6884-6896	3.3	8
56	The Fram Slide off Svalbard: a submarine landslide on a low-sedimentation-rate glacial continental margin. <i>Journal of the Geological Society</i> , <b>2015</b> , 172, 153-156	2.7	9

55	Seismic chimneys in the Southern Viking Graben ¶Implications for palaeo fluid migration and overpressure evolution. <i>Earth and Planetary Science Letters</i> , <b>2015</b> , 412, 88-100	5.3	65
54	Temporal constraints on hydrate-controlled methane seepage off Svalbard. <i>Science</i> , <b>2014</b> , 343, 284-7	33.3	187
53	The impact of fluid advection on gas hydrate stability: Investigations at sites of methane seepage offshore Costa Rica. <i>Earth and Planetary Science Letters</i> , <b>2014</b> , 401, 95-109	5.3	35
52	Sidescan backscatter variations of cold seeps on the Hikurangi Margin (New Zealand): indications for different stages in seep development. <i>Geo-Marine Letters</i> , <b>2014</b> , 34, 169-184	1.9	10
51	Seal bypass at the Giant Gjallar Vent (Norwegian Sea): Indications for a new phase of fluid venting at a 56-Ma-old fluid migration system. <i>Marine Geology</i> , <b>2014</b> , 351, 38-52	3.3	9
50	Crustal thinning in the northern Tyrrhenian Rift: Insights from multichannel and wide-angle seismic data across the basin. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2014</b> , 119, 1655-1677	3.6	14
49	Geological controls on the gas hydrate system of Formosa Ridge, South China Sea <b>2014</b> ,		5
48	Electromagnetic and seismic investigation of methane hydrates offshore Taiwan ¶The Taiflux experiment <b>2014</b> ,		1
47	Emplacement of pyroclastic deposits offshore Montserrat: Insights from 3D seismic data. <i>Journal of Volcanology and Geothermal Research</i> , <b>2013</b> , 257, 1-11	2.8	16
46	Insights into the emplacement dynamics of volcanic landslides from high-resolution 3D seismic data acquired offshore Montserrat, Lesser Antilles. <i>Marine Geology</i> , <b>2013</b> , 335, 1-15	3.3	31
45	Fluid evolution and authigenic mineral paragenesis related to salt diapirism ¶The Mercator mud volcano in the Gulf of Cadiz. <i>Geochimica Et Cosmochimica Acta</i> , <b>2013</b> , 106, 261-286	5.5	31
44	Early-stage rifting of the northern Tyrrhenian Sea Basin: Results from a combined wide-angle and multichannel seismic study. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2013</b> , 14, 3032-3052	3.6	28
43	Drivers of focused fluid flow and methane seepage at south Hydrate Ridge, offshore Oregon, USA. <i>Geology</i> , <b>2013</b> , 41, 551-554	5	28
42	Munidopsis lauensis Baba & de Saint Laurent, 1992 (Decapoda, Anomura, Munidopsidae), a newly recorded squat lobster from a cold seep in Taiwan. <i>Zootaxa</i> , <b>2013</b> , 3737, 92-6	0.5	10
41	Combinations of volcanic-flank and seafloor-sediment failure offshore Montserrat, and their implications for tsunami generation. <i>Earth and Planetary Science Letters</i> , <b>2012</b> , 319-320, 228-240	5.3	63
40	Repeated slope failure linked to fluid migration: The Ana submarine landslide complex, Eivissa Channel, Western Mediterranean Sea. <i>Earth and Planetary Science Letters</i> , <b>2012</b> , 319-320, 65-74	5.3	47
39	Seismic evidence for shallow gas-escape features associated with a retreating gas hydrate zone offshore west Svalbard. <i>Journal of Geophysical Research</i> , <b>2012</b> , 117,		40
38	High-resolution architecture of a polygonal fault interval inferred from geomodel applied to 3D seismic data from the Gjallar Ridge, Vøring Basin, Offshore Norway. <i>Marine Geology</i> , <b>2012</b> , 332-334, 134-151	3.3	13

37	Widespread and progressive seafloor-sediment failure following volcanic debris avalanche emplacement: Landslide dynamics and timing offshore Montserrat, Lesser Antilles. <i>Marine Geology</i> , <b>2012</b> , 323-325, 69-94	3.3	55
36	Anatomy of a fluid pipe in the Norway Basin: Initiation, propagation and 3D shape. <i>Marine Geology</i> , <b>2012</b> , 332-334, 75-88	3.3	44
35	Kilometre-scale polygonal seabed depressions in the Hatton Basin, NE Atlantic Ocean: Constraints on the origin of polygonal faulting. <i>Marine Geology</i> , <b>2012</b> , 332-334, 126-133	3.3	17
34	Detecting hydrate and fluid flow from bottom simulating reflector depth anomalies. <i>Geology</i> , <b>2012</b> , 40, 227-230	5	28
33	Multiple widespread landslides during the long-term evolution of a volcanic island: Insights from high-resolution seismic data, Montserrat, Lesser Antilles. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2011</b> , 12, n/a-n/a	3.6	51
32	Linked halokinesis and mud volcanism at the Mercator mud volcano, Gulf of Cadiz. <i>Journal of Geophysical Research</i> , <b>2011</b> , 116,		18
31	Insights into active deformation in the Gulf of Cadiz from new 3-D seismic and high-resolution bathymetry data. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2011</b> , 12, n/a-n/a	3.6	15
30	Characterization of a stratigraphically constrained gas hydrate system along the western continental margin of Svalbard from ocean bottom seismometer data. <i>Journal of Geophysical Research</i> , <b>2011</b> , 116,		32
29	Switching of a paleo-ice stream in northwest Svalbard. <i>Quaternary Science Reviews</i> , <b>2011</b> , 30, 1710-1725	3.9	31
28	Geophysical and geochemical evidence of large scale fluid flow within shallow sediments in the eastern Gulf of Mexico, offshore Louisiana. <i>Geofluids</i> , <b>2011</b> , 11, 34-47	1.5	18
27	Fluid flow systems of the Malta Plateau, Central Mediterranean Sea. <i>Marine Geology</i> , <b>2011</b> , 284, 74-85	3.3	25
26	The SW African volcanic rifted margin and the initiation of the Walvis Ridge, South Atlantic. <i>Marine Geophysical Researches</i> , <b>2009</b> , 30, 207-214	2.3	29
25	The Håkon Mosby mud volcano: 330000 years of focused fluid flow activity at the SW Barents Sea slope. <i>Marine Geology</i> , <b>2009</b> , 262, 105-115	3.3	32
24	Development and mass movement processes of the north-eastern Storegga Slide. <i>Quaternary Science Reviews</i> , <b>2009</b> , 28, 433-448	3.9	37
23	Tsunami modeling of a submarine landslide in the Fram Strait. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2009</b> , 10, n/a-n/a	3.6	22
22	Escape of methane gas from the seabed along the West Spitsbergen continental margin. <i>Geophysical Research Letters</i> , <b>2009</b> , 36, n/a-n/a	4.9	338
21	P-Cable High-Resolution Seismic. <i>Oceanography</i> , <b>2009</b> , 22, 85-85	2.3	30
20	ESONET: An European Sea Observatory Initiative <b>2008</b> ,		4



19	Scale invariant characteristics of the Storegga Slide and implications for large-scale submarine mass movements. <i>Marine Geology</i> , <b>2008</b> , 247, 46-60	3.3	34
18	A technique for the morphological characterization of submarine landscapes as exemplified by debris flows of the Storegga Slide. <i>Journal of Geophysical Research</i> , <b>2007</b> , 112,		39
17	Morphology and mechanics of submarine spreading: A case study from the Storegga Slide. <i>Journal of Geophysical Research</i> , <b>2007</b> , 112,		37
16	Geological controls on focused fluid flow associated with seafloor seeps in the Lower Congo Basin. <i>Marine Geology</i> , <b>2007</b> , 244, 68-92	3.3	205
15	The Fugløy Reef at 70°N; acoustic signature, geologic, geomorphologic and oceanographic setting. <i>International Journal of Earth Sciences</i> , <b>2007</b> , 96, 201-213	2.2	24
14	Cessation/reactivation of polygonal faulting and effects on fluid flow in the Vøring Basin, Norwegian Margin. <i>Journal of the Geological Society</i> , <b>2007</b> , 164, 129-141	2.7	54
13	On the origin of large shelf embayments on glaciated margins Effects of lateral ice flux variations and glacio-dynamics west of Svalbard. <i>Quaternary Science Reviews</i> , <b>2007</b> , 26, 2406-2419	3.9	12
12	Seabed characterization through a range of high-resolution acoustic systems – a case study offshore Oman. <i>Marine Geophysical Researches</i> , <b>2006</b> , 27, 167-180	2.3	9
11	Ocean bottom seismometer investigations in the Ormen Lange area offshore mid-Norway provide evidence for shallow gas layers in subsurface sediments. <i>Marine and Petroleum Geology</i> , <b>2005</b> , 22, 287-297	4.7	25
10	Focused fluid flow in passive continental margins. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , <b>2005</b> , 363, 2855-71	3	135
9	Ocean bottom seismometer investigations in the Ormen Lange area offshore mid-Norway provide evidence for shallow gas layers in subsurface sediments <b>2005</b> , 287-297		1
8	Seismic character of bottom simulating reflectors: examples from the mid-Norwegian margin. <i>Marine and Petroleum Geology</i> , <b>2004</b> , 21, 723-733	4.7	121
7	Polygonal fault systems on the mid-Norwegian margin: a long-term source for fluid flow. <i>Geological Society Special Publication</i> , <b>2003</b> , 216, 283-290	1.7	55
6	Geological controls on the Storegga gas-hydrate system of the mid-Norwegian continental margin. <i>Earth and Planetary Science Letters</i> , <b>2003</b> , 209, 291-307	5.3	197
5	Controls on the tectono-magmatic evolution of a volcanic transform margin: the Vøring Transform Margin, NE Atlantic. <i>Marine Geophysical Researches</i> , <b>2001</b> , 22, 133-152	2.3	44
4	Seismic volcanostratigraphy of the Norwegian Margin: constraints on tectonomagmatic break-up processes. <i>Journal of the Geological Society</i> , <b>2001</b> , 158, 413-426	2.7	102
3	Transition from hydrothermal vents to cold seeps records timing of carbon release in the Guaymas Basin, Gulf of California		2
2	Northeast Atlantic breakup volcanism and consequences for Paleogene climate change – MagellanPlus Workshop report. <i>Scientific Drilling</i> , <b>2001</b> , 26, 69-85		3



1	Widespread hydrothermal vents and associated volcanism record prolonged Cenozoic magmatism in the South China Sea. <i>Bulletin of the Geological Society of America</i> ,	3.9	3
---	---	-----	---