

Marco Arrese

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2633581/marco-arrese-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

7,611
citations

40
h-index

84
g-index

202
ext. papers

10,724
ext. citations

5.1
avg. IF

6.27
L-index

#	Paper	IF	Citations
167	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 ,	24.2	37
166	The altered serum lipidome and its diagnostic potential for Non-Alcoholic Fatty Liver (NAFL)-associated hepatocellular carcinoma. <i>EBioMedicine</i> , 2021 , 73, 103661	8.8	4
165	LDL particle size and antioxidant HDL function improve after sustained virological response in patients with chronic HCV. <i>Annals of Hepatology</i> , 2021 , 27, 100555	3.1	2
164	Serious liver injury induced by Nimesulide: an international collaborative study. <i>Archives of Toxicology</i> , 2021 , 95, 1475-1487	5.8	3
163	Serum Biomarkers for the Prediction of Hepatocellular Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	17
162	Perspectives on Precision Medicine Approaches to NAFLD Diagnosis and Management. <i>Advances in Therapy</i> , 2021 , 38, 2130-2158	4.1	13
161	Diagnosis of Alcohol-Associated Hepatitis: When Is Liver Biopsy Required?. <i>Clinics in Liver Disease</i> , 2021 , 25, 571-584	4.6	0
160	Next-Generation Biomarkers for Cholangiocarcinoma. <i>Cancers</i> , 2021 , 13,	6.6	3
159	Identification of optimal therapeutic window for steroid use in severe alcohol-associated hepatitis: A worldwide study. <i>Journal of Hepatology</i> , 2021 , 75, 1026-1033	13.4	3
158	Lipoprotein receptor SR-B1 deficiency enhances adipose tissue inflammation and reduces susceptibility to hepatic steatosis during diet-induced obesity in mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1866, 158909	5	2
157	The L-Lysophosphatidylinositol/G Protein-Coupled Receptor 55 System Induces the Development of Nonalcoholic Steatosis and Steatohepatitis. <i>Hepatology</i> , 2021 , 73, 606-624	11.2	19
156	Cholic acid and deoxycholic acid induce skeletal muscle atrophy through a mechanism dependent on TGR5 receptor. <i>Journal of Cellular Physiology</i> , 2021 , 236, 260-272	7	13
155	Usefulness of collagen type IV in the detection of significant liver fibrosis in nonalcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2021 , 20, 100253	3.1	1
154	The Latin American Association for the Study of the Liver (ALEH) position statement on the redefinition of fatty liver disease. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 65-72	18.8	55
153	Herbal and Dietary Supplements-Induced Liver Injury in Latin America: Experience From the LATINDILI Network. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
152	Insights into Nonalcoholic Fatty-Liver Disease Heterogeneity. <i>Seminars in Liver Disease</i> , 2021 , 41, 421-434	4.3	9
151	Impact of Public Health Policies on Alcohol-Associated Liver Disease in Latin America: An Ecological Multinational Study. <i>Hepatology</i> , 2021 , 74, 2478-2490	11.2	4

150	Drug-induced liver injury: A management position paper from the Latin American Association for Study of the liver. <i>Annals of Hepatology</i> , 2021 , 24, 100321	3.1	3
149	NAFLD: Challenges and opportunities to address the public health problem in Latin America. <i>Annals of Hepatology</i> , 2021 , 24, 100359	3.1	1
148	Hepatocellular carcinoma in nonalcoholic fatty liver disease: A growing challenge. <i>World Journal of Hepatology</i> , 2021 , 13, 1107-1121	3.4	0
147	Mineralocorticoid receptor modulation by dietary sodium influences NAFLD development in mice. <i>Annals of Hepatology</i> , 2021 , 24, 100357	3.1	4
146	Assessment of hepatic fatty acids during non-alcoholic steatohepatitis progression using magnetic resonance spectroscopy. <i>Annals of Hepatology</i> , 2021 , 25, 100358	3.1	1
145	Trajectory of Serum Bilirubin Predicts Spontaneous Recovery in a Real-World Cohort of Patients With Alcoholic Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
144	Extracellular vesicles derived from fat-laden hepatocytes undergoing chemical hypoxia promote a pro-fibrotic phenotype in hepatic stellate cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165857	6.9	14
143	Extracellular Vesicles in NAFLD/ALD: From Pathobiology to Therapy. <i>Cells</i> , 2020 , 9,	7.9	22
142	Hepatic stellate cell activation promotes alcohol-induced steatohepatitis through Igfbp3 and SerpinA12. <i>Journal of Hepatology</i> , 2020 , 73, 149-160	13.4	12
141	Chemical hypoxia induces pro-inflammatory signals in fat-laden hepatocytes and contributes to cellular crosstalk with Kupffer cells through extracellular vesicles. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165753	6.9	18
140	MAFLD: A Consensus-Driven Proposed Nomenclature for Metabolic Associated Fatty Liver Disease. <i>Gastroenterology</i> , 2020 , 158, 1999-2014.e1	13.3	748
139	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , 2020 , 73, 202-209	13.4	764
138	High prevalence of hepatic steatosis and vascular thrombosis in COVID-19: A systematic review and meta-analysis of autopsy data. <i>World Journal of Gastroenterology</i> , 2020 , 26, 7693-7706	5.6	24
137	A Mineralocorticoid Receptor Deficiency in Myeloid Cells Reduces Liver Steatosis by Impairing Activation of CD8 T Cells in a Nonalcoholic Steatohepatitis Mouse Model. <i>Frontiers in Immunology</i> , 2020 , 11, 563434	8.4	3
136	Integrative Proposal for the Use of Biomarkers in Clinical Practice Management of NAFLD/NASH 2020 , 225-236		
135	Baveno VI and Expanded Baveno VI criteria successfully predicts the absence of high-risk gastro-oesophageal varices in a Chilean cohort. <i>Liver International</i> , 2020 , 40, 1427-1434	7.9	8
134	Gut microbiota in non-alcoholic fatty liver disease and alcohol-related liver disease: Current concepts and perspectives. <i>Hepatology Research</i> , 2020 , 50, 407-418	5.1	18
133	Diagnostic performance of three non-invasive fibrosis scores (Hepamet, FIB-4, NAFLD fibrosis score) in NAFLD patients from a mixed Latin American population. <i>Annals of Hepatology</i> , 2020 , 19, 622-626	3.1	6

132	Latin American Association for the study of the liver (ALEH) practice guidance for the diagnosis and treatment of non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2020 , 19, 674-690	3.1	24
131	HDL Receptor SR-B1 Deficiency Increased Inflammatory Dyslipidemia and Adipocyte Hypertrophy and Attenuated the Hepatic Steatosis in Murine Diet-Induced Obesity. <i>Current Developments in Nutrition</i> , 2020 , 4, 1676-1676	0.4	78
130	Sarcopenia Induced by Chronic Liver Disease in Mice Requires the Expression of the Bile Acids Membrane Receptor TGR5. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
129	Evaluation of the chemopreventive potentials of ezetimibe and aspirin in a novel mouse model of gallbladder preneoplasia. <i>Molecular Oncology</i> , 2020 , 14, 2834-2852	7.9	1
128	Nonalcoholic fatty liver disease and sarcopenia: pathophysiological connections and therapeutic implications. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 1141-1157	4.2	5
127	Non-alcoholic Fatty Liver Disease and Alcohol-Related Liver Disease: Two Intertwined Entities. <i>Frontiers in Medicine</i> , 2020 , 7, 448	4.9	21
126	UDCA, NorUDCA, and TUDCA in Liver Diseases: A Review of Their Mechanisms of Action and Clinical Applications. <i>Handbook of Experimental Pharmacology</i> , 2019 , 256, 237-264	3.2	26
125	Accuracy of the BAR score in the prediction of survival after liver transplantation. <i>Annals of Hepatology</i> , 2019 , 18, 386-392	3.1	6
124	Nonalcoholic Fatty Liver Disease Risk Factors in Latin American Populations: Current Scenario and Perspectives. <i>Clinical Liver Disease</i> , 2019 , 13, 39-42	2.2	11
123	When the Creation of a Consortium Provides Useful Answers: Experience of The Latin American DILI Network (LATINDILIN). <i>Clinical Liver Disease</i> , 2019 , 13, 51-57	2.2	14
122	Old Remedies to Heal the Liver: Novel Effects of Digoxin in Hepatic Sterile Inflammation. <i>Hepatology</i> , 2019 , 69, 904-906	11.2	1
121	Concurrent nonalcoholic fatty liver disease and type 2 diabetes: diagnostic and therapeutic considerations. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019 , 13, 849-866	4.2	24
120	Effects of Alcohol Consumption and Metabolic Syndrome on Mortality in Patients With Nonalcoholic and Alcohol-Related Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1625-1633.e1	6.9	56
119	Evaluating an Outpatient With an Elevated Bilirubin. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1185-1188	0.7	4
118	Intrahepatic fatty acids composition as a biomarker of NAFLD progression from steatosis to NASH by using H-MRS.. <i>RSC Advances</i> , 2019 , 9, 42132-42139	3.7	4
117	Global Perspectives on Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2019 , 69, 2672-2682	11.2	557
116	Splice variant rs72613567 prevents worst histologic outcomes in patients with nonalcoholic fatty liver disease. <i>Journal of Lipid Research</i> , 2019 , 60, 176-185	6.3	75
115	The influence of drug properties and host factors on delayed onset of symptoms in drug-induced liver injury. <i>Liver International</i> , 2019 , 39, 401-410	7.9	9

114	Recent Insights into the Pathogenesis of Nonalcoholic Fatty Liver Disease. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2018 , 13, 321-350	34	234
113	Nonalcoholic fatty liver disease, cholesterol gallstones, and cholecystectomy: new insights on a complex relationship. <i>Current Opinion in Gastroenterology</i> , 2018 , 34, 90-96	3	17
112	Sarcopenia in a mice model of chronic liver disease: role of the ubiquitin-proteasome system and oxidative stress. <i>Pflugers Archiv European Journal of Physiology</i> , 2018 , 470, 1503-1519	4.6	16
111	Somatotropic Axis Dysfunction in Non-Alcoholic Fatty Liver Disease: Beneficial Hepatic and Systemic Effects of Hormone Supplementation. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	18
110	Triggering and resolution of inflammation in NASH. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018 , 15, 349-364	24.2	292
109	TGF- β and Hepatocellular Carcinoma: When A Friend Becomes An Enemy. <i>Current Protein and Peptide Science</i> , 2018 , 19, 1172-1179	2.8	16
108	The Evolving Role of Liver Biopsy in Non-alcoholic Fatty Liver Disease. <i>Annals of Hepatology</i> , 2018 , 17, 899-902	3.1	13
107	NASH-RELATED CIRRHOSIS: AN OCCULT LIVER DISEASE BURDEN. <i>Hepatology Communications</i> , 2017 , 1, 84-86	6	7
106	Serum cytokeratin-18 fragment levels as noninvasive marker of nonalcoholic steatohepatitis in the Chilean population. <i>Gastroenterología Y Hepatología (English Edition)</i> , 2017 , 40, 388-394	0.1	2
105	Andrographolide Ameliorates Inflammation and Fibrogenesis and Attenuates Inflammasome Activation in Experimental Non-Alcoholic Steatohepatitis. <i>Scientific Reports</i> , 2017 , 7, 3491	4.9	49
104	Diarrea poscolecistectomía: ¿un problema frecuente?. <i>Revista Chilena De Cirugia</i> , 2017 , 69, 376-381	0.1	3
103	Association of Liver Injury From Specific Drugs, or Groups of Drugs, With Polymorphisms in HLA and Other Genes in a Genome-Wide Association Study. <i>Gastroenterology</i> , 2017 , 152, 1078-1089	13.3	137
102	Hepatotoxicity in Patients with Metabolic Syndrome: Causes and Consequences. <i>Current Hepatology Reports</i> , 2017 , 16, 286-292	1	1
101	Validation of the Simplified Criteria for the Diagnosis of Autoimmune Hepatitis in Chilean-Hispanic Patients. <i>Annals of Hepatology</i> , 2017 , 16, 772-779	3.1	3
100	Bile Acids in Cholestasis and its Treatment. <i>Annals of Hepatology</i> , 2017 , 16, s53-s57	3.1	22
99	Conversion to mycophenolate mofetil monotherapy in liver recipients: Calcineurin inhibitor levels are key. <i>Annals of Hepatology</i> , 2017 , 16, 94-106	3.1	3
98	Serum cytokeratin-18 fragment levels as noninvasive marker of nonalcoholic steatohepatitis in the Chilean population. <i>Gastroenterología Y Hepatología</i> , 2017 , 40, 388-394	0.9	5
97	Use of Statins in Patients with Chronic Liver Disease and Cirrhosis: Current Views and Prospects. <i>Current Gastroenterology Reports</i> , 2017 , 19, 43	5	36

96	Bile acids and nonalcoholic fatty liver disease: Molecular insights and therapeutic perspectives. <i>Hepatology</i> , 2017 , 65, 350-362	11.2	301
95	Calcium sensing receptor effects in adipocytes and liver cells: Implications for an adipose-hepatic crosstalk. <i>Archives of Biochemistry and Biophysics</i> , 2016 , 607, 47-54	4.1	3
94	Innate Immunity and Inflammation in NAFLD/NASH. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1294-303	4	208
93	Therapeutic alternatives for the treatment of type 1 hepatorenal syndrome: A Delphi technique-based consensus. <i>World Journal of Hepatology</i> , 2016 , 8, 1075-86	3.4	5
92	High prevalence of undiagnosed liver cirrhosis and advanced fibrosis in type 2 diabetic patients. <i>Annals of Hepatology</i> , 2016 , 15, 721-8	3.1	20
91	Diet-Induced Nonalcoholic Fatty Liver Disease Is Associated with Sarcopenia and Decreased Serum Insulin-Like Growth Factor-1. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 3190-3198	4	33
90	Beneficial effects of mineralocorticoid receptor blockade in experimental non-alcoholic steatohepatitis. <i>Liver International</i> , 2015 , 35, 2129-38	7.9	35
89	Circulating microRNAs: emerging biomarkers of liver disease. <i>Seminars in Liver Disease</i> , 2015 , 35, 43-54	7.3	62
88	Intrahepatic portal vein blood volume estimated by non-contrast magnetic resonance imaging for the assessment of portal hypertension. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 970-7	3.3	4
87	Prediction of Esophageal Variceal Bleeding in Liver Cirrhosis: Is There a Role for Hemostatic Factors?. <i>Seminars in Thrombosis and Hemostasis</i> , 2015 , 41, 481-7	5.3	9
86	Risk of non-alcoholic fatty liver disease in patients with psoriasis: a systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 656-62	4.6	70
85	Metabolic effects of cholecystectomy: gallbladder ablation increases basal metabolic rate through G-protein coupled bile acid receptor Gpbar1-dependent mechanisms in mice. <i>PLoS ONE</i> , 2015 , 10, e0118478	3.7	14
84	Black hairy tongue during interferon therapy for hepatitis C. <i>Annals of Hepatology</i> , 2015 , 14, 414-415	3.1	6
83	Current evidence on the use of probiotics in liver diseases. <i>Journal of Functional Foods</i> , 2015 , 17, 137-151	5.1	24
82	Recent insights on the role of cholesterol in non-alcoholic fatty liver disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1765-78	6.9	157
81	Mycobacterium abscessus pulmonary infection during hepatitis C treatment with telaprevir, peginterferon and ribavirin. <i>Annals of Hepatology</i> , 2015 , 14, 132-6	3.1	1
80	Black hairy tongue during interferon therapy for hepatitis C. <i>Annals of Hepatology</i> , 2015 , 14, 414-5	3.1	1
79	Obeticholic acid: expanding the therapeutic landscape of NASH. <i>Annals of Hepatology</i> , 2015 , 14, 430-2	3.1	3

78	Gastrointestinal neuroendocrine tumor with unresectable liver metastases: an example of multimodal therapeutic approach. <i>Annals of Hepatology</i> , 2015 , 14, 752-5	3.1	
77	Use of Hy's law and a new composite algorithm to predict acute liver failure in patients with drug-induced liver injury. <i>Gastroenterology</i> , 2014 , 147, 109-118.e5	13.3	186
76	Is Alzheimer's disease related to metabolic syndrome? A Wnt signaling conundrum. <i>Progress in Neurobiology</i> , 2014 , 121, 125-46	10.9	79
75	Bile acid supplementation improves established liver steatosis in obese mice independently of glucagon-like peptide-1 secretion. <i>Journal of Physiology and Biochemistry</i> , 2014 , 70, 667-74	5	15
74	Management of nonalcoholic fatty liver disease: an evidence-based clinical practice review. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12182-201	5.6	40
73	Profile of idiosyncratic drug induced liver injury in Latin America. An analysis of published reports. <i>Annals of Hepatology</i> , 2014 , 13, 231-239	3.1	25
72	The prevalence of nonalcoholic fatty liver disease in the Americas. <i>Annals of Hepatology</i> , 2014 , 13, 166-178	3.1	89
71	Effects of bile acid sequestration on hepatic steatosis in obese mice. <i>Annals of Hepatology</i> , 2014 , 13, 105-112	3.1	5
70	Portal hypertension and acute liver failure as uncommon manifestations of primary amyloidosis. <i>Annals of Hepatology</i> , 2014 , 13, 142-149	3.1	9
69	The prevalence of nonalcoholic fatty liver disease in the Americas. <i>Annals of Hepatology</i> , 2014 , 13, 166-178	3.1	49
68	Profile of idiosyncratic drug induced liver injury in Latin America: an analysis of published reports. <i>Annals of Hepatology</i> , 2014 , 13, 231-9	3.1	6
67	Hemodynamic effect of carvedilol vs. propranolol in cirrhotic patients: Systematic review and meta-analysis. <i>Annals of Hepatology</i> , 2014 , 13, 420-8	3.1	9
66	Early-onset EBV-positive post-transplant plasmablastic lymphoma arising in a liver allograft: a case report and literature review. <i>International Journal of Surgical Pathology</i> , 2013 , 21, 404-10	1.2	4
65	Hepatic encephalopathy in a liver transplant recipient with stable liver function. <i>Hepatology</i> , 2013 , 57, 1672-4	11.2	6
64	Liver Disease 2012 , 289-296		
63	Overexpression of 11 β hydroxysteroid dehydrogenase type 1 in visceral adipose tissue and portal hypercortisolism in non-alcoholic fatty liver disease. <i>Liver International</i> , 2012 , 32, 392-9	7.9	34
62	Steatotic livers. Can we use them in OLTX? Outcome data from a prospective baseline liver biopsy study. <i>Annals of Hepatology</i> , 2012 , 11, 891-8	3.1	20
61	Cholecystectomy increases hepatic triglyceride content and very-low-density lipoproteins production in mice. <i>Liver International</i> , 2011 , 31, 52-64	7.9	46

60	Overexpression of hepatic 5 β -reductase and 11 β -hydroxysteroid dehydrogenase type 1 in visceral adipose tissue is associated with hyperinsulinemia in morbidly obese patients. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 1775-80	12.7	30
59	Operational tolerance after liver transplantation, more common than we think: a case report. <i>Annals of Hepatology</i> , 2011 , 10, 361-4	3.1	
58	Routes of transmission of hepatitis C virus. <i>Annals of Hepatology</i> , 2010 , 9, S30-S33	3.1	1
57	Insulin resistance, hepatic steatosis and hepatitis C: A complex relationship with relevant clinical implications. <i>Annals of Hepatology</i> , 2010 , 9, S112-S118	3.1	18
56	Nonalcoholic fatty liver disease: liver disease: an overlooked complication of diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2010 , 6, 660-1	15.2	28
55	Fatty liver and lipotoxicity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010 , 1801, 299-310	5	200
54	Hypoadiponectinemia and its association with liver fibrosis in morbidly obese patients. <i>Obesity Surgery</i> , 2010 , 20, 1400-7	3.7	15
53	Overexpression of 11 β -hydroxysteroid dehydrogenase type 1 in hepatic and visceral adipose tissue is associated with metabolic disorders in morbidly obese patients. <i>Obesity Surgery</i> , 2010 , 20, 77-83	3.7	47
52	The Relationship of Plasma Adiponectin with Liver Fibrosis in Morbid Obesity: Author's Reply. <i>Obesity Surgery</i> , 2010 , 20, 1463-1464	3.7	
51	Insulin resistance, hepatic steatosis and hepatitis C: a complex relationship with relevant clinical implications. <i>Annals of Hepatology</i> , 2010 , 9 Suppl, 112-8	3.1	13
50	Early warning of liver disease in diabetics. <i>Annals of Hepatology</i> , 2010 , 9, 307-9	3.1	2
49	Effects of Japanese herbal medicine inchin-ko-to on endotoxin-induced cholestasis in the rat. <i>Annals of Hepatology</i> , 2009 , 8, 228-233	3.1	12
48	Non-alcoholic fatty liver disease and its association with obesity, insulin resistance and increased serum levels of C-reactive protein in Hispanics. <i>Liver International</i> , 2009 , 29, 82-8	7.9	87
47	Mild hypothermia does not affect liver regeneration after partial hepatectomy in mice. <i>Liver International</i> , 2009 , 29, 344-8	7.9	7
46	The value of serum adipokine measurement in non-alcoholic fatty liver disease. <i>Liver International</i> , 2009 , 29, 1291-3	7.9	5
45	Farnesoid X receptor critically determines the fibrotic response in mice but is expressed to a low extent in human hepatic stellate cells and periductal myofibroblasts. <i>American Journal of Pathology</i> , 2009 , 175, 2392-405	5.8	124
44	Successful treatment of severe hepatopulmonary syndrome with a sequential use of TIPS placement and liver transplantation. <i>Annals of Hepatology</i> , 2009 , 8, 71-4	3.1	3
43	Effects of Japanese herbal medicine Inchin-ko-to on endotoxin-induced cholestasis in the rat. <i>Annals of Hepatology</i> , 2009 , 8, 228-33	3.1	3

42	Molecular bases of the fetal liver-placenta-maternal liver excretory pathway for cholephilic compounds. <i>Liver International</i> , 2008 , 28, 435-54	7.9	20
41	Ezetimibe prevents cholesterol gallstone formation in mice. <i>Liver International</i> , 2008 , 28, 935-47	7.9	52
40	The liver in poetry: Neruda's 'Ode to the liver'. <i>Liver International</i> , 2008 , 28, 901-5	7.9	1
39	Localization of the Sodium-Taurocholate cotransporting polypeptide in membrane rafts and modulation of its activity by cholesterol in vitro. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008 , 1778, 1283-91	3.8	23
38	Molecular pathogenesis of intrahepatic cholestasis of pregnancy. <i>Expert Reviews in Molecular Medicine</i> , 2008 , 10, e9	6.7	68
37	Effect of losartan on early liver fibrosis development in a rat model of nonalcoholic steatohepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 846-51	4	36
36	Current concepts in the pathogenesis of nonalcoholic fatty liver disease. <i>Liver International</i> , 2007 , 27, 423-33	7.9	127
35	Treating nonalcoholic fatty liver disease. <i>Liver International</i> , 2007 , 27, 1157-65	7.9	15
34	Sleeve gastrectomy as treatment for severe obesity after orthotopic liver transplantation. <i>Obesity Surgery</i> , 2007 , 17, 1517-9	3.7	55
33	Nonalcoholic fatty liver disease in women with polycystic ovary syndrome. <i>Journal of Hepatology</i> , 2007 , 47, 412-7	13.4	159
32	BetaKlotho: a new kid on the bile acid biosynthesis block. <i>Hepatology</i> , 2006 , 43, 191-3	11.2	1
31	Intrahepatic cholestasis of pregnancy: A past and present riddle. <i>Annals of Hepatology</i> , 2006 , 5, 202-205	3.1	48
30	Cholestasis during pregnancy: Rare hepatic diseases unmasked by pregnancy: Symposium on liver & pregnancy. <i>Annals of Hepatology</i> , 2006 , 5, 216-218	3.1	19
29	Value of adenosine deaminase (ADA) in ascitic fluid for the diagnosis of tuberculous peritonitis: a meta-analysis. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 705-10	3	153
28	Successful liver transplantation and delivery in a woman with fulminant hepatic failure occurring during the second trimester of pregnancy. <i>Liver International</i> , 2006 , 26, 494-7	7.9	22
27	Pentoxifylline does not prevent neither liver damage nor early profibrogenic events in a rat model of non-alcoholic steatohepatitis. <i>Annals of Hepatology</i> , 2006 , 5, 25-9	3.1	
26	Intrahepatic cholestasis of pregnancy: a past and present riddle. <i>Annals of Hepatology</i> , 2006 , 5, 202-5	3.1	18
25	Cholestasis during pregnancy: rare hepatic diseases unmasked by pregnancy. <i>Annals of Hepatology</i> , 2006 , 5, 216-8	3.1	3

24	Predictors of nonalcoholic steatohepatitis (NASH) in obese patients undergoing gastric bypass. <i>Obesity Surgery</i> , 2005 , 15, 1148-53	3.7	122
23	Increased orocecal transit time in patients with nonalcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 1136-40	4	42
22	Incidence and prevalence of hepatitis C virus infection in Chile. <i>Annals of Hepatology</i> , 2005 , 4, 127-30	3.1	2
21	Histological resolution of steatohepatitis after iron depletion. <i>Digestive Diseases and Sciences</i> , 2004 , 49, 1012-5	4	19
20	The bile salt export pump: molecular properties, function and regulation. <i>Pflugers Archiv European Journal of Physiology</i> , 2004 , 449, 123-31	4.6	36
19	Clinical and epidemiological features of 147 Chilean patients with chronic hepatitis C. <i>Annals of Hepatology</i> , 2004 , 3, 146-51	3.1	4
18	Saccharomyces cerevisiae fungemia after Saccharomyces boulardii treatment in immunocompromised patients. <i>Journal of Clinical Gastroenterology</i> , 2003 , 36, 41-3	3	124
17	Hepatic overexpression of caveolins increases bile salt secretion in mice. <i>Hepatology</i> , 2003 , 38, 1477-88	11.2	31
16	Is intrahepatic cholestasis of pregnancy an MDR3-related disease?. <i>Gastroenterology</i> , 2003 , 125, 1922-3; author reply 1923-4	13.3	11
15	Molecular aspects of bile formation and cholestasis. <i>Trends in Molecular Medicine</i> , 2003 , 9, 558-64	11.5	82
14	Down-regulation of the Na ⁺ /taurocholate cotransporting polypeptide during pregnancy in the rat. <i>Journal of Hepatology</i> , 2003 , 38, 148-55	13.4	36
13	HNF-1 alpha: have bile acid transport genes found their "master"?. <i>Journal of Hepatology</i> , 2002 , 36, 142-5	3.4	13
12	From blood to bile: recent advances in hepatobiliary transport. <i>Annals of Hepatology</i> , 2002 , 1, 64-71	3.1	5
11	Mice and men: are they bile-ologically different?. <i>Hepatology</i> , 2001 , 33, 1551-3	11.2	6
10	New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor. <i>Gut</i> , 2001 , 49, 465-6	19.2	8
9	Differential expression of canalicular membrane Ca ²⁺ /Mg ²⁺ -ecto-ATPase in estrogen-induced and obstructive cholestasis in the rat. <i>Translational Research</i> , 2000 , 136, 125-37		5
8	Maternal cholestasis does not affect the ontogenic pattern of expression of the Na ⁺ /taurocholate cotransporting polypeptide (ntcp) in the fetal and neonatal rat liver. <i>Hepatology</i> , 1998 , 28, 789-95	11.2	21
7	Neither intestinal sequestration of bile acids nor common bile duct ligation modulate the expression and function of the rat ileal bile acid transporter. <i>Hepatology</i> , 1998 , 28, 1081-7	11.2	64

6	Role of glutathione in hepatic bile formation during reperfusion after cold ischemia of the rat liver. <i>Journal of Hepatology</i> , 1998 , 28, 812-9	13.4	24
5	Hepatobiliary transport: molecular mechanisms of development and cholestasis. <i>Pediatric Research</i> , 1998 , 44, 141-7	3.2	53
4	Adaptive regulation of hepatic bile salt transport: role of bile salt hydrophobicity and microtubule-dependent vesicular pathway. <i>Journal of Hepatology</i> , 1997 , 26, 694-702	13.4	11
3	Enhanced biliary excretion of canalicular membrane enzymes in ethynylestradiol-induced cholestasis. Effects of ursodeoxycholic acid administration. <i>Biochemical Pharmacology</i> , 1995 , 50, 1223-32 ⁶		23
2	Is dietary erucic acid hepatotoxic in pregnancy? an experimental study in rats and hamsters. <i>Hepatology</i> , 1995 , 21, 1373-1379	11.2	8
1	Intrahepatic cholestasis of pregnancy in twin pregnancies. <i>Journal of Hepatology</i> , 1989 , 9, 84-90	13.4	139