

Gordana Subakov-SimiÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2634221/publications.pdf>

Version: 2024-02-01

36
papers

430
citations

840728

11
h-index

794568

19
g-index

37
all docs

37
docs citations

37
times ranked

617
citing authors

#	ARTICLE	IF	CITATIONS
1	Spatio-Temporal Dynamics in Physico-Chemical Properties, Phytoplankton and Bacterial Diversity as an Indication of the Bovan Reservoir Water Quality. <i>Water (Switzerland)</i> , 2022, 14, 391.	2.7	7
2	Freshwater cyanobacteria in waters intended for human consumption in Serbia: Two decades of changes in diversity. <i>Archives of Biological Sciences</i> , 2022, 74, 217-226.	0.5	1
3	Efficiency of phosphorus accumulation by plankton, periphyton developed on submerged artificial substrata and metaphyton: in-situ observation in two shallow ponds. <i>Journal of Oceanology and Limnology</i> , 2021, 39, 928-945.	1.3	3
4	Endolithic phototrophs: Examples from cave-like environments. <i>Kragujevac Journal of Science</i> , 2021, , 123-137.	0.4	2
5	The effects of biocides on the growth of aerophytic green algae (<i>Chlorella</i> sp.) isolated from a cave environment. <i>Archives of Biological Sciences</i> , 2021, 73, 341-351.	0.5	4
6	Cyanobacteria and algae from biofilm at the entrance zone of Petnica Cave. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2021, , 71-84.	0.1	1
7	Seasonal Dynamics of Cyanobacteria and Algae in Biofilm from the Entrance of Two Caves. <i>Geomicrobiology Journal</i> , 2020, 37, 315-326.	2.0	12
8	The Discovery of the Rare <i>Chara baueri</i> (Charales, Charophyceae) in Serbia. <i>Plants</i> , 2020, 9, 1606.	3.5	6
9	Biofilms in caves: easy method for the assessment of dominant phototrophic groups/taxa in situ. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 720.	2.7	8
10	Genetic and morphological variation in <i>Chara contraria</i> and a taxon morphologically resembling <i>Chara connivens</i> . <i>Botany Letters</i> , 2020, 167, 187-200.	1.4	9
11	Genus <i>Humidophila</i> from caves in Serbia with an improved detailed description of rare <i>H. brekkaensoides</i> . <i>Archives of Biological Sciences</i> , 2020, 72, 279-289.	0.5	2
12	Bloom of the potentially toxic cyanobacterium <i>P. rubescens</i> : seasonal distribution and possible drivers of its proliferation in the Vruci reservoir (Serbia). <i>Oceanological and Hydrobiological Studies</i> , 2019, 48, 316-327.	0.7	3
13	Rare diatom <i>Stauroneis balatonis</i> Pantocsek recorded in Lake Savsko, Serbia. <i>Oceanological and Hydrobiological Studies</i> , 2019, 48, 436-441.	0.7	1
14	ATP bioluminescence method: tool for rapid screening of organic and microbial contaminants on deteriorated mural paintings. <i>Natural Product Research</i> , 2019, 33, 1061-1069.	1.8	16
15	Charophytes of Gornje Podunavlje ponds: Revitalization process aspect. <i>Zbornik Matice Srpske Za Prirodne Nauke</i> , 2019, , 123-131.	0.1	4
16	Diversity of Terrestrial Cyanobacteria Colonizing Selected Stone Monuments in Serbia. <i>Studies in Conservation</i> , 2018, 63, 292-302.	1.1	5
17	Cyanobacterial effects in Lake LudoÅ, Serbia - Is preservation of a degraded aquatic ecosystem justified?. <i>Science of the Total Environment</i> , 2018, 635, 1047-1062.	8.0	17
18	Periphyton Developed on Artificial Substrates: Effect of Substrate Type and Incubation Depth. <i>Russian Journal of Ecology</i> , 2018, 49, 135-142.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Structure and succession of periphyton in an urban reservoir: artificial substrate specificity. <i>Oceanological and Hydrobiological Studies</i> , 2017, 46, 379-392.	0.7	9
20	Cave biofilms: characterization of phototrophic cyanobacteria and algae and chemotrophic fungi from three caves in Serbia. <i>Journal of Cave and Karst Studies</i> , 2017, 79, 10-23.	0.6	10
21	Cyanobacteria and cyanotoxins in fishponds and their effects on fish tissue. <i>Harmful Algae</i> , 2016, 55, 66-76.	4.8	80
22	Biodeteriogenic and toxigenic agents on 17th century mural paintings and façade of the old church of the Holy Ascension (Veliki Kr̂imir, Serbia). <i>Indoor and Built Environment</i> , 2016, 25, 826-837.	2.8	18
23	Morphological and ecological characteristics of potentially toxic invasive cyanobacterium <i>Sphaerospermopsis aphanizomenoides</i> (Forti) Zapomelov̂, Jezberov̂, Hrouzek, Hisem, Reĥkov̂ & Kom̂kov̂ (Nostocales, Cyanobacteria) in Serbia. <i>Revista Brasileira De Botanica</i> , 2016, 39, 225-237.	1.3	7
24	Diatoms of the Dojkinci River (Stara Planina Nature Park, Serbia). <i>Acta Botanica Croatica</i> , 2015, 74, 317-331.	0.7	7
25	Driving factors affecting spatial and temporal variations in the structure of phytoplankton functional groups in a temperate reservoir. <i>Oceanological and Hydrobiological Studies</i> , 2015, 44, 431-444.	0.7	4
26	Can <i>Cylindrospermopsis raciborskii</i> invade the Baltic Sea?. <i>Environmental Reviews</i> , 2015, 23, 161-169.	4.5	8
27	Cyanobacteria, algae and microfungi present in biofilm from BoÅ¾ana Cave (Serbia). <i>International Journal of Speleology</i> , 2015, 44, 141-149.	1.0	35
28	Effect of supplemental feed type on water quality, plankton and benthos availability and carp (<i>Cyprinus carpio</i> L.) growth in semi-intensive monoculture ponds. <i>Aquaculture Research</i> , 2015, 46, 777-788.	1.8	17
29	Diversity of Cyanobacteria in the Zasavica river, Serbia. <i>Archives of Biological Sciences</i> , 2015, 67, 355-366.	0.5	4
30	A sub-aerial biofilms investigation and new approach in biocide application in cultural heritage conservation: Holy Virgin Church (Gradac Monastery, Serbia). <i>Indoor and Built Environment</i> , 2014, 23, 584-593.	2.8	30
31	The response of phytoplankton, zooplankton and macrozoobenthos communities to change in the water supply from surface to groundwater in aquaculture ponds. <i>Annales De Limnologie</i> , 2014, 50, 131-141.	0.6	12
32	Changes in the phytoplankton community and dominance of <i>Cylindrospermopsis raciborskii</i> (Wolosz.) Subba Raju in a temperate lowland river (Ponjavica, Serbia). <i>Hydrobiologia</i> , 2013, 711, 43-60.	2.0	37
33	Phytoplankton and eutrophication development in the water supply reservoirs GaraÅ¾i and Bukulja (Serbia). <i>Desalination</i> , 2010, 255, 91-96.	8.2	35
34	<i>AMPHIPLEURA PELLUCIDA</i> (KÅœTZ.) KÅœTZ.â€”AN EMENDED DIAGNOSIS CONCERNING VALVE LENGTH. <i>Diatom Research</i> , 2008, 23, 243-248.	1.2	1
35	Euglenophyta of the Danube River in Serbia. <i>Archives of Biological Sciences</i> , 2008, 60, 159-162.	0.5	2
36	Monitoring of the â€œlichen desertâ€• in the Belgrade area (1980/81, 1991 and 2007). <i>Archives of Biological Sciences</i> , 2008, 60, 215-222.	0.5	5