

Barry A Ball

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2634831/publications.pdf>

Version: 2024-02-01

118
papers

3,215
citations

201674

27
h-index

175258

52
g-index

122
all docs

122
docs citations

122
times ranked

2105
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptomic analysis of the chorioallantois in equine premature placental separation. <i>Equine Veterinary Journal</i> , 2023, 55, 405-418.	1.7	2
2	Tumor necrosis factor signaling during equine placental infection leads to pro-apoptotic and necroptotic outcomes. <i>Journal of Reproductive Immunology</i> , 2022, 152, 103655.	1.9	2
3	Equine granulosa cell tumours among other ovarian conditions: Diagnostic challenges. <i>Equine Veterinary Journal</i> , 2021, 53, 60-70.	1.7	14
4	Kinetics of placenta-specific 8 (PLAC8) in equine placenta during pregnancy and placentitis. <i>Theriogenology</i> , 2021, 160, 81-89.	2.1	7
5	Relationships between blood and follicular fluid urea nitrogen concentrations and between blood urea nitrogen and embryo survival in mares. <i>Theriogenology</i> , 2021, 160, 142-150.	2.1	5
6	Transcriptomic analysis of equine placenta reveals key regulators and pathways involved in ascending placentitis. <i>Biology of Reproduction</i> , 2021, 104, 638-656.	2.7	9
7	Changes in circulating concentrations of testosterone and estrone sulfate after human chorionic gonadotropin administration and subsequent to castration of 2-year-old stallions. <i>Animal Reproduction Science</i> , 2021, 225, 106670.	1.5	1
8	Interleukin-6 pathobiology in equine placental infection. <i>American Journal of Reproductive Immunology</i> , 2021, 85, e13363.	1.2	3
9	Paternally expressed retrotransposon Gag-like 1 gene, RTL1, is one of the crucial elements for placental angiogenesis in horses. <i>Biology of Reproduction</i> , 2021, 104, 1386-1399.	2.7	5
10	Parental bias in expression and interaction of genes in the equine placenta. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	9
11	The imbalance of the Th17/Treg axis following equine ascending placental infection. <i>Journal of Reproductive Immunology</i> , 2021, 144, 103268.	1.9	9
12	Alterations of Circulating Biomarkers During Late Term Pregnancy Complications in the Horse Part I: Cytokines. <i>Journal of Equine Veterinary Science</i> , 2021, 99, 103425.	0.9	4
13	Alterations of Circulating Biomarkers During Late Term Pregnancy Complications in the Horse Part II: Steroid Hormones and Alpha-Fetoprotein. <i>Journal of Equine Veterinary Science</i> , 2021, 99, 103395.	0.9	2
14	Equine cervical remodeling during placentitis and the prepartum period: a transcriptomic approach. <i>Reproduction</i> , 2021, 161, 603-621.	2.6	5
15	Serum amyloid A, Serum Amyloid A1 and Haptoglobin in pregnant mares and their fetuses after experimental induction of placentitis. <i>Animal Reproduction Science</i> , 2021, 229, 106766.	1.5	3
16	Transcriptomic analysis of equine chorioallantois reveals immune networks and molecular mechanisms involved in nocardioform placentitis. <i>Veterinary Research</i> , 2021, 52, 103.	3.0	8
17	Steroidogenic Enzyme and Steroid Receptor Expression in the Equine Accessory Sex Glands. <i>Animals</i> , 2021, 11, 2322.	2.3	1
18	Clinical, pathologic, and epidemiologic features of nocardioform placentitis in the mare. <i>Theriogenology</i> , 2021, 171, 155-161.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Use of Tubo-Ovarian Ligation Via Colpotomy as A Potential Method for Sterilization in Mares. <i>Journal of Equine Veterinary Science</i> , 2021, 104, 103683.	0.9	0
20	Estrogens Regulate Placental Angiogenesis in Horses. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12116.	4.1	12
21	Development and Use of an Enzyme-Linked Immunosorbent Assay to Determine Temporal Exposure Patterns to Putative Agents of Nocardioform Placentitis. <i>Journal of Equine Veterinary Science</i> , 2021, , 103826.	0.9	0
22	Uterine cervix as a fundamental part of the pathogenesis of pregnancy loss associated with ascending placentitis in mares. <i>Theriogenology</i> , 2020, 145, 167-175.	2.1	11
23	Alterations in T cell-related transcripts at the feto-maternal interface throughout equine gestation. <i>Placenta</i> , 2020, 89, 78-87.	1.5	12
24	The Effect of Mycobacterium Cell Wall Fraction on Histologic, Immunologic, and Clinical Parameters of Postpartum Involution in the Mare. <i>Journal of Equine Veterinary Science</i> , 2020, 90, 103013.	0.9	4
25	Elevated blood urea nitrogen alters the transcriptome of equine embryos. <i>Reproduction, Fertility and Development</i> , 2020, 32, 1239.	0.4	3
26	Effect of oral urea supplementation on the endometrial transcriptome of mares. <i>Animal Reproduction Science</i> , 2020, 216, 106464.	1.5	0
27	Equine hydrallantois is associated with impaired angiogenesis in the placenta. <i>Placenta</i> , 2020, 93, 101-112.	1.5	11
28	Transcriptomic analysis reveals the key regulators and molecular mechanisms underlying myometrial activation during equine placentitis. <i>Biology of Reproduction</i> , 2020, 102, 1306-1325.	2.7	11
29	Steroid synthesis and metabolism in the equine placenta during placentitis. <i>Reproduction</i> , 2020, 159, 289-302.	2.6	9
30	Hormone-responsive organoids from domestic mare and endangered Przewalski's horse endometrium. <i>Reproduction</i> , 2020, 160, 819-831.	2.6	15
31	The feto-maternal immune response to equine placentitis. <i>American Journal of Reproductive Immunology</i> , 2019, 82, e13179.	1.2	15
32	A High Protein Model Alters the Endometrial Transcriptome of Mares. <i>Genes</i> , 2019, 10, 576.	2.4	5
33	Landscape of Overlapping Gene Expression in the Equine Placenta. <i>Genes</i> , 2019, 10, 503.	2.4	8
34	Fetal-fluid proteome analyses in late-term healthy pregnant mares and in mares with experimentally induced ascending placentitis. <i>Reproduction, Fertility and Development</i> , 2019, 31, 1486.	0.4	5
35	Characterization of the placental transcriptome through mid to late gestation in the mare. <i>PLoS ONE</i> , 2019, 14, e0224497.	2.5	15
36	Extraction of RNA from formalin-fixed, paraffin-embedded equine placenta. <i>Reproduction in Domestic Animals</i> , 2019, 54, 627-634.	1.4	3

#	ARTICLE	IF	CITATIONS
37	Alteration of the mare's immune system by the synthetic progestin, altrenogest. <i>American Journal of Reproductive Immunology</i> , 2019, 82, e13145.	1.2	11
38	Concentrations of sulphated estrone, estradiol and dehydroepiandrosterone measured by mass spectrometry in pregnant mares. <i>Equine Veterinary Journal</i> , 2019, 51, 802-808.	1.7	12
39	Small RNA (sRNA) expression in the chorioallantois, endometrium and serum of mares following experimental induction of placentitis. <i>Reproduction, Fertility and Development</i> , 2019, 31, 1144.	0.4	8
40	Equine placentitis is associated with a downregulation in myometrial progestin signaling. <i>Biology of Reproduction</i> , 2019, 101, 162-176.	2.7	11
41	Expression Profile of the Chromosome 14 MicroRNA Cluster (C14MC) Ortholog in Equine Maternal Circulation throughout Pregnancy and Its Potential Implications. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6285.	4.1	12
42	Immunolocalization of anti-MÅ¼llerian Hormone and Its Receptor in Granulosa Cell Tumors in Mares. <i>Journal of Equine Veterinary Science</i> , 2019, 74, 9-12.	0.9	2
43	Relationship between anti-MÅ¼llerian hormone and fertility in the mare. <i>Theriogenology</i> , 2019, 125, 335-341.	2.1	13
44	Inhibin-A and Inhibin-B in stallions: Seasonal changes and changes after down-regulation of the hypothalamic-pituitary-gonadal axis. <i>Theriogenology</i> , 2019, 123, 108-115.	2.1	3
45	Steroids in the establishment and maintenance of pregnancy and at parturition in the mare. <i>Reproduction</i> , 2019, 158, R197-R208.	2.6	30
46	Inhibition of 5Î±-reductase alters pregnane metabolism in the late pregnant mare. <i>Reproduction</i> , 2018, 155, 251-258.	2.6	5
47	The proteome of fetal fluids in mares with experimentally-induced placentitis. <i>Placenta</i> , 2018, 64, 71-78.	1.5	14
48	The anti-inflammatory effect of exogenous lactoferrin on breeding-induced endometritis when administered post-breeding in susceptible mares. <i>Theriogenology</i> , 2018, 114, 63-69.	2.1	21
49	Steroidogenic enzyme activities in the pre- and post-parturient equine placenta. <i>Reproduction</i> , 2018, 155, 51-59.	2.6	24
50	Serum Anti-MÅ¼llerian Hormone Concentrations in Mares With Granulosa Cell Tumors Versus Other Ovarian Abnormalities. <i>Journal of Equine Veterinary Science</i> , 2018, 60, 6-10.	0.9	13
51	Lipidomics of equine amniotic fluid: Identification of amphiphilic (O-acyl)-Î±-hydroxy-fatty acids. <i>Theriogenology</i> , 2018, 105, 120-125.	2.1	21
52	A comparison of progesterone assays for determination of peripheral pregnane concentrations in the late pregnant mare. <i>Theriogenology</i> , 2018, 106, 127-133.	2.1	21
53	Inhibin-A and inhibin-B in cyclic and pregnant mares, and mares with granulosa-theca cell tumors: Physiological and diagnostic implications. <i>Theriogenology</i> , 2018, 108, 192-200.	2.1	8
54	Identification of Reference Genes for Analysis of microRNA Expression Patterns in Equine Chorioallantoic Membrane and Serum. <i>Molecular Biotechnology</i> , 2018, 60, 62-73.	2.4	13

#	ARTICLE	IF	CITATIONS
55	Kinetics of the chromosome 14 microRNA cluster ortholog and its potential role during placental development in the pregnant mare. <i>BMC Genomics</i> , 2018, 19, 954.	2.8	23
56	Changes in maternal pregnane concentrations in mares with experimentally-induced, ascending placentitis. <i>Theriogenology</i> , 2018, 122, 130-136.	2.1	13
57	Reciprocal Paternal and Maternal Control of Angiogenesis in Equine Chorioallantois. <i>Journal of Equine Veterinary Science</i> , 2018, 66, 224.	0.9	1
58	Transcriptomic Analysis of the Chorioallantois from Mares with Nocardioform Placentitis. <i>Journal of Equine Veterinary Science</i> , 2018, 66, 231.	0.9	2
59	5 α -dihydroprogesterone concentrations and synthesis in non-pregnant mares. <i>Journal of Endocrinology</i> , 2018, 238, 25-32.	2.6	5
60	Changes in maternal androgens and oestrogens in mares with experimentally-induced ascending placentitis. <i>Equine Veterinary Journal</i> , 2017, 49, 244-249.	1.7	33
61	The influence of age, antral follicle count and diestrous ovulations on estrous cycle characteristics of mares. <i>Theriogenology</i> , 2017, 97, 34-40.	2.1	19
62	Sex-steroid receptors, prostaglandin E2 receptors, and cyclooxygenase in the equine cervix during estrus, diestrus and pregnancy: Gene expression and cellular localization. <i>Animal Reproduction Science</i> , 2017, 187, 141-151.	1.5	4
63	Equine fetal adrenal, gonadal and placental steroidogenesis. <i>Reproduction</i> , 2017, 154, 445-454.	2.6	37
64	Endocrine changes, fetal growth, and uterine artery hemodynamics after chronic estrogen suppression during the last trimester of equine pregnancy. <i>Biology of Reproduction</i> , 2017, 96, 414-423.	2.7	22
65	Characterization of the cervical mucus plug in mares. <i>Reproduction</i> , 2017, 153, 197-210.	2.6	13
66	The effect of select seminal plasma proteins on endometrial <sc>mRNA</sc> cytokine expression in mares susceptible to persistent mating-induced endometritis. <i>Reproduction in Domestic Animals</i> , 2017, 52, 89-96.	1.4	25
67	Evaluation of circulating miRNAs during late pregnancy in the mare. <i>PLoS ONE</i> , 2017, 12, e0175045.	2.5	12
68	Progestin withdrawal at parturition in the mare. <i>Reproduction</i> , 2016, 152, 323-331.	2.6	19
69	Equine 5 α -reductase activity and expression in epididymis. <i>Journal of Endocrinology</i> , 2016, 231, 23-33.	2.6	14
70	Reversible downregulation of the hypothalamic-pituitary-gonadal axis in stallions with a novel GnRH antagonist. <i>Theriogenology</i> , 2016, 86, 2272-2280.	2.1	7
71	Biological Functions and Clinical Applications of Anti-M μ llerian Hormone in Stallions and Mares. <i>Veterinary Clinics of North America Equine Practice</i> , 2016, 32, 451-464.	0.7	12
72	Molecular changes in the equine follicle in relation to variations in antral follicle count and anti-M μ llerian hormone concentrations. <i>Equine Veterinary Journal</i> , 2016, 48, 741-748.	1.7	17

#	ARTICLE	IF	CITATIONS
73	The dynamic steroid landscape of equine pregnancy mapped by mass spectrometry. <i>Reproduction</i> , 2016, 151, 421-430.	2.6	49
74	Attempts to induce nocardioform placentitis (<i>Crossiella equi</i>) experimentally in mares. <i>Equine Veterinary Journal</i> , 2015, 47, 91-95.	1.7	16
75	The interrelationship between anti-Müllerian hormone, ovarian follicular populations and age in mares. <i>Equine Veterinary Journal</i> , 2015, 47, 537-541.	1.7	41
76	Uterine B cell lymphoma in a mare. <i>Equine Veterinary Education</i> , 2015, 27, e5.	0.6	4
77	Use of a Qualitative Horse-Side Test to Measure Serum Amyloid A in Mares With Experimentally Induced Ascending Placentitis. <i>Journal of Equine Veterinary Science</i> , 2015, 35, 54-59.	0.9	13
78	Alpha-fetoprotein is present in the fetal fluids and is increased in plasma of mares with experimentally induced ascending placentitis. <i>Animal Reproduction Science</i> , 2015, 154, 48-55.	1.5	32
79	Serum Amyloid A and Haptoglobin Concentrations are Increased in Plasma of Mares with Ascending Placentitis in the Absence of Changes in Peripheral Leukocyte Counts or Fibrinogen Concentration. <i>American Journal of Reproductive Immunology</i> , 2014, 72, 376-385.	1.2	52
80	Pregnancy without progesterone in horses defines a second endogenous biopotent progesterone receptor agonist, 5 α -dihydroprogesterone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3365-3370.	7.1	53
81	Acute phase proteins and total leukocyte counts in blood of mares with experimentally induced ascending placentitis. <i>Journal of Equine Veterinary Science</i> , 2014, 34, 215.	0.9	2
82	A Retrospective Analysis of 2,253 Cases Submitted for Endocrine Diagnosis of Possible Granulosa Cell Tumors in Mares. <i>Journal of Equine Veterinary Science</i> , 2014, 34, 307-313.	0.9	13
83	Expression of receptors for ovarian steroids and prostaglandin E2 in the endometrium and myometrium of mares during estrus, diestrus and early pregnancy. <i>Animal Reproduction Science</i> , 2014, 151, 169-181.	1.5	32
84	How to Perform Transabdominal Ultrasound-Guided Fetal Fluid Sampling in Mares. <i>Journal of Equine Veterinary Science</i> , 2014, 34, 1143-1147.	0.9	17
85	Determination of serum anti-Müllerian hormone concentrations for the diagnosis of granulosa cell tumours in mares. <i>Equine Veterinary Journal</i> , 2013, 45, 199-203.	1.7	59
86	Use of a Single-Layer Density Centrifugation Method Enhances Sperm Quality in Cryopreserved Thawed Equine Spermatozoa. <i>Journal of Equine Veterinary Science</i> , 2013, 33, 547-551.	0.9	8
87	Expression of anti-Müllerian hormone, CDKN1B, connexin 43, androgen receptor and steroidogenic enzymes in the equine cryptorchid testis. <i>Equine Veterinary Journal</i> , 2013, 45, 538-545.	1.7	22
88	Characterization of prostaglandin E2 receptors (EP2, EP4) in the horse oviduct. <i>Animal Reproduction Science</i> , 2013, 142, 35-41.	1.5	25
89	Serum anti-Müllerian hormone concentrations in stallions: Developmental changes, seasonal variation, and differences between intact stallions, cryptorchid stallions, and geldings. <i>Theriogenology</i> , 2013, 79, 1229-1235.	2.1	59
90	Decreasing pH of mammary gland secretions is associated with parturition and is correlated with electrolyte concentrations in prefoaling mares. <i>Veterinary Record</i> , 2013, 173, 218-218.	0.3	23

#	ARTICLE	IF	CITATIONS
91	Age and season affect serum testosterone concentrations in cryptorchid stallions. <i>Veterinary Record</i> , 2013, 173, 168-168.	0.3	7
92	Expression of anti-Müllerian hormone, cyclin-dependent kinase inhibitor (CDKN1B), androgen receptor, and connexin 43 in equine testes during puberty. <i>Theriogenology</i> , 2012, 77, 847-857.	2.1	26
93	Biological and clinical significance of anti-Müllerian hormone determination in blood serum of the mare. <i>Theriogenology</i> , 2011, 76, 1393-1403.	2.1	77
94	Expression of steroidogenic enzymes during equine testicular development. <i>Reproduction</i> , 2011, 141, 841-848.	2.6	26
95	Characterisation of lymphocyte subsets in the equine oviduct. <i>Equine Veterinary Journal</i> , 2010, 38, 214-218.	1.7	7
96	Cellular localization of androgen synthesis in equine granulosa-theca cell tumors: Immunohistochemical expression of 17 α -hydroxylase/17,20-lyase cytochrome P450. <i>Theriogenology</i> , 2010, 74, 393-401.	2.1	17
97	Unilateral testicular mastocytoma in a Peruvian Paso stallion. <i>Equine Veterinary Education</i> , 2008, 20, 172-175.	0.6	8
98	Current methods for the diagnosis and management of twin pregnancy in the mare. <i>Equine Veterinary Education</i> , 2008, 20, 493-502.	0.6	10
99	Oxidative stress, osmotic stress and apoptosis: Impacts on sperm function and preservation in the horse. <i>Animal Reproduction Science</i> , 2008, 107, 257-267.	1.5	215
100	Expression of anti-Müllerian hormone (AMH) in the equine testis. <i>Theriogenology</i> , 2008, 69, 624-631.	2.1	34
101	Apoptotic-like changes in equine spermatozoa separated by density-gradient centrifugation or after cryopreservation. <i>Theriogenology</i> , 2008, 69, 1041-1055.	2.1	58
102	Expression of anti-Müllerian hormone (AMH) in equine granulosa-cell tumors and in normal equine ovaries. <i>Theriogenology</i> , 2008, 70, 968-977.	2.1	64
103	Uterus unicornis in two mares. <i>Australian Veterinary Journal</i> , 2007, 85, 371-374.	1.1	10
104	Effects of a GnRH cytotoxin on reproductive function in peripubertal male dogs. <i>Theriogenology</i> , 2006, 66, 766-774.	2.1	12
105	Reactive Oxygen Species and Cryopreservation Promote DNA Fragmentation in Equine Spermatozoa. <i>Journal of Andrology</i> , 2003, 24, 621-628.	2.0	246
106	Reactive oxygen species promote tyrosine phosphorylation and capacitation in equine spermatozoa. <i>Theriogenology</i> , 2003, 60, 1239-1247.	2.1	100
107	Detection of lipid peroxidation in equine spermatozoa based upon the lipophilic fluorescent dye C11-BODIPY581/591. <i>Journal of Andrology</i> , 2002, 23, 259-69.	2.0	32
108	Osmotic Tolerance of Equine Spermatozoa and the Effects of Soluble Cryoprotectants on Equine Sperm Motility, Viability, and Mitochondrial Membrane Potential. <i>Journal of Andrology</i> , 2001, 22, 1061-1069.	2.0	139

#	ARTICLE	IF	CITATIONS
109	Assessment of equine sperm mitochondrial function using JC-1. <i>Theriogenology</i> , 2000, 53, 1691-1703.	2.1	144
110	The effect of reactive oxygen species on equine sperm motility, viability, acrosomal integrity, mitochondrial membrane potential, and membrane lipid peroxidation. <i>Journal of Andrology</i> , 2000, 21, 895-902.	2.0	175
111	Membrane Contact with Oviductal Epithelium Modulates the Intracellular Calcium Concentration of Equine Spermatozoa in Vitro ¹ . <i>Biology of Reproduction</i> , 1997, 56, 861-869.	2.7	123
112	Cytofluorescent assay to quantify adhesion of equine spermatozoa to oviduct epithelial cells in vitro. <i>Molecular Reproduction and Development</i> , 1996, 43, 55-61.	2.0	16
113	Cytofluorescent assay to quantify adhesion of equine spermatozoa to oviduct epithelial cells in vitro. <i>Molecular Reproduction and Development</i> , 1996, 43, 55-61.	2.0	2
114	Interaction of Equine Spermatozoa with Oviduct Epithelial Cell Explants is Affected by Estrous Cycle and Anatomic Origin of Explant ¹ . <i>Biology of Reproduction</i> , 1994, 51, 222-228.	2.7	105
115	Survival of Day-4 embryos from young, normal mares and aged, subfertile mares after transfer to normal recipient mares. <i>Reproduction</i> , 1989, 85, 187-194.	2.6	102
116	Patterns of growth and regression of ovarian follicles during the oestrous cycle and after hemiovariectomy in mares. <i>Equine Veterinary Journal</i> , 1989, 21, 43-48.	1.7	28
117	Embryonic Loss in Mares: Incidence, Possible Causes, and Diagnostic Considerations. <i>Veterinary Clinics of North America Equine Practice</i> , 1988, 4, 263-290.	0.7	58
118	Pregnancy rates at Days 2 and 14 and estimated embryonic loss rates prior to day 14 in normal and subfertile mares. <i>Theriogenology</i> , 1986, 26, 611-619.	2.1	91