

Brenda Davy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/263590/brenda-davy-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,661
citations

27
h-index

48
g-index

96
ext. papers

3,122
ext. citations

4
avg, IF

5.09
L-index

#	Paper	IF	Citations
91	Current Knowledge Base of Beverage Health Impacts, Trends, and Intake Recommendations for Children and Adolescents: Implications for Public Health. <i>Current Nutrition Reports</i> , 2021 , 1	6	2
90	The Validity of Urine Color as a Hydration Biomarker within the General Adult Population and Athletes: A Systematic Review. <i>Journal of the American College of Nutrition</i> , 2021 , 40, 172-179	3.5	4
89	Fasting and postprandial trimethylamine N-oxide in sedentary and endurance-trained males following a short-term high-fat diet. <i>Physiological Reports</i> , 2021 , 9, e14970	2.6	1
88	Prebiotic Inulin Supplementation and Peripheral Insulin Sensitivity in adults at Elevated Risk for Type 2 Diabetes: A Pilot Randomized Controlled Trial. <i>Nutrients</i> , 2021 , 13,	6.7	7
87	Postprandial skeletal muscle metabolism following a high-fat diet in sedentary and endurance-trained males. <i>Journal of Applied Physiology</i> , 2020 , 128, 872-883	3.7	2
86	Adapting the "Resist Diabetes" Resistance Training Intervention for Veterans. <i>Translational Journal of the American College of Sports Medicine</i> , 2020 , 5, 39-50	1.1	
85	Update of the BEVQ-15, a beverage intake questionnaire for habitual beverage intake for adults: determining comparative validity and reproducibility. <i>Journal of Human Nutrition and Dietetics</i> , 2020 , 33, 729-737	3.1	9
84	Serum endotoxin, gut permeability and skeletal muscle metabolic adaptations following a short term high fat diet in humans. <i>Metabolism: Clinical and Experimental</i> , 2020 , 103, 154041	12.7	10
83	Changes in Non-Nutritive Sweetener Consumption Patterns in Response to a Sugar-Sweetened Beverage Reduction Intervention. <i>Nutrients</i> , 2020 , 12,	6.7	1
82	Advances in Nutrition Science and Integrative Physiology: Insights From Controlled Feeding Studies. <i>Frontiers in Physiology</i> , 2019 , 10, 1341	4.6	7
81	Postprandial Skeletal Muscle Metabolism Following a High Fat Diet in Sedentary and Endurance Trained Males. <i>FASEB Journal</i> , 2019 , 33, 795.1	0.9	
80	Fasting and Postprandial Trimethylamine N-oxide in Sedentary and Endurance Trained Males. <i>FASEB Journal</i> , 2019 , 33, 536.18	0.9	
79	Does Exercise Alter Gut Microbial Composition? A Systematic Review. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 160-167	1.2	33
78	The $\delta^{13}C$ Value of Fingerstick Blood Is a Valid, Reliable, and Sensitive Biomarker of Sugar-Sweetened Beverage Intake in Children and Adolescents. <i>Journal of Nutrition</i> , 2018 , 148, 147-152	4.1	8
77	Validation of a Rapid Method to Assess Habitual Beverage Intake Patterns. <i>Nutrients</i> , 2018 , 10,	6.7	5
76	Inulin Supplementation Does Not Reduce Plasma Trimethylamine -Oxide Concentrations in Individuals at Risk for Type 2 Diabetes. <i>Nutrients</i> , 2018 , 10,	6.7	22
75	Adolescents perceive a low added sugar adequate fiber diet to be more satiating and equally palatable compared to a high added sugar low fiber diet in a randomized-crossover design controlled feeding pilot trial. <i>Eating Behaviors</i> , 2018 , 30, 9-15	3	1

74	Size and mineral composition of airborne particles generated by an ultrasonic humidifier. <i>Indoor Air</i> , 2018 , 28, 80-88	5.4	16
73	Supporting maintenance of sugar-sweetened beverage reduction using automated versus live telephone support: findings from a randomized control trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 97	8.4	3
72	Short-term changes in added sugar consumption by adolescents reflected in the carbon isotope ratio of fingerstick blood. <i>Nutrition and Health</i> , 2018 , 24, 251-259	2.1	5
71	Dietary quality changes in response to a sugar-sweetened beverage-reduction intervention: results from the Talking Health randomized controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 824-833	7	30
70	Resistance training is associated with spontaneous changes in aerobic physical activity but not overall diet quality in adults with prediabetes. <i>Physiology and Behavior</i> , 2017 , 177, 49-56	3.5	7
69	Pre-meal inulin consumption does not affect acute energy intake in overweight and obese middle-aged and older adults: A randomized controlled crossover pilot trial. <i>Nutrition and Health</i> , 2017 , 23, 75-81	2.1	3
68	Influence of an intervention targeting a reduction in sugary beverage intake on the $\delta^{13}C$ sugar intake biomarker in a predominantly obese, health-disparate sample. <i>Public Health Nutrition</i> , 2017 , 20, 25-29	3.3	10
67	Resist diabetes: A randomized clinical trial for resistance training maintenance in adults with prediabetes. <i>PLoS ONE</i> , 2017 , 12, e0172610	3.7	11
66	Urinary Excretion of Sodium, Nitrogen, and Sugar Amounts Are Valid Biomarkers of Dietary Sodium, Protein, and High Sugar Intake in Nonobese Adolescents. <i>Journal of Nutrition</i> , 2017 , 147, 2364-2373	4.1	11
65	Skeletal muscle autophagy and mitophagy in endurance-trained runners before and after a high-fat meal. <i>Molecular Metabolism</i> , 2017 , 6, 1597-1609	8.8	26
64	Characterization of Non-Nutritive Sweetener Intake in Rural Southwest Virginian Adults Living in a Health-Disparate Region. <i>Nutrients</i> , 2017 , 9,	6.7	12
63	The Impact of Health Literacy Status on the Comparative Validity and Sensitivity of an Interactive Multimedia Beverage Intake Questionnaire. <i>Nutrients</i> , 2016 , 9,	6.7	3
62	Psychosocial mediators of a theory-based resistance training maintenance intervention for prediabetic adults. <i>Psychology and Health</i> , 2016 , 31, 1108-24	2.9	6
61	New markers of dietary added sugar intake. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016 , 19, 282-8	3.8	20
60	Mechanisms by which cocoa flavanols improve metabolic syndrome and related disorders. <i>Journal of Nutritional Biochemistry</i> , 2016 , 35, 1-21	6.3	61
59	Beverage Choices of Adolescents and Their Parents Using the Theory of Planned Behavior: A Mixed Methods Analysis. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016 , 116, 226-239.e1	3.9	25
58	Dietary Intake, Body Composition, and Menstrual Cycle Changes during Competition Preparation and Recovery in a Drug-Free Figure Competitor: A Case Study. <i>Nutrients</i> , 2016 , 8,	6.7	17
57	Prediabetes Phenotype Influences Improvements in Glucose Homeostasis with Resistance Training. <i>PLoS ONE</i> , 2016 , 11, e0148009	3.7	15

56	Assessing clarity of message communication for mandated USEPA drinking water quality reports. <i>Journal of Water and Health</i> , 2016 , 14, 223-35	2.2	7
55	Resistance exercise training and in vitro skeletal muscle oxidative capacity in older adults. <i>Physiological Reports</i> , 2016 , 4, e12849	2.6	15
54	Effects of a behavioral and health literacy intervention to reduce sugar-sweetened beverages: a randomized-controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 38	8.4	68
53	Evaluation of a novel biomarker of added sugar intake (13C) compared with self-reported added sugar intake and the Healthy Eating Index-2010 in a community-based, rural U.S. sample. <i>Public Health Nutrition</i> , 2016 , 19, 429-36	3.3	20
52	Theory-based approach for maintaining resistance training in older adults with prediabetes: adherence, barriers, self-regulation strategies, treatment fidelity, costs. <i>Translational Behavioral Medicine</i> , 2015 , 5, 149-59	3.2	11
51	Is Beverage Consumption Related to Specific Dietary Pattern Intakes?. <i>Current Nutrition Reports</i> , 2015 , 4, 72-81	6	10
50	Associations among chronic disease status, participation in federal nutrition programs, food insecurity, and sugar-sweetened beverage and water intake among residents of a health-disparate region. <i>Journal of Nutrition Education and Behavior</i> , 2015 , 47, 196-205	2	8
49	A systematic literature review and meta-analysis: The Theory of Planned Behavior® application to understand and predict nutrition-related behaviors in youth. <i>Eating Behaviors</i> , 2015 , 18, 160-78	3	180
48	The Healthy Beverage Index Is Associated with Reduced Cardiometabolic Risk in US Adults: A Preliminary Analysis. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015 , 115, 1682-9.e2	3.9	23
47	Short-term high-fat diet increases postprandial trimethylamine-N-oxide in humans. <i>Nutrition Research</i> , 2015 , 35, 858-864	4	58
46	Early skeletal muscle adaptations to short-term high-fat diet in humans before changes in insulin sensitivity. <i>Obesity</i> , 2015 , 23, 720-4	8	21
45	The effect of prebiotic supplementation with inulin on cardiometabolic health: Rationale, design, and methods of a controlled feeding efficacy trial in adults at risk of type 2 diabetes. <i>Contemporary Clinical Trials</i> , 2015 , 45, 328-337	2.3	23
44	A Dual-Carbon-and-Nitrogen Stable Isotope Ratio Model Is Not Superior to a Single-Carbon Stable Isotope Ratio Model for Predicting Added Sugar Intake in Southwest Virginian Adults. <i>Journal of Nutrition</i> , 2015 , 145, 1362-9	4.1	14
43	In Reply A Discussion of the Refutation of Memory-Based Dietary Assessment Methods (M-BMs): The Rhetorical Defense of Pseudoscientific and Inadmissible Evidence. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1739-1740	6.4	8
42	An evaluation of the readability of drinking water quality reports: a national assessment. <i>Journal of Water and Health</i> , 2015 , 13, 645-53	2.2	15
41	Probiotic supplementation attenuates increases in body mass and fat mass during high-fat diet in healthy young adults. <i>Obesity</i> , 2015 , 23, 2364-70	8	48
40	Questionnaires for outcome expectancy, self-regulation, and behavioral expectation for resistance training among young-old adults: development and preliminary validity. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 279-85	1.6	6
39	Probiotic supplementation and trimethylamine-N-oxide production following a high-fat diet. <i>Obesity</i> , 2015 , 23, 2357-63	8	79

38	Changes in the Healthy Beverage Index in Response to an Intervention Targeting a Reduction in Sugar-Sweetened Beverage Consumption as Compared to an Intervention Targeting Improvements in Physical Activity: Results from the Talking Health Trial. <i>Nutrients</i> , 2015 , 7, 10168-78	6.7	15
37	Angiotensin II receptor blockade and skeletal muscle metabolism in overweight and obese adults with elevated blood pressure. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015 , 9, 45-50	3.4	2
36	Resistance Training and Mitochondrial Metabolism. <i>FASEB Journal</i> , 2015 , 29, LB363	0.9	
35	The potential for a carbon stable isotope biomarker of dietary sugar intake. <i>Journal of Analytical Atomic Spectrometry</i> , 2014 , 29, 795-816	3.7	29
34	Design and methods of "diaBEAT-it!": a hybrid preference/randomized control trial design using the RE-AIM framework. <i>Contemporary Clinical Trials</i> , 2014 , 38, 383-96	2.3	12
33	Using response variation to develop more effective, personalized behavioral medicine?: evidence from the Resist Diabetes study. <i>Translational Behavioral Medicine</i> , 2014 , 4, 333-8	3.2	13
32	Group-based lifestyle sessions for gestational weight gain management: a mixed method approach. <i>American Journal of Health Behavior</i> , 2014 , 38, 560-9	1.9	16
31	The resist diabetes trial: Rationale, design, and methods of a hybrid efficacy/effectiveness intervention trial for resistance training maintenance to improve glucose homeostasis in older prediabetic adults. <i>Contemporary Clinical Trials</i> , 2014 , 37, 19-32	2.3	18
30	DASH to wellness: emphasizing self-regulation through e-health in adults with prehypertension. <i>Health Psychology</i> , 2014 , 33, 249-54	5	16
29	Beginning a patient-centered approach in the design of a diabetes prevention program. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 2003-13	4.6	5
28	Impact of individual and worksite environmental factors on water and sugar-sweetened beverage consumption among overweight employees. <i>Preventing Chronic Disease</i> , 2014 , 11, E71	3.7	13
27	Dietary intake modification in response to a participation in a resistance training program for sedentary older adults with prediabetes: findings from the Resist Diabetes study. <i>Eating Behaviors</i> , 2014 , 15, 379-82	3	24
26	Talking health, a pragmatic randomized-controlled health literacy trial targeting sugar-sweetened beverage consumption among adults: rationale, design & methods. <i>Contemporary Clinical Trials</i> , 2014 , 37, 43-57	2.3	32
25	Developing a new treatment paradigm for disease prevention and healthy aging. <i>Translational Behavioral Medicine</i> , 2014 , 4, 117-23	3.2	9
24	Angiotensin II receptor blockade and insulin sensitivity in overweight and obese adults with elevated blood pressure. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2013 , 7, 11-20	3.4	16
23	A rapid beverage intake questionnaire can detect changes in beverage intake. <i>Eating Behaviors</i> , 2013 , 14, 90-4	3	25
22	The Hydration Equation: Update on Water Balance and Cognitive Performance. <i>ACSM's Health and Fitness Journal</i> , 2013 , 17, 21-28	0.9	37
21	The comparative validity of interactive multimedia questionnaires to paper-administered questionnaires for beverage intake and physical activity: pilot study. <i>JMIR Research Protocols</i> , 2013 , 2, e40	2	18

20	Is increased water consumption among older adults associated with improvements in glucose homeostasis?. <i>Open Journal of Preventive Medicine</i> , 2013 , 03, 363-367	0.3	4
19	Exploring the theory of planned behavior to explain sugar-sweetened beverage consumption. <i>Journal of Nutrition Education and Behavior</i> , 2012 , 44, 172-7	2	68
18	Daily self-monitoring of body weight, step count, fruit/vegetable intake, and water consumption: a feasible and effective long-term weight loss maintenance approach. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 685-692.e2	3.9	40
17	Development of a brief questionnaire to assess habitual beverage intake (BEVQ-15): sugar-sweetened beverages and total beverage energy intake. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 840-9	3.9	153
16	Dietary biomarkers: advances, limitations and future directions. <i>Nutrition Journal</i> , 2012 , 11, 109	4.3	161
15	Beverage intake in low-income parent-child dyads. <i>Eating Behaviors</i> , 2011 , 12, 313-6	3	20
14	Association of HbA1c in fingerstick blood with added-sugar and sugar-sweetened beverage intake. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 874-8		37
13	Health literacy is associated with healthy eating index scores and sugar-sweetened beverage intake: findings from the rural Lower Mississippi Delta. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 1012-20		110
12	Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. <i>Obesity</i> , 2010 , 18, 300-7	8	131
11	The Informal Networks in Food Procurement by Older People: A Cross European Comparison. <i>Ageing International</i> , 2010 , 35, 253-275	0.8	12
10	The beverage intake questionnaire: determining initial validity and reliability. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 1227-32		100
9	Beverage consumption and adult weight management: A review. <i>Eating Behaviors</i> , 2009 , 10, 237-46	3	99
8	Initiating and maintaining resistance training in older adults: a social cognitive theory-based approach. <i>British Journal of Sports Medicine</i> , 2009 , 43, 114-9	10.3	56
7	Water consumption reduces energy intake at a breakfast meal in obese older adults. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 1236-9		63
6	Large artery stiffening with weight gain in humans: role of visceral fat accumulation. <i>Hypertension</i> , 2008 , 51, 1519-24	8.5	75
5	Habitual physical activity differentially affects acute and short-term energy intake regulation in young and older adults. <i>International Journal of Obesity</i> , 2007 , 31, 1277-85	5.5	49
4	Pre-meal water consumption reduces meal energy intake in older but not younger subjects. <i>Obesity</i> , 2007 , 15, 93-9	8	56
3	Sex differences in acute energy intake regulation. <i>Appetite</i> , 2007 , 49, 141-7	4.5	38

- | | | | |
|---|---|-----|----|
| 2 | Comparison of assessment techniques: plasma lipid and lipoproteins related to the metabolic syndrome. <i>Lipids in Health and Disease</i> , 2006 , 5, 3 | 4.4 | 5 |
| 1 | Body weight status, dietary habits, and physical activity levels of middle school-aged children in rural Mississippi. <i>Southern Medical Journal</i> , 2004 , 97, 571-7 | 0.6 | 56 |