

mohamad Zakeri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/263701/publications.pdf>

Version: 2024-02-01

54
papers

1,318
citations

394421

19
h-index

361022

35
g-index

54
all docs

54
docs citations

54
times ranked

1337
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of nanocrystalline hydroxyapatite by using precipitation method. Journal of Alloys and Compounds, 2007, 430, 330-333.	5.5	379
2	A novel ZrB ₂ -C ₃ N ₄ composite with improved mechanical properties. Ceramics International, 2019, 45, 21512-21519.	4.8	66
3	Synthesis of nanocrystalline MoSi ₂ by mechanical alloying. Journal of Alloys and Compounds, 2005, 403, 258-261.	5.5	61
4	Effect of HfB ₂ on microstructure and mechanical properties of ZrB ₂ -SiC-based composites. International Journal of Refractory Metals and Hard Materials, 2016, 54, 127-137.	3.8	58
5	Taguchi design and hardness optimization of ZrB ₂ -based composites reinforced with chopped carbon fiber and different additives and prepared by SPS. Journal of Alloys and Compounds, 2015, 639, 617-625.	5.5	51
6	Synthesis of nanocrystalline Bi ₂ Te ₃ via mechanical alloying. Journal of Materials Processing Technology, 2009, 209, 96-101.	6.3	49
7	Synthesis of MoSi ₂ -Al ₂ O ₃ nanocomposite by mechanical alloying. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 430, 185-188.	5.6	46
8	Effects of SPS parameters on the densification and mechanical properties of TiB ₂ -SiC composite. Ceramics International, 2019, 45, 10550-10557.	4.8	45
9	Co-reinforcing of ZrB ₂ -SiC ceramics with optimized ZrC to Cf ratio. Ceramics International, 2020, 46, 22661-22673.	4.8	37
10	Spark plasma sintering of quadruplet ZrB ₂ -SiC-ZrC-Cf composites. Ceramics International, 2020, 46, 156-164.	4.8	36
11	Mechanochemical reduction of MoO ₃ /SiO ₂ powder mixtures by Al and carbon for the synthesis of nanocrystalline MoSi ₂ . Journal of Alloys and Compounds, 2007, 430, 170-174.	5.5	35
12	Improving the thermal shock resistance and fracture toughness of synthesized La ₂ Ce ₂ O ₇ thermal barrier coatings through formation of La ₂ Ce ₂ O ₇ /YSZ composite coating via air plasma spraying. Surface and Coatings Technology, 2020, 399, 126174.	4.8	26
13	Synthesis of MoSi ₂ -TiC nanocomposite powder via mechanical alloying and subsequent annealing. Ceramics International, 2012, 38, 1353-1357.	4.8	23
14	The effect of mechanical alloying on microstructure and mechanical properties of MoSi ₂ prepared by spark plasma sintering. Journal of Alloys and Compounds, 2014, 593, 242-249.	5.5	23
15	Microstructure and ablative properties of Si-SiC coating prepared by spark plasma sintering. Ceramics International, 2018, 44, 8403-8408.	4.8	23
16	Mechanical properties of TiO ₂ -hydroxyapatite nanostructured coatings on Ti-6Al-4V substrates by APS method. International Journal of Minerals, Metallurgy and Materials, 2013, 20, 397-402.	4.9	22
17	Preparation of alumina-tungsten carbide nanocomposite by mechano-chemical reduction of WO ₃ with aluminum and graphite. Journal of Alloys and Compounds, 2010, 491, 203-208.	5.5	20
18	Mechanochemical synthesis of Al ₂ O ₃ -ZrB ₂ -ZrO ₂ nanocomposite powder. Materials Research Bulletin, 2014, 49, 672-676.	5.2	20

#	ARTICLE	IF	CITATIONS
19	Effect of ball to powder weight ratio on the mechanochemical synthesis of MoSi ₂ -TiC nanocomposite powder. <i>Materials Research</i> , 2012, 15, 891-897.	1.3	19
20	An investigation on the in situ synthesis sintering and mechanical properties of MoSi ₂ -xSiC composites prepared by spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2015, 48, 263-271.	3.8	19
21	Synthesis of ZrB ₂ -SiC-ZrC nanocomposite by spark plasma in ZrSiO ₄ /B ₂ O ₃ /C/Mg system. <i>Ceramics International</i> , 2016, 42, 6581-6586.	4.8	19
22	Spark plasma sintering of silicon nitride/barium aluminum silicate composite. <i>Ceramics International</i> , 2017, 43, 9153-9157.	4.8	18
23	Low temperature synthesis of nanocrystalline Sb ₂ Te ₃ by mechanical alloying. <i>Journal of Materials Science</i> , 2008, 43, 1638-1643.	3.7	17
24	Synthesis of (Mo _{1-x} Cr _x)Si ₂ nanostructured powders via mechanical alloying and following heat treatment. <i>Journal of Alloys and Compounds</i> , 2010, 489, 379-383.	5.5	17
25	Preparation of NiAl-TiC nanocomposite by mechanical alloying. <i>Journal of Materials Science</i> , 2008, 43, 6912-6919.	3.7	16
26	Effect of composition on spark plasma sintering of ZrB ₂ -SiC-ZrC nanocomposite synthesized by MASPSyn. <i>Ceramics International</i> , 2017, 43, 111-115.	4.8	16
27	Mechanically activated synthesis of nanocrystalline ternary carbide Fe ₃ Mo ₃ C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 492, 311-316.	5.6	14
28	Effect of SiC-mullite coatings on oxidation resistance of graphite. <i>Advances in Applied Ceramics</i> , 2014, 113, 358-361.	1.1	13
29	High-frequency induction heated sintering of ball milled Fe-WC nanocomposites. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2013, 20, 693-699.	4.9	11
30	Effect of starting composition on formation of MoSi ₂ -SiC nanocomposite powder via ball milling. <i>Bulletin of Materials Science</i> , 2012, 35, 533-538.	1.7	9
31	Investigation on microstructure and mechanical properties of HfB ₂ -SiC-HfC ternary system with different HfC content prepared by spark plasma sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2020, 93, 105350.	3.8	9
32	Preparation of FeAl ₂ O ₃ nanocomposite via mechanical alloying and subsequent annealing. <i>Materials Science and Technology</i> , 2010, 26, 1132-1136.	1.6	8
33	Effect of milling speed and shaping method on mechanical properties of nanostructure bulked aluminum. <i>Materials & Design</i> , 2012, 37, 487-490.	5.1	8
34	Modeling the mean grain size of synthesized nanopowders produced by mechanical alloying. <i>Ceramics International</i> , 2013, 39, 1587-1596.	4.8	8
35	Effect of the alfa content on the mechanical properties of Si ₃ N ₄ /BAS composite by spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2018, 756, 76-81.	5.5	7
36	Hot corrosion behavior of plasma sprayed La ₂ Ce ₂ O ₇ /YSZ thermal barrier composite coating in the presence of Sulfate and Vanadate molten Salts. <i>Corrosion Science</i> , 2021, 183, 109349.	6.6	7

#	ARTICLE	IF	CITATIONS
37	Study on feasibility of Ti ₃ AlC ₂ synthesis by mechanical alloying and heat treatment. Powder Metallurgy, 2011, 54, 273-277.	1.7	6
38	Mechanochemical synthesis of MoSi ₂ @SiC nanocomposite powder. Ceramics International, 2012, 38, 2977-2982.	4.8	6
39	Synthesis of nanostructure tetragonal ZrO ₂ by high energy ball milling. Materials Technology, 2013, 28, 181-186.	3.0	6
40	Synergistic influence of SiC and C ₃ N ₄ reinforcements on the characteristics of ZrB ₂ -based composites. Journal of Asian Ceramic Societies, 2021, 9, 53-62.	2.3	6
41	Effect of annealing process on IR transmission and mechanical properties of spark plasma sintered Ytria. Ceramics International, 2018, 44, 1668-1674.	4.8	5
42	Fabrication of (Zr,Ti)B ₂ @ZrN@BN composites through reactive spark plasma sintering of ZrB ₂ and TiN. Micron, 2022, 154, 103203.	2.2	5
43	Mechanochemical synthesis of nanocrystalline hydroxyapatite via mechanical alloying. Materials Technology, 2013, 28, 159-164.	3.0	4
44	Effect of Ceramic Particulate on the Mechanical Properties of PVP@HA@Alumina Nanocomposite. Arabian Journal for Science and Engineering, 2014, 39, 2227-2233.	1.1	4
45	On the reactive spark plasma sinterability of ZrB ₂ @SiC@TiN composite. Journal of Alloys and Compounds, 2022, 909, 164611.	5.5	4
46	Synthesis of FeAl@TiC nanocomposite powder via mechanical alloying and subsequent annealing. Powder Metallurgy, 2011, 54, 278-285.	1.7	3
47	Synthesis of Ag-ZnO composites via ball milling and hot pressing processes. Materials Science-Poland, 2014, 32, 121-125.	1.0	3
48	Effect of short carbon fiber content on the mechanical properties of TiB ₂ -based composites prepared by spark plasma sintering. International Journal of Applied Ceramic Technology, 2021, 18, 1691-1701.	2.1	3
49	<i>In situ</i> formation of FeAl@Al ₂ O ₃ nanocomposite at different conditions of milling and subsequent annealing. Powder Metallurgy, 2011, 54, 292-298.	1.7	2
50	Effect of milling and annealing parameters on formation of (Mo _{0.85} @Cr _{0.15})Si ₂ nanocomposite powder. Powder Metallurgy, 2011, 54, 440-444.	1.7	2
51	Ablation resistance of graphite coated by spark plasma sintered ZrB ₂ @SiC based composites. Boletin De La Sociedad Espanola De Ceramica Y Vidrio, 2022, 61, 604-610.	1.9	2
52	A comparative study on the synthesis of oxide-free ZrB ₂ -xZrC composites. Ceramics International, 2019, 45, 3760-3766.	4.8	1
53	Prediction of the mean grain size of MA-synthesized nanopowders by artificial neural networks. Neural Computing and Applications, 2019, 31, 723-732.	5.6	1
54	In situ synthesis@sintering of YAG/MAS composites by reactive spark plasma sintering. Journal of the Australian Ceramic Society, 2018, 54, 395-399.	1.9	0