

# Yasunori Ueda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2640653/publications.pdf>

Version: 2024-02-01

119  
papers

4,484  
citations

218677

26  
h-index

102487

66  
g-index

119  
all docs

119  
docs citations

119  
times ranked

2973  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative Validation of the Coronary Angioscopic Yellow Plaque with Lipid Core Burden Index Assessed by Intracoronary Near-Infrared Spectroscopy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 362-369.	2.0	5
2	Consensus document on the standard of coronary angiography examination and assessment from the Japanese Association of Cardiovascular Intervention and Therapeutics. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, 37, 35-39.	2.3	11
3	Aortic plaque burden predicts vascular events in patients with cardiovascular disease: The EAST-NOGA study. <i>Journal of Cardiology</i> , 2022, 79, 144-152.	1.9	12
4	Phase 1/2 study evaluating the safety and efficacy of DSPâ€888 dosing emulsion in myelodysplastic syndromes. <i>Cancer Science</i> , 2022, 113, 1377-1392.	3.9	6
5	Temporary Rise in Blood Thrombogenicity in Patients with Acute Myocardial Infarction. <i>TH Open</i> , 2022, 06, e26-e32.	1.4	0
6	Transient increase in blood thrombogenicity may be a critical mechanism for the occurrence of acute myocardial infarction. <i>Journal of Cardiology</i> , 2021, 77, 224-230.	1.9	4
7	New Strategy to Prevent Acute Myocardial Infarction by Public Educationâ€ A Position Statement of the Committee on Public Education About Emergency Medical Care of the Japanese Circulation Society â€. <i>Circulation Journal</i> , 2021, 85, 319-322.	1.6	7
8	Synergistic mechanism of coincidence of two subacute stent thromboses: Insights from multiple imaging observations. <i>Journal of Cardiology Cases</i> , 2021, 24, 169-172.	0.5	1
9	Out-of-hospital cardiac arrest due to acute myocardial infarction possibly caused by coronary vasospasm. <i>Journal of Cardiology Cases</i> , 2021, 25, 10-13.	0.5	0
10	A case report of successful stent implantation through a fractured stent-strut in a superficial femoral artery based on bench testing simulation. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab246.	0.6	0
11	Clinical and Angiographic Features of Patients With Out-of-Hospital Cardiac Arrest and Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1934-1943.	2.8	21
12	Remote Management of Pacemaker Patients With Biennial In-Clinic Evaluation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e007734.	4.8	46
13	Possible Very Early-Phase Neoatherosclerosis after the Implantation of Drug-Eluting Stent. <i>Shinzo Kekkan Naishikyo</i> , 2020, 6, 1-2.	0.2	0
14	Relation of Chronic Total Occlusion to In-Hospital Mortality in the Patients With Sudden Cardiac Arrest Due to Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2019, 123, 1915-1920.	1.6	6
15	Impact of Preprocedural Serum Eicosapentaenoic Acid to Arachidonic Acid Ratio on Post-Ablation Recurrence of Atrial Fibrillation. <i>International Heart Journal</i> , 2019, 60, 1334-1343.	1.0	1
16	Impact of the one-year angioscopic findings on long-term clinical events in 504 patients treated with first-generation or second-generation drug-eluting stents: the DESNOTE-X study. <i>EuroIntervention</i> , 2019, 15, 631-639.	3.2	13
17	Initial pathological responses of second-generation everolimus-eluting stents implantation in Japanese coronary arteries: Comparison with first-generation sirolimus-eluting stents. <i>Journal of Cardiology</i> , 2018, 71, 452-457.	1.9	9
18	The Role of Allogeneic Transplantation for Multiple Myeloma in the Era of Novel Agents: A Study from the Japanese Society of Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1392-1398.	2.0	11

#	ARTICLE	IF	CITATIONS
19	Stent Thrombosis and Intrastent Thrombus Formation in Patients Undergoing Elective PCI: Results of an Angioscopic Substudy of the Randomized Trial PRASFIT-Elective (PRASugrel for Japanese PatlenTs) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	3
20	Atherosclerotic Plaque Component as a Risk Factor for Distal Embolization During Percutaneous Coronary Intervention—Pathology of Tissue Obtained by Distal Protection Device. Circulation Journal, 2018, 82, 2292-2298.	1.6	3
21	Consensus Standards for Acquisition, Measurement, and Reporting of Non-obstructive Aortic Angioscopy Studies: A Report from the Working Group of Japan Vascular Imaging Research Organization for Standardization of Non-obstructive Aortic Angioscopy (Version 2017). Shinzo Kekkan Naishikyō. 2018, 4, 1-11.	0.2	13
22	Comparison of angioscopic findings among second-generation drug-eluting stents. Journal of Cardiology, 2017, 70, 297-302.	1.9	14
23	Outcomes of First- Versus Second-Generation Drug-Eluting Stent Implanted for Right Coronary Artery Ostial Narrowing. American Journal of Cardiology, 2017, 119, 852-855.	1.6	6
24	Ideal Guiding Catheter Position During Bilaterally Engaged Percutaneous Coronary Intervention. American Journal of Cardiology, 2017, 119, 1518-1524.	1.6	6
25	Angioplasty of the Occluded Persistent Sciatic Artery Using the Retrograde Approach from Superficial Femoral Artery. Annals of Vascular Surgery, 2017, 42, 299.e1-299.e5.	0.9	4
26	Fibrillatory pattern of dissociated venous activity after pulmonary vein isolation: Novel characteristics for remnant foci of a trigger ectopy for atrial fibrillation. Journal of Cardiology, 2017, 69, 859-867.	1.9	5
27	Effect of Ezetimibe on Stabilization and Regression of Intracoronary Plaque—The ZIPANGU Study. Circulation Journal, 2017, 81, 1611-1619.	1.6	29
28	Caval penetration of IVC Filter caused neuralgia of celiac plexus 2 years after implantation. International Journal of Cardiology, 2016, 223, 524-525.	1.7	0
29	Angioscopic Comparison of Resolute and Endeavor Zotarolimus-Eluting Stents. Circulation Journal, 2016, 80, 650-656.	1.6	6
30	Angioscopy in 2015: the Role of Macroscopic Pathology in Living Patients. Current Cardiovascular Imaging Reports, 2016, 9, 1.	0.6	1
31	Comparison of the Effect of Rosuvastatin 2.5 mg vs 20 mg on Coronary Plaque Determined by Angioscopy and Intravascular Ultrasound in Japanese With Stable Angina Pectoris (from the) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	17
32	Mechanisms and Prevention of Acute Myocardial Infarction. Journal of the Japanese Coronary Association, 2016, 22, 228-230.	0.0	1
33	Bacterial Contamination During Pacemaker Implantation Is Common and Does Not Always Result in Infection. Circulation Journal, 2015, 79, 1712-1718.	1.6	7
34	The importance of intracoronary imaging when we speculate long-term outcome of new intracoronary stents. Shinzo Kekkan Naishikyō, 2015, 1, 17-20.	0.2	1
35	Evaluating neoatherosclerosis for risk stratification of very-late DES failure. Interventional Cardiology, 2015, 7, 89-96.	0.0	0
36	Angioscopic findings before and after thrombus-related drug-eluting stent failure. Cardiovascular Intervention and Therapeutics, 2015, 30, 198-208.	2.3	3

#	ARTICLE	IF	CITATIONS
37	In-Stent Yellow Plaque at 1 Year After Implantation Is Associated With Future Event of Very Late Stent Failure. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 814-821.	2.9	76
38	Remodeling pattern is related to the degree of coronary plaque regression induced by pitavastatin: a sub-analysis of the TOGETHAR trial with intravascular ultrasound and coronary angiography. <i>Heart and Vessels</i> , 2015, 30, 169-176.	1.2	8
39	Clinical impact of acute hyperglycemia on development of diabetes mellitus in non-diabetic patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2014, 63, 274-280.	1.9	12
40	Detection of Angioscopic Yellow Plaque by Intracoronary Near-Infrared Spectroscopy. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, e49-e50.	2.9	6
41	Rationale and design of a randomized clinical study to investigate the effect of ezetimibe, a cholesterol absorption inhibitor, on the regression of intracoronary plaque evaluated by non-obstructive angiography and ultrasound: The ZIPANGU study. <i>Journal of Cardiology</i> , 2014, 64, 501-507.	1.9	8
42	Detection of yellow plaque by near-infrared spectroscopy – Comparison with coronary angiography in a case of no-flow phenomenon during coronary intervention. <i>Journal of Cardiology Cases</i> , 2014, 9, 192-195.	0.5	1
43	Atherosclerotic Change at One Year After Implantation of Endeavor Zotarolimus-Eluting Stent vs. Everolimus-Eluting Stent. <i>Circulation Journal</i> , 2014, 78, 1428-1436.	1.6	20
44	The level of blood thrombogenicity was not elevated in stable patients with disrupted coronary plaque. <i>Journal of Cardiology</i> , 2013, 61, 326-329.	1.9	2
45	Plaque stabilization by intensive LDL-cholesterol lowering therapy with atorvastatin is delayed in type 2 diabetic patients with coronary artery disease – Serial angioscopic and intravascular ultrasound analysis. <i>Journal of Cardiology</i> , 2013, 61, 381-386.	1.9	24
46	Vasospasm-induced acute myocardial infarction – Thrombus formation without thrombogenic lesion at the culprit. <i>Journal of Cardiology Cases</i> , 2013, 8, 138-141.	0.5	4
47	The Utility of Carotid Ultrasonography in Identifying Severe Coronary Artery Disease in Asymptomatic Type 2 Diabetic Patients Without History of Coronary Artery Disease. <i>Diabetes Care</i> , 2013, 36, 1327-1334.	8.6	24
48	A higher colour grade yellow plaque was detected at one year after implantation of an everolimus-eluting stent than after a zotarolimus-eluting stent. <i>Heart Asia</i> , 2013, 5, 192-196.	1.1	3
49	Regression of Luminal Stenosis at the Site of Silent Plaque Disruption in the Era of Optimal Medical Therapy. <i>Circulation Journal</i> , 2013, 77, 2573-2577.	1.6	2
50	Ruptured plaque and large plaque burden are risks of distal embolisation during percutaneous coronary intervention: evaluation by angiography and virtual histology intravascular ultrasound imaging. <i>EuroIntervention</i> , 2013, 9, 235-242.	3.2	12
51	Recurrent pericardial effusion caused by pacemaker lead perforation and warfarin therapy at seven years after implantation. <i>Europace</i> , 2012, 14, 297-297.	1.7	4
52	Influence of Achieved Low-Density Lipoprotein Cholesterol Level With Atorvastatin Therapy on Stabilization of Coronary Plaques. <i>Circulation Journal</i> , 2012, 76, 1197-1202.	1.6	9
53	In-Stent Neoatherosclerosis. <i>Journal of the American College of Cardiology</i> , 2012, 59, 2051-2057.	2.8	339
54	Maximum carotid intima-media thickness improves the prediction ability of coronary artery stenosis in type 2 diabetic patients without history of coronary artery disease. <i>Atherosclerosis</i> , 2012, 221, 438-444.	0.8	48

#	ARTICLE	IF	CITATIONS
55	Very late stent thrombosis at 2.5 years after sirolimus-eluting stent implantation with prior angioscopic image of culprit lesion: A case report. <i>Journal of Cardiology Cases</i> , 2012, 5, e12-e15.	0.5	2
56	Systemic and local factors associated with coronary plaque disruption. <i>Thrombosis Research</i> , 2012, 129, 164-168.	1.7	1
57	The role of angioscopy in the assessment of the atherosclerotic plaque: Current status and potential clinical applications. , 2012, , 241-249.		0
58	The role of angioscopy in the assessment of the atherosclerotic plaque. , 2012, , 241-249.		0
59	Thrombogenic potential of whole blood is higher in patients with acute coronary syndrome than in patients with stable coronary diseases. <i>Thrombosis Research</i> , 2011, 128, 268-273.	1.7	14
60	Risk of in-stent thrombus formation at one year after drug-eluting stent implantation. <i>Thrombosis Research</i> , 2011, 128, 431-434.	1.7	9
61	Association of Coronary Artery Stenosis with Carotid Atherosclerosis in Asymptomatic Type 2 Diabetic Patients. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 337-344.	2.0	18
62	Frequency and Location of Yellow and Disrupted Coronary Plaques in Patients as Detected by Angioscopy. <i>Circulation Journal</i> , 2011, 75, 603-612.	1.6	17
63	Plaque-Stabilizing Effect of Atorvastatin Is Stronger for Plaques Evaluated as More Unstable by Angioscopy and Intravenous Ultrasound. <i>Circulation Journal</i> , 2011, 75, 1448-1454.	1.6	21
64	Relationship Between Coronary Plaque Vulnerability and Serum n-3/n-6 Polyunsaturated Fatty Acid Ratio. <i>Circulation Journal</i> , 2011, 75, 2432-2438.	1.6	39
65	Drug-Eluting Stent - Importance of Clinico-Pathological Correlations -. <i>Circulation Journal</i> , 2011, 75, 1548-1558.	1.6	21
66	Patients with more coronary yellow plaques have higher risk of stenosis progression within 7 months. <i>Journal of Cardiology</i> , 2011, 58, 46-53.	1.9	3
67	Angioscopic and Virtual Histology Intravascular Ultrasound Characteristics of Culprit Lesion Morphology Underlying Coronary Artery Thrombosis. <i>American Journal of Cardiology</i> , 2011, 107, 1285-1290.	1.6	27
68	Frequency and Healing of Nonculprit Coronary Artery Plaque Disruptions in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2011, 107, 1426-1429.	1.6	16
69	Detection of disrupted plaques by coronary CT: comparison with angioscopy. <i>Heart</i> , 2011, 97, 1397-1402.	2.9	20
70	Chronic Kidney Disease and Coronary Artery Vulnerable Plaques. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2792-2798.	4.5	10
71	Acute Coronary Syndrome: Insight From Angioscopy. <i>Circulation Journal</i> , 2010, 74, 411-417.	1.6	36
72	True Comparison of Different Stents in the Same Coronary Artery. <i>Circulation Journal</i> , 2010, 74, 844-845.	1.6	1

#	ARTICLE	IF	CITATIONS
73	Stabilization and Regression of Coronary Plaques Treated With Pitavastatin Proven by Angioscopy and Intravascular Ultrasound - The TOGETHAR Trial -. Circulation Journal, 2010, 74, 1922-1928.	1.6	58
74	Atherosclerotic and Thrombogenic Neointima Formed Over Sirolimus Drug-Eluting Stent. JACC: Cardiovascular Imaging, 2009, 2, 616-624.	5.3	151
75	Qualitative and Quantitative Changes in Coronary Plaque Associated With Atorvastatin Therapy. Circulation Journal, 2009, 73, 718-725.	1.6	98
76	A large dissecting sub-epicardial hematoma and cardiac tamponade following elective percutaneous coronary intervention. Journal of Cardiology, 2008, 52, 163-166.	1.9	11
77	Detection of plaque of saphenous vein graft by multidetector row computed tomography and comparison with gray-scale/virtual histology intravascular ultrasound. International Journal of Cardiology, 2007, 114, 111-113.	1.7	4
78	Evaluation of an occluded common iliac artery by multislice computed tomography: Plaque Map analysis as a guide for percutaneous transluminal angioplasty. International Journal of Cardiology, 2007, 115, 259-261.	1.7	5
79	MDCT detection of an atherosclerotic coronary artery aneurysm: Evaluation by Plaque Map. International Journal of Cardiology, 2007, 118, 113-115.	1.7	2
80	Thrombotic occlusion proximal to plaque rupture in acute myocardial infarction: Evaluation by intravascular ultrasound and coronary angiography. International Journal of Cardiology, 2007, 123, e12-e14.	1.7	6
81	Acute Myocardial Infarction Without Disrupted Yellow Plaque in Young Patients Below 50 Years Old. Journal of Interventional Cardiology, 2007, 20, 177-181.	1.2	11
82	Plaque Color Analysis by the Conventional Yellow-Color Grading System and Quantitative Measurement Using LCH Color Space. Journal of Interventional Cardiology, 2007, 20, 324-334.	1.2	279
83	Effect on Outcome of an Increase of Serum Cardiac Troponin T in Patients With Healing or Healed ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2007, 100, 1723-1726.	1.6	7
84	Occlusion of coronary aneurysms demonstrated by multidetector-row computed tomography. Clinical Research in Cardiology, 2007, 96, 575-578.	3.3	2
85	Number of Yellow Plaques Detected in a Coronary Artery Is Associated With Future Risk of Acute Coronary Syndrome. Journal of the American College of Cardiology, 2006, 47, 2194-2200.	2.8	398
86	Angioscopic evaluation of neointima coverage: Sirolimus drug-eluting stent versus bare metal stent. American Heart Journal, 2006, 152, 1168-1174.	2.7	90
87	Coronary ruptured plaque mimicking spontaneous coronary dissection in a young woman. International Journal of Cardiology, 2006, 113, 288-289.	1.7	9
88	Usefulness of Plasma Brain Natriuretic Peptide Concentration for Predicting Subsequent Left Ventricular Remodeling After Coronary Angioplasty in Patients With Acute Myocardial Infarction. American Journal of Cardiology, 2006, 98, 453-457.	1.6	25
89	Angioscopically-determined extent of coronary atherosclerosis is associated with severity of acute coronary syndrome. Journal of Invasive Cardiology, 2006, 18, 220-4.	0.4	8
90	Detection of Coronary Plaque by Computed Tomography With a Novel Plaque Analysis System, 'Plaque Map', and Comparison With Intravascular Ultrasound and Angioscopy. Circulation Journal, 2005, 69, 72-77.	1.6	93

#	ARTICLE	IF	CITATIONS
91	Coronary angiography revealing ruptured plaque and thrombus causing acute anterior myocardial infarction with a subsequent acute inferior myocardial infarction – a case report. <i>International Journal of Angiology</i> , 2005, 14, 34-36.	0.6	2
92	Distal Protection Improved Reperfusion and Reduced Left Ventricular Dysfunction in Patients With Acute Myocardial Infarction Who Had Angioscopically Defined Ruptured Plaque. <i>Circulation</i> , 2005, 112, 1001-1007.	1.6	95
93	Association between cardiac troponin T elevation and angiographic morphology of culprit lesion in patients with non-“ST-segment elevation acute coronary syndrome. <i>American Heart Journal</i> , 2005, 150, 227-233.	2.7	27
94	Assessment of plaque vulnerability by angiographic classification of plaque color. <i>American Heart Journal</i> , 2004, 148, 333-335.	2.7	396
95	Color of culprit lesion at 6 months after plain old balloon angioplasty versus stenting in patients with acute myocardial infarction. <i>American Heart Journal</i> , 2004, 148, 842-846.	2.7	7
96	Coronary Atherosclerosis and Acute Coronary Syndrome: New Insights from Angiographic Viewpoints. <i>Vascular Disease Prevention</i> , 2004, 1, 53-57.	0.2	2
97	Plaque Characterization and Atherosclerosis Evaluation by Coronary Angiography. <i>Herz</i> , 2003, 28, 501-504.	1.1	28
98	Celiprolol Increases Coronary Blood Flow and Reduces Severity of Myocardial Ischemia via Nitric Oxide Release. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 41, 499-505.	1.9	14
99	Comparison of time of reperfusion during anterior wall acute myocardial infarction to left ventricular volume one month and 20 months later. <i>American Journal of Cardiology</i> , 2002, 89, 1335-1340.	1.6	4
100	Extensive development of vulnerable plaques as a pan-coronary process in patients with myocardial infarction: an angiographic study. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1284-1288.	2.8	363
101	The healing process of infarct-related plaques. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1916-1922.	2.8	120
102	The Role of Plaque Rupture in the Development of Acute Coronary Syndrome Evaluated by the Coronary Angioscope.. <i>Internal Medicine</i> , 2000, 39, 333-335.	0.7	25
103	Chronic treatment with FK506 increases p70 S6 kinase activity associated with reduced nitric oxide synthase activity in rabbit hearts. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 329-336.	2.6	6
104	Inhibition of nitric oxide synthesis induces coronary vascular remodeling and cardiac hypertrophy associated with the activation of p70 S6 kinase in rats. <i>Cardiovascular Drugs and Therapy</i> , 2000, 14, 533-542.	2.6	20
105	Angiographic Observation After Coronary Angioplasty for Chronic Coronary Occlusion Comparison With Severe Stenotic Lesion. <i>Diagnostic and Therapeutic Endoscopy</i> , 2000, 7, 7-14.	1.5	0
106	Nifedipine-Induced Coronary Vasodilation in Ischemic Hearts Is Attributable to Bradykinin- and NO-Dependent Mechanisms in Dogs. <i>Circulation</i> , 2000, 101, 311-317.	1.6	59
107	Glycoprotein IIb/IIIa Antagonist FK633 Could Not Prevent Neointimal Thickening in Stent Implantation Model of Canine Coronary Artery. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 343-347.	2.4	3
108	Plasma adenosine levels and platelet activation in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 1999, 83, 194-198.	1.6	41

#	ARTICLE	IF	CITATIONS
109	Pravastatin restored the infarct size-limiting effect of ischemic preconditioning blunted by hypercholesterolemia in the rabbit model of myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1999, 34, 2120-2125.	2.8	102
110	Estimation of shunt flow in coronary-pulmonary fistula by lung perfusion scintigraphy with technetium-99m macroaggregated albumin. <i>American Journal of Cardiology</i> , 1998, 82, 1158-1161.	1.6	4
111	Inhibition of Angiotensin-converting Enzyme Increases the Nitric Oxide Levels in Canine Ischemic Myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 2461-2466.	1.9	24
112	Remodeling of In-Stent Neointima, Which Became Thinner and Transparent Over 3 Years. <i>Circulation</i> , 1998, 97, 2003-2006.	1.6	128
113	Role of Protein Kinase C- $\beta$ in Activation of Ecto-5'-nucleotidase in the Preconditioned Canine Myocardium. <i>Biochemical and Biophysical Research Communications</i> , 1997, 239, 171-175.	2.1	50
114	Ecto-5'-Nucleotidase Mediates Infarct Size-Limiting Effect by Ischemic Preconditioning in the Rabbit Heart. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 30, 775-783.	1.9	7
115	Intracoronary morphology of culprit lesions after reperfusion in acute myocardial infarction: Serial angioscopic observations. <i>Journal of the American College of Cardiology</i> , 1996, 27, 606-610.	2.8	106
116	Collateral channels that develop after an acute myocardial infarction prevent subsequent left ventricular dilation. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1133-1139.	2.8	62
117	Elastic Recoil and Intimal Thickening After Coronary Stenting. <i>Journal of Interventional Cardiology</i> , 1995, 8, 137-141.	1.2	7
118	Neointimal coverage of stents in human coronary arteries observed by angiography. <i>Journal of the American College of Cardiology</i> , 1994, 23, 341-346.	2.8	399
119	Acute Coronary Syndrome from Angioscopic Viewpoint. , 0, , .		0