## **Clinton R Bruce**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2641239/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Autophagy is not involved in lipid accumulation and the development of insulin resistance in skeletal muscle. Biochemical and Biophysical Research Communications, 2021, 534, 533-539.   | 2.1  | 4         |
| 2  | Insulin resistance in type 1 diabetes managed with metformin (INTIMET): Study protocol of a<br>doubleâ€blind placeboâ€controlled, randomised trial. Diabetic Medicine, 2021, 38, e14564.   | 2.3  | 6         |
| 3  | Translating glucose tolerance data from mice to humans: Insights from stable isotope labelled glucose tolerance tests. Molecular Metabolism, 2021, 53, 101281.   | 6.5  | 16        |
| 4  | Loss of protein kinase D activity demonstrates redundancy in cardiac glucose metabolism and preserves cardiac function in obesity. Molecular Metabolism, 2020, 42, 101105.   | 6.5  | 5         |
| 5  | Mapping the Associations of the Plasma Lipidome With Insulin Resistance and Response to an Oral<br>Glucose Tolerance Test. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1041-e1055.   | 3.6  | 11        |
| 6  | The Effects of Early-Onset Pre-Eclampsia on Placental Creatine Metabolism in the Third Trimester.<br>International Journal of Molecular Sciences, 2020, 21, 806.   | 4.1  | 10        |
| 7  | Placental creatine metabolism in cases of placental insufficiency and reduced fetal growth.<br>Molecular Human Reproduction, 2019, 25, 495-505.  | 2.8  | 15        |
| 8  | Phosphatidylserine decarboxylase is critical for the maintenance of skeletal muscle mitochondrial<br>integrity and muscle mass. Molecular Metabolism, 2019, 27, 33-46.   | 6.5  | 29        |
| 9  | Mechanisms of hyperinsulinaemia in apparently healthy non-obese young adults: role of insulin secretion, clearance and action and associations with plasma amino acids. Diabetologia, 2019, 62, 2310-2324.   | 6.3  | 17        |
| 10 | Treatment of type 2 diabetes with the designer cytokine IC7Fc. Nature, 2019, 574, 63-68.   | 27.8 | 55        |
| 11 | Reduced insulin action in muscle of high fat diet rats over the diurnal cycle is not associated with defective insulin signaling. Molecular Metabolism, 2019, 25, 107-118.   | 6.5  | 11        |
| 12 | Postprandial Aminogenic Insulin and Glucagon Secretion Can Stimulate Glucose Flux in Humans.<br>Diabetes, 2019, 68, 939-946.   | 0.6  | 39        |
| 13 | Modest changes to glycemic regulation are sufficient to maintain glucose fluxes in healthy young men following overfeeding with a habitual macronutrient composition. American Journal of Physiology - Endocrinology and Metabolism, 2019, 316, E1061-E1070. | 3.5  | 6         |
| 14 | UNICORN Babies: Understanding Circulating and Cerebral Creatine Levels of the Preterm Infant. An Observational Study Protocol. Frontiers in Physiology, 2019, 10, 142.   | 2.8  | 5         |
| 15 | Urinary sodium is positively associated with urinary free cortisol and total cortisol metabolites in a cross-sectional sample of Australian schoolchildren aged 5–12 years and their mothers. British Journal of Nutrition, 2019, 121, 164-171.              | 2.3  | 12        |
| 16 | Skeletal muscleâ€specific overexpression of heat shock protein 72 improves skeletal muscle<br>insulinâ€stimulated glucose uptake but does not alter whole body metabolism. Diabetes, Obesity and<br>Metabolism, 2018, 20, 1928-1936.                         | 4.4  | 18        |
| 17 | AgRP Neurons Require Carnitine Acetyltransferase to Regulate Metabolic Flexibility and Peripheral Nutrient Partitioning. Cell Reports, 2018, 22, 1745-1759.  | 6.4  | 30        |
| 18 | Perilipin 5 Deletion Unmasks an Endoplasmic Reticulum Stress–Fibroblast Growth Factor 21 Axis in<br>Skeletal Muscle. Diabetes, 2018, 67, 594-606.  | 0.6  | 36        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Effects of breaking up sitting on adolescents' postprandial glucose after consuming meals varying in energy: a cross-over randomised trial. Journal of Science and Medicine in Sport, 2018, 21, 280-285.                             | 1.3  | 35        |
| 20 | Measurement of postprandial glucose fluxes in response to acute and chronic endurance exercise in healthy humans. American Journal of Physiology - Endocrinology and Metabolism, 2018, 314, E503-E511.                               | 3.5  | 19        |
| 21 | Endogenous glucose production after sequential meals in humans: evidence for more prolonged<br>suppression after ingestion of a second meal. American Journal of Physiology - Endocrinology and<br>Metabolism, 2018, 315, E904-E911. | 3.5  | 6         |
| 22 | A selective inhibitor of ceramide synthase 1 reveals a novel role in fat metabolism. Nature Communications, 2018, 9, 3165.   | 12.8 | 93        |
| 23 | Creatine biosynthesis and transport by the term human placenta. Placenta, 2017, 52, 86-93.   | 1.5  | 16        |
| 24 | Lysine postâ€ŧranslational modification of glyceraldehydeâ€3â€phosphate dehydrogenase regulates hepatic<br>and systemic metabolism. FASEB Journal, 2017, 31, 2592-2602.  | 0.5  | 31        |
| 25 | Does maternal-fetal transfer of creatine occur in pregnant sheep?. American Journal of Physiology -<br>Endocrinology and Metabolism, 2017, 313, E75-E83.   | 3.5  | 12        |
| 26 | Resolution of glucose intolerance in long-term high-fat, high-sucrose-fed mice. Journal of Endocrinology, 2017, 233, 269-279.  | 2.6  | 16        |
| 27 | Increased liver AGEs induce hepatic injury mediated through an OST48 pathway. Scientific Reports, 2017, 7, 12292.  | 3.3  | 22        |
| 28 | The Effect of Ingested Glucose Dose on the Suppression of Endogenous Glucose Production in Humans. Diabetes, 2017, 66, 2400-2406.  | 0.6  | 24        |
| 29 | Analysis of Mammalian Cell Proliferation and Macromolecule Synthesis Using Deuterated Water and<br>Gas Chromatography-Mass Spectrometry. Metabolites, 2016, 6, 34.   | 2.9  | 23        |
| 30 | Reversing diet-induced metabolic dysregulation by diet switching leads to altered hepatic de novo<br>lipogenesis and glycerolipid synthesis. Scientific Reports, 2016, 6, 27541.   | 3.3  | 25        |
| 31 | Glucose-6-phosphate dehydrogenase contributes to the regulation of glucose uptake in skeletal muscle. Molecular Metabolism, 2016, 5, 1083-1091.  | 6.5  | 19        |
| 32 | α-Melanocyte stimulating hormone promotes muscle glucose uptake via melanocortin 5 receptors.<br>Molecular Metabolism, 2016, 5, 807-822.   | 6.5  | 39        |
| 33 | Disruption of the Class IIa HDAC Corepressor Complex Increases Energy Expenditure and Lipid Oxidation. Cell Reports, 2016, 16, 2802-2810.  | 6.4  | 68        |
| 34 | GM3 ganglioside and phosphatidylethanolamine-containing lipids are adipose tissue markers of insulin resistance in obese women. International Journal of Obesity, 2016, 40, 706-713.   | 3.4  | 28        |
| 35 | Evaluation of follistatin as a therapeutic in models of skeletal muscle atrophy associated with denervation and tenotomy. Scientific Reports, 2015, 5, 17535.  | 3.3  | 29        |
| 36 | Blocking IL-6 trans-Signaling Prevents High-Fat Diet-Induced Adipose Tissue Macrophage Recruitment<br>but Does Not Improve Insulin Resistance. Cell Metabolism, 2015, 21, 403-416.   | 16.2 | 208       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | InÂvivo cardiac glucose metabolism in the high-fat fed mouse: Comparison of<br>euglycemic–hyperinsulinemic clamp derived measures of glucose uptake with a dynamic metabolomic<br>flux profiling approach. Biochemical and Biophysical Research Communications, 2015, 463, 818-824.   | 2.1  | 12        |
| 38 | Application of dynamic metabolomics to examine inÂvivo skeletal muscle glucose metabolism in the<br>chronically high-fat fed mouse. Biochemical and Biophysical Research Communications, 2015, 462,<br>27-32.   | 2.1  | 47        |
| 39 | The CDP-Ethanolamine Pathway Regulates Skeletal Muscle Diacylglycerol Content and Mitochondrial<br>Biogenesis without Altering Insulin Sensitivity. Cell Metabolism, 2015, 21, 718-730.   | 16.2 | 83        |
| 40 | ATGL-mediated triglyceride turnover and the regulation of mitochondrial capacity in skeletal muscle.<br>American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E960-E970.  | 3.5  | 42        |
| 41 | Fetuin B Is a Secreted Hepatocyte Factor Linking Steatosis to Impaired Glucose Metabolism. Cell<br>Metabolism, 2015, 22, 1078-1089.   | 16.2 | 192       |
| 42 | Overexpression of sphingosine kinase 1 in liver reduces triglyceride content in mice fed a low but not<br>high-fat diet. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2015, 1851, 210-219.   | 2.4  | 33        |
| 43 | The regulation of glucose metabolism: implications and considerations for the assessment of glucose<br>homeostasis in rodents. American Journal of Physiology - Endocrinology and Metabolism, 2014, 307,<br>E859-E871.  | 3.5  | 115       |
| 44 | Fatty acid metabolism, energy expenditure and insulin resistance in muscle. Journal of Endocrinology, 2014, 220, T61-T79.   | 2.6  | 155       |
| 45 | PLIN5 deletion remodels intracellular lipid composition and causes insulin resistance in muscle.<br>Molecular Metabolism, 2014, 3, 652-663.   | 6.5  | 97        |
| 46 | Activating HSP72 in Rodent Skeletal Muscle Increases Mitochondrial Number and Oxidative Capacity and Decreases Insulin Resistance. Diabetes, 2014, 63, 1881-1894.   | 0.6  | 153       |
| 47 | Distinct patterns of tissue-specific lipid accumulation during the induction of insulin resistance in mice by high-fat feeding. Diabetologia, 2013, 56, 1638-1648.  | 6.3  | 339       |
| 48 | Interleukin-18 Activates Skeletal Muscle AMPK and Reduces Weight Gain and Insulin Resistance in Mice.<br>Diabetes, 2013, 62, 3064-3074.   | 0.6  | 71        |
| 49 | The Sphingosine-1-Phosphate Analog FTY720 Reduces Muscle Ceramide Content and Improves Glucose<br>Tolerance in High Fat-Fed Male Mice. Endocrinology, 2013, 154, 65-76.   | 2.8  | 48        |
| 50 | Ceramides Contained in LDL Are Elevated in Type 2 Diabetes and Promote Inflammation and Skeletal<br>Muscle Insulin Resistance. Diabetes, 2013, 62, 401-410.   | 0.6  | 240       |
| 51 | Marked phenotypic differences of endurance performance and exercise-induced oxygen consumption between AMPK and LKB1 deficiency in mouse skeletal muscle: changes occurring in the diaphragm.<br>American Journal of Physiology - Endocrinology and Metabolism, 2013, 305, E213-E229. | 3.5  | 17        |
| 52 | Plasma Sphingosine-1-Phosphate Is Elevated in Obesity. PLoS ONE, 2013, 8, e72449.   | 2.5  | 139       |
| 53 | lîºB kinase β (IKKβ) does not mediate feedback inhibition of the insulin signalling cascade. Biochemical<br>Journal, 2012, 442, 723-732.  | 3.7  | 5         |
| 54 | Overexpression of Sphingosine Kinase 1 Prevents Ceramide Accumulation and Ameliorates Muscle<br>Insulin Resistance in High-Fat Diet–Fed Mice. Diabetes, 2012, 61, 3148-3155.  | 0.6  | 126       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Regulation of plasma ceramide levels with fatty acid oversupply: evidence that the liver detects and secretes de novo synthesised ceramide. Diabetologia, 2012, 55, 2741-2746.  | 6.3  | 88        |
| 56 | Skeletal muscle-specific overproduction of constitutively activated c-Jun N-terminal kinase (JNK) induces insulin resistance in mice. Diabetologia, 2012, 55, 2769-2778.  | 6.3  | 49        |
| 57 | Plasma Lysophosphatidylcholine Levels Are Reduced in Obesity and Type 2 Diabetes. PLoS ONE, 2012, 7, e41456.  | 2.5  | 285       |
| 58 | Deletion of macrophage migration inhibitory factor protects the heart from severe<br>ischemia–reperfusion injury: A predominant role of anti-inflammation. Journal of Molecular and<br>Cellular Cardiology, 2011, 50, 991-999.                              | 1.9  | 99        |
| 59 | Deficiency of haematopoietic-cell-derived IL-10 does not exacerbate high-fat-diet-induced inflammation or insulin resistance in mice. Diabetologia, 2011, 54, 888-899.  | 6.3  | 50        |
| 60 | Adipose Triglyceride Lipase-Null Mice Are Resistant to High-Fat Diet–Induced Insulin Resistance Despite<br>Reduced Energy Expenditure and Ectopic Lipid Accumulation. Endocrinology, 2011, 152, 48-58.  | 2.8  | 94        |
| 61 | Interleukin-6-deficient mice develop hepatic inflammation and systemic insulin resistance.<br>Diabetologia, 2010, 53, 2431-2441.  | 6.3  | 283       |
| 62 | The Effect of Exercise on the Skeletal Muscle Phospholipidome of Rats Fed a High-Fat Diet.<br>International Journal of Molecular Sciences, 2010, 11, 3954-3964.   | 4.1  | 14        |
| 63 | AMP-activated protein kinase and muscle insulin resistance. Frontiers in Bioscience - Landmark, 2009,<br>Volume, 4658.  | 3.0  | 12        |
| 64 | α <sub>2</sub> -AMPK activity is not essential for an increase in fatty acid oxidation during<br>low-intensity exercise. American Journal of Physiology - Endocrinology and Metabolism, 2009, 296,<br>E47-E55.  | 3.5  | 49        |
| 65 | Lipid and insulin infusion-induced skeletal muscle insulin resistance is likely due to metabolic<br>feedback and not changes in IRS-1, Akt, or AS160 phosphorylation. American Journal of Physiology -<br>Endocrinology and Metabolism, 2009, 297, E67-E75. | 3.5  | 73        |
| 66 | Overexpression of Carnitine Palmitoyltransferase-1 in Skeletal Muscle Is Sufficient to Enhance Fatty<br>Acid Oxidation and Improve High-Fat Diet–Induced Insulin Resistance. Diabetes, 2009, 58, 550-558.   | 0.6  | 295       |
| 67 | Brain-derived neurotrophic factor is produced by skeletal muscle cells in response to contraction and enhances fat oxidation via activation of AMP-activated protein kinase. Diabetologia, 2009, 52, 1409-1418.   | 6.3  | 535       |
| 68 | No need to sweat: is dieting enough to alleviate insulin resistance in obesity?. Journal of Physiology, 2009, 587, 5001-5002.   | 2.9  | 2         |
| 69 | Reactive Oxygen Species Enhance Insulin Sensitivity. Cell Metabolism, 2009, 10, 260-272.  | 16.2 | 509       |
| 70 | HSP72 protects against obesity-induced insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 1739-1744.   | 7.1  | 477       |
| 71 | Prolonged interleukin-6 administration enhances glucose tolerance and increases skeletal muscle PPARα and UCP2 expression in rats. Journal of Endocrinology, 2008, 198, 367-374.  | 2.6  | 55        |
| 72 | Adipose Triglyceride Lipase Regulation of Skeletal Muscle Lipid Metabolism and Insulin Responsiveness.<br>Molecular Endocrinology, 2008, 22, 1200-1212.   | 3.7  | 36        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Excess Lipid Availability Increases Mitochondrial Fatty Acid Oxidative Capacity in Muscle. Diabetes, 2007, 56, 2085-2092.   | 0.6  | 472       |
| 74 | Glucose infusion causes insulin resistance in skeletal muscle of rats without changes in Akt and<br>AS160 phosphorylation. American Journal of Physiology - Endocrinology and Metabolism, 2007, 293,<br>E1358-E1364.                                  | 3.5  | 42        |
| 75 | Overexpression of carnitine palmitoyltransferase I in skeletal muscle in vivo increases fatty acid<br>oxidation and reduces triacylglycerol esterification. American Journal of Physiology - Endocrinology<br>and Metabolism, 2007, 292, E1231-E1237. | 3.5  | 58        |
| 76 | It's what you do with the fat that matters!. Nature Medicine, 2007, 13, 1137-1138.  | 30.7 | 6         |
| 77 | The role of adipokines as regulators of skeletal muscle fatty acid metabolism and insulin sensitivity.<br>Acta Physiologica, 2006, 186, 5-16.   | 3.8  | 202       |
| 78 | Discordant gene expression in skeletal muscle and adipose tissue of patients with type 2 diabetes: effect of interleukin-6 infusion. Diabetologia, 2006, 49, 1000-1007.   | 6.3  | 39        |
| 79 | Metformin counters the insulin-induced suppression of fatty acid oxidation and stimulation of<br>triacylglycerol storage in rodent skeletal muscle. American Journal of Physiology - Endocrinology<br>and Metabolism, 2006, 291, E182-E189.           | 3.5  | 128       |
| 80 | Endurance training in obese humans improves glucose tolerance and mitochondrial fatty acid<br>oxidation and alters muscle lipid content. American Journal of Physiology - Endocrinology and<br>Metabolism, 2006, 291, E99-E107.                       | 3.5  | 270       |
| 81 | Identification of fatty acid translocase on human skeletal muscle mitochondrial membranes: essential<br>role in fatty acid oxidation. American Journal of Physiology - Endocrinology and Metabolism, 2006,<br>290, E509-E515.                         | 3.5  | 115       |
| 82 | AMP kinase activation with AICAR simultaneously increases fatty acid and glucose oxidation in resting rat soleus muscle. Journal of Physiology, 2005, 565, 537-546.   | 2.9  | 67        |
| 83 | AMP kinase activation with AICAR further increases fatty acid oxidation and blunts triacylglycerol hydrolysis in contracting rat soleus muscle. Journal of Physiology, 2005, 565, 547-553.  | 2.9  | 42        |
| 84 | PGCâ€1α gene expression is downâ€regulated by Aktâ€mediated phosphorylation and nuclear exclusion of<br>FoxO1 in insulinâ€stimulated skeletal muscle. FASEB Journal, 2005, 19, 2072-2074.   | 0.5  | 65        |
| 85 | The Stimulatory Effect of Globular Adiponectin on Insulin-Stimulated Glucose Uptake and Fatty Acid<br>Oxidation Is Impaired in Skeletal Muscle From Obese Subjects. Diabetes, 2005, 54, 3154-3160.  | 0.6  | 149       |
| 86 | Exercise alters the profile of phospholipid molecular species in rat skeletal muscle. Journal of Applied Physiology, 2004, 97, 1823-1829.   | 2.5  | 60        |
| 87 | Greater effect of diet than exercise training on the fatty acid profile of rat skeletal muscle. Journal of Applied Physiology, 2004, 96, 974-980.   | 2.5  | 33        |
| 88 | Postexercise Muscle Triacylglycerol and Glycogen Metabolism in Obese Insulinâ€Resistant Zucker Rats.<br>Obesity, 2004, 12, 1158-1165.   | 4.0  | 6         |
| 89 | Disassociation of muscle triglyceride content and insulin sensitivity after exercise training in patients with Type 2 diabetes. Diabetologia, 2004, 47, 23-30.  | 6.3  | 148       |
| 90 | The effect of insulin and exercise on c-Cbl protein abundance and phosphorylation in insulin-resistant skeletal muscle in lean and obese Zucker rats. Diabetologia, 2004, 47, 412-419.  | 6.3  | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Cytokine regulation of skeletal muscle fatty acid metabolism: effect of interleukin-6 and tumor<br>necrosis factor-α. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E616-E621.                                      | 3.5 | 149       |
| 92  | Regulation of fuel metabolism by preexercise muscle glycogen content and exercise intensity. Journal of Applied Physiology, 2004, 97, 2275-2283.  | 2.5 | 71        |
| 93  | Improvements in insulin resistance with aerobic exercise training: a lipocentric approach. Medicine and Science in Sports and Exercise, 2004, 36, 1196-201.   | 0.4 | 43        |
| 94  | Dietary Regulation of Fat Oxidative Gene Expression in Different Skeletal Muscle Fiber Types. Obesity, 2003, 11, 1471-1479.   | 4.0 | 37        |
| 95  | Intramuscular Heat Shock Protein 72 and Heme Oxygenase-1 mRNA Are Reduced in Patients With Type 2<br>Diabetes: Evidence That Insulin Resistance Is Associated With a Disturbed Antioxidant Defense<br>Mechanism. Diabetes, 2003, 52, 2338-2345. | 0.6 | 310       |
| 96  | Muscle Oxidative Capacity Is a Better Predictor of Insulin Sensitivity than Lipid Status. Journal of<br>Clinical Endocrinology and Metabolism, 2003, 88, 5444-5451.   | 3.6 | 195       |
| 97  | Interaction of exercise and diet on GLUT-4 protein and gene expression in Type I and Type II rat skeletal muscle. Acta Physiologica Scandinavica, 2002, 175, 37-44.   | 2.2 | 26        |
| 98  | Effect Of Training On Activation Of Extracellular Signal-Regulated Kinase 1/2 And P38<br>Mitogen-Activated Protein Kinase Pathways In Rat Soleus Muscle. Clinical and Experimental<br>Pharmacology and Physiology, 2002, 29, 655-660.           | 1.9 | 25        |
| 99  | Effect of carbohydrate ingestion on metabolism during running and cycling. Journal of Applied Physiology, 2001, 91, 2125-2134.  | 2.5 | 51        |
| 100 | Postexercise muscle glycogen resynthesis in obese insulin-resistant Zucker rats. Journal of Applied<br>Physiology, 2001, 91, 1512-1519.   | 2.5 | 16        |
| 101 | Interaction of Diet and Training on Endurance Performance in Rats. Experimental Physiology, 2001, 86, 499-508.  | 2.0 | 33        |
| 102 | Improved 2000-Meter Rowing Performance in Competitive Oarswomen after Caffeine Ingestion.<br>International Journal of Sport Nutrition and Exercise Metabolism, 2000, 10, 464-475.   | 2.1 | 78        |
| 103 | Enhancement of 2000-m rowing performance after caffeine ingestion. Medicine and Science in Sports and Exercise, 2000, 32, 1958-1963.  | 0.4 | 158       |