

Jiahao Yan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2643454/publications.pdf>

Version: 2024-02-01

45
papers

1,563
citations

279487

23
h-index

301761

39
g-index

45
all docs

45
docs citations

45
times ranked

2293
citing authors

#	ARTICLE	IF	CITATIONS
1	Directional Fano Resonance in a Silicon Nanosphere Dimer. ACS Nano, 2015, 9, 2968-2980.	7.3	198
2	The optical duality of tellurium nanoparticles for broadband solar energy harvesting and efficient photothermal conversion. Science Advances, 2018, 4, eaas9894.	4.7	159
3	Electronic Reconstruction of Ag_2WO_4 Nanorods for Visible-Light Photocatalysis. ACS Nano, 2015, 9, 7256-7265.	7.3	131
4	Resonance Coupling in Heterostructures Composed of Silicon Nanosphere and Monolayer WS_2 : A Magnetic-Dipole-Mediated Energy Transfer Process. ACS Nano, 2019, 13, 1739-1750.	7.3	90
5	Plasmonic near-touching titanium oxide nanoparticles to realize solar energy harvesting and effective local heating. Nanoscale, 2016, 8, 8826-8838.	2.8	69
6	Ultrafast Control of Phase and Polarization of Light Expedited by Hot-Electron Transfer. Nano Letters, 2018, 18, 5544-5551.	4.5	60
7	Fabrication of Si/Au Core/Shell Nanoplasmonic Structures with Ultrasensitive Surface-Enhanced Raman Scattering for Monolayer Molecule Detection. Journal of Physical Chemistry C, 2015, 119, 1234-1246.	1.5	58
8	Resonance Coupling in Silicon Nanosphere-J-Aggregate Heterostructures. Nano Letters, 2016, 16, 6886-6895.	4.5	58
9	Matching energy levels between TiO_2 and Fe_2O_3 in a core-shell nanoparticle for visible-light photocatalysis. Journal of Materials Chemistry A, 2015, 3, 14853-14863.	5.2	57
10	Strain engineering coupled with optical regulation towards a high-sensitivity In_2S_3 photodetector. Materials Horizons, 2020, 7, 1427-1435.	6.4	53
11	New type high-index dielectric nanosensors based on the scattering intensity shift. Nanoscale, 2016, 8, 5996-6007.	2.8	50
12	Point-Source Geometric Metasurface Holography. Nano Letters, 2021, 21, 2332-2338.	4.5	43
13	Tunable Control of Interlayer Excitons in WS_2/MoS_2 Heterostructures via Strong Coupling with Enhanced Mie Resonances. Advanced Science, 2019, 6, 1802092.	5.6	40
14	Plasmon-Induced Energy Transfer and Photoluminescence Manipulation in MoS_2 with a Different Number of Layers. ACS Photonics, 2017, 4, 1092-1100.	3.2	39
15	Directional Scattering in a Germanium Nanosphere in the Visible Light Region. Advanced Optical Materials, 2017, 5, 1700761.	3.6	37
16	Photoluminescence manipulation of WS_2 flakes by an individual Si nanoparticle. Materials Horizons, 2019, 6, 97-106.	6.4	36
17	All-Dielectric Nanostructure Fabrication-Enhanced Mie Resonances Coupled with Photogain Modulation toward Ultrasensitive In_2S_3 Photodetector. Advanced Functional Materials, 2021, 31, 2007987.	7.8	34
18	Enhanced second harmonic generation in individual barium titanate nanoparticles driven by Mie resonances. Journal of Materials Chemistry C, 2017, 5, 4810-4819.	2.7	33

#	ARTICLE	IF	CITATIONS
19	Generating scattering dark states through the Fano interference between excitons and an individual silicon nanogroove. <i>Light: Science and Applications</i> , 2017, 6, e16197-e16197.	7.7	31
20	All-dielectric materials and related nanophotonic applications. <i>Materials Science and Engineering Reports</i> , 2020, 141, 100563.	14.8	28
21	Electrically Biased Silicon Metasurfaces with Magnetic Mie Resonance for Tunable Harmonic Generation of Light. <i>ACS Photonics</i> , 2019, 6, 2663-2670.	3.2	27
22	Midrefractive Dielectric Modulator for Broadband Unidirectional Scattering and Effective Radiative Tailoring in the Visible Region. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 22468-22476.	4.0	26
23	Energy Dissipation and Asymmetric Excitation in Hybrid Waveguides for Routing and Coloring. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 7034-7040.	2.1	26
24	Electrically Controlled Scattering in a Hybrid Dielectric-Plasmonic Nanoantenna. <i>Nano Letters</i> , 2017, 17, 4793-4800.	4.5	19
25	Plasmon resonances in semiconductor materials for detecting photocatalysis at the single-particle level. <i>Nanoscale</i> , 2016, 8, 15001-15007.	2.8	18
26	Active tuning of the Fano resonance from a Si nanosphere dimer by the substrate effect. <i>Nanoscale Horizons</i> , 2019, 4, 148-157.	4.1	18
27	Single silicon nanostripe gated suspended monolayer and bilayer WS ₂ to realize abnormal electro-optical modulation. <i>Materials Horizons</i> , 2019, 6, 334-342.	6.4	17
28	Directional Fano Resonance in an Individual GaAs Nanospheroid. <i>Small</i> , 2019, 15, e1900546.	5.2	16
29	Active tuning of Mie resonances to realize sensitive photothermal measurement of single nanoparticles. <i>Materials Horizons</i> , 2020, 7, 1542-1551.	6.4	12
30	Optical Resonance Coupled with Electronic Structure Engineering toward High-Sensitivity Photodetectors. <i>Advanced Optical Materials</i> , 2021, 9, 2101374.	3.6	12
31	Dynamic radiative tailoring based on mid-refractive dielectric nanoantennas. <i>Nanoscale Horizons</i> , 2019, 4, 712-719.	4.1	11
32	Direct-indirect bandgap transition in monolayer MoS ₂ induced by an individual Si nanoparticle. <i>Nanotechnology</i> , 2020, 31, 065204.	1.3	9
33	An All-Dielectric Metasurface Building Block for the Kerker Effect between Excitons and Nanocavities: Germanium Nanogroove. <i>Advanced Optical Materials</i> , 2018, 6, 1701176.	3.6	7
34	Enhancement of exciton emission in WS ₂ based on the Kerker effect from the mode engineering of individual Si nanostripes. <i>Nanoscale Horizons</i> , 2020, 5, 1368-1377.	4.1	7
35	Individual Si Nanospheres Wrapped in a Suspended Monolayer WS ₂ for Electromechanically Controlled Mie-Type Nanopixels. <i>Advanced Optical Materials</i> , 2021, 9, 2001954.	3.6	7
36	Etching-free high-throughput intersectional nanofabrication of diverse optical nanoantennas for nanoscale light manipulation. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 950-959.	5.0	6

#	ARTICLE	IF	CITATIONS
37	Gold nanoarray deposited using alternating current for emission rate-manipulating nanoantenna. <i>Nanoscale Research Letters</i> , 2013, 8, 295.	3.1	5
38	WS ₂ /hBN Hetero-nanoslits with Spatially Mismatched Electromagnetic Multipoles for Directional and Enhanced Light Emission. <i>ACS Nano</i> , 2022, 16, 675-682.	7.3	5
39	Loss-favored ultrasensitive refractive index sensor based on directional scattering from a single all-dielectric nanosphere. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6350-6357.	2.7	3
40	Trapping and filtering of light by single Si nanospheres in a GaAs nanocavity. <i>Nanoscale</i> , 2019, 11, 16299-16307.	2.8	2
41	Directional radiation and photothermal effect enhanced control of 2D excitonic emission based on germanium nanoparticles. <i>Nanotechnology</i> , 2020, 31, 385201.	1.3	2
42	Engineering Radiative Energy Transfer and Directional Excitonic Emission in van der Waals Heterostructures. <i>Laser and Photonics Reviews</i> , 2022, 16, .	4.4	2
43	Creating a Nanoscale "Black Hole" to Trap Light by a Single Au Nanosphere in an All-Dielectric Nanocavity. <i>Advanced Optical Materials</i> , 2018, 6, 1800366.	3.6	1
44	Multiple resonance coupling in an individual germanium nanogroove with organic dyes. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 215103.	1.3	1
45	Electro-Optical Manipulation Based on Dielectric Nanoparticles. , 0, , .		0