
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2647066/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Coumarins Isolated fromAngelicagigasInhibit Acetylcholinesterase:Â Structureâ^'Activity Relationships. Journal of Natural Products, 2001, 64, 683-685.	3.0	204
2	Genome and evolution of the shadeâ€requiring medicinal herb <i>Panax ginseng</i> . Plant Biotechnology Journal, 2018, 16, 1904-1917.	8.3	136
3	Neuroprotective and anti-inflammatory effects of flavonoids isolated from Rhus verniciflua in neuronal HT22 and microglial BV2 cell lines. Food and Chemical Toxicology, 2012, 50, 1940-1945.	3.6	128
4	The simultaneous determination of coumarins in Angelica gigas root by high performance liquid chromatography–diode array detector coupled with electrospray ionization/mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 258-266.	2.8	105
5	Cognitive-enhancing effects of Rhus verniciflua bark extract and its active flavonoids with neuroprotective and anti-inflammatory activities. Food and Chemical Toxicology, 2013, 58, 355-361.	3.6	90
6	Hepatoprotective Diastereomeric Lignans fromSaururus chinensisHerbs. Journal of Natural Products, 2000, 63, 1019-1021.	3.0	89
7	The effects of lignan-riched extract of Shisandra chinensis on amyloid-β-induced cognitive impairment and neurotoxicity in the cortex and hippocampus of mouse. Journal of Ethnopharmacology, 2013, 146, 347-354.	4.1	89
8	Ginsenoside 20(S)-Rh2 exerts anti-cancer activity through targeting IL-6-induced JAK2/STAT3 pathway in human colorectal cancer cells. Journal of Ethnopharmacology, 2016, 194, 83-90.	4.1	76
9	Anti-Influenza Activity of Betulinic Acid from Zizyphus jujuba on Influenza A/PR/8 Virus. Biomolecules and Therapeutics, 2015, 23, 345-349.	2.4	70
10	Hepatoprotective activity of scopoletin, a constituent ofSolanum lyratum. Archives of Pharmacal Research, 1998, 21, 718-722.	6.3	65
11	(+)ALPHAViniferin, a Stilbene Trimer from Caragana chamlague, Inhibits Acetylcholinesterase Biological and Pharmaceutical Bulletin, 2002, 25, 125-127.	1.4	65
12	Hydrolyzable tannins from the fruits of Terminalia chebula Retz and their α-glucosidase inhibitory activities. Phytochemistry, 2017, 137, 109-116.	2.9	62
13	Comprehensive mass spectrometryâ€guided phenotyping of plant specialized metabolites reveals metabolic diversity in the cosmopolitan plant family Rhamnaceae. Plant Journal, 2019, 98, 1134-1144.	5.7	59
14	Lignan and neolignan glycosides fromUlmus davidiana var.japonica. Archives of Pharmacal Research, 2001, 24, 198-201.	6.3	55
15	Jubanines F–J, cyclopeptide alkaloids from the roots of Ziziphus jujuba. Phytochemistry, 2015, 119, 90-95.	2.9	53
16	Andrographolide Activates Keap1/Nrf2/ARE/HO-1 Pathway in HT22 Cells and Suppresses Microglial Activation by A <i>β</i> ₄₂ through Nrf2-Related Inflammatory Response. Mediators of Inflammation, 2017, 2017, 1-12.	3.0	51
17	New Tetrahydrofuran-Type Sesquilignans of Saururus chinensis Root Chemical and Pharmaceutical Bulletin, 2001, 49, 1192-1194.	1.3	48
18	KD-501, a standardized extract of Scrophularia buergeriana has both cognitive-enhancing and antioxidant activities in mice given scopolamine. Journal of Ethnopharmacology, 2009, 121, 98-105.	4.1	48

#	Article	IF	CITATIONS
19	Anti-adipogenic activity of compounds isolated from Idesia polycarpa on 3T3-L1 cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 3170-3174.	2.2	44
20	Neuroprotective biflavonoids of Chamaecyparis obtusa leaves against glutamate-induced oxidative stress in HT22 hippocampal cells. Food and Chemical Toxicology, 2014, 64, 397-402.	3.6	44
21	Targeted Isolation of Neuroprotective Dicoumaroyl Neolignans and Lignans from <i>Sageretia theezans</i> Using <i>in Silico</i> Molecular Network Annotation Propagation-Based Dereplication. Journal of Natural Products, 2018, 81, 1819-1828.	3.0	44
22	Neuroprotective Lignans from the Bark of Machilus thunbergii. Planta Medica, 2004, 70, 79-80.	1.3	43
23	Antioxidant Lignans from Machilus thunbergii Protect CCl4-injured Primary Cultures of Rat Hepatocytes. Journal of Pharmacy and Pharmacology, 2010, 52, 1163-1169.	2.4	42
24	Terminalia chebula extract prevents scopolamine-induced amnesia via cholinergic modulation and anti-oxidative effects in mice. BMC Complementary and Alternative Medicine, 2018, 18, 136.	3.7	41
25	Identification of candidate UDP-glycosyltransferases involved in protopanaxadiol-type ginsenoside biosynthesis in Panax ginseng. Scientific Reports, 2018, 8, 11744.	3.3	41
26	Persicarin from water dropwort (<i>Oenanthe javanica</i>) protects primary cultured rat cortical cells from glutamateâ€induced neurotoxicity. Phytotherapy Research, 2010, 24, 913-918.	5.8	40
27	Molecular Networking Reveals the Chemical Diversity of Selaginellin Derivatives, Natural Phosphodiesterase-4 Inhibitors from <i>Selaginella tamariscina</i> . Journal of Natural Products, 2019, 82, 1820-1830.	3.0	40
28	Identification and quantification of flavonoids in yellow grain mutant of rice (Oryza sativa L.). Food Chemistry, 2018, 241, 154-162.	8.2	38
29	Kuwanon V Inhibits Proliferation, Promotes Cell Survival and Increases Neurogenesis of Neural Stem Cells. PLoS ONE, 2015, 10, e0118188.	2.5	35
30	Identification of ginsenoside markers from dry purified extract of Panax ginseng by a dereplication approach and UPLC–QTOF/MS analysis. Journal of Pharmaceutical and Biomedical Analysis, 2015, 109, 91-104.	2.8	35
31	Cognition-enhancing and neuroprotective activities of the standardized extract of Betula platyphylla bark and its major diarylheptanoids. Phytomedicine, 2012, 19, 1315-1320.	5.3	34
32	Complete 1H-NMR and 13C-NMR spectral analysis of the pairs of 20(S) and 20(R) ginsenosides. Journal of Ginseng Research, 2014, 38, 194-202.	5.7	34
33	LXR-α antagonist meso-dihydroguaiaretic acid attenuates high-fat diet-induced nonalcoholic fatty liver. Biochemical Pharmacology, 2014, 90, 414-424.	4.4	32
34	Calpain inhibitory flavonoids isolated from <i>Orostachys japonicus</i> . Journal of Enzyme Inhibition and Medicinal Chemistry, 2009, 24, 676-679.	5.2	31
35	Anti-adipogenic diarylheptanoids from Alnus hirsuta f. sibirica on 3T3-L1 cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 2069-2073.	2.2	29
36	Bisdemethoxycurcumin Induces Apoptosis in Activated Hepatic Stellate Cells via Cannabinoid Receptor 2. Molecules, 2015, 20, 1277-1292.	3.8	29

#	Article	IF	CITATIONS
37	Triterpenoidal saponins of Pulsatilla koreana roots. Phytochemistry, 2010, 71, 1892-1899.	2.9	28
38	Salicortin-Derivatives from Salix pseudo-lasiogyne Twigs Inhibit Adipogenesis in 3T3-L1 Cells via Modulation of C/EBPα and SREBP1c Dependent Pathway. Molecules, 2013, 18, 10484-10496.	3.8	28
39	Cytotoxic Ceanothane- and Lupane-Type Triterpenoids from the Roots of <i>Ziziphus jujuba</i> . Journal of Natural Products, 2016, 79, 2364-2375.	3.0	28
40	Pectolinarigenin, an aglycone of pectolinarin, has more potent inhibitory activities on melanogenesis than pectolinarin. Biochemical and Biophysical Research Communications, 2017, 493, 765-772.	2.1	28
41	Salvia miltiorrhiza extract protects white matter and the hippocampus from damage induced by chronic cerebral hypoperfusion in rats. BMC Complementary and Alternative Medicine, 2015, 15, 415.	3.7	27
42	Potential of decursin to inhibit the human cytochrome P450 2J2 isoform. Food and Chemical Toxicology, 2014, 70, 94-99.	3.6	26
43	Hepatoprotective flavonol glycosides ofSaururus chinensis herbs. , 1997, 11, 500-503.		25
44	Simultaneous determination of four active constituents in the roots of <i>Scrophularia buergeriana </i> by HPLCâ€DAD and LCâ€ESIâ€MS. Journal of Separation Science, 2007, 30, 2345-2350.	2.5	25
45	Inhibition of antigen-induced degranulation by aryl compounds isolated from the bark of Betula platyphylla in RBL-2H3 cells. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 2824-2827.	2.2	25
46	Acylphloroglucinolated Catechin and Phenylethyl Isocoumarin Derivatives from <i>Agrimonia pilosa</i> . Journal of Natural Products, 2016, 79, 2376-2383.	3.0	24
47	<i>C</i> -Methylated Flavonoid Glycosides from <i>Pentarhizidium orientale</i> Rhizomes and Their Inhibitory Effects on the H1N1 Influenza Virus. Journal of Natural Products, 2017, 80, 2818-2824.	3.0	24
48	Quality control of <i>Pulsatilla koreana</i> based on the simultaneous determination of triterpenoidal saponins by HPLCâ€ELSD and principal component analysis. Phytochemical Analysis, 2010, 21, 314-321.	2.4	23
49	Ameliorative effect of betulin from Betula platyphylla bark on scopolamine-induced amnesic mice. Bioscience, Biotechnology and Biochemistry, 2016, 80, 166-171.	1.3	23
50	Combined Application of UHPLCâ€QTOF/MS, HPLCâ€ELSD and ¹ H–NMR Spectroscopy for Quality Assessment of DAâ€9801, A Standardised <i>Dioscorea</i> Extract. Phytochemical Analysis, 2017, 28, 185-194.	2.4	23
51	Betulin Suppresses Osteoclast Formation via Down-Regulating NFATc1. Journal of Clinical Medicine, 2018, 7, 154.	2.4	23
52	Compounds with neuroprotective activity from the medicinal plantMachilus thunbergii. Journal of Enzyme Inhibition and Medicinal Chemistry, 2009, 24, 1117-1121.	5.2	22
53	Antiplasmodial Activity, Cytotoxicity and Structure-Activity Relationship Study of Cyclopeptide Alkaloids. Molecules, 2017, 22, 224.	3.8	22
54	Enhancement of Glucose Uptake by Meso-Dihydroguaiaretic Acid through GLUT4 Up-Regulation in 3T3-L1 Adipocytes. Molecules, 2017, 22, 1423.	3.8	22

#	Article	IF	CITATIONS
55	Hepatoprotective flavonoids in Opuntia ficus-indica fruits by reducing oxidative stress in primary rat hepatocytes. Pharmacognosy Magazine, 2017, 13, 472.	0.6	21
56	<i>ent</i> -Kaurane and <i>ent</i> -Pimarane Diterpenes from <i>Siegesbeckia pubescens</i> Inhibit Lipopolysaccharide-Induced Nitric Oxide Production in BV2 Microglia. Biological and Pharmaceutical Bulletin, 2014, 37, 152-157.	1.4	20
57	Involvement of heme oxygenase-1 induction in the cytoprotective and neuroinflammatory activities of Siegesbeckia Pubescens isolated from 5,3′-dihydroxy-3,7,4′-trimethoxyflavone in HT22 cells and BV2 cells. International Immunopharmacology, 2016, 40, 65-72.	3.8	20
58	Authentication of <i>Zanthoxylum</i> Species Based on Integrated Analysis of Complete Chloroplast Genome Sequences and Metabolite Profiles. Journal of Agricultural and Food Chemistry, 2017, 65, 10350-10359.	5.2	20
59	New polyhydroxytriterpenoid derivatives from fruits of Terminalia chebula Retz. and their α-glucosidase and α-amylase inhibitory activity. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 34-39.	2.2	20
60	Anti-Neuroinflammatory ent-Kaurane Diterpenoids from Pteris multifida Roots. Molecules, 2017, 22, 27.	3.8	20
61	Chemical constituents isolated from Disporum viridescens leaves and their inhibitory effect on nitric oxide production in BV2 microglial cells. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 5675-5678.	2.2	19
62	Anti-adipogenic activity of a new cyclic diarylheptanoid isolated from Alnus japonica on 3T3-L1 cells via modulation of PPARγ, C/EBPα and SREBP1c signaling. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 4648-4651.	2.2	19
63	A Novel Flavonol Lyxoside ofOrostachys JaponicusHerb. Natural Product Research, 2002, 16, 29-32.	0.4	18
64	PharmDB-K: Integrated Bio-Pharmacological Network Database for Traditional Korean Medicine. PLoS ONE, 2015, 10, e0142624.	2.5	18
65	Lignans from Opuntia ficus-indica seeds protect rat primary hepatocytes and HepG2 cells against ethanol-induced oxidative stress. Bioscience, Biotechnology and Biochemistry, 2017, 81, 181-183.	1.3	18
66	Catechin-Bound Ceanothane-Type Triterpenoid Derivatives from the Roots of <i>Zizyphus jujuba</i> . Journal of Natural Products, 2017, 80, 1048-1054.	3.0	17
67	Discrimination of Scrophulariae Radix according to geographical origin and determination of active constituents by near infrared spectroscopy (NIRS). Microchemical Journal, 2011, 99, 213-217.	4.5	16
68	Hepatoprotective constituents of Firmiana simplex stem bark against ethanol insult to primary rat hepatocytes. Pharmacognosy Magazine, 2015, 11, 55.	0.6	16
69	Berchemiosides A–C, 2-Acetoxy-ï‰-phenylpentaene Fatty Acid Triglycosides from the Unripe Fruits of <i>Berchemia berchemiifolia</i> . Journal of Natural Products, 2017, 80, 2778-2786.	3.0	16
70	Anti-hepatotoxic activity of icariside II, a constituent ofEpimedium koreanum. Archives of Pharmacal Research, 1995, 18, 289-292.	6.3	15
71	Hepatoprotective effects of Limonium tetragonum, edible medicinal halophyte growing near seashores. Pharmacognosy Magazine, 2014, 10, 563.	0.6	15
72	Inhibition of Nitric Oxide Production in BV2 Microglial Cells by Triterpenes from Tetrapanax papyriferus. Molecules, 2016, 21, 459.	3.8	15

#	Article	IF	CITATIONS
73	The complete chloroplast genome sequence of <i>Zanthoxylum piperitum</i> . Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 3525-3526.	0.7	15
74	Assessing specialized metabolite diversity of Alnus species by a digitized LC–MS/MS data analysis workflow. Phytochemistry, 2020, 173, 112292.	2.9	15
75	Prediction of tyrosinase inhibitory activities of Morus alba root bark extracts from HPLC fingerprints. Microchemical Journal, 2013, 110, 731-738.	4.5	14
76	Determination of five active compounds in Artemisia princeps and A. capillaris based on UPLC-DAD and discrimination of two species with multivariate analysis. Archives of Pharmacal Research, 2014, 37, 617-625.	6.3	14
77	Ceanothane- and lupane-type triterpene esters from the roots of Hovenia dulcis and their antiproliferative activity on HSC-T6 cells. Phytochemistry, 2017, 142, 60-67.	2.9	14
78	Lignan Dimers from <i>Forsythia viridissima</i> Roots and Their Antiviral Effects. Journal of Natural Products, 2019, 82, 232-238.	3.0	14
79	Cytotoxic pterosins from Pteris multifida roots against HCT116 human colon cancer cells. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 3144-3147.	2.2	13
80	Anti-inflammatory activity of mulberrofuran K isolated from the bark of Morus bombycis. International Immunopharmacology, 2018, 58, 117-124.	3.8	13
81	Platyphylloside Isolated From Inhibit Adipocyte Differentiation and Induce Lipolysis Via Regulating Adipokines Including PPARÎ ³ in 3T3-L1 Cells. Pharmacognosy Magazine, 2016, 12, 276-281.	0.6	13
82	Cytotoxic activities of naturally occurring oleanane-, ursane-, and lupane-type triterpenes on HepG2 and AGS cells. Pharmacognosy Magazine, 2017, 13, 118.	0.6	13
83	Implication of the Stereoisomers of Ginsenoside Derivatives in the Antiproliferative Effect of HSC-T6 Cells. Journal of Agricultural and Food Chemistry, 2012, 60, 11759-11764.	5.2	12
84	Plant-derived juvenile hormone III analogues and other sesquiterpenes from the stem bark of Cananga latifolia. Phytochemistry, 2013, 94, 277-283.	2.9	12
85	The complete chloroplast genome sequence of <i>Cynanchum auriculatum</i> Royle ex Wight (Apocynaceae). Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 4549-4550.	0.7	12
86	The complete chloroplast genome sequence of an important medicinal plant <i>Cynanchum wilfordii</i> (Maxim.) Hemsl. (Apocynaceae). Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 3747-3748.	0.7	12
87	Glucose Uptake-Stimulating Galloyl Ester Triterpenoids from Castanopsis sieboldii. Journal of Natural Products, 2020, 83, 3093-3101.	3.0	12
88	Triterpenoids Isolated from <i>Alnus japonica</i> Inhibited LPS-Induced Inflammatory Mediators in HT-29 Cells and RAW264.7 Cells. Biological and Pharmaceutical Bulletin, 2017, 40, 1544-1550.	1.4	11
89	The complete chloroplast genome sequence of Magic Lily (<i>Lycoris squamigera</i>). Mitochondrial DNA Part B: Resources, 2018, 3, 1210-1211.	0.4	11
90	The effects of Betula platyphylla bark on amyloid beta-induced learning and memory impairment in mice. Food and Chemical Toxicology, 2014, 74, 156-163.	3.6	10

#	Article	IF	CITATIONS
91	The complete chloroplast genome sequences of <i>Artemisia gmelinii</i> and <i>Artemisia capillaris</i> (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 410-411.	0.4	10
92	Two complete chloroplast genome sequences and intra-species diversity for <i>Rehmannia glutinosa</i> (Orobanchaceae). Mitochondrial DNA Part B: Resources, 2019, 4, 176-177.	0.4	10
93	Complete chloroplast genome sequence of <i>Artemisia fukudo</i> Makino (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 376-377.	0.4	9
94	The complete chloroplast genome sequence of <i>Ligularia fischeri</i> (Ledeb.) Turcz. (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 4-5.	0.4	9
95	Quercetin 3,7- <i>O</i> -dimethyl ether from <i>Siegesbeckia pubescens</i> suppress the production of inflammatory mediators in lipopolysaccharide-induced macrophages and colon epithelial cells. Bioscience, Biotechnology and Biochemistry, 2016, 80, 2080-2086.	1.3	9
96	The complete chloroplast genome sequence of Korean Lonicera japonica and intra-species diversity. Mitochondrial DNA Part B: Resources, 2018, 3, 941-942.	0.4	9
97	Expedient Synthesis of Alphitolic Acid and Its Naturally Occurring 2- <i>O</i> -Ester Derivatives. Journal of Natural Products, 2019, 82, 895-902.	3.0	9
98	Rapid Determination of Betulin in <i>Betula platyphylla</i> Outer Bark Using Near-Infrared Spectroscopy. Analytical Letters, 2013, 46, 1289-1298.	1.8	8
99	The ethanolic extract of Juglans sinensis leaves and twigs attenuates CCl ₄ -induced hepatic oxidative stress in rats. Pharmacognosy Magazine, 2015, 11, 533.	0.6	8
100	Efficient Method for Extraction and Simultaneous Determination of Active Constituents in Cornus officinalis by Reflux Extraction and High Performance Liquid Chromatography with Diode Array Detection. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 822-832.	1.0	7
101	The complete chloroplast genomes of two <i>Taraxacum</i> species, <i>T. platycarpum</i> Dahlst. and <i>T. mongolicum</i> HandMazz. (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 412-413.	0.4	7
102	The complete chloroplast genome of <i>Eclipta prostrata</i> L. (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 414-415.	0.4	7
103	Fast and Simple Discriminative Analysis of Anthocyanins-Containing Berries Using LC/MS Spectral Data. Phytochemical Analysis, 2017, 28, 416-423.	2.4	7
104	Nrf2-Mediated HO-1 Induction and Antineuroinflammatory Activities of Halleridone. Journal of Medicinal Food, 2017, 20, 1091-1099.	1.5	7
105	Multiple Targets of 3-Dehydroxyceanothetric Acid 2-Methyl Ester to Protect Against Cisplatin-Induced Cytotoxicity in Kidney Epithelial LLC-PK1 Cells. Molecules, 2019, 24, 878.	3.8	7
106	Exploring novel secondary metabolites from natural products using pre-processed mass spectral data. Scientific Reports, 2019, 9, 17430.	3.3	7
107	Combined MS/MS-NMR Annotation Guided Discovery of Iris lactea var. chinensis Seed as a Source of Viral Neuraminidase Inhibitory Polyphenols. Molecules, 2020, 25, 3383.	3.8	7
108	Dammarane Derivatives Protect Cultured Rat Cortical Cells from Glutamate-induced Neurotoxicity. Journal of Pharmacy and Pharmacology, 2010, 52, 1505-1511.	2.4	6

#	Article	IF	CITATIONS
109	Discrimination of Scrophularia spp. according to geographic origin with HPLC-DAD combined with multivariate analysis. Microchemical Journal, 2010, 94, 118-124.	4.5	6
110	Chemical constituents from a Gynostemma laxum and their antioxidant and neuroprotective activities. Chinese Medicine, 2017, 12, 15.	4.0	6
111	Argininosecologanin, a secoiridoid-derived guanidine alkaloid from the roots of <i>Lonicera insularis</i> . Natural Product Research, 2018, 32, 788-794.	1.8	6
112	Screening of cytotoxic or cytostatic flavonoids with quantitative Fluorescent Ubiquitination-based Cell Cycle Indicator-based cell cycle assay. Royal Society Open Science, 2018, 5, 181303.	2.4	6
113	Chemical and genomic diversity of six Lonicera species occurring in Korea. Phytochemistry, 2018, 155, 126-135.	2.9	6
114	Assessing the genetic and chemical diversity of Taraxacum species in the Korean Peninsula. Phytochemistry, 2021, 181, 112576.	2.9	6
115	Genetic and chemical markers for authentication of three Artemisia species: A. capillaris, A. gmelinii, and A. fukudo. PLoS ONE, 2022, 17, e0264576.	2.5	6
116	Asiatic Acid Derivatives Protect Primary Cultures of Rat Hepatocytes against Carbon Tetrachloride-Induced Injury via the Cellular Antioxidant System. Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	5
117	Simultaneous Determination of Five Active Constituents in the Aerial Parts of <i>Saururus chinensis</i> by HPLC-DAD. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 2943-2953.	1.0	5
118	Micelle-Mediated Extraction of Dibenzocyclooctadiene Lignans from Schisandra chinensis with Analysis by High-Performance Liquid Chromatography. Journal of Chromatographic Science, 2014, 52, 745-750.	1.4	5
119	Isolation and structure elucidation of (â^')-idescarparide, a new spiro compound from Idesia polycarpa. Tetrahedron Letters, 2014, 55, 5447-5449.	1.4	5
120	Preparative Purification of Anti-Proliferative Diarylheptanoids from Betula platyphylla by High-Speed Counter-Current Chromatography. Molecules, 2016, 21, 700.	3.8	5
121	The complete chloroplast genome sequence of the Taraxacum officinale F.H.Wigg (Asteraceae). Mitochondrial DNA Part B: Resources, 2016, 1, 228-229.	0.4	5
122	New Alkyl Phloroglucinol Derivatives from Rhus trichocarpa Roots and Their Cytotoxic Effects on Human Gastric Adenocarcinoma AGS Cells. Planta Medica, 2016, 82, 645-649.	1.3	5
123	A new phenolic compound from <i>Phedimus middendorffianus</i> with antiproliferative activity. Natural Product Research, 2020, 34, 1663-1668.	1.8	5
124	Simultaneous Determination of Alkaloids and Flavonoids in HMC05 Preparation by HPLC-DAD. Journal of Liquid Chromatography and Related Technologies, 2008, 31, 2917-2926.	1.0	4
125	Determination and Identification of Nine Constituents in Siho-Gyeoji-Tang by HPLC-DAD and HPLC-MS/MS. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 2122-2133.	1.0	4
126	Optimized Conditions for the Extraction of Eupatilin inArtemisia asiaticaby Pressurized Liquid Extraction. Separation Science and Technology, 2009, 44, 1772-1783.	2.5	4

#	Article	IF	CITATIONS
127	Quantitation of αâ€Galactosides in <i>Rehmannia glutinosa</i> by Hydrophilic Interaction Chromatography–Evaporative Light Scattering Detector. Phytochemical Analysis, 2012, 23, 607-612.	2.4	4
128	The complete chloroplast genome sequence of a Korean indigenous ornamental plant <i>Hydrangea serrata</i> for. <i>fertilis</i> Nakai (Hydrangeaceae). Mitochondrial DNA Part B: Resources, 2016, 1, 27-28.	0.4	4
129	Structure elucidation of a new triterpene from <i>Rhus trichocarpa</i> roots. Magnetic Resonance in Chemistry, 2017, 55, 763-766.	1.9	4
130	The complete chloroplast genome sequence of <i>Hosta capitata</i> (Koidz.) Nakai (Asparagaceae). Mitochondrial DNA Part B: Resources, 2018, 3, 1052-1053.	0.4	3
131	Simultaneous Determination and Stability Test of Two Phthalic Anhydride Derivatives, Senkyunolide A and <i>Z</i> â€Ligustilide, in the Water Extract of Cnidium Rhizome from Different Geographical Regions and Species Using HPLCâ€UVD Analysis. Bulletin of the Korean Chemical Society, 2018, 39, 784-788.	1.9	3
132	Rhamnellosides A and B, ω-Phenylpentaene Fatty Acid Amide Diglycosides from the Fruits of Rhamnella franguloides. Molecules, 2018, 23, 752.	3.8	3
133	High-throughput and direct measurement of androgen levels using turbulent flow chromatography liquid chromatography-triple quadrupole mass spectrometry (TFC-LC-TQMS) to discover chemicals that modulate dihydrotestosterone production in human prostate cancer cells. Biotechnology Letters. 2018. 40. 263-270.	2.2	2
134	Anti-differentiation effect of B, D-seco limonoids of Swietenia mahogani. Pharmacognosy Magazine, 2017, 13, 293.	0.6	2
135	Analysis ofDioscorea japonicaby Hydrophilic Interaction Liquid Chromatography. Analytical Letters, 2014, 47, 901-910.	1.8	1
136	The complete chloroplast genome sequence of an invasive plant <i>Lonicera Maackii</i> (Caprifoliaceae). Mitochondrial DNA Part B: Resources, 2019, 4, 1008-1009.	0.4	1