

Sang Cheul Oh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2647123/publications.pdf>

Version: 2024-02-01

66
papers

4,243
citations

218592

26
h-index

123376

61
g-index

66
all docs

66
docs citations

66
times ranked

6248
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Nivolumab in patients with advanced gastric or gastro-oesophageal junction cancer refractory to, or intolerant of, at least two previous chemotherapy regimens (ONO-4538-12, ATTRACTION-2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet</i> , The, 2017, 390, 2461-2471. | 6.3 | 1,749 |
| 2 | Clinical Significance of Four Molecular Subtypes of Gastric Cancer Identified by The Cancer Genome Atlas Project. <i>Clinical Cancer Research</i> , 2017, 23, 4441-4449. | 3.2 | 342 |
| 3 | Nivolumab plus chemotherapy versus placebo plus chemotherapy in patients with HER2-negative, untreated, unresectable advanced or recurrent gastric or gastro-oesophageal junction cancer (ATTRACTION-4): a randomised, multicentre, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2022, 23, 234-247. | 5.1 | 268 |
| 4 | Hematogenous Metastasis of Ovarian Cancer: Rethinking Mode of Spread. <i>Cancer Cell</i> , 2014, 26, 77-91. | 7.7 | 252 |
| 5 | A phase 3 study of nivolumab in previously treated advanced gastric or gastroesophageal junction cancer (ATTRACTION-2): 2-year update data. <i>Gastric Cancer</i> , 2020, 23, 510-519. | 2.7 | 155 |
| 6 | Significant Association of Oncogene YAP1 with Poor Prognosis and Cetuximab Resistance in Colorectal Cancer Patients. <i>Clinical Cancer Research</i> , 2015, 21, 357-364. | 3.2 | 127 |
| 7 | Cannabidiol-induced apoptosis is mediated by activation of Noxa in human colorectal cancer cells. <i>Cancer Letters</i> , 2019, 447, 12-23. | 3.2 | 106 |
| 8 | Nivolumab in previously treated advanced gastric cancer (ATTRACTION-2): 3-year update and outcome of treatment beyond progression with nivolumab. <i>Gastric Cancer</i> , 2021, 24, 946-958. | 2.7 | 61 |
| 9 | Cannabidiol promotes apoptosis via regulation of XIAP/Smac in gastric cancer. <i>Cell Death and Disease</i> , 2019, 10, 846. | 2.7 | 60 |
| 10 | BMP-2 induces motility and invasiveness by promoting colon cancer stemness through STAT3 activation. <i>Tumor Biology</i> , 2015, 36, 9475-9486. | 0.8 | 54 |
| 11 | Exploratory subgroup analysis of patients with prior trastuzumab use in the ATTRACTION-2 trial: a randomized phase III clinical trial investigating the efficacy and safety of nivolumab in patients with advanced gastric/gastroesophageal junction cancer. <i>Gastric Cancer</i> , 2020, 23, 143-153. | 2.7 | 45 |
| 12 | Iron chelator-induced apoptosis via the ER stress pathway in gastric cancer cells. <i>Tumor Biology</i> , 2016, 37, 9709-9719. | 0.8 | 43 |
| 13 | RUNX3 suppresses metastasis and stemness by inhibiting Hedgehog signaling in colorectal cancer. <i>Cell Death and Differentiation</i> , 2020, 27, 676-694. | 5.0 | 43 |
| 14 | Incidence and Risk Factors of Infectious Complications Related to Implantable Venous-Access Ports. <i>Korean Journal of Radiology</i> , 2014, 15, 494. | 1.5 | 42 |
| 15 | Development and Validation of a Six-Gene Recurrence Risk Score Assay for Gastric Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 6228-6235. | 3.2 | 40 |
| 16 | S-1 plus leucovorin and oxaliplatin versus S-1 plus cisplatin as first-line therapy in patients with advanced gastric cancer (SOLAR): a randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2020, 21, 1045-1056. | 5.1 | 39 |
| 17 | Genipin inhibits the invasion and migration of colon cancer cells by the suppression of HIF-1 α accumulation and VEGF expression. <i>Food and Chemical Toxicology</i> , 2018, 116, 70-76. | 1.8 | 37 |
| 18 | RUNX3 inhibits the metastasis and angiogenesis of colorectal cancer. <i>Oncology Reports</i> , 2016, 36, 2601-2608. | 1.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Subgroup analysis of East Asians in RAINBOW: A phase 3 trial of ramucirumab plus paclitaxel for advanced gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 581-589. | 1.4 | 35 |
| 20 | Korean red ginseng for cancer-related fatigue in colorectal cancer patients with chemotherapy: A randomised phase III trial. <i>European Journal of Cancer</i> , 2020, 130, 51-62. | 1.3 | 34 |
| 21 | Novel Systemic Therapies for Advanced Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2018, 18, 1. | 0.9 | 33 |
| 22 | Docosahexaenoic Acid Enhances Oxaliplatin-Induced Autophagic Cell Death via the ER Stress/Sesn2 Pathway in Colorectal Cancer. <i>Cancers</i> , 2019, 11, 982. | 1.7 | 33 |
| 23 | Changing strategies for target therapy in gastric cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 1179. | 1.4 | 32 |
| 24 | Cardiac glycosides suppress the maintenance of stemness and malignancy via inhibiting HIF-1 α in human glioma stem cells. <i>Oncotarget</i> , 2017, 8, 40233-40245. | 0.8 | 31 |
| 25 | RUNX3 enhances TRAIL-induced apoptosis by upregulating DR5 in colorectal cancer. <i>Oncogene</i> , 2019, 38, 3903-3918. | 2.6 | 30 |
| 26 | Glioma-derived cancer stem cells are hypersensitive to proteasomal inhibition. <i>EMBO Reports</i> , 2017, 18, 150-168. | 2.0 | 29 |
| 27 | Sonic hedgehog pathway activation is associated with cetuximab resistance and EPHB3 receptor induction in colorectal cancer. <i>Theranostics</i> , 2019, 9, 2235-2251. | 4.6 | 28 |
| 28 | Reactive oxygen species modulator-1 (Romo1) predicts unfavorable prognosis in colorectal cancer patients. <i>PLoS ONE</i> , 2017, 12, e0176834. | 1.1 | 26 |
| 29 | Activating CCT2 triggers Gli-1 activation during hypoxic condition in colorectal cancer. <i>Oncogene</i> , 2020, 39, 136-150. | 2.6 | 26 |
| 30 | Metformin enhances TRAIL-induced apoptosis by Mcl-1 degradation via Mule in colorectal cancer cells. <i>Oncotarget</i> , 2016, 7, 59503-59518. | 0.8 | 26 |
| 31 | A Phase III Study to Compare the Efficacy and Safety of Paclitaxel Versus Irinotecan in Patients with Metastatic or Recurrent Gastric Cancer Who Failed in First-line Therapy (KCSG ST10-01). <i>Oncologist</i> , 2019, 24, 18-e24. | 1.9 | 25 |
| 32 | PARK7 modulates autophagic proteolysis through binding to the N-terminally arginylated form of the molecular chaperone HSPA5. <i>Autophagy</i> , 2018, 14, 1870-1885. | 4.3 | 23 |
| 33 | Cannabidiol Enhances the Therapeutic Effects of TRAIL by Upregulating DR5 in Colorectal Cancer. <i>Cancers</i> , 2019, 11, 642. | 1.7 | 22 |
| 34 | Cyclopamine sensitizes TRAIL-resistant gastric cancer cells to TRAIL-induced apoptosis via endoplasmic reticulum stress-mediated increase of death receptor 5 and survivin degradation. <i>International Journal of Biochemistry and Cell Biology</i> , 2017, 89, 147-156. | 1.2 | 20 |
| 35 | Advances of Targeted Therapy in Treatment of Unresectable Metastatic Colorectal Cancer. <i>BioMed Research International</i> , 2016, 2016, 1-14. | 0.9 | 19 |
| 36 | Upregulation of EphB3 in gastric cancer with acquired resistance to a FGFR inhibitor. <i>International Journal of Biochemistry and Cell Biology</i> , 2018, 102, 128-137. | 1.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Shogaol overcomes TRAIL resistance in colon cancer cells via inhibiting of survivin. <i>Tumor Biology</i> , 2015, 36, 8819-8829. | 0.8 | 18 |
| 38 | Update of Adjuvant Chemotherapy for Resected Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2012, 12, 3. | 0.9 | 17 |
| 39 | Hedgehog signaling pathway as a potential target in the treatment of advanced gastric cancer. <i>Tumor Biology</i> , 2017, 39, 101042831769226. | 0.8 | 17 |
| 40 | Overexpression of Romo1 is an unfavorable prognostic biomarker and a predictor of lymphatic metastasis in non-small cell lung cancer patients. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 4233-4246. | 1.0 | 17 |
| 41 | Diallyl disulfide (DADS) boosts TRAIL-Mediated apoptosis in colorectal cancer cells by inhibiting Bcl-2. <i>Food and Chemical Toxicology</i> , 2019, 125, 354-360. | 1.8 | 17 |
| 42 | Cannabidiol Suppresses Angiogenesis and Stemness of Breast Cancer Cells by Downregulation of Hypoxia-Inducible Factors-1 α . <i>Cancers</i> , 2021, 13, 5667. | 1.7 | 17 |
| 43 | Genipin increases oxaliplatin-induced cell death through autophagy in gastric cancer. <i>Journal of Cancer</i> , 2020, 11, 460-467. | 1.2 | 16 |
| 44 | Genipin Enhances the Therapeutic Effects of Oxaliplatin by Upregulating BIM in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 751-761. | 1.9 | 14 |
| 45 | Codium fragile F2 sensitize colorectal cancer cells to TRAIL-induced apoptosis via c-FLIP ubiquitination. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 1-8. | 1.0 | 13 |
| 46 | TRAIL-Induced Caspase Activation Is a Prerequisite for Activation of the Endoplasmic Reticulum Stress-Induced Signal Transduction Pathways. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 1078-1091. | 1.2 | 11 |
| 47 | Imatinib-induced apoptosis of gastric cancer cells is mediated by endoplasmic reticulum stress. <i>Oncology Reports</i> , 2018, 41, 1616-1626. | 1.2 | 11 |
| 48 | Long-term clinical outcomes of the single-incision technique for implantation of implantable venous access ports via the axillary vein. <i>Journal of Vascular Access</i> , 2017, 18, 345-351. | 0.5 | 10 |
| 49 | Anatomical distribution and detection rate of colorectal neoplasms according to age in the colonoscopic screening of a Korean population. <i>Annals of Surgical Treatment and Research</i> , 2018, 94, 36. | 0.4 | 10 |
| 50 | Inflammatory markers as prognostic indicators in pancreatic cancer patients who underwent gemcitabine-based palliative chemotherapy. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 171-184. | 0.7 | 10 |
| 51 | Metformin enhances the cytotoxic effect of nilotinib and overcomes nilotinib resistance in chronic myeloid leukemia cells. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S196-S206. | 0.7 | 9 |
| 52 | Exploration of predictors of benefit from nivolumab monotherapy for patients with pretreated advanced gastric and gastroesophageal junction cancer: post hoc subanalysis from the ATTRACTION-2 study. <i>Gastric Cancer</i> , 2022, 25, 207-217. | 2.7 | 9 |
| 53 | Deficiency of 15-LOX-1 Induces Radioresistance through Downregulation of MacroH2A2 in Colorectal Cancer. <i>Cancers</i> , 2019, 11, 1776. | 1.7 | 7 |
| 54 | Prognostic implication of systemic inflammatory markers in young patients with resectable colorectal cancer. <i>Annals of Surgical Treatment and Research</i> , 2021, 100, 25. | 0.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | NK/T-Cell Lymphoma Associated with Epstein-Barr Virus in a Patient Infected with Human Immunodeficiency Virus: An Autopsy Case. <i>International Journal of Hematology</i> , 2004, 79, 480-483. | 0.7 | 6 |
| 56 | Korean Red Ginseng Extract Increases Apoptosis by Activation of the Noxa Pathway in Colorectal Cancer. <i>Nutrients</i> , 2019, 11, 2026. | 1.7 | 5 |
| 57 | Prognostic significance of interim ¹⁸ F-fluorodeoxyglucose positron emission tomography-computed tomography volumetric parameters in metastatic or recurrent gastric cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e302-e309. | 0.7 | 4 |
| 58 | Tumor Response and Symptom Palliation from RAINBOW , a Phase III Trial of Ramucirumab Plus Paclitaxel in Previously Treated Advanced Gastric Cancer. <i>Oncologist</i> , 2021, 26, e414-e424. | 1.9 | 4 |
| 59 | Ataxia telangiectasia mutated (ATM), could it be another useful biomarker for the successful treatment with the poly (ADP-ribose) polymerase inhibitor?. <i>Translational Gastroenterology and Hepatology</i> , 2016, 1, 3-3. | 1.5 | 2 |
| 60 | Effects of the proximity of metastasis to the central vessels of the liver on surgical outcomes and survival in colorectal cancer with liver metastasis. <i>ANZ Journal of Surgery</i> , 2021, 91, E183-E189. | 0.3 | 1 |
| 61 | Clinical Implication of Tumor Markers. <i>Korean Journal of Medicine</i> , 2012, 83, 197. | 0.1 | 1 |
| 62 | Preoperative Chemotherapy in Advanced Stomach Cancer (Cons). <i>Journal of Gastric Cancer</i> , 2008, 8, 65. | 0.9 | 1 |
| 63 | Lack of association of fragile histidine triad (FHIT) polymorphisms with lung cancer in the Korean population. <i>Journal of Human Genetics</i> , 2007, 52, 668-674. | 1.1 | 0 |
| 64 | The Effect of Telomerase Antisense for the Differentiation of Embryonic Stem Cells to Hemopoietic Stem Cells.. <i>Blood</i> , 2004, 104, 4201-4201. | 0.6 | 0 |
| 65 | Treatment Outcomes and Toxicities of ABVD Combination Chemotherapy Compared with CVPP in Hodgkin's Disease. <i>The Korean Journal of Hematology</i> , 2007, 42, 335. | 0.7 | 0 |
| 66 | Metastasis to the Iliopsoas Muscle from Advanced Gastric Carcinoma: an Unusual Site of Metastasis. <i>Korean Journal of Medicine</i> , 2012, 82, 754. | 0.1 | 0 |