

Mark D. Gorrell

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2647450/mark-d-gorrell-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

5,668
citations

43
h-index

72
g-index

148
ext. papers

6,459
ext. citations

5.8
avg, IF

5.54
L-index

#	Paper	IF	Citations
130	3-dimensional imaging of collagen using second harmonic generation. <i>Journal of Structural Biology</i> , 2003 , 141, 53-62	3.4	338
129	Regulation of the receptor specificity and function of the chemokine RANTES (regulated on activation, normal T cell expressed and secreted) by dipeptidyl peptidase IV (CD26)-mediated cleavage. <i>Journal of Experimental Medicine</i> , 1997 , 186, 1865-72	16.6	316
128	CD26: a multifunctional integral membrane and secreted protein of activated lymphocytes. <i>Scandinavian Journal of Immunology</i> , 2001 , 54, 249-64	3.4	264
127	Dipeptidyl peptidase IV and related enzymes in cell biology and liver disorders. <i>Clinical Science</i> , 2005 , 108, 277-92	6.5	246
126	Fibroblast activation protein: a cell surface dipeptidyl peptidase and gelatinase expressed by stellate cells at the tissue remodelling interface in human cirrhosis. <i>Hepatology</i> , 1999 , 29, 1768-78	11.2	224
125	Cloning, expression and chromosomal localization of a novel human dipeptidyl peptidase (DPP) IV homolog, DPP8. <i>FEBS Journal</i> , 2000 , 267, 6140-50		207
124	Insights into the pathobiology of hepatitis C virus-associated cirrhosis: analysis of intrahepatic differential gene expression. <i>American Journal of Pathology</i> , 2002 , 160, 641-54	5.8	160
123	Understanding fibroblast activation protein (FAP): substrates, activities, expression and targeting for cancer therapy. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 454-63	3.1	159
122	Diabetes and nonalcoholic Fatty liver disease: a pathogenic duo. <i>Endocrine Reviews</i> , 2013 , 34, 84-129	27.2	157
121	Inhibitor selectivity in the clinical application of dipeptidyl peptidase-4 inhibition. <i>Clinical Science</i> , 2009 , 118, 31-41	6.5	145
120	Fibroblast activation protein increases apoptosis, cell adhesion, and migration by the LX-2 human stellate cell line. <i>Hepatology</i> , 2005 , 42, 935-45	11.2	131
119	The dipeptidyl peptidase IV family in cancer and cell biology. <i>FEBS Journal</i> , 2010 , 277, 1126-44	5.7	126
118	Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression. <i>Gut</i> , 2001 , 49, 565-76	19.2	120
117	Animal and translational models of SARS-CoV-2 infection and COVID-19. <i>Mucosal Immunology</i> , 2020 , 13, 877-891	9.2	106
116	Dipeptidyl peptidase 9 has two forms, a broad tissue distribution, cytoplasmic localization and DPIV-like peptidase activity. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2004 , 1679, 18-28		97
115	Two highly conserved glutamic acid residues in the predicted beta propeller domain of dipeptidyl peptidase IV are required for its enzyme activity. <i>FEBS Letters</i> , 1999 , 458, 278-84	3.8	92
114	Intrahepatic expression of the hepatic stellate cell marker fibroblast activation protein correlates with the degree of fibrosis in hepatitis C virus infection. <i>Liver</i> , 2002 , 22, 93-101		90

113	Neuropeptide Y, B-type natriuretic peptide, substance P and peptide YY are novel substrates of fibroblast activation protein- β <i>FEBS Journal</i> , 2011 , 278, 1316-32	5.7	84
112	COVID-19 and comorbidities: A role for dipeptidyl peptidase 4 (DPP4) in disease severity?. <i>Journal of Diabetes</i> , 2020 , 12, 649-658	3.8	82
111	The in vivo expression of dipeptidyl peptidases 8 and 9. <i>Journal of Histochemistry and Cytochemistry</i> , 2009 , 57, 1025-40	3.4	73
110	Diabetes is a progression factor for hepatic fibrosis in a high fat fed mouse obesity model of non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2011 , 55, 435-44	13.4	72
109	Molecular pathogenesis of liver disease: an approach to hepatic inflammation, cirrhosis and liver transplant tolerance. <i>Immunological Reviews</i> , 2000 , 174, 172-91	11.3	72
108	Binding to human dipeptidyl peptidase IV by adenosine deaminase and antibodies that inhibit ligand binding involves overlapping, discontinuous sites on a predicted beta propeller domain. <i>FEBS Journal</i> , 1999 , 266, 798-810		71
107	Stromal cell-derived factors 1alpha and 1beta, inflammatory protein-10 and interferon-inducible T cell chemo-attractant are novel substrates of dipeptidyl peptidase 8. <i>FEBS Letters</i> , 2008 , 582, 819-25	3.8	70
106	Identification of the bile canalicular cell surface molecule GP110 as the ectopeptidase dipeptidyl peptidase IV: an analysis by tissue distribution, purification and N-terminal amino acid sequence. <i>Hepatology</i> , 1990 , 11, 534-44	11.2	70
105	Gene expression profiling of alcoholic liver disease in the baboon (<i>Papio hamadryas</i>) and human liver. <i>American Journal of Pathology</i> , 2003 , 163, 2303-17	5.8	66
104	Quantitation of fibroblast activation protein (FAP)-specific protease activity in mouse, baboon and human fluids and organs. <i>FEBS Open Bio</i> , 2013 , 4, 43-54	2.7	65
103	Expression of the rat CD26 antigen (dipeptidyl peptidase IV) on subpopulations of rat lymphocytes. <i>Cellular Immunology</i> , 1991 , 134, 205-15	4.4	61
102	Structural requirements for catalysis, expression, and dimerization in the CD26/DPIV gene family. <i>Biochemistry</i> , 2003 , 42, 694-701	3.2	59
101	Extraenzymatic functions of the dipeptidyl peptidase IV-related proteins DP8 and DP9 in cell adhesion, migration and apoptosis. <i>FEBS Journal</i> , 2006 , 273, 2447-60	5.7	56
100	Intrahepatic gene expression in human alcoholic hepatitis. <i>Journal of Hepatology</i> , 2006 , 45, 306-20	13.4	55
99	An Atypical Parvovirus Drives Chronic Tubulointerstitial Nephropathy and Kidney Fibrosis. <i>Cell</i> , 2018 , 175, 530-543.e24	56.2	53
98	Pathogenesis and management of alcoholic hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 1332-44	4	52
97	SMART amplification maintains representation of relative gene expression: quantitative validation by real time PCR and application to studies of alcoholic liver disease in primates. <i>Journal of Proteomics</i> , 2003 , 55, 53-66		52
96	Advances in understanding the expression and function of dipeptidyl peptidase 8 and 9. <i>Molecular Cancer Research</i> , 2013 , 11, 1487-96	6.6	50

95	Incretin-based therapies--review of the physiology, pharmacology and emerging clinical experience. <i>Internal Medicine Journal</i> , 2011 , 41, 299-307	1.6	49
94	The challenge of developing novel pharmacological therapies for non-alcoholic steatohepatitis. <i>Liver International</i> , 2010 , 30, 795-808	7.9	48
93	Fibroblast activation protein and chronic liver disease. <i>Frontiers in Bioscience - Landmark</i> , 2008 , 13, 3168-88		48
92	Different modes of dipeptidyl peptidase IV (CD26) inhibition by oligopeptides derived from the N-terminus of HIV-1 Tat indicate at least two inhibitor binding sites. <i>FEBS Journal</i> , 2003 , 270, 2147-56		47
91	Soluble CD26 / dipeptidyl peptidase IV enhances human lymphocyte proliferation in vitro independent of dipeptidyl peptidase enzyme activity and adenosine deaminase binding. <i>Scandinavian Journal of Immunology</i> , 2011 , 73, 102-11	3.4	46
90	A novel role of dipeptidyl peptidase 9 in epidermal growth factor signaling. <i>Molecular Cancer Research</i> , 2011 , 9, 948-59	6.6	45
89	Direct effects of alcohol on hepatic fibrinolytic balance: implications for alcoholic liver disease. <i>Journal of Hepatology</i> , 2008 , 48, 614-27	13.4	44
88	Transcriptome analyses and biofilm-forming characteristics of a clonal <i>Pseudomonas aeruginosa</i> from the cystic fibrosis lung. <i>Journal of Medical Microbiology</i> , 2008 , 57, 1454-1465	3.2	43
87	Gene array analysis and the liver. <i>Hepatology</i> , 2002 , 36, 1313-1325	11.2	43
86	Novel differential gene expression in human cirrhosis detected by suppression subtractive hybridization. <i>Hepatology</i> , 2003 , 38, 577-88	11.2	42
85	Circulating dipeptidyl peptidase-4 activity correlates with measures of hepatocyte apoptosis and fibrosis in non-alcoholic fatty liver disease in type 2 diabetes mellitus and obesity: A dual cohort cross-sectional study. <i>Journal of Diabetes</i> , 2015 , 7, 809-19	3.8	37
84	Gene expression characteristics of a cystic fibrosis epidemic strain of <i>Pseudomonas aeruginosa</i> during biofilm and planktonic growth. <i>FEMS Microbiology Letters</i> , 2009 , 292, 107-14	2.9	37
83	Identification of novel dipeptidyl peptidase 9 substrates by two-dimensional differential in-gel electrophoresis. <i>FEBS Journal</i> , 2015 , 282, 3737-57	5.7	35
82	Targeted inactivation of dipeptidyl peptidase 9 enzymatic activity causes mouse neonate lethality. <i>PLoS ONE</i> , 2013 , 8, e78378	3.7	34
81	Dipeptidyl peptidase IV is a target for covalent adduct formation with the acyl glucuronide metabolite of the anti-inflammatory drug zomepirac. <i>Life Sciences</i> , 2001 , 68, 785-97	6.8	34
80	Reversible Inactivation of Human Dipeptidyl Peptidases 8 and 9 by Oxidation. <i>The Open Enzyme Inhibition Journal</i> , 2008 , 1, 52-60	0	33
79	Inflammation and repair in viral hepatitis C. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 1468-87	4	28
78	Regulation of dipeptidyl peptidase 8 and 9 expression in activated lymphocytes and injured liver. <i>World Journal of Gastroenterology</i> , 2013 , 19, 2883-93	5.6	28

77	Fibroblast activation protein in liver fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2019 , 24, 1-17	2.8	26
76	Dipeptidyl peptidase 9 subcellular localization and a role in cell adhesion involving focal adhesion kinase and paxillin. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 470-80	4.9	25
75	Inhibition of human kynurenine aminotransferase isozymes by estrogen and its derivatives. <i>Scientific Reports</i> , 2017 , 7, 17559	4.9	25
74	Lymphocyte subpopulations of sheep in protective immunity to <i>Taenia hydatigena</i> . <i>Parasite Immunology</i> , 1989 , 11, 169-81	2.2	25
73	Lymphocyte phenotypes in the abomasal mucosa of sheep infected with <i>Haemonchus contortus</i> . <i>Parasite Immunology</i> , 1988 , 10, 661-74	2.2	25
72	Kynurenine Aminotransferases and the Prospects of Inhibitors for the Treatment of Schizophrenia. <i>Current Medicinal Chemistry</i> , 2015 , 22, 2902-18	4.3	25
71	Discoidin domain receptor 1: isoform expression and potential functions in cirrhotic human liver. <i>American Journal of Pathology</i> , 2011 , 178, 1134-44	5.8	24
70	Neuropeptide Y is a physiological substrate of fibroblast activation protein: Enzyme kinetics in blood plasma and expression of Y2R and Y5R in human liver cirrhosis and hepatocellular carcinoma. <i>Peptides</i> , 2016 , 75, 80-95	3.8	23
69	Dipeptidyl peptidase IV gene family. The DPIV family. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 524, 79-86	3.6	22
68	Up-regulation of proproliferative genes and the ligand/receptor pair placental growth factor and vascular endothelial growth factor receptor 1 in hepatitis C cirrhosis. <i>Liver International</i> , 2007 , 27, 960-8	7.9	21
67	The hepatic transcriptome in human liver disease. <i>Comparative Hepatology</i> , 2006 , 5, 6		21
66	Molecular characterization of a novel dipeptidyl peptidase like 2-short form (DPL2-s) that is highly expressed in the brain and lacks dipeptidyl peptidase activity. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006 , 1764, 33-43	4	20
65	The pro-fibrotic role of dipeptidyl peptidase 4 in carbon tetrachloride-induced experimental liver injury. <i>Immunology and Cell Biology</i> , 2017 , 95, 443-453	5	19
64	Structure and function in dipeptidyl peptidase IV and related proteins. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 575, 45-54	3.6	19
63	Identification of Novel Natural Substrates of Fibroblast Activation Protein-alpha by Differential Degradomics and Proteomics. <i>Molecular and Cellular Proteomics</i> , 2019 , 18, 65-85	7.6	18
62	The Family of CD26/DPIV and Related Ectopeptidases 2002 , 171-195		18
61	A rare variant in human fibroblast activation protein associated with ER stress, loss of enzymatic function and loss of cell surface localisation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014 , 1844, 1248-59	4	17
60	Post-proline-cleaving peptidases having DP IV like enzyme activity. Post-proline peptidases. <i>Advances in Experimental Medicine and Biology</i> , 2000 , 477, 103-9	3.6	17

59	A Novel Purification Procedure for Active Recombinant Human DPP4 and the Inability of DPP4 to Bind SARS-CoV-2. <i>Molecules</i> , 2020 , 25,	4.8	17
58	DPP8 and DPP9 expression in cynomolgus monkey and Sprague Dawley rat tissues. <i>Regulatory Peptides</i> , 2013 , 186, 26-35		16
57	Porcine cells express more than one functional ligand for the human lymphocyte activating receptor NKG2D. <i>Xenotransplantation</i> , 2008 , 15, 321-32	2.8	16
56	Lower serum fibroblast activation protein shows promise in the exclusion of clinically significant liver fibrosis due to non-alcoholic fatty liver disease in diabetes and obesity. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 466-72	7.4	15
55	Intrahepatic expression of collagen and fibroblast activation protein (FAP) in hepatitis C virus infection. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 524, 235-43	3.6	15
54	The distribution of lymphocyte subpopulations in normal and acanthotic ovine skin. <i>Veterinary Immunology and Immunopathology</i> , 1995 , 44, 151-67	2	15
53	Design and synthesis of novel inhibitors of human kynurenine aminotransferase-I. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 1579-81	2.9	14
52	The neuropathogenesis of visna virus infection in sheep. <i>Seminars in Neuroscience</i> , 1991 , 3, 125-130		14
51	Gene array analysis and the liver. <i>Hepatology</i> , 2002 , 36, 1313-25	11.2	14
50	Dipeptidyl peptidase 9 enzymatic activity influences the expression of neonatal metabolic genes. <i>Experimental Cell Research</i> , 2016 , 342, 72-82	4.2	14
49	Multiple liver insults synergize to accelerate experimental hepatocellular carcinoma. <i>Scientific Reports</i> , 2018 , 8, 10283	4.9	13
48	Differential chemokine receptor expression and usage by pre-cDC1 and pre-cDC2. <i>Immunology and Cell Biology</i> , 2018 , 96, 1131-1139	5	13
47	A functional and biochemical analysis of bovine class II MHC antigens using monoclonal antibodies. <i>Veterinary Immunology and Immunopathology</i> , 1987 , 16, 215-34	2	13
46	Hepatocellular carcinoma: Mouse models and the potential roles of proteases. <i>Cancer Letters</i> , 2017 , 387, 106-113	9.9	11
45	Dipeptidyl peptidase 9 substrates and their discovery: current progress and the application of mass spectrometry-based approaches. <i>Biological Chemistry</i> , 2016 , 397, 837-56	4.5	11
44	Liver fibrosis: the hepatocyte revisited. <i>Hepatology</i> , 2007 , 46, 1659-61	11.2	10
43	Hepatic covalent adduct formation with zomepirac in the CD26-deficient mouse. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002 , 17, 66-71	4	10
42	Increased serum levels of dipeptidyl peptidase IV (CD26) in rats undergoing liver regeneration. <i>International Hepatology Communications</i> , 1995 , 4, 165-174		10

41	Circulating fibroblast activation protein activity and antigen levels correlate strongly when measured in liver disease and coronary heart disease. <i>PLoS ONE</i> , 2017 , 12, e0178987	3.7	9
40	Animal models for hepatocellular carcinoma. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 993-1002	6.9	9
39	Relating structure to function in the beta-propeller domain of dipeptidyl peptidase IV. Point mutations that influence adenosine deaminase binding, antibody binding and enzyme activity. <i>Advances in Experimental Medicine and Biology</i> , 2000 , 477, 89-95	3.6	9
38	T and B lymphocyte subsets in spermatic granulomas in five rams. <i>Veterinary Pathology</i> , 1991 , 28, 482-912.8	1.8	9
37	High resolution crystal structures of human kynurenine aminotransferase-I bound to PLP cofactor, and in complex with aminooxyacetate. <i>Protein Science</i> , 2017 , 26, 727-736	6.3	8
36	Circulating fibroblast activation protein and dipeptidyl peptidase 4 in rheumatoid arthritis and systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1915-1923	2.3	8
35	Langerhans cells in the development of skin cancer: a qualitative and quantitative comparison of cell markers in normal, acanthotic and neoplastic ovine skin. <i>Pathology</i> , 1997 , 29, 42-50	1.6	8
34	Major histocompatibility complex antigens in normal, acanthotic and neoplastic ovine skin: an association been tumor invasiveness and low level MHC class I expression. <i>Veterinary Immunology and Immunopathology</i> , 1995 , 45, 237-52	2	8
33	Immunization with nonstructural proteins promotes functional recovery of alphavirus-infected neurons. <i>Journal of Virology</i> , 1997 , 71, 3415-9	6.6	8
32	Extra-enzymatic roles of DPIV and FAP in cell adhesion and migration on collagen and fibronectin. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 575, 213-22	3.6	7
31	Different inhibition mechanisms of dipeptidyl peptidase IV by tryptophan containing peptides and amides. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 524, 69-72	3.6	7
30	Homology modeling of human kynurenine aminotransferase III and observations on inhibitor binding using molecular docking. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2014 , 14, 2-9	1.8	6
29	Fibroblast activation protein is dispensable in the anti-influenza immune response in mice. <i>PLoS ONE</i> , 2017 , 12, e0171194	3.7	6
28	Non-Invasive Fluorescent Monitoring of Ovarian Cancer in an Immunocompetent Mouse Model. <i>Cancers</i> , 2018 , 11,	6.6	6
27	Hypoxia Regulates DPP4 Expression, Proteolytic Inactivation, and Shedding from Ovarian Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
26	Fibroblast Activation Protein 2013 , 3395-3401		5
25	Cooperation of innate and adaptive immunity in the pathogenesis of biliary atresia: there's a killer on the run. <i>Hepatology</i> , 2009 , 50, 2037-40	11.2	4
24	Deletion of fibroblast activation protein provides atheroprotection. <i>Cardiovascular Research</i> , 2021 , 117, 1060-1069	9.9	4

23	Dipeptidyl peptidase 8 has post-proline dipeptidyl aminopeptidase and prolyl endopeptidase activities. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 575, 93-102	3.6	4
22	DP8 and DP9 have extra-enzymatic roles in cell adhesion, migration and apoptosis. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 575, 63-72	3.6	4
21	The long and the short of interferon-gamma-inducible protein 10 in hepatitis C virus infection. <i>Hepatology</i> , 2011 , 54, 1875-9	11.2	3
20	Detection of collagen by second harmonic microscopy as a diagnostic tool for liver fibrosis 2006 ,		3
19	Immune regeneration in irradiated mice is not impaired by the absence of DPP9 enzymatic activity. <i>Scientific Reports</i> , 2019 , 9, 7292	4.9	2
18	The Multifunctional Post-proline Dipeptidyl Peptidase, DPP9, in Mice, <i>Cell Biology and Immunity</i> 2017 , 23-45		2
17	Fibroblast activation protein enzyme deficiency prevents liver steatosis, insulin resistance and glucose intolerance and increases fibroblast growth factor-21 in diet induced obese mice		2
16	DPP4 Inhibitor Sitagliptin Enhances Lymphocyte Recruitment and Prolongs Survival in a Syngeneic Ovarian Cancer Mouse Model. <i>Cancers</i> , 2021 , 13,	6.6	2
15	Letter to Editor. <i>Developmental Biology</i> , 2018 , 439, 1	3.1	1
14	Dipeptidyl Peptidase 8 2013 , 3379-3384		1
13	Impaired glucose tolerance and incretins in chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 166-7	4	1
12	Fooling the liver: malaria incognito. <i>Hepatology</i> , 2007 , 45, 826	11.2	1
11	Sitagliptin Is More Effective Than Gliclazide in Preventing & Pro-Fibrotic and Pro-Inflammatory Changes in a Rodent Model of Diet-Induced Non-Alcoholic Fatty Liver Disease.. <i>Molecules</i> , 2022 , 27,	4.8	1
10	Targeting CCN2 protects against progressive non-alcoholic steatohepatitis in a preclinical model induced by high-fat feeding and type 2 diabetes.. <i>Journal of Cell Communication and Signaling</i> , 2022 , 1	5.2	1
9	Differential Effects of 'Vaping' on Lipid and Glucose Profiles and Liver Metabolic Markers in Obese Versus Non-obese Mice. <i>Frontiers in Physiology</i> , 2021 , 12, 755124	4.6	1
8	Dipeptidyl peptidase 9 triggers BRCA2 degradation by the N-degron pathway to promote DNA-damage repair		1
7	DPP9: Comprehensive In Silico Analyses of Loss of Function Gene Variants and Associated Gene Expression Signatures in Human Hepatocellular Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	1
6	Associations between DPP9 expression, survival and gene expression signature in human hepatocellular carcinoma: Comprehensive in silico analyses. <i>FASEB Journal</i> , 2021 , 35,	0.9	1

- 5 An improved production and purification protocol for recombinant soluble human fibroblast activation protein alpha. *Protein Expression and Purification*, **2021**, 181, 105833 2 0
- 4 Corrigendum to Stromal cell-derived factors 1 and 1 inflammatory protein-10 and interferon-inducible T cell chemo-attractant are novel substrates of dipeptidyl peptidase 8 [FEBS Lett. 582 (2008) 819825]. *FEBS Letters*, **2008**, 582, 1168-1168 3.8
- 3 Molecular chimeras and mutational analysis in the prolyl oligopeptidase gene family. *Advances in Experimental Medicine and Biology*, **2003**, 524, 49-55 3.6
- 2 DPP8 **2016**, 1-5
- 1 Genomics, Gene Arrays and Proteomics in the Study of Liver Disease 398-420