

Aaron J Siegler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/264792/aaron-j-siegler-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,770
citations

23
h-index

40
g-index

108
ext. papers

2,672
ext. citations

5
avg, IF

5.3
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 87 | Integrating and Disseminating Pre-Exposure Prophylaxis (PrEP) Screening and Dispensing for Black Men Who Have Sex With Men in Atlanta, Georgia: Protocol for Community Pharmacies.. <i>JMIR Research Protocols</i> , 2022 , 11, e35590 | 2 | 1 |
| 86 | Nationally Representative Social Contact Patterns among U.S. adults, August 2020-April 2021. 2022 , , | | 1 |
| 85 | Seroadaptive Strategy Patterns of Young Black Gay, Bisexual, and Other Men Who Have Sex With Men in Atlanta, Georgia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022 , 89, 40-48 | 3.1 | 0 |
| 84 | Post-lockdown changes of age-specific susceptibility and its correlation with adherence to social distancing measures.. <i>Scientific Reports</i> , 2022 , 12, 4637 | 4.9 | 0 |
| 83 | Alignment of PrEP use and sexual behavior over four months among men who have sex with men in the southern United States.. <i>AIDS and Behavior</i> , 2022 , 1 | 4.3 | |
| 82 | Cumulative incidence of SARS-CoV-2 infections among adults in Georgia, USA, August-December 2020. <i>Journal of Infectious Diseases</i> , 2021 , | 7 | 2 |
| 81 | HIV incidence among men who have sex with men in mainland China: a systematic review protocol. <i>Systematic Reviews</i> , 2021 , 10, 277 | 3 | 0 |
| 80 | Mixed-Methods Evaluation of the Incorporation of Home Specimen Self-Collection Kits for Laboratory Testing in a Telehealth Program for HIV Pre-exposure Prophylaxis. <i>AIDS and Behavior</i> , 2021 , 25, 2463-2482 | 4.3 | 1 |
| 79 | A decision analytics model to optimize investment in interventions targeting the HIV preexposure prophylaxis cascade of care. <i>Aids</i> , 2021 , 35, 1479-1489 | 3.5 | 0 |
| 78 | Mobile app development in health research: pitfalls and solutions. <i>MHealth</i> , 2021 , 7, 32 | 2.2 | 1 |
| 77 | Estimating the Cumulative Incidence of SARS-CoV-2 Infection and the Infection Fatality Ratio in Light of Waning Antibodies. <i>Epidemiology</i> , 2021 , 32, 518-524 | 3.1 | 35 |
| 76 | SARS-CoV-2 cumulative incidence, United States, August-December 2020. <i>Clinical Infectious Diseases</i> , 2021 , | 11.6 | 8 |
| 75 | SARS-CoV-2 Cumulative Incidence and Period Seroprevalence: Results From a Statewide Population-Based Serosurvey in California. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab379 | 1 | 6 |
| 74 | Needed: A Life Course Perspective on Maintaining Pre-exposure Prophylaxis Use. <i>Clinical Infectious Diseases</i> , 2021 , 72, 386-387 | 11.6 | 2 |
| 73 | DOT Diary: Developing a Novel Mobile App Using Artificial Intelligence and an Electronic Sexual Diary to Measure and Support PrEP Adherence Among Young Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2021 , 25, 1001-1012 | 4.3 | 10 |
| 72 | PrEParing for long-acting injectable PrEP in the South: perspectives from healthcare providers in Georgia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 706-711 | 2.2 | 1 |
| 71 | Use of Geosocial Networking Apps and HIV Risk Behavior Among Men Who Have Sex With Men: Case-Crossover Study. <i>JMIR Public Health and Surveillance</i> , 2021 , 7, e17173 | 11.4 | 2 |

| | | | |
|----|--|------|----|
| 70 | From declining PrEP to PrEP initiation as "first nature" - what changes PrEP initiation decisions among young, Black MSM. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-10 | 2.2 | 1 |
| 69 | The spatiotemporal distribution of pre-exposure prophylaxis accessibility in the United States, 2016-2020. <i>Annals of Epidemiology</i> , 2021 , 64, 102-110 | 6.4 | 1 |
| 68 | Trajectory of COVID-19 Vaccine Hesitancy Over Time and Association of Initial Vaccine Hesitancy With Subsequent Vaccination. <i>JAMA Network Open</i> , 2021 , 4, e2126882 | 10.4 | 14 |
| 67 | A framework for monitoring population immunity to SARS-CoV-2. <i>Annals of Epidemiology</i> , 2021 , 63, 75-78. | 8.4 | 6 |
| 66 | Sexually transmitted infection screening, prevalence and incidence among South African men and transgender women who have sex with men enrolled in a combination HIV prevention cohort study: the Sibanye Methods for Prevention Packages Programme (MP3) project. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 6, e25594 | 5.4 | 1 |
| 65 | Protocol for a national probability survey using home specimen collection methods to assess prevalence and incidence of SARS-CoV-2 infection and antibody response. <i>Annals of Epidemiology</i> , 2020 , 49, 50-60 | 6.4 | 15 |
| 64 | Validation of the HIV Pre-exposure Prophylaxis Stigma Scale: Performance of Likert and Semantic Differential Scale Versions. <i>AIDS and Behavior</i> , 2020 , 24, 2637-2649 | 4.3 | 10 |
| 63 | Methods for county-level estimation of pre-exposure prophylaxis coverage and application to the U.S. Ending the HIV Epidemic jurisdictions. <i>Annals of Epidemiology</i> , 2020 , 44, 16-30 | 6.4 | 12 |
| 62 | Siegler et al. Respond. <i>American Journal of Public Health</i> , 2020 , 110, e3-e4 | 5.1 | |
| 61 | Policy- and county-level associations with HIV pre-exposure prophylaxis use, the United States, 2018. <i>Annals of Epidemiology</i> , 2020 , 45, 24-31. | 6.4 | 26 |
| 60 | A Theoretically Based Mobile App to Increase Pre-Exposure Prophylaxis Uptake Among Men Who Have Sex With Men: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16237 | 3.9 | 9 |
| 59 | Detection of SARS-CoV-2 RNA and Antibodies in Diverse Samples: Protocol to Validate the Sufficiency of Provider-Observed, Home-Collected Blood, Saliva, and Oropharyngeal Samples. <i>JMIR Public Health and Surveillance</i> , 2020 , 6, e19054 | 11.4 | 48 |
| 58 | Willingness to Use Home Collection Methods to Provide Specimens for SARS-CoV-2/COVID-19 Research: Survey Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19471 | 7.6 | 15 |
| 57 | Suitability and Sufficiency of Telehealth Clinician-Observed, Participant-Collected Samples for SARS-CoV-2 Testing: The iCollect Cohort Pilot Study. <i>JMIR Public Health and Surveillance</i> , 2020 , 6, e19731 | 11.4 | 22 |
| 56 | Similarities and Differences in COVID-19 Awareness, Concern, and Symptoms by Race and Ethnicity in the United States: Cross-Sectional Survey. <i>Journal of Medical Internet Research</i> , 2020 , 22, e20001 | 7.6 | 42 |
| 55 | A Data Visualization and Dissemination Resource to Support HIV Prevention and Care at the Local Level: Analysis and Uses of the AIDSvu Public Data Resource. <i>Journal of Medical Internet Research</i> , 2020 , 22, e23173 | 7.6 | 14 |
| 54 | Utility of a US Food and Drug Administration (FDA) label indication for condoms for anal sex. <i>Sexual Health</i> , 2020 , 17, 91-95 | 2 | 1 |
| 53 | At-home self-collection of saliva, oropharyngeal swabs and dried blood spots for SARS-CoV-2 diagnosis and serology: post-collection acceptability of specimen collection process and patient confidence in specimens 2020 , | | 2 |

| | | | |
|----|---|------|----|
| 52 | Changes in sexual behavior, PrEP adherence, and access to sexual health services due to the COVID-19 pandemic among a cohort of PrEP-using MSM in the South 2020 , | | 9 |
| 51 | Estimating the cumulative incidence of SARS-CoV-2 infection and the infection fatality ratio in light of waning antibodies 2020 , | | 12 |
| 50 | Law Everywhere: A Causal Framework for Law and Infectious Disease. <i>Public Health Reports</i> , 2020 , 135, 25S-31S | 2.5 | 2 |
| 49 | HIV prevalence and incidence in a cohort of South African men and transgender women who have sex with men: the Sibanye Methods for Prevention Packages Programme (MP3) project. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 6, e25591 | 5.4 | 5 |
| 48 | Small-area spatial-temporal changes in pre-exposure prophylaxis (PrEP) use in the general population and among men who have sex with men in the United States between 2012 and 2018. <i>Annals of Epidemiology</i> , 2020 , 49, 1-7 | 6.4 | 3 |
| 47 | Willingness to Seek Diagnostic Testing for SARS-CoV-2 With Home, Drive-through, and Clinic-Based Specimen Collection Locations. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa269 | 1 | 23 |
| 46 | At-home self-collection of saliva, oropharyngeal swabs and dried blood spots for SARS-CoV-2 diagnosis and serology: Post-collection acceptability of specimen collection process and patient confidence in specimens. <i>PLoS ONE</i> , 2020 , 15, e0236775 | 3.7 | 37 |
| 45 | A Review of HIV Pre-exposure Prophylaxis Streamlining Strategies. <i>Current HIV/AIDS Reports</i> , 2020 , 17, 643-653 | 5.9 | 6 |
| 44 | Assessing the performance of international pre-exposure prophylaxis (PrEP) eligibility guidelines in a cohort of Chinese MSM, Beijing, China 2009 to 2016. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25653 | 5.4 | 5 |
| 43 | Pre-exposure Prophylaxis Uptake and Discontinuation Among Young Black Men Who Have Sex With Men in Atlanta, Georgia: A Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2020 , 71, 574-582 | 11.6 | 34 |
| 42 | Implementation Strategies to Increase PrEP Uptake in the South. <i>Current HIV/AIDS Reports</i> , 2019 , 16, 259-269 | 5.9 | 53 |
| 41 | Contrasting Self-Perceived Need and Guideline-Based Indication for HIV Pre-Exposure Prophylaxis Among Young, Black Men Who Have Sex with Men Offered Pre-Exposure Prophylaxis in Atlanta, Georgia. <i>AIDS Patient Care and STDs</i> , 2019 , 33, 112-119 | 5.8 | 24 |
| 40 | Geographic Access to Preexposure Prophylaxis Clinics Among Men Who Have Sex With Men in the United States. <i>American Journal of Public Health</i> , 2019 , 109, 1216-1223 | 5.1 | 37 |
| 39 | Double-Blind, Single-Center, Randomized Three-Way Crossover Trial of Fitted, Thin, and Standard Condoms for Vaginal and Anal Sex: C-PLEASURE Study Protocol and Baseline Data. <i>JMIR Research Protocols</i> , 2019 , 8, e12205 | 2 | 4 |
| 38 | An Electronic Pre-Exposure Prophylaxis Initiation and Maintenance Home Care System for Nonurban Young Men Who Have Sex With Men: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e13982 | 2 | 19 |
| 37 | HIV Prevention Via Mobile Messaging for Men Who Have Sex With Men (M-Cubed): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e16439 | 2 | 12 |
| 36 | Persistence on HIV preexposure prophylaxis medication over a 2-year period among a national sample of 7148 PrEP users, United States, 2015 to 2017. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25252 | 5.4 | 52 |
| 35 | Bringing HIV Self-Testing to Scale in the United States: a Review of Challenges, Potential Solutions, and Future Opportunities. <i>Journal of Clinical Microbiology</i> , 2019 , 57, | 9.7 | 20 |

| | | | |
|----|--|------|-----|
| 34 | Levels of clinical condom failure for anal sex: A randomized cross-over trial. <i>EClinicalMedicine</i> , 2019 , 17, 100199 | 11.3 | 4 |
| 33 | Developing and Assessing the Feasibility of a Home-based Preexposure Prophylaxis Monitoring and Support Program. <i>Clinical Infectious Diseases</i> , 2019 , 68, 501-504 | 11.6 | 60 |
| 32 | "Give What the People Want": A Situational Analysis of Condom Distribution and a Feasibility Study of User-Friendly Condoms in Cape Town, South Africa. <i>Journal of the Association of Nurses in AIDS Care</i> , 2018 , 29, 887-901 | 1.6 | 5 |
| 31 | Beyond the Biomedical: Preexposure Prophylaxis Failures in a Cohort of Young Black Men Who Have Sex With Men in Atlanta, Georgia. <i>Clinical Infectious Diseases</i> , 2018 , 67, 965-970 | 11.6 | 37 |
| 30 | Validation of an Event-Level, Male Sexual Pleasure Scale (EMSEXpleasure) Among Condom-Using Men in the U.S. <i>Archives of Sexual Behavior</i> , 2018 , 47, 1745-1754 | 3.5 | 5 |
| 29 | Users of a National Directory of PrEP Service Providers: Beliefs, Self-Efficacy, and Progress Toward Prescription. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 78, e28-e30 | 3.1 | 7 |
| 28 | Getting pre-exposure prophylaxis (PrEP) to the people: opportunities, challenges and emerging models of PrEP implementation. <i>Sexual Health</i> , 2018 , 15, 522-527 | 2 | 28 |
| 27 | Location location location: an exploration of disparities in access to publicly listed pre-exposure prophylaxis clinics in the United States. <i>Annals of Epidemiology</i> , 2018 , 28, 858-864 | 6.4 | 48 |
| 26 | The prevalence of pre-exposure prophylaxis use and the pre-exposure prophylaxis-to-need ratio in the fourth quarter of 2017, United States. <i>Annals of Epidemiology</i> , 2018 , 28, 841-849 | 6.4 | 182 |
| 25 | Trends in the use of oral emtricitabine/tenofovir disoproxil fumarate for pre-exposure prophylaxis against HIV infection, United States, 2012-2017. <i>Annals of Epidemiology</i> , 2018 , 28, 833-840 | 6.4 | 111 |
| 24 | Challenges in Translating PrEP Interest Into Uptake in an Observational Study of Young Black MSM. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 76, 250-258 | 3.1 | 84 |
| 23 | Assessing the Performance of 3 Human Immunodeficiency Virus Incidence Risk Scores in a Cohort of Black and White Men Who Have Sex With Men in the South. <i>Sexually Transmitted Diseases</i> , 2017 , 44, 297-302 | 2.4 | 24 |
| 22 | Usability and Acceptability of a Mobile Comprehensive HIV Prevention App for Men Who Have Sex With Men: A Pilot Study. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e26 | 5.5 | 76 |
| 21 | Developing a Web-Based Geolocated Directory of HIV Pre-Exposure Prophylaxis-Providing Clinics: The PrEP Locator Protocol and Operating Procedures. <i>JMIR Public Health and Surveillance</i> , 2017 , 3, e58 | 11.4 | 31 |
| 20 | A social network typology and sexual risk-taking among men who have sex with men in Cape Town and Port Elizabeth, South Africa. <i>Culture, Health and Sexuality</i> , 2016 , 18, 509-23 | 2.5 | 5 |
| 19 | Factors Associated With Condom Breakage During Anal Intercourse: A Cross-Sectional Study of Men Who Have Sex With Men Recruited in an Online Survey. <i>JMIR Public Health and Surveillance</i> , 2016 , 2, e7 | 11.4 | 6 |
| 18 | Concordance of Demographic Characteristics, Sexual Behaviors, and Relationship Attributes Among Sex Dyads of Black and White Men Who Have Sex with Men. <i>Archives of Sexual Behavior</i> , 2016 , 45, 1463-70 | 2.5 | 6 |
| 17 | Exploring repeat HIV testing among men who have sex with men in Cape Town and Port Elizabeth, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 229-34 | 2.2 | 13 |

| | | | |
|----|---|------|-----|
| 16 | Knowledge and awareness of acute human immunodeficiency virus infection among mobile app-using men who have sex with men: a missed public health opportunity. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofv016 | 1 | 5 |
| 15 | Applying a PrEP Continuum of Care for Men Who Have Sex With Men in Atlanta, Georgia. <i>Clinical Infectious Diseases</i> , 2015 , 61, 1590-7 | 11.6 | 198 |
| 14 | How often do condoms fail? A cross-sectional study exploring incomplete use of condoms, condom failures and other condom problems among black and white MSM in southern U.S.A. <i>Sexually Transmitted Infections</i> , 2014 , 90, 602-7 | 2.8 | 21 |
| 13 | Elements of Condom-Use Decision Making among South African Men Who Have Sex with Men. <i>Journal of the International Association of Providers of AIDS Care</i> , 2014 , 13, 414-23 | 1.7 | 22 |
| 12 | Sibanye Methods for Prevention Packages Program Project Protocol: Pilot Study of HIV Prevention Interventions for Men Who Have Sex With Men in South Africa. <i>JMIR Research Protocols</i> , 2014 , 3, e55 | 2 | 17 |
| 11 | Applying the Dynamic Social Systems Model to HIV prevention in a rural African context: the Maasai and the esoto dance. <i>Health Education and Behavior</i> , 2013 , 40, 683-93 | 4.2 | 2 |
| 10 | The role of intent in serosorting behaviors among men who have sex with men sexual partnerships. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 64, 307-14 | 3.1 | 15 |
| 9 | Online purchases of an expanded range of condom sizes in comparison to current dimensional requirements allowable by US national standards. <i>Sexual Health</i> , 2013 , 10, 408-13 | 2 | 1 |
| 8 | Acceptability of medical male circumcision and improved instrument sanitation among a traditionally circumcising group in East Africa. <i>AIDS and Behavior</i> , 2012 , 16, 1846-52 | 4.3 | 12 |
| 7 | Condoms "contain worms" and "cause HIV" in Tanzania: Negative Condom Beliefs Scale development and implications for HIV prevention. <i>Social Science and Medicine</i> , 2012 , 75, 1685-91 | 5.1 | 9 |
| 6 | Barriers to cervical cancer screening in Mulanje, Malawi: a qualitative study. <i>Patient Preference and Adherence</i> , 2011 , 5, 125-31 | 2.4 | 55 |
| 5 | Male injecting drug users in the Deep South: bisexual behaviour is a marker for elevated HIV risk. <i>International Journal of STD and AIDS</i> , 2010 , 21, 691-6 | 1.4 | 3 |
| 4 | Willingness to Use Home Collection Methods to Provide Specimens for SARS-CoV-2/COVID-19 Research: Survey Study (Preprint) | | 1 |
| 3 | Detection of SARS-CoV-2 RNA and Antibodies in Diverse Samples: Protocol to Validate the Sufficiency of Provider-Observed, Home-Collected Blood, Saliva, and Oropharyngeal Samples (Preprint) | | 4 |
| 2 | Willingness to seek laboratory testing for SARS-CoV-2 with home, drive-through, and clinic-based specimen collection locations | | 4 |
| 1 | Differences in Sexual Behaviors, HIV Testing, and Willingness to Use PrEP between Gay and Bisexual Men Who Have Sex with Men in China. <i>International Journal of Sexual Health</i> , 1-8 | 2 | 0 |