

Richard P Beckett

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2648557/richard-p-beckett-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

2,876
citations

31
h-index

51
g-index

101
ext. papers

3,175
ext. citations

3.7
avg, IF

5.07
L-index

#	Paper	IF	Citations
94	Shade lichens are characterized by rapid relaxation of non-photochemical quenching on transition to darkness. <i>Lichenologist</i> , 2021 , 53, 409-414	1.1	2
93	Quinone reductase activity is widespread in lichens. <i>Lichenologist</i> , 2021 , 53, 265-269	1.1	2
92	Cathodic Water Enhances Seedling Emergence and Growth of Controlled Deteriorated Orthodox Seeds. <i>Plants</i> , 2021 , 10,	4.5	1
91	Role of quinone reductases in extracellular redox cycling in lichenized ascomycetes. <i>Fungal Biology</i> , 2021 , 125, 879-885	2.8	
90	Photoprotection in lichens: adaptations of photobionts to high light. <i>Lichenologist</i> , 2021 , 53, 21-33	1.1	11
89	Influence of Cathodic Water Invigoration on the Emergence and Subsequent Growth of Controlled Deteriorated Pea and Pumpkin Seeds. <i>Plants</i> , 2020 , 9,	4.5	3
88	Weed management in sugarcane using a combination of imazapyr followed by velvet bean as a break crop. <i>South African Journal of Plant and Soil</i> , 2019 , 36, 83-90	0.8	2
87	Membrane sterols and genes of sterol biosynthesis are involved in the response of <i>Triticum aestivum</i> seedlings to cold stress. <i>Plant Physiology and Biochemistry</i> , 2019 , 142, 452-459	5.4	12
86	Improved photoprotection in melanized lichens is a result of fungal solar radiation screening rather than photobiont acclimation. <i>Lichenologist</i> , 2019 , 51, 483-491	1.1	4
85	Occurrence and possible roles of melanic pigments in lichenized ascomycetes. <i>Fungal Biology Reviews</i> , 2019 , 33, 159-165	6.8	11
84	Extracellular redox cycling and hydroxyl radical production occurs widely in lichenized Ascomycetes. <i>Fungal Biology</i> , 2017 , 121, 582-588	2.8	9
83	Melanisation in the old forest lichen <i>Lobaria pulmonaria</i> reduces the efficiency of photosynthesis. <i>Fungal Ecology</i> , 2017 , 29, 103-110	4.1	11
82	Characterization and role of tyrosinases in the lichen <i>Lobaria pulmonaria</i> (L.) Hoffm.. <i>Lichenologist</i> , 2016 , 48, 311-322	1.1	8
81	A proposed interplay between peroxidase, amine oxidase and lipoxygenase in the wounding-induced oxidative burst in <i>Pisum sativum</i> seedlings. <i>Phytochemistry</i> , 2015 , 112, 130-8	4	28
80	Activity of Redox Enzymes in the Thallus of <i>Anthoceros natalensis</i> . <i>Biochemistry (Moscow)</i> , 2015 , 80, 1157-68	1.1	1
79	Roles of apoplastic peroxidases in plant response to wounding. <i>Phytochemistry</i> , 2015 , 112, 122-9	4	52
78	Role of laccases and peroxidases in saprotrophic activities in the lichen <i>Usnea undulata</i> . <i>Fungal Ecology</i> , 2015 , 14, 71-78	4.1	10

77	The Roles of Plant Peroxidases in the Metabolism of Reactive Nitrogen Species and Other Nitrogenous Compounds. <i>Signaling and Communication in Plants</i> , 2015 , 43-62	1	1
76	Sterol binding by methyl- β -cyclodextrin and nystatin--comparative analysis of biochemical and physiological consequences for plants. <i>FEBS Journal</i> , 2014 , 281, 2051-60	5.7	10
75	Hydration in the dark can induce laccase and peroxidase activity in Peltigeralean and non-Peltigeralean lichens. <i>Lichenologist</i> , 2014 , 46, 589-593	1.1	6
74	Oxidoreductases and cellulases in lichens: possible roles in lichen biology and soil organic matter turnover. <i>Fungal Biology</i> , 2013 , 117, 431-8	2.8	35
73	Evidence for temperature limitation of nitrogen mineralisation in the Drakensberg Alpine Centre. <i>South African Journal of Botany</i> , 2013 , 88, 447-454	2.9	14
72	On the occurrence of peroxidase and laccase activity in lichens. <i>Lichenologist</i> , 2013 , 45, 277-283	1.1	13
71	Peroxidases of <i>Anthoceros natalensis</i> , an evolutionary precursor of vascular plants. <i>Doklady Biological Sciences</i> , 2012 , 447, 357-9	0.9	
70	Occurrence of high tyrosinase activity in the non-Peltigeralean lichen <i>Dermatocarpon miniatum</i> (L.) W. Mann. <i>Lichenologist</i> , 2012 , 44, 827-832	1.1	10
69	A heme peroxidase of the ascomyceteous lichen <i>Leptogium saturninum</i> oxidizes high-redox potential substrates. <i>Fungal Genetics and Biology</i> , 2011 , 48, 1139-45	3.9	33
68	Patterns of heat production during desiccation and rehydration in lichens differing in desiccation tolerance. <i>Lichenologist</i> , 2011 , 43, 178-183	1.1	6
67	What is stress? Concepts, definitions and applications in seed science. <i>New Phytologist</i> , 2010 , 188, 655-73	3.8	287
66	Cell wall peroxidases in the liverwort <i>Dumortiera hirsuta</i> are responsible for extracellular superoxide production, and can display tyrosinase activity. <i>Physiologia Plantarum</i> , 2010 , 138, 474-84	4.6	23
65	Extracellular production of reactive oxygen species during seed germination and early seedling growth in <i>Pisum sativum</i> . <i>Journal of Plant Physiology</i> , 2010 , 167, 805-11	3.6	114
64	Extracellular superoxide production, viability and redox poise in response to desiccation in recalcitrant <i>Castanea sativa</i> seeds. <i>Plant, Cell and Environment</i> , 2010 , 33, 59-75	8.4	72
63	Production of reactive oxygen species in excised, desiccated and cryopreserved explants of <i>Trichilia dregeana</i> Sond. <i>South African Journal of Botany</i> , 2010 , 76, 112-118	2.9	37
62	Alleviation of dormancy by reactive oxygen species in <i>Bidens pilosa</i> L. seeds. <i>South African Journal of Botany</i> , 2010 , 76, 601-605	2.9	18
61	Wound-induced apoplastic peroxidase activities: their roles in the production and detoxification of reactive oxygen species. <i>Plant, Cell and Environment</i> , 2009 , 32, 497-508	8.4	113
60	Diversity of laccases from lichens in suborder Peltigerineae. <i>Bryologist</i> , 2009 , 112, 418-426	0.7	24

59	An oxidative burst of superoxide in embryonic axes of recalcitrant sweet chestnut seeds as induced by excision and desiccation. <i>Physiologia Plantarum</i> , 2008 , 133, 131-9	4.6	62
58	Desiccation-Tolerance in Lichens: A Review. <i>Bryologist</i> , 2008 , 111, 576-593	0.7	227
57	Effect of water content components on desiccation and recovery in Sphagnum mosses. <i>Annals of Botany</i> , 2008 , 101, 165-73	4.1	80
56	Rapid breakdown of exogenous extracellular hydrogen peroxide by lichens. <i>Physiologia Plantarum</i> , 2007 , 129, 588-596	4.6	6
55	Occurrence of laccases in lichenized ascomycetes of the Peltigerineae. <i>Mycological Research</i> , 2006 , 110, 846-53		28
54	Co-occurrence of the multicopper oxidases tyrosinase and laccase in lichens in sub-order peltigerineae. <i>Annals of Botany</i> , 2006 , 98, 1035-42	4.1	37
53	Extracellular reactive oxygen species production by lichens. <i>Lichenologist</i> , 2005 , 37, 397-407	1.1	15
52	Hardening enhances photoprotection in the moss <i>Atrichum androgynum</i> during rehydration by increasing fast- rather than slow-relaxing quenching. <i>Journal of Bryology</i> , 2005 , 27, 7-12	1.1	26
51	In vitro hardening [The role of supra-optimal sucrose on acclimation stress in <i>Kniphofia leucocephala</i> . <i>South African Journal of Botany</i> , 2005 , 71, 107-109	2.9	
50	Hardening by partial dehydration and ABA increase desiccation tolerance in the cyanobacterial lichen <i>Peltigera polydactylon</i> . <i>Annals of Botany</i> , 2005 , 96, 109-15	4.1	25
49	Reactive oxygen species metabolism in desiccation-stressed thalli of the liverwort <i>Dumortiera hirsuta</i> . <i>Physiologia Plantarum</i> , 2004 , 122, 3-10	4.6	16
48	In vitro Hardening [The Role of Ventilation on Acclimation Stress in <i>Kniphofia leucocephala</i> . <i>Plant Growth Regulation</i> , 2004 , 43, 49-55	3.2	4
47	Possible functions of extracellular peroxidases in stress-induced generation and detoxification of active oxygen species. <i>Phytochemistry Reviews</i> , 2004 , 3, 173-193	7.7	87
46	Increased activities of superoxide dismutase and catalase are not the mechanism of desiccation tolerance induced by hardening in the moss <i>Atrichum androgynum</i> . <i>Journal of Bryology</i> , 2003 , 25, 281-286	1.1	14
45	Wounding induces a burst of extracellular superoxide production in <i>Peltigera canina</i> . <i>Lichenologist</i> , 2003 , 35, 87-89	1.1	14
44	High rates of extracellular superoxide production by lichens in the suborder Peltigerineae correlate with indices of high metabolic activity. <i>Plant, Cell and Environment</i> , 2003 , 26, 1827-1837	8.4	30
43	Drying without dying. <i>New Phytologist</i> , 2003 , 157, 6-7	9.8	1
42	Biochemical traits of lichens differing in relative desiccation tolerance. <i>New Phytologist</i> , 2003 , 160, 167-176	1.1	83

41	Abscisic acid modifies the changes in lipids brought about by water stress in the moss <i>Atrichum androgynum</i> . <i>New Phytologist</i> , 2002 , 156, 255-264	9.8	43
40	Revival of a resurrection plant correlates with its antioxidant status. <i>Plant Journal</i> , 2002 , 31, 13-24	6.9	181
39	An oxidative burst of hydrogen peroxide during rehydration following desiccation in the moss <i>Atrichum androgynum</i> . <i>New Phytologist</i> , 2002 , 155, 275-283	9.8	31
38	Determination of the Parameters of Lichen Water Relations 2002 , 236-254		1
37	High rates of extracellular superoxide production in bryophytes and lichens, and an oxidative burst in response to rehydration following desiccation. <i>New Phytologist</i> , 2001 , 152, 333-341	9.8	45
36	ABA-induced tolerance to ion leakage during rehydration following desiccation in the moss <i>Atrichum androgynum</i> . <i>Plant Growth Regulation</i> , 2001 , 35, 131-135	3.2	26
35	ABA Increases the Desiccation Tolerance of Photosynthesis in the Afromontane Understorey Moss <i>Atrichum androgynum</i> . <i>Annals of Botany</i> , 2001 , 88, 1093-1100	4.1	43
34	ABA treatment increases both the desiccation tolerance of photosynthesis, and nonphotochemical quenching in the moss <i>Atrichum undulatum</i> . <i>Plant Ecology</i> , 2000 , 151, 65-71	1.7	44
33	Partial dehydration and ABA induce tolerance to desiccation-induced ion leakage in the moss <i>Atrichum androgynum</i> . <i>South African Journal of Botany</i> , 1999 , 65, 212-217	2.9	39
32	Some aspects of the water relations of the lichen <i>Xanthomaculina hottentotta</i> (Ach.) Hale from the Namib desert. <i>South African Journal of Botany</i> , 1998 , 64, 346-349	2.9	5
31	Seasonal variations in tolerance to ion leakage following desiccation in the moss <i>Atrichum androgynum</i> from a KwaZulu-Natal afromontane forest. <i>South African Journal of Botany</i> , 1997 , 63, 276-279		23
30	Pressure-Volume Analysis of a Range of Poikilohydric Plants Implies the Existence of Negative Turgor in Vegetative Cells. <i>Annals of Botany</i> , 1997 , 79, 145-152	4.1	35
29	A preliminary study of the factors affecting the kinetics of cadmium uptake by the liverwort <i>Dumortiera hirsuta</i> . <i>South African Journal of Botany</i> , 1996 , 62, 332-336	2.9	13
28	The water relations of the maritime lichen <i>Roccella hypomecha</i> (Ach.) Borg. studied using thermocouple psychrometry. <i>South African Journal of Botany</i> , 1996 , 62, 122-125	2.9	4
27	Some Aspects of the Water Relations of the Lichen <i>Parmotrema Tinctorum</i> Measured Using Thermocouple Psychrometry. <i>Lichenologist</i> , 1996 , 28, 257	1.1	
26	Effect of desiccation stress on Cd uptake in the lichen <i>Peltigera membranacea</i> . <i>South African Journal of Botany</i> , 1996 , 62, 121-122	2.9	1
25	Some Aspects of the Water Relations of the Lichen <i>Parmotrema Tinctorum</i> Measured Using Thermocouple Psychrometry. <i>Lichenologist</i> , 1996 , 28, 257-266	1.1	11
24	Kinetic analysis of Cd uptake in Cd-tolerant and intolerant populations of the moss <i>Rhytidiadelphus squarrosus</i> (Hedw.) Warnst and the lichen <i>Peltigera membranacea</i> (Ach.) Nyl.. <i>New Phytologist</i> , 1995 , 129, 477-486	9.8	18

23	The effect of fluctuating substrate salinity on the yield and flag leaf photosynthesis of wheat. <i>South African Journal of Botany</i> , 1995 , 61, 35-38	2.9	2
22	Some Aspects of the Water Relations of Lichens from Habitats of Contrasting Water Status studied using Thermocouple Psychrometry. <i>Annals of Botany</i> , 1995 , 76, 211-217	4.1	38
21	Effect of seaweed concentrate on the growth of the seedlings of three species of Eucalyptus. <i>South African Journal of Botany</i> , 1995 , 61, 169-172	2.9	7
20	Effect of seaweed concentrate on yield of nutrient-stressed tepary bean (<i>Phaseolus acutifolius</i> Gray). <i>Journal of Applied Phycology</i> , 1994 , 6, 429-430	3.2	24
19	The effect of water stress on the liverwort <i>Dumortiera hirsuta</i> measured using thermocouple psychrometry. <i>South African Journal of Botany</i> , 1993 , 59, 462-464	2.9	1
18	The Effect of Thidiazuron on the Yield of Salinity Stressed Wheat. <i>Annals of Botany</i> , 1992 , 70, 47-51	4.1	3
17	The effect of thidiazuron on the yield of wheat grown with varying nutrient supply. <i>Plant Growth Regulation</i> , 1992 , 11, 343-348	3.2	4
16	The effect of micronutrient supply on the growth and seed production of guayule (<i>Parthenium argentatum</i> Gray). <i>Annals of Applied Biology</i> , 1992 , 120, 567-571	2.6	
15	The effect of seaweed concentrate on the uptake of foliar-applied Cu, Mn and Zn by tomato seedlings. <i>South African Journal of Botany</i> , 1990 , 56, 389-392	2.9	6
14	Effect of seaweed concentrate on the growth and mineral nutrition of nutrient-stressed lettuce. <i>Journal of Applied Phycology</i> , 1990 , 2, 269-272	3.2	86
13	The Effect of Seaweed Concentrate on the Yield of Nutrient Stressed Wheat. <i>Botanica Marina</i> , 1990 , 33,	1.8	11
12	The effect of seaweed concentrate on the growth and yield of potassium stressed wheat. <i>Plant and Soil</i> , 1989 , 116, 29-36	4.2	44
11	Investigations on carotenoids in lichens. XVIII. Carotenoid content in certain lichens from southern Africa. <i>South African Journal of Botany</i> , 1988 , 54, 571-574	2.9	8
10	The Effect of Phosphate Buffer on the Physiology of the Lichen <i>Evernia prunastri</i> . <i>Annals of Botany</i> , 1987 , 60, 553-562	4.1	1
9	The Effect of the Herbicide Dichlorophen on the Physiology and Growth of Two Bryophytes. <i>Annals of Botany</i> , 1986 , 57, 201-209	4.1	1
8	Intracellular and Extracellular Uptake of Cadmium by the Moss <i>Rhytidiadelphus squarrosus</i> . <i>Annals of Botany</i> , 1985 , 55, 179-188	4.1	50
7	THE RELATIONSHIP BETWEEN CADMIUM UPTAKE AND HEAVY METAL TOLERANCE IN THE LICHEN GENUS PELTIGERA. <i>New Phytologist</i> , 1984 , 97, 301-311	9.8	35
6	The Control of Cadmium Uptake in the Lichen Genus <i>Peltigera</i> . <i>Journal of Experimental Botany</i> , 1984 , 35, 1071-1082	7	61

5	Uptake and Effect of Cations on Lichen Metabolism*. <i>Lichenologist</i> , 1984 , 16, 173-188	1.1	72
4	Differential Sensitivity of Lichens to Heavy Metals. <i>Annals of Botany</i> , 1983 , 52, 51-57	4.1	53
3	Natural and Experimentally-induced Zinc and Copper Resistance in the Lichen Genus <i>Peltigera</i> . <i>Annals of Botany</i> , 1983 , 52, 43-50	4.1	28
2	Stress physiology and the symbiosis134-151		31
1	Desiccation Tolerance in Lichens91-114		3