Margalida Gili

List of Publications by Citations

Source: https://exaly.com/author-pdf/2651042/margalida-gili-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 2,611 29 48 g-index

92 3,235 4.3 4.67 L-index

#	Paper	IF	Citations
86	The mental health risks of economic crisis in Spain: evidence from primary care centres, 2006 and 2010. European Journal of Public Health, 2013 , 23, 103-8	2.1	310
85	Prevalence and comorbidity of common mental disorders in primary care. <i>Journal of Affective Disorders</i> , 2009 , 119, 52-8	6.6	180
84	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 263-273.e1	7.2	137
83	Effectiveness of group acceptance and commitment therapy for fibromyalgia: a 6-month randomized controlled trial (EFFIGACT study). <i>Pain</i> , 2014 , 155, 693-702	8	99
82	Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. <i>Journal of Affective Disorders</i> , 2019 , 245, 152-162	6.6	92
81	Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 37-48	6.6	87
80	Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017 , 211, 77-87	5.4	78
79	Perceived injustice in fibromyalgia: psychometric characteristics of the Injustice Experience Questionnaire and relationship with pain catastrophising and pain acceptance. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 86-91	4.1	78
78	Exposure to violence, a risk for suicide in youths and young adults. A meta-analysis of longitudinal studies. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 195-211	6.5	74
77	Abulia and impulsiveness revisited: a conceptual history. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 161-7	6.5	55
76	Cognitive impairments and depression: a critical review. <i>Actas Espanolas De Psiquiatria</i> , 2015 , 43, 187-93	3 o.7	50
75	Comparative efficacy of two interventions to discontinue long-term benzodiazepine use: cluster randomised controlled trial in primary care. <i>British Journal of Psychiatry</i> , 2014 , 204, 471-9	5.4	49
74	Comorbidity between common mental disorders and chronic somatic diseases in primary care patients. <i>General Hospital Psychiatry</i> , 2010 , 32, 240-5	5.6	49
73	Economic crisis and mental health in Spain. Lancet, The, 2013, 382, 1977-8	40	47
72	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MooDFOOD prevention trial. <i>BMC Psychiatry</i> , 2016 , 16, 192	4.2	45
71	Clinical patterns and treatment outcome in patients with melancholic, atypical and non-melancholic depressions. <i>PLoS ONE</i> , 2012 , 7, e48200	3.7	45
70	Low-frequency transcranial magnetic stimulation in patients with fibromyalgia and major depression. <i>Pain Medicine</i> , 2009 , 10, 748-53	2.8	45

(2011-2011)

69	Mental disorders among frequent attenders in primary care: a comparison with routine attenders. Journal of Nervous and Mental Disease, 2011 , 199, 744-9	1.8	39	
68	Cognitive function after clinical remission in patients with melancholic and non-melancholic depression: a 6 month follow-up study. <i>Journal of Affective Disorders</i> , 2015 , 171, 85-92	6.6	38	
67	Obesity, metabolic syndrome and Mediterranean diet: Impact on depression outcome. <i>Journal of Affective Disorders</i> , 2016 , 194, 105-8	6.6	37	
66	Four hygienic-dietary recommendations as add-on treatment in depression: a randomized-controlled trial. <i>Journal of Affective Disorders</i> , 2012 , 140, 200-3	6.6	37	
65	Psychosocial factors associated with the adherence to a colorectal cancer screening program. <i>Cancer Detection and Prevention</i> , 2006 , 30, 354-60		34	
64	Sociodemographic and occupational risk factors associated with the development of different burnout types: the cross-sectional University of Zaragoza study. <i>BMC Psychiatry</i> , 2011 , 11, 49	4.2	32	
63	Relationship between behavioural coping strategies and acceptance in patients with fibromyalgia syndrome: elucidating targets of interventions. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 143	2.8	32	
62	An Internet-Based Intervention for Depression in Primary Care in Spain: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e231	7.6	32	
61	Towards a brief definition of burnout syndrome by subtypes: development of the "Burnout Clinical Subtypes Questionnaire" (BCSQ-12). <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 74	3	30	
60	Age predicts low-frequency transcranial magnetic stimulation efficacy in major depression. <i>Journal of Affective Disorders</i> , 2011 , 130, 466-9	6.6	29	
59	Commitment, enjoyment and motivation in young soccer competitive players. <i>Spanish Journal of Psychology</i> , 2010 , 13, 609-16	1	29	
58	Suicidal ideation, psychiatric disorder, and medical illness in a community epidemiological study. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 207-13	3.9	29	
57	Economic evaluation of a guided and unguided internet-based CBT intervention for major depression: Results from a multi-center, three-armed randomized controlled trial conducted in primary care. <i>PLoS ONE</i> , 2017 , 12, e0172741	3.7	29	
56	Functional impairment in patients with major depressive disorder and comorbid anxiety disorder. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 679-86	4.8	27	
55	Diagnostic Interview for Genetic Studies (DIGS): inter-rater and test-retest reliability and validity in a Spanish population. <i>European Psychiatry</i> , 2007 , 22, 44-8	6	26	
54	Cognitive impairment in remitted and non-remitted depressive patients: A follow-up comparison between first and recurrent episodes. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1991-8	1.2	25	
53	Will and its disorders: a conceptual history. History of Psychiatry, 1995, 6, 087-104	0.6	25	
52	Medical comorbidity in recurrent versus first-episode depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 220-7	6.5	24	

51	Stressful life events severity in patients with first and recurrent depressive episodes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1963-9	4.5	23
50	Validation of a Spanish language version of the pain self-perception scale in patients with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 255	2.8	23
49	Persistence of chronic major depression: a national prospective study. <i>Journal of Affective Disorders</i> , 2013 , 151, 306-12	6.6	22
48	Expectations among patients and health professionals regarding Web-based interventions for depression in primary care: a qualitative study. <i>Journal of Medical Internet Research</i> , 2015 , 17, e67	7.6	22
47	Burnout syndrome among dental students: a short version of the "Burnout Clinical Subtype Questionnaire" adapted for students (BCSQ-12-SS). <i>BMC Medical Education</i> , 2011 , 11, 103	3.3	19
46	Low intensity vs. self-guided internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. <i>BMC Psychiatry</i> , 2013 , 13, 21	4.2	17
45	Gender differences in mental health during the economic crisis. <i>Psicothema</i> , 2016 , 28, 407-413	2	17
44	Perceived stress latent factors and the burnout subtypes: a structural model in dental students. <i>PLoS ONE</i> , 2014 , 9, e99765	3.7	16
43	Expectations, experiences and attitudes of patients and primary care health professionals regarding online psychotherapeutic interventions for depression: protocol for a qualitative study. <i>BMC Psychiatry</i> , 2013 , 13, 64	4.2	14
42	Lifestyle change recommendations in major depression: Do they work?. <i>Journal of Affective Disorders</i> , 2015 , 183, 221-8	6.6	14
41	Effectiveness of group versus individual cognitive-behavioral therapy in patients with abridged somatization disorder: a randomized controlled trial. <i>Psychosomatic Medicine</i> , 2013 , 75, 600-8	3.7	14
40	Adherence to medication in depressive patients. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 541	-31.7	14
39	Mental disorders on the island of Formentera: prevalence in general population using the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 410-5	4.5	14
38	Suicidal risk and executive functions in major depressive disorder: a study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 253	4.2	13
37	Clinical differences between first and recurrent episodes in depressive patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 26-32	7.3	13
36	Clinical differences between early and late remission in depressive patients. <i>Journal of Affective Disorders</i> , 2011 , 134, 235-41	6.6	13
35	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. Journal of Affective Disorders, 2019 , 256, 192-204	6.6	12
34	Validation of the Spanish version of the Multidimensional State Boredom Scale (MSBS). <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 59	3	12

(2011-2019)

33	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 881-898	3.9	12	
32	Melancholic versus non-melancholic depression: differences on cognitive function. A longitudinal study protocol. <i>BMC Psychiatry</i> , 2010 , 10, 48	4.2	12	
31	Efficacy of low-intensity psychological intervention applied by ICTs for the treatment of depression in primary care: a controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 106	4.2	11	
30	Hygienic-dietary recommendations for major depression treatment: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 201	4.2	11	
29	Incidence of colorectal cancer and influence of dietary habits in fifteen European countries from 1971 to 2002. <i>Gaceta Sanitaria</i> , 2012 , 26, 69-73	2.2	11	
28	Psychological harassment in the nursing workplace: an observational study. <i>Archives of Psychiatric Nursing</i> , 2011 , 25, 185-94	2.1	11	
27	Exploring the Relationship Between the Acceptability of an Internet-Based Intervention for Depression in Primary Care and Clinical Outcomes: Secondary Analysis of a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 325	5	10	
26	Adherence to lifestyle recommendations by patients with depression. <i>Revista De Psiquiatr Y Salud Mental</i> , 2012 , 5, 236-40	2.7	10	
25	Effectiveness of hygienic-dietary recommendations as enhancers of antidepressant treatment in patients with depression: study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 404	4.1	10	
24	The Mediterranean diet and micronutrient levels in depressive patients. <i>Nutricion Hospitalaria</i> , 2014 , 31, 1171-5	1	10	
23	Interventions for preventing relapse or recurrence of depression in primary health care settings: A systematic review. <i>Preventive Medicine</i> , 2015 , 76 Suppl, S16-21	4.3	9	
22	Adherence predictors in an Internet-based Intervention program for depression. <i>Cognitive Behaviour Therapy</i> , 2018 , 47, 246-261	4.4	9	
21	Efficacy of Three Low-Intensity, Internet-Based Psychological Interventions for the Treatment of Depression in Primary Care: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15845	7.6	9	
20	Health related quality of life changes in somatising patients after individual versus group cognitive behavioural therapy: a randomized clinical trial. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 89-93	4.1	8	
19	Cognitive-behaviour therapy for patients with Abridged Somatization Disorder (SSI 4,6) in primary care: a randomized, controlled study. <i>BMC Psychiatry</i> , 2008 , 8, 47	4.2	8	
18	Estudio Meta-Anallico de Caracterliticas Diferenciales Entre Maltratadores y no Maltratadores: El Caso de la Psicopatologii y el Consumo de Alcohol o Drogas. <i>Psykhe</i> , 2004 , 13,		7	
17	Metabolic syndrome improvement in depression six months after prescribing simple hygienic-dietary recommendations. <i>BMC Research Notes</i> , 2014 , 7, 339	2.3	6	
16	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in Spanish population. <i>BMC Medical Research Methodology</i> , 2011 , 11, 131	4.7	6	

15	Gender differences on functioning in depressive patients. <i>Journal of Affective Disorders</i> , 2014 , 166, 292	2-6 6.6	5
14	The efficacy and pattern of use of a computer-assisted programme for the treatment of anxiety: a naturalistic study using mixed methods in primary care in Spain. <i>Journal of Affective Disorders</i> , 2015 , 175, 184-91	6.6	4
13	Implicaciones del hostigamiento psicolgico (mobbing) sobre los testigos: Un estudio observacional en enfermera. <i>Enfermeria Global</i> , 2016 , 15, 303	0.3	4
12	Mental disorders, chronic conditions and psychological factors: a path analysis model for healthcare consumption in general practice. <i>International Review of Psychiatry</i> , 2011 , 23, 20-7	3.6	4
11	Nuevas tĒnicas de neuroestimulacifi en las adicciones. Revista De Psicologia De La Salud, 2011 , 23, 273	1	4
10	Estilo de vida saludable: un factor de proteccifi minusvalorado frente a la depresifi. <i>Psiquiatria Biologica</i> , 2017 , 24, 97-105	0.2	3
9	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020 , 12,	6.7	2
8	Effectiveness of a healthy lifestyle promotion program as adjunctive teletherapy for treatment-resistant major depression during COVID 19 pandemic: A randomized clinical trial protocol. <i>Medicine (United States)</i> , 2020 , 99, e22958	1.8	2
7	Funciones ejecutivas en la depresifi. <i>Psiquiatria Biologica</i> , 2016 , 23, 23-28	0.2	1
6	Adherence to lifestyle recommendations by patients with depression. <i>Revista De Psiquiatr</i> a <i>Y Salud Mental (English Edition)</i> , 2012 , 5, 236-240	0.2	1
5	Hepatitis C treatment and erotomania. <i>General Hospital Psychiatry</i> , 2012 , 34, 103.e7-103.e10	5.6	1
4	Efficacy of a blended low-intensity internet-delivered psychological programme in patients with multimorbidity in primary care: study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 66	4.2	1
3	Predictors of Adherence in Three Low-Intensity Intervention Programs Applied by ICTs for Depression in Primary Care. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
2	Sueß y depresiß en una muestra de pacientes con dolor crBico. <i>Revista De La Sociedad Espanola Del Dolor</i> , 2014 , 21, 299-306	1.3	

Estimulacifi magnEica transcraneal en psiquiatri **2014**, 79-86