

Margalida Gili

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2651042/margalida-gili-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 papers	2,611 citations	29 h-index	48 g-index
92 ext. papers	3,235 ext. citations	4.3 avg, IF	4.67 L-index

#	Paper	IF	Citations
86	Predictors of Adherence in Three Low-Intensity Intervention Programs Applied by ICTs for Depression in Primary Care. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
85	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020 , 12,	6.7	2
84	Effectiveness of a healthy lifestyle promotion program as adjunctive teletherapy for treatment-resistant major depression during COVID 19 pandemic: A randomized clinical trial protocol. <i>Medicine (United States)</i> , 2020 , 99, e22958	1.8	2
83	Efficacy of Three Low-Intensity, Internet-Based Psychological Interventions for the Treatment of Depression in Primary Care: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15845	7.6	9
82	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 256, 192-204	6.6	12
81	Exploring the Relationship Between the Acceptability of an Internet-Based Intervention for Depression in Primary Care and Clinical Outcomes: Secondary Analysis of a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 325	5	10
80	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 881-898	3.9	12
79	Suicidal risk and executive functions in major depressive disorder: a study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 253	4.2	13
78	Efficacy of a blended low-intensity internet-delivered psychological programme in patients with multimorbidity in primary care: study protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 66	4.2	1
77	Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. <i>Journal of Affective Disorders</i> , 2019 , 245, 152-162	6.6	92
76	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 263-273.e1	7.2	137
75	Adherence predictors in an Internet-based Intervention program for depression. <i>Cognitive Behaviour Therapy</i> , 2018 , 47, 246-261	4.4	9
74	Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017 , 211, 77-87	5.4	78
73	Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 37-48	6.6	87
72	Exposure to violence, a risk for suicide in youths and young adults. A meta-analysis of longitudinal studies. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 195-211	6.5	74
71	Estilo de vida saludable: un factor de protección minusvalorado frente a la depresión. <i>Psiquiatria Biologica</i> , 2017 , 24, 97-105	0.2	3
70	Economic evaluation of a guided and unguided internet-based CBT intervention for major depression: Results from a multi-center, three-armed randomized controlled trial conducted in primary care. <i>PLoS ONE</i> , 2017 , 12, e0172741	3.7	29

69	Implicaciones del hostigamiento psicológico (mobbing) sobre los testigos: Un estudio observacional en enfermería. <i>Enfermería Global</i> , 2016 , 15, 303	0.3	4
68	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. <i>BMC Psychiatry</i> , 2016 , 16, 192	4.2	45
67	Funciones ejecutivas en la depresión. <i>Psiquiatria Biologica</i> , 2016 , 23, 23-28	0.2	1
66	Obesity, metabolic syndrome and Mediterranean diet: Impact on depression outcome. <i>Journal of Affective Disorders</i> , 2016 , 194, 105-8	6.6	37
65	An Internet-Based Intervention for Depression in Primary Care in Spain: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e231	7.6	32
64	Gender differences in mental health during the economic crisis. <i>Psicothema</i> , 2016 , 28, 407-413	2	17
63	The efficacy and pattern of use of a computer-assisted programme for the treatment of anxiety: a naturalistic study using mixed methods in primary care in Spain. <i>Journal of Affective Disorders</i> , 2015 , 175, 184-91	6.6	4
62	Validation of the Spanish version of the Multidimensional State Boredom Scale (MSBS). <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 59	3	12
61	Cognitive impairment in remitted and non-remitted depressive patients: A follow-up comparison between first and recurrent episodes. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1991-8	1.2	25
60	Interventions for preventing relapse or recurrence of depression in primary health care settings: A systematic review. <i>Preventive Medicine</i> , 2015 , 76 Suppl, S16-21	4.3	9
59	Cognitive function after clinical remission in patients with melancholic and non-melancholic depression: a 6 month follow-up study. <i>Journal of Affective Disorders</i> , 2015 , 171, 85-92	6.6	38
58	Efficacy of low-intensity psychological intervention applied by ICTs for the treatment of depression in primary care: a controlled trial. <i>BMC Psychiatry</i> , 2015 , 15, 106	4.2	11
57	Lifestyle change recommendations in major depression: Do they work?. <i>Journal of Affective Disorders</i> , 2015 , 183, 221-8	6.6	14
56	Expectations among patients and health professionals regarding Web-based interventions for depression in primary care: a qualitative study. <i>Journal of Medical Internet Research</i> , 2015 , 17, e67	7.6	22
55	Cognitive impairments and depression: a critical review. <i>Actas Espanolas De Psiquiatria</i> , 2015 , 43, 187-93	0.7	50
54	Comparative efficacy of two interventions to discontinue long-term benzodiazepine use: cluster randomised controlled trial in primary care. <i>British Journal of Psychiatry</i> , 2014 , 204, 471-9	5.4	49
53	Metabolic syndrome improvement in depression six months after prescribing simple hygienic-dietary recommendations. <i>BMC Research Notes</i> , 2014 , 7, 339	2.3	6
52	Health related quality of life changes in somatising patients after individual versus group cognitive behavioural therapy: a randomized clinical trial. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 89-93	4.1	8

51	Gender differences on functioning in depressive patients. <i>Journal of Affective Disorders</i> , 2014 , 166, 292-6.6	5
50	Sueño y depresión en una muestra de pacientes con dolor crónico. <i>Revista De La Sociedad Española Del Dolor</i> , 2014 , 21, 299-306	1.3
49	Effectiveness of group acceptance and commitment therapy for fibromyalgia: a 6-month randomized controlled trial (EFFIGACT study). <i>Pain</i> , 2014 , 155, 693-702	8 99
48	Perceived stress latent factors and the burnout subtypes: a structural model in dental students. <i>PLoS ONE</i> , 2014 , 9, e99765	3.7 16
47	The Mediterranean diet and micronutrient levels in depressive patients. <i>Nutricion Hospitalaria</i> , 2014 , 31, 1171-5	1 10
46	Estimulación magnética transcraneal en psiquiatría 2014 , 79-86	
45	Stressful life events severity in patients with first and recurrent depressive episodes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1963-9	4.5 23
44	Expectations, experiences and attitudes of patients and primary care health professionals regarding online psychotherapeutic interventions for depression: protocol for a qualitative study. <i>BMC Psychiatry</i> , 2013 , 13, 64	4.2 14
43	Low intensity vs. self-guided internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. <i>BMC Psychiatry</i> , 2013 , 13, 21	4.2 17
42	Economic crisis and mental health in Spain. <i>Lancet, The</i> , 2013 , 382, 1977-8	4.0 47
41	The mental health risks of economic crisis in Spain: evidence from primary care centres, 2006 and 2010. <i>European Journal of Public Health</i> , 2013 , 23, 103-8	2.1 310
40	Persistence of chronic major depression: a national prospective study. <i>Journal of Affective Disorders</i> , 2013 , 151, 306-12	6.6 22
39	Effectiveness of group versus individual cognitive-behavioral therapy in patients with abridged somatization disorder: a randomized controlled trial. <i>Psychosomatic Medicine</i> , 2013 , 75, 600-8	3.7 14
38	Functional impairment in patients with major depressive disorder and comorbid anxiety disorder. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 679-86	4.8 27
37	Four hygienic-dietary recommendations as add-on treatment in depression: a randomized-controlled trial. <i>Journal of Affective Disorders</i> , 2012 , 140, 200-3	6.6 37
36	Adherence to lifestyle recommendations by patients with depression. <i>Revista De Psiquiatría Y Salud Mental</i> , 2012 , 5, 236-40	2.7 10
35	Perceived injustice in fibromyalgia: psychometric characteristics of the Injustice Experience Questionnaire and relationship with pain catastrophising and pain acceptance. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 86-91	4.1 78
34	Adherence to lifestyle recommendations by patients with depression. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2012 , 5, 236-240	0.2 1

33	Hygienic-dietary recommendations for major depression treatment: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 201	4.2	11
32	Clinical patterns and treatment outcome in patients with melancholic, atypical and non-melancholic depressions. <i>PLoS ONE</i> , 2012 , 7, e48200	3.7	45
31	Incidence of colorectal cancer and influence of dietary habits in fifteen European countries from 1971 to 2002. <i>Gaceta Sanitaria</i> , 2012 , 26, 69-73	2.2	11
30	Hepatitis C treatment and erotomania. <i>General Hospital Psychiatry</i> , 2012 , 34, 103.e7-103.e10	5.6	1
29	Clinical differences between first and recurrent episodes in depressive patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 26-32	7.3	13
28	Adherence to medication in depressive patients. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 541-31.7	1.7	14
27	Mental disorders among frequent attenders in primary care: a comparison with routine attenders. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 744-9	1.8	39
26	Medical comorbidity in recurrent versus first-episode depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 220-7	6.5	24
25	Age predicts low-frequency transcranial magnetic stimulation efficacy in major depression. <i>Journal of Affective Disorders</i> , 2011 , 130, 466-9	6.6	29
24	Clinical differences between early and late remission in depressive patients. <i>Journal of Affective Disorders</i> , 2011 , 134, 235-41	6.6	13
23	Psychological harassment in the nursing workplace: an observational study. <i>Archives of Psychiatric Nursing</i> , 2011 , 25, 185-94	2.1	11
22	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in Spanish population. <i>BMC Medical Research Methodology</i> , 2011 , 11, 131	4.7	6
21	Sociodemographic and occupational risk factors associated with the development of different burnout types: the cross-sectional University of Zaragoza study. <i>BMC Psychiatry</i> , 2011 , 11, 49	4.2	32
20	Relationship between behavioural coping strategies and acceptance in patients with fibromyalgia syndrome: elucidating targets of interventions. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 143	2.8	32
19	Burnout syndrome among dental students: a short version of the "Burnout Clinical Subtype Questionnaire" adapted for students (BCSQ-12-SS). <i>BMC Medical Education</i> , 2011 , 11, 103	3.3	19
18	Towards a brief definition of burnout syndrome by subtypes: development of the "Burnout Clinical Subtypes Questionnaire" (BCSQ-12). <i>Health and Quality of Life Outcomes</i> , 2011 , 9, 74	3	30
17	Mental disorders, chronic conditions and psychological factors: a path analysis model for healthcare consumption in general practice. <i>International Review of Psychiatry</i> , 2011 , 23, 20-7	3.6	4
16	Nuevas técnicas de neuroestimulación en las adicciones. <i>Revista De Psicología De La Salud</i> , 2011 , 23, 273	1	4

15	Commitment, enjoyment and motivation in young soccer competitive players. <i>Spanish Journal of Psychology</i> , 2010 , 13, 609-16	1	29
14	Effectiveness of hygienic-dietary recommendations as enhancers of antidepressant treatment in patients with depression: study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 404	4.1	10
13	Validation of a Spanish language version of the pain self-perception scale in patients with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 255	2.8	23
12	Comorbidity between common mental disorders and chronic somatic diseases in primary care patients. <i>General Hospital Psychiatry</i> , 2010 , 32, 240-5	5.6	49
11	Melancholic versus non-melancholic depression: differences on cognitive function. A longitudinal study protocol. <i>BMC Psychiatry</i> , 2010 , 10, 48	4.2	12
10	Prevalence and comorbidity of common mental disorders in primary care. <i>Journal of Affective Disorders</i> , 2009 , 119, 52-8	6.6	180
9	Low-frequency transcranial magnetic stimulation in patients with fibromyalgia and major depression. <i>Pain Medicine</i> , 2009 , 10, 748-53	2.8	45
8	Cognitive-behaviour therapy for patients with Abridged Somatization Disorder (SSI 4,6) in primary care: a randomized, controlled study. <i>BMC Psychiatry</i> , 2008 , 8, 47	4.2	8
7	Diagnostic Interview for Genetic Studies (DIGS): inter-rater and test-retest reliability and validity in a Spanish population. <i>European Psychiatry</i> , 2007 , 22, 44-8	6	26
6	Psychosocial factors associated with the adherence to a colorectal cancer screening program. <i>Cancer Detection and Prevention</i> , 2006 , 30, 354-60		34
5	Estudio Meta-Analítico de Características Diferenciales Entre Maltratadores y no Maltratadores: El Caso de la Psicopatología y el Consumo de Alcohol o Drogas. <i>Psyche</i> , 2004 , 13,		7
4	Suicidal ideation, psychiatric disorder, and medical illness in a community epidemiological study. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 207-13	3.9	29
3	Mental disorders on the island of Formentera: prevalence in general population using the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 410-5	4.5	14
2	Will and its disorders: a conceptual history. <i>History of Psychiatry</i> , 1995 , 6, 087-104	0.6	25
1	Abulia and impulsiveness revisited: a conceptual history. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 161-7	6.5	55