Ji-Gang Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2652500/publications.pdf

Version: 2024-02-01

933264 839398 30 346 10 18 citations g-index h-index papers 32 32 32 461 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The accuracy of V/Q SPECT in the diagnosis of pulmonary embolism: a meta-analysis. Acta Radiologica, 2015, 56, 565-572.	0.5	35
2	⁶⁸ Ga-somatostatin receptor analogs and ¹⁸ F-FDG PET/CT in the localization of metastatic pheochromocytomas and paragangliomas with germline mutations: a meta-analysis. Acta Radiologica, 2018, 59, 1466-1474.	0.5	35
3	18F-FDG PET/CT for identifying the potential causes and extent of secondary hemophagocytic lymphohistiocytosis. Diagnostic and Interventional Radiology, 2016, 22, 471-475.	0.7	32
4	Contribution of 18F-FDG PET/CT in a case-mix of fever of unknown origin and inflammation of unknown origin: a meta-analysis. Acta Radiologica, 2019, 60, 716-725.	0.5	31
5	Tim3/galectin-9 alleviates the inflammation of TAO patients via suppressing Akt/NF-kB signaling pathway. Biochemical and Biophysical Research Communications, 2017, 491, 966-972.	1.0	30
6	Diagnostic role of 18F-dihydroxyphenylalanine positron emission tomography in patients with congenital hyperinsulinism. Nuclear Medicine Communications, 2013, 34, 347-353.	0.5	25
7	The diagnostic value of 11C-methionine PET in hyperparathyroidism with negative 99mTc-MIBI SPECT: a meta-analysis. Acta Radiologica, 2017, 58, 558-564.	0.5	25
8	Prediction for Mitosis-Karyorrhexis Index Status of Pediatric Neuroblastoma via Machine Learning Based 18F-FDG PET/CT Radiomics. Diagnostics, 2022, 12, 262.	1.3	11
9	Tc-99m MDP Uptake Resulting From Right Internal Carotid Artery Occlusion of Moyamoya Disease. Clinical Nuclear Medicine, 2008, 33, 654-655.	0.7	10
10	Simultaneously Significant Hepatic and Mild Splenic Uptake of Tc-99m MDP Resulting From Waldenstrom Macroglobulinemia. Clinical Nuclear Medicine, 2009, 34, 441-442.	0.7	10
11	Primary osteogenic sarcoma of breast detected on Tc-99m MIBI scintigraphy and Tc-99m MDP skeletal scintigraphy. Annals of Nuclear Medicine, 2008, 22, 79-82.	1.2	9
12	EBV-Associated T-Cell Lymphoproliferative Disorders Demonstrated on FDG PET/CT in a Patient With Hemophagocytic Lymphohistiocytosis. Clinical Nuclear Medicine, 2019, 44, 829-830.	0.7	9
13	The prognostic value of 18F-FDG PET/CT intra-tumoural metabolic heterogeneity in pretreatment neuroblastoma patients. Cancer Imaging, 2022, 22, .	1.2	9
14	Alterations of Gastric Emptying Features Following Laparoscopic Sleeve Gastrectomy in Chinese Patients with Obesity: a Self-Controlled Observational Study. Obesity Surgery, 2019, 29, 617-625.	1.1	8
15	Prediction of MYCN Amplification, $1p$ and $11q$ Aberrations in Pediatric Neuroblastoma via Pre-therapy $18F\text{-}FDG$ PET/CT Radiomics. Frontiers in Medicine, 2022, 9, 840777.	1.2	8
16	Bone Marrow Metastases From Alveolar Rhabdomyosarcoma With Impressive FDG PET/CT Finding But Less-Revealing Bone Scintigraphy. Clinical Nuclear Medicine, 2013, 38, 988-991.	0.7	7
17	Neural metabolic activity in idiopathic tinnitus patients after repetitive transcranial magnetic stimulation. World Journal of Clinical Cases, 2019, 7, 1582-1590.	0.3	7
18	Clinical value of ⁶⁸ Ga-DOTA-SSTR PET/CT in the diagnosis and detection of neuroendocrine tumors of unknown primary origin: a systematic review and meta-analysis. Acta Radiologica, 2021, 62, 1217-1228.	0.5	7

#	Article	IF	CITATIONS
19	Detection of Double Meckel Diverticulum by Meckel Scan. Clinical Nuclear Medicine, 2008, 33, 729-730.	0.7	6
20	Correlation between glucose metabolism parameters derived from FDG and tumor TNM stages and metastasis-associated proteins in colorectal carcinoma patients. BMC Cancer, 2021, 21, 258.	1.1	4
21	Diagnostic Value of Seven Different Imaging Modalities for Patients with Neuroblastic Tumors: A Network Meta-Analysis. Contrast Media and Molecular Imaging, 2021, 2021, 1-13.	0.4	4
22	Prognosis predicting value of semiquantitative parameters of visceral adipose tissue and subcutaneous adipose tissue of 18F-FDG PET/CT in newly diagnosed secondary hemophagocytic lymphohistiocytosis. Annals of Nuclear Medicine, 2021, 35, 386-396.	1.2	4
23	Development and Validation of ¹⁸ F-FDG PET/CT-Based Multivariable Clinical Prediction Models for the Identification of Malignancy-Associated Hemophagocytic Lymphohistiocytosis. Korean Journal of Radiology, 2022, 23, 466.	1.5	4
24	Development and Validation of a Nomogram Based on 18F-FDG PET/CT Radiomics to Predict the Overall Survival in Adult Hemophagocytic Lymphohistiocytosis. Frontiers in Medicine, 2021, 8, 792677.	1.2	4
25	Brown adipocytes promote epithelial mesenchymal transition of neuroblastoma cells by inducing PPAR- \hat{l}^3 /UCP2 expression. Adipocyte, 2022, 11, 335-345.	1.3	4
26	Multiple-Organ Involvement in Familial Hemophagocytic Lymphohistiocytosis Type 2 Shown on FDG PET/CT. Clinical Nuclear Medicine, 2021, 46, 935-937.	0.7	3
27	The Diagnostic Value of 18F-FDG PET/CT Bone Marrow Uptake Pattern in Detecting Bone Marrow Involvement in Pediatric Neuroblastoma Patients. Contrast Media and Molecular Imaging, 2022, 2022, 1-9.	0.4	3
28	Roles of F-18-Fluoro-2-Deoxy-Glucose PET/Computed Tomography Scans in the Management of Post-Transplant Lymphoproliferative Disease in Pediatric Patient. PET Clinics, 2020, 15, 309-319.	1.5	2
29	Reply to "lmaging Secondary Hyperparathyroidism― American Journal of Roentgenology, 2014, 203, W553-W554.	1.0	0
30	Prognostic value of 18F-FDG PET/CT in malignant pleural mesothelioma: a meta-analysis. Acta Radiologica, 2022, , 028418512210853.	0.5	0