

Ji-Gang Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2652500/publications.pdf>

Version: 2024-02-01

30
papers

346
citations

933264

10
h-index

839398

18
g-index

32
all docs

32
docs citations

32
times ranked

461
citing authors

#	ARTICLE	IF	CITATIONS
1	The Diagnostic Value of 18F-FDG PET/CT Bone Marrow Uptake Pattern in Detecting Bone Marrow Involvement in Pediatric Neuroblastoma Patients. <i>Contrast Media and Molecular Imaging</i> , 2022, 2022, 1-9.	0.4	3
2	Prediction for Mitosis-Karyorrhexis Index Status of Pediatric Neuroblastoma via Machine Learning Based 18F-FDG PET/CT Radiomics. <i>Diagnostics</i> , 2022, 12, 262.	1.3	11
3	Development and Validation of ¹⁸ F-FDG PET/CT-Based Multivariable Clinical Prediction Models for the Identification of Malignancy-Associated Hemophagocytic Lymphohistiocytosis. <i>Korean Journal of Radiology</i> , 2022, 23, 466.	1.5	4
4	Prognostic value of 18F-FDG PET/CT in malignant pleural mesothelioma: a meta-analysis. <i>Acta Radiologica</i> , 2022, , 028418512210853.	0.5	0
5	Prediction of MYCN Amplification, 1p and 11q Aberrations in Pediatric Neuroblastoma via Pre-therapy 18F-FDG PET/CT Radiomics. <i>Frontiers in Medicine</i> , 2022, 9, 840777.	1.2	8
6	Brown adipocytes promote epithelial mesenchymal transition of neuroblastoma cells by inducing PPAR- β /UCP2 expression. <i>Adipocyte</i> , 2022, 11, 335-345.	1.3	4
7	The prognostic value of 18F-FDG PET/CT intra-tumoural metabolic heterogeneity in pretreatment neuroblastoma patients. <i>Cancer Imaging</i> , 2022, 22, .	1.2	9
8	Clinical value of ⁶⁸ Ga-DOTA-SSTR PET/CT in the diagnosis and detection of neuroendocrine tumors of unknown primary origin: a systematic review and meta-analysis. <i>Acta Radiologica</i> , 2021, 62, 1217-1228.	0.5	7
9	Correlation between glucose metabolism parameters derived from FDG and tumor TNM stages and metastasis-associated proteins in colorectal carcinoma patients. <i>BMC Cancer</i> , 2021, 21, 258.	1.1	4
10	Multiple-Organ Involvement in Familial Hemophagocytic Lymphohistiocytosis Type 2 Shown on FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2021, 46, 935-937.	0.7	3
11	Diagnostic Value of Seven Different Imaging Modalities for Patients with Neuroblastic Tumors: A Network Meta-Analysis. <i>Contrast Media and Molecular Imaging</i> , 2021, 2021, 1-13.	0.4	4
12	Prognosis predicting value of semiquantitative parameters of visceral adipose tissue and subcutaneous adipose tissue of 18F-FDG PET/CT in newly diagnosed secondary hemophagocytic lymphohistiocytosis. <i>Annals of Nuclear Medicine</i> , 2021, 35, 386-396.	1.2	4
13	Development and Validation of a Nomogram Based on 18F-FDG PET/CT Radiomics to Predict the Overall Survival in Adult Hemophagocytic Lymphohistiocytosis. <i>Frontiers in Medicine</i> , 2021, 8, 792677.	1.2	4
14	Roles of F-18-Fluoro-2-Deoxy-Glucose PET/Computed Tomography Scans in the Management of Post-Transplant Lymphoproliferative Disease in Pediatric Patient. <i>PET Clinics</i> , 2020, 15, 309-319.	1.5	2
15	Neural metabolic activity in idiopathic tinnitus patients after repetitive transcranial magnetic stimulation. <i>World Journal of Clinical Cases</i> , 2019, 7, 1582-1590.	0.3	7
16	EBV-Associated T-Cell Lymphoproliferative Disorders Demonstrated on FDG PET/CT in a Patient With Hemophagocytic Lymphohistiocytosis. <i>Clinical Nuclear Medicine</i> , 2019, 44, 829-830.	0.7	9
17	Contribution of 18F-FDG PET/CT in a case-mix of fever of unknown origin and inflammation of unknown origin: a meta-analysis. <i>Acta Radiologica</i> , 2019, 60, 716-725.	0.5	31
18	Alterations of Gastric Emptying Features Following Laparoscopic Sleeve Gastrectomy in Chinese Patients with Obesity: a Self-Controlled Observational Study. <i>Obesity Surgery</i> , 2019, 29, 617-625.	1.1	8

#	ARTICLE	IF	CITATIONS
19	⁶⁸ Ga-somatostatin receptor analogs and ¹⁸ F-FDG PET/CT in the localization of metastatic pheochromocytomas and paragangliomas with germline mutations: a meta-analysis. <i>Acta Radiologica</i> , 2018, 59, 1466-1474.	0.5	35
20	Tim3/galectin-9 alleviates the inflammation of TAO patients via suppressing Akt/NF-kB signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 966-972.	1.0	30
21	The diagnostic value of ¹¹ C-methionine PET in hyperparathyroidism with negative ^{99m} Tc-MIBI SPECT: a meta-analysis. <i>Acta Radiologica</i> , 2017, 58, 558-564.	0.5	25
22	¹⁸ F-FDG PET/CT for identifying the potential causes and extent of secondary hemophagocytic lymphohistiocytosis. <i>Diagnostic and Interventional Radiology</i> , 2016, 22, 471-475.	0.7	32
23	The accuracy of V/Q SPECT in the diagnosis of pulmonary embolism: a meta-analysis. <i>Acta Radiologica</i> , 2015, 56, 565-572.	0.5	35
24	Reply to "Imaging Secondary Hyperparathyroidism". <i>American Journal of Roentgenology</i> , 2014, 203, W553-W554.	1.0	0
25	Bone Marrow Metastases From Alveolar Rhabdomyosarcoma With Impressive FDG PET/CT Finding But Less-Revealing Bone Scintigraphy. <i>Clinical Nuclear Medicine</i> , 2013, 38, 988-991.	0.7	7
26	Diagnostic role of ¹⁸ F-dihydroxyphenylalanine positron emission tomography in patients with congenital hyperinsulinism. <i>Nuclear Medicine Communications</i> , 2013, 34, 347-353.	0.5	25
27	Simultaneously Significant Hepatic and Mild Splenic Uptake of Tc-99m MDP Resulting From Waldenstrom Macroglobulinemia. <i>Clinical Nuclear Medicine</i> , 2009, 34, 441-442.	0.7	10
28	Primary osteogenic sarcoma of breast detected on Tc-99m MIBI scintigraphy and Tc-99m MDP skeletal scintigraphy. <i>Annals of Nuclear Medicine</i> , 2008, 22, 79-82.	1.2	9
29	Tc-99m MDP Uptake Resulting From Right Internal Carotid Artery Occlusion of Moyamoya Disease. <i>Clinical Nuclear Medicine</i> , 2008, 33, 654-655.	0.7	10
30	Detection of Double Meckel Diverticulum by Meckel Scan. <i>Clinical Nuclear Medicine</i> , 2008, 33, 729-730.	0.7	6