

Matthew Wright

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2653923/matthew-wright-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

4,975
citations

34
h-index

69
g-index

140
ext. papers

5,813
ext. citations

4.3
avg, IF

4.66
L-index

#	Paper	IF	Citations
130	Late Gadolinium Enhancement Cardiovascular Magnetic Resonance Assessment of Substrate for Ventricular Tachycardia With Hemodynamic Compromise. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 744779	5.4	2
129	A New Era in Epicardial Access for the Ablation of Ventricular Arrhythmias: The Epi-Co Registry. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 85-96	4.6	3
128	Cardiac MagnEtic resonance assessment of bi-Atrial fibrosis in secundum atrial septal defects patients: CAMERA-ASD study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	1
127	Fully Automatic Atrial Fibrosis Assessment Using a Multilabel Convolutional Neural Network. <i>Circulation: Cardiovascular Imaging</i> , 2020 , 13, e011512	3.9	5
126	Standardized pulmonary vein isolation workflow to enclose veins with contiguous lesions: the multicentre VISTAX trial. <i>Europace</i> , 2020 , 22, 1645-1652	3.9	25
125	Left atrial effective conducting size predicts atrial fibrillation vulnerability in persistent but not paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1416-1427	2.7	10
124	A comprehensive multi-index cardiac magnetic resonance-guided assessment of atrial fibrillation substrate prior to ablation: Prediction of long-term outcomes. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1894-1903	2.7	12
123	Pulmonary vein encirclement using an Ablation Index-guided point-by-point workflow: cardiovascular magnetic resonance assessment of left atrial scar formation. <i>Europace</i> , 2019 , 21, 1817-1823	2.9	4
122	Safety and Long-Term Success of Persistent Atrial Fibrillation Ablation Using THERMOCOOL SMARTTOUCH [®] Catheter: Real-World Experience. <i>Journal of Atrial Fibrillation</i> , 2019 , 12, 2126	0.8	
121	A technique for measuring anisotropy in atrial conduction to estimate conduction velocity and atrial fibre direction. <i>Computers in Biology and Medicine</i> , 2019 , 104, 278-290	7	23
120	The value of ablation parameter indices for predicting mature atrial scar formation in humans: An in vivo assessment using cardiac magnetic resonance imaging. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 67-77	2.7	5
119	Lesion Index-Guided Ablation Facilitates Continuous, Transmural, and Durable Lesions in a Porcine Recovery Model. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005892	6.4	21
118	Safety and long-term effectiveness of paroxysmal atrial fibrillation ablation with a contact force-sensing catheter: real-world experience from a prospective, multicentre observational cohort registry. <i>Europace</i> , 2018 , 20, f410-f418	3.9	14
117	Voltage and pace-capture mapping of linear ablation lesions overestimates chronic ablation gap size. <i>Europace</i> , 2018 , 20, 2028-2035	3.9	2
116	Local activation time sampling density for atrial tachycardia contact mapping: how much is enough?. <i>Europace</i> , 2018 , 20, e11-e20	3.9	7
115	Appropriateness, diagnostic value, and outcomes of repeat testing following index echocardiography. <i>Echocardiography</i> , 2018 , 35, 24-29	1.5	1
114	Optimization of late gadolinium enhancement cardiovascular magnetic resonance imaging of post-ablation atrial scar: a cross-over study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 30	6.9	21

113	The reproducibility of late gadolinium enhancement cardiovascular magnetic resonance imaging of post-ablation atrial scar: a cross-over study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018 , 20, 21	6.9	27
112	Characteristics of Radiofrequency Catheter Ablation Lesion Formation in Real Time InVivo Using Near Field Ultrasound Imaging. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 1062-1072	4.6	18
111	Personalized Models of Human Atrial Electrophysiology Derived From Endocardial Electrograms. <i>IEEE Transactions on Biomedical Engineering</i> , 2017 , 64, 735-742	5	20
110	Intra-Atrial Conduction Delay Revealed by Multisite Incremental Atrial Pacing is an Independent Marker of Remodeling in Human Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1006-1017	4.6	14
109	Near-Field Ultrasound Imaging During Radiofrequency Catheter Ablation: Tissue Thickness and Epicardial Wall Visualization and Assessment of Radiofrequency Ablation Lesion Formation and Depth. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	10
108	The effect of activation rate on left atrial bipolar voltage in patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 1028-1036	2.7	14
107	Electroanatomic Mapping and Transoesophageal Echocardiography for near Zero Fluoroscopy during Complex Left Atrial Ablation. <i>Heart Lung and Circulation</i> , 2016 , 25, 652-60	1.8	17
106	The role of myocardial wall thickness in atrial arrhythmogenesis. <i>Europace</i> , 2016 , 18, 1758-1772	3.9	45
105	Practical Considerations of Mapping Persistent Atrial Fibrillation With Whole-Chamber Basket Catheters. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 55-65	4.6	24
104	216-13: Does higher contact force impair lesion formation at the cavotricuspid isthmus? Insights from MR-guided ablation of atrial flutter. <i>Europace</i> , 2016 , 18, i144-i144	3.9	
103	216-14: CF Stability Correlates with Clinical Effectiveness in PAF Ablation. <i>Europace</i> , 2016 , 18, i144-i144	3.9	
102	16-19: Real-world Data of Persistent AF Ablation With CF-Sensing Catheter. <i>Europace</i> , 2016 , 18, i5-i5	3.9	
101	16-24: Identification of Heterogeneous Intra-Atrial Conduction Delay in Paroxysmal AF Patients by Dynamic Electrophysiological Characterization. <i>Europace</i> , 2016 , 18, i6-i6	3.9	
100	Focal But Not Diffuse Myocardial Fibrosis Burden Quantification Using Cardiac Magnetic Resonance Imaging Predicts Left Ventricular Reverse Modeling Following Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 203-9	2.7	26
99	Repeat left atrial catheter ablation: cardiac magnetic resonance prediction of endocardial voltage and gaps in ablation lesion sets. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 270-8	6.4	64
98	Myocardial tissue characterization by cardiac magnetic resonance imaging using T1 mapping predicts ventricular arrhythmia in ischemic and non-ischemic cardiomyopathy patients with implantable cardioverter-defibrillators. <i>Heart Rhythm</i> , 2015 , 12, 792-801	6.7	87
97	Ablation of atrial fibrillation. <i>Trends in Cardiovascular Medicine</i> , 2015 , 25, 409-19	6.9	8
96	The Effect of Contact Force in Atrial Radiofrequency Ablation: Electroanatomical, Cardiovascular Magnetic Resonance, and Histological Assessment in a Chronic Porcine Model. <i>JACC: Clinical Electrophysiology</i> , 2015 , 1, 421-431	4.6	25

95	Length of the Mitral Isthmus But Not Anatomical Location of Ablation Line Predicts Bidirectional Mitral Isthmus Block in Patients Undergoing Catheter Ablation of Persistent Atrial Fibrillation: A Randomized Controlled Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 629-34	2.7	21
94	Response to letter from Bisbal et al regarding, "Repeat left atrial catheter ablation: cardiac magnetic resonance prediction of endocardial voltage and gaps in ablation lesion sets". <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 754-5	6.4	5
93	Does diffuse irrigation result in improved radiofrequency catheter ablation? A prospective randomized study of right atrial typical flutter ablation. <i>Europace</i> , 2015 , 17, 295-9	3.9	6
92	Advances in CMR of Post-ablation Atrial Injury. <i>Current Cardiovascular Imaging Reports</i> , 2015 , 8, 1	0.7	4
91	A randomized prospective mechanistic cardiac magnetic resonance study correlating catheter stability, late gadolinium enhancement and 3 year clinical outcomes in robotically assisted vs. standard catheter ablation. <i>Europace</i> , 2015 , 17, 1241-50	3.9	5
90	Combined identification of septal flash and absence of myocardial scar by cardiac magnetic resonance imaging improves prediction of response to cardiac resynchronization therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 40, 179-90	2.4	19
89	Cardiac magnetic resonance and electroanatomical mapping of acute and chronic atrial ablation injury: a histological validation study. <i>European Heart Journal</i> , 2014 , 35, 1486-95	9.5	89
88	Effect of mental challenge induced by movie clips on action potential duration in normal human subjects independent of heart rate. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 518-23	6.4	18
87	Laser lead extraction to facilitate cardiac implantable electronic device upgrade and revision in the presence of central venous obstruction. <i>Europace</i> , 2014 , 16, 81-7	3.9	37
86	Tachyarrhythmias and catheter ablation in adult congenital heart disease. <i>Expert Review of Cardiovascular Therapy</i> , 2014 , 12, 751-70	2.5	6
85	Quantitative assessment of the effects of therapeutic hypothermia on early repolarization in idiopathic ventricular fibrillation survivors: a 7-year cohort study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 120-6	6.4	6
84	Positive response to cardiac resynchronization therapy reduces arrhythmic events after elective generator change in patients with primary prevention CRT-D. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1368-75	2.7	23
83	Prediction of gaps in atrial ablation lesion sets by late gadolinium enhancement magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013 , 15,	6.9	2
82	A comparison of late gadolinium enhancement magnetic resonance imaging and left atrial endocardial voltage. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013 , 15,	6.9	78
81	Persistent atrial fibrillation presenting in sinus rhythm: pulmonary vein isolation versus pulmonary vein isolation plus electrogram-guided ablation. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 501-10	2.7	2
80	Management of atrial fibrillation in chronic kidney disease: double trouble. <i>American Heart Journal</i> , 2013 , 166, 230-9	4.9	31
79	Inverse relationship between fractionated electrograms and atrial fibrosis in persistent atrial fibrillation: combined magnetic resonance imaging and high-density mapping. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 802-12	15.1	164
78	Cardiac magnetic resonance-derived anatomy, scar, and dyssynchrony fused with fluoroscopy to guide LV lead placement in cardiac resynchronization therapy: a comparison with acute haemodynamic measures and echocardiographic reverse remodelling. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 688-9	4.1	50

77	The prevalence of electrocardiographic early repolarization in an adult cohort with chronic kidney disease and its impact upon all-cause mortality and progression to dialysis. <i>Frontiers in Physiology</i> , 2013 , 4, 127	4.6	2
76	Percutaneous transhepatic access for ablation of atypical atrial flutter in complex congenital heart disease. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 589-90	2.7	6
75	Visualizing intramyocardial steam formation with a radiofrequency ablation catheter incorporating near-field ultrasound. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1403-9	2.7	21
74	Ectopy and supraventricular tachycardia: is there a relationship?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 497-500	1.6	2
73	A practical criterion for the rapid detection of single-loop and double-loop reentry tachycardias. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 544-52	2.7	8
72	Endocardial versus epicardial ventricular radiofrequency ablation: utility of in vivo contact force assessment. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 144-50	6.4	53
71	Percutaneous extraction of cardiac implantable electronic devices (CIEDs) in octogenarians. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 841-9	1.6	11
70	Alternating RBBB and LBBB post-AV node ablation: what is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 1505-6	1.6	
69	A rare complication from transseptal puncture-persistent aorto-right atrial shunt and puncture of noncoronary cusp of aortic valve. <i>Heart Rhythm</i> , 2012 , 9, 2089-90	6.7	7
68	Elimination of local abnormal ventricular activities: a new end point for substrate modification in patients with scar-related ventricular tachycardia. <i>Circulation</i> , 2012 , 125, 2184-96	16.7	390
67	Functional nature of electrogram fractionation demonstrated by left atrial high-density mapping. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 32-42	6.4	99
66	Intra-Procedural Techniques: Fluoroscopy and Angiography 2012 , 105-131		
65	Early temporal and spatial regularization of persistent atrial fibrillation predicts termination and arrhythmia-free outcome. <i>Heart Rhythm</i> , 2011 , 8, 1374-82	6.7	21
64	Localized reentry within the left atrial appendage: arrhythmogenic role in patients undergoing ablation of persistent atrial fibrillation. <i>Heart Rhythm</i> , 2011 , 8, 1853-61	6.7	91
63	Catheter ablation for atrial fibrillation: are results maintained at 5 years of follow-up?. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 160-6	15.1	567
62	Real-time lesion assessment using a novel combined ultrasound and radiofrequency ablation catheter. <i>Heart Rhythm</i> , 2011 , 8, 304-12	6.7	58
61	A pause for thought: exercise-induced sinus arrest causing syncope in a young male. <i>BMJ Case Reports</i> , 2011 , 2011,	0.9	2
60	Stepwise Approach for Ablation of Persistent Atrial Fibrillation 2011 , 304-315		

59	Advances in imaging for atrial fibrillation ablation. <i>Radiology Research and Practice</i> , 2011 , 2011, 714864	2.3	16
58	Pulmonary Vein Isolation for Atrial Fibrillation 2011 , 234-264		2
57	Is there a potential benefit to increased irrigation channels during radiofrequency ablation? Results from a two-center prospective randomized study. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 516-20	2.7	10
56	Initial results of efficacy of left linear ablation using a novel simultaneous multielectrode ablation catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 739-45	2.7	8
55	Impact of patent foramen ovale on left atrial linear lesions in the context of atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 846-50	2.7	9
54	Ongoing tachycardia during cavotricuspid isthmus ablation: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 1182-3	2.7	
53	Classifying fractionated electrograms in human atrial fibrillation using monophasic action potentials and activation mapping: evidence for localized drivers, rate acceleration, and nonlocal signal etiologies. <i>Heart Rhythm</i> , 2011 , 8, 244-53	6.7	138
52	Preprocedural clinical parameters determining perimitral conduction time during mitral isthmus line ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 287-94	6.4	8
51	Impact of pharmacological autonomic blockade on complex fractionated atrial electrograms. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 766-72	2.7	23
50	A long conduction time in the coronary sinus: has mitral isthmus line been blocked?. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 943-5	2.7	1
49	Atrial bigeminy with recurrent supraventricular tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 1181-3	2.7	1
48	Remote magnetic navigation with irrigated tip catheter for ablation of paroxysmal atrial fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010 , 3, 585-9	6.4	56
47	Drugs vs. ablation for the treatment of atrial fibrillation: the evidence supporting catheter ablation. <i>European Heart Journal</i> , 2010 , 31, 1046-54	9.5	76
46	Wolff-Parkinson-White ablation after a prior failure: a 7-year multicentre experience. <i>Europace</i> , 2010 , 12, 835-41	3.9	52
45	Prospective randomized comparison between the conventional electroanatomical system and three-dimensional rotational angiography during catheter ablation for atrial fibrillation. <i>Heart Rhythm</i> , 2010 , 7, 459-65	6.7	44
44	Ablation of long-standing persistent atrial fibrillation with multielectrode ablation catheter. <i>Heart Rhythm</i> , 2010 , 7, 1303-5	6.7	3
43	Optimizing hemodynamics in heart failure patients by systematic screening of left ventricular pacing sites: the lateral left ventricular wall and the coronary sinus are rarely the best sites. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 566-75	15.1	202
42	Disparate evolution of right and left atrial rate during ablation of long-lasting persistent atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1007-16	15.1	103

41	Peri-mitral atrial flutter in patients with atrial fibrillation ablation. <i>Heart Rhythm</i> , 2010 , 7, 2-8	6.7	121
40	An MRI/CT-based cardiac electroanatomical mapping system with scattered data interpolation algorithm 2010 ,		3
39	Treatment of Atrial Arrhythmias in Heart Failure Patients 2010 , 217-234		
38	Long-term follow-up of persistent atrial fibrillation ablation using termination as a procedural endpoint. <i>European Heart Journal</i> , 2009 , 30, 1105-12	9.5	255
37	Usefulness of C-reactive protein in predicting early and late recurrences after atrial fibrillation ablation. <i>Europace</i> , 2009 , 11, 662-4	3.9	21
36	Successful catheter ablation of a focal atrial tachycardia from the ascending aorta: a novel location and approach. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009 , 2, e34-41	6.4	3
35	Utility of the lateral fluoroscopic view for subxiphoid pericardial access. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2009 , 2, e15-7	6.4	11
34	Clinical value of fibrillatory wave amplitude on surface ECG in patients with persistent atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009 , 26, 11-9	2.4	52
33	Extreme firing in a pulmonary vein during atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 696	2.7	1
32	Atrial tachycardias encountered during and after catheter ablation for atrial fibrillation: part I: classification, incidence, management. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 393-8	1.6	37
31	Atrial tachycardias encountered in the context of catheter ablation for atrial fibrillation part II: mapping and ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 528-38	1.6	28
30	Compensatory accessory pathway for complete atrioventricular block: 28-year follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 952-6	1.6	2
29	Cycle length slowing during mitral isthmus ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 227-9	2.7	
28	Has conduction to the pulmonary vein recovered?. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 349-51	2.7	1
27	A deductive mapping strategy for atrial tachycardia following atrial fibrillation ablation: importance of localized reentry. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 480-91	2.7	185
26	Double pericardial access facilitated by iatrogenic pneumopericardium. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 1068-9	2.7	4
25	Catheter ablation of atrial tachycardia following atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 833-8	2.7	34
24	Radiofrequency ablation: it is not just how hard you push but how you push. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 1269-71	2.7	

23	Clinical predictors of termination and clinical outcome of catheter ablation for persistent atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 788-95	15.1	148
22	Long-term follow-up of idiopathic ventricular fibrillation ablation: a multicenter study. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 522-8	15.1	194
21	Epicardial ablation of left ventricular outflow tract tachycardia via the coronary sinus. <i>Heart Rhythm</i> , 2009 , 6, 290-1	6.7	10
20	Catheter ablation for the treatment of persistent atrial fibrillation. <i>Interventional Cardiology</i> , 2009 , 1, 107-118	3	
19	Catheter ablation for patients with ventricular fibrillation. <i>Current Opinion in Cardiology</i> , 2009 , 24, 56-60	2.1	18
18	Remote implantable cardioverter defibrillator monitoring in a Brugada syndrome population. <i>Europace</i> , 2009 , 11, 489-94	3.9	32
17	Emerging Technologies in the Treatment of Atrial Fibrillation 2009 , 103-116		1
16	Three pauses and three P waves: what is the mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 562-4	2.7	
15	State of the art: catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 583-92	2.7	73
14	Early recurrences after atrial fibrillation ablation: prognostic value and effect of early reablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 599-605	2.7	115
13	Relationship between perimitral and peritricuspid conduction times. <i>Heart Rhythm</i> , 2008 , 5, 400-5	6.7	14
12	Computed tomography-fluoroscopy overlay evaluation during catheter ablation of left atrial arrhythmia. <i>Europace</i> , 2008 , 10, 931-8	3.9	74
11	Wide complex tachycardia in a healthy young man. <i>Europace</i> , 2008 , 10, 1340-2	3.9	2
10	Left atrial linear lesions are required for successful treatment of persistent atrial fibrillation. <i>European Heart Journal</i> , 2008 , 29, 2359-66	9.5	205
9	Left atrial vagal stimulation resulting in atrial fibrillation driven from the right atrium. <i>Europace</i> , 2008 , 10, 1248-9	3.9	
8	The substrate maintaining persistent atrial fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 2-5	6.4	26
7	Images in cardiovascular medicine. Novel technique to prevent left phrenic nerve injury during epicardial catheter ablation. <i>Circulation</i> , 2008 , 117, e471	16.7	35
6	Radiofrequency puncture of the fossa ovalis for resistant transeptal access. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 169-74	6.4	30

- 5 Broad complex tachycardia: a broad differential. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 217-8 2.7 0
- 4 Maintenance of atrial fibrillation by pulmonary vein tachycardia with ostial conduction block: evidence of an interpulmonary vein electrical connection. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 1101-4 2.7 5
- 3 A typical atrioventricular accessory pathway?. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 993-4.7
- 2 Unusual activation of the left atrium after ablation of a perimitral flutter: what is the mechanism?. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 756-8 2.7
- 1 Impact of a patent foramen ovale on paroxysmal atrial fibrillation ablation. *Journal of Cardiovascular Electrophysiology*, **2008**, 19, 1236-41 2.7 21