

Andrey Rempel

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2654976/andrey-rempel-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

2,481
citations

28
h-index

41
g-index

180
ext. papers

2,696
ext. citations

1.7
avg, IF

5.37
L-index

#	Paper	IF	Citations
166	Development of new methods in modern selective organic synthesis: preparation of functionalized molecules with atomic precision. <i>Russian Chemical Reviews</i> , 2014 , 83, 885-985	6.8	153
165	Nanotechnologies. Properties and applications of nanostructured materials. <i>Russian Chemical Reviews</i> , 2007 , 76, 435-461	6.8	107
164	Superstructures of Non-Stoichiometric Interstitial Compounds and the Distribution Functions of Interstitial Atoms. <i>Physica Status Solidi A</i> , 1993 , 135, 15-58		78
163	Nonstoichiometry of nanocrystalline monoclinic silver sulfide. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 12466-71	3.6	72
162	Artificial silver sulfide Ag ₂ S: Crystal structure and particle size in deposited powders. <i>Superlattices and Microstructures</i> , 2015 , 83, 35-47	2.8	71
161	Identification of lattice vacancies on the two sublattices of SiC. <i>Physical Review Letters</i> , 2002 , 89, 185501	7.4	67
160	Phase Diagrams of Metal-Carbon and Metal-Nitrogen Systems and Ordering in Strongly Nonstoichiometric Carbides and Nitrides. <i>Physica Status Solidi A</i> , 1997 , 163, 273-304		59
159	Vacancies on the Ti sublattice in titanium monoxide TiO _y studied using positron annihilation techniques. <i>Physical Review B</i> , 2007 , 75,	3.3	52
158	Order-Disorder Phase Transition Channel in Niobium Carbide. <i>Physica Status Solidi A</i> , 1986 , 93, 71-80		52
157	High-temperature X-ray diffraction and thermal expansion of nanocrystalline and coarse-crystalline acanthite Ag ₂ S and argentite Ag ₂ S. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 4617-26	3.6	49
156	Photocatalytic oxidation of ethanol vapors under visible light on CdS/TiO ₂ nanocatalyst. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2012 , 250, 103-109	4.7	48
155	Aerobic oxidative C-H/C-H coupling of azaaromatics with indoles and pyrroles in the presence of TiO ₂ as a photocatalyst. <i>Green Chemistry</i> , 2015 , 17, 4401-4410	10	43
154	An in situ high-temperature scanning electron microscopy study of acanthite-argentite phase transformation in nanocrystalline silver sulfide powder. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 20495-501	3.6	43
153	Atomic ordering and hardness of nonstoichiometric titanium carbide. <i>International Journal of Refractory Metals and Hard Materials</i> , 1997 , 15, 61-64	4.1	43
152	Nanostructured lead sulfide: synthesis, structure and properties. <i>Russian Chemical Reviews</i> , 2016 , 85, 731-758	6.8	39
151	Nanostructured silver sulfide: synthesis of various forms and their application. <i>Russian Chemical Reviews</i> , 2018 , 87, 303-327	6.8	38
150	Irradiation-induced atomic defects in SiC studied by positron annihilation. <i>Applied Physics A: Materials Science and Processing</i> , 1995 , 61, 51-53	2.6	35

149	Vacancy distribution in ordered Me ₆ -C ₅ -type carbides. <i>Journal of Physics C: Solid State Physics</i> , 1987 , 20, 5011-5025		34
148	Nonstoichiometric titanium dioxide nanotubes with enhanced catalytical activity under visible light. <i>Scientific Reports</i> , 2018 , 8, 9607	4.9	34
147	Synthesis and solar light catalytic properties of titania-cadmium sulfide hybrid nanostructures. <i>Catalysis Communications</i> , 2015 , 68, 61-66	3.2	31
146	Structural study of the initial growth of nanocrystalline CdS thin films in a chemical bath. <i>Thin Solid Films</i> , 2009 , 517, 2586-2589	2.2	31
145	Non-periodicity in nanoparticles with close-packed structures. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010 , 66, 479-83		31
144	Towards particle size regulation of chemically deposited lead sulfide (PbS). <i>Journal of Crystal Growth</i> , 2005 , 280, 300-308	1.6	31
143	Synthesis of nanocrystalline silver sulfide. <i>Inorganic Materials</i> , 2015 , 51, 759-766	0.9	29
142	Incommensurate ordered phase in non-stoichiometric tantalum carbide. <i>Journal of Physics Condensed Matter</i> , 1996 , 8, 8277-8293	1.8	29
141	Order Parameter Functional Method in the Theory of Atomic Ordering. <i>Physica Status Solidi (B): Basic Research</i> , 1985 , 131, 43-51	1.3	29
140	Atomic structure of cadmium sulfide nanoparticles. <i>Physics of the Solid State</i> , 2007 , 49, 148-153	0.8	28
139	Short-Range Order in Superstructures. <i>Physica Status Solidi (B): Basic Research</i> , 1990 , 160, 389-402	1.3	28
138	Preparation of disordered and ordered highly nonstoichiometric carbides and evaluation of their homogeneity. <i>Physics of the Solid State</i> , 2000 , 42, 1280-1286	0.8	26
137	Atomic defects in hexagonal tungsten carbide studied by positron annihilation. <i>Physical Review B</i> , 2000 , 61, 5945-5948	3.3	26
136	Calculating the energy parameters for the CV and OPF methods. <i>Physica Status Solidi (B): Basic Research</i> , 1987 , 140, 335-346	1.3	23
135	Crystal structure of nanostructured PbS films at temperatures of 293-323 K. <i>Physics of the Solid State</i> , 2009 , 51, 2375-2383	0.8	22
134	The structure and optical properties of nanocrystalline lead sulfide films. <i>Semiconductors</i> , 2010 , 44, 1349-1356	1.3	22
133	Heat capacity of niobium and tantalum carbides NbC _y and TaC _y in disordered and ordered states below 300 K. <i>Physica Status Solidi (B): Basic Research</i> , 1996 , 194, 467-482	1.3	22
132	Magnetic susceptibility and atomic ordering in tantalum carbide. <i>Physica Status Solidi A</i> , 1988 , 106, 459-466		22

131	Microstructure of nanocrystalline PbS powders and films. <i>Inorganic Materials</i> , 2012 , 48, 21-27	0.9	21
130	A Study of the Atomic Ordering in the Niobium Carbide Using the Magnetic Susceptibility Method. <i>Physica Status Solidi A</i> , 1984 , 84, 527-534		21
129	Atomic Ordering and Phase Equilibria in Strongly Nonstoichiometric Carbides and Nitrides 1999 , 47-64		20
128	Effect of stoichiometry on the size of titanium monoxide nanoparticles produced by fragmentation. <i>Inorganic Materials</i> , 2015 , 51, 1132-1137	0.9	19
127	In situ study of atomic-vacancy ordering in stoichiometric titanium monoxide by the magnetic susceptibility. <i>JETP Letters</i> , 2015 , 101, 258-263	1.2	19
126	Size and zeta potential of CdS nanoparticles in stable aqueous solution of EDTA and NaCl. <i>Inorganic Materials</i> , 2015 , 51, 215-219	0.9	19
125	Observation of high-temperature thermal vacancies in Al ₇₀ Pd ₂₁ Mn ₉ quasicrystals. <i>Physical Review B</i> , 2003 , 68,	3.3	19
124	Influence of particle size, stoichiometry, and degree of long-range order on magnetic susceptibility of titanium monoxide. <i>Physics of the Solid State</i> , 2016 , 58, 771-778	0.8	18
123	Vacancies selectively induced and specifically detected on the two sublattices of the intermetallic compound MoSi ₂ . <i>Physical Review B</i> , 2002 , 66,	3.3	18
122	Thermal expansion of nanocrystalline and coarse-crystalline silver sulfide Ag ₂ S. <i>Physics of the Solid State</i> , 2016 , 58, 251-257	0.8	17
121	Inclusion of the correlation short-range order in Ab initio calculations of the energy of the ground state by example of titanium monoxide TiO _{1.0} . <i>JETP Letters</i> , 2015 , 102, 85-90	1.2	17
120	Electronic structure of disordered titanium monoxide TiO _y depending on stoichiometry. <i>JETP Letters</i> , 2012 , 95, 647-651	1.2	17
119	⁹³ Nb NMR study of an ordered and a disordered non-stoichiometric niobium carbide. <i>Journal of Physics C: Solid State Physics</i> , 1987 , 20, 5655-5666		17
118	Hybrid nanoparticles based on sulfides, oxides, and carbides. <i>Russian Chemical Bulletin</i> , 2013 , 62, 857-868.7		16
117	Observation of structural vacancies. <i>JETP Letters</i> , 2003 , 77, 25-29	1.2	16
116	Concentration quenching of fluorescence of colloid quantum dots of cadmium sulfide. <i>Physics of the Solid State</i> , 2014 , 56, 568-571	0.8	15
115	Fluorescent CdS nanoparticles for cell imaging. <i>Inorganic Materials</i> , 2011 , 47, 223-226	0.9	15
114	Simulation of the short-range order in disordered cubic titanium monoxide TiO _{1.0} . <i>JETP Letters</i> , 2013 , 97, 616-620	1.2	14

113	Sol-gel synthesis and photoluminescence of Zn ₂ SiO ₄ :Mn nanoparticles. <i>Inorganic Materials</i> , 2015 , 51, 152-157	0.9	14
112	Effect of WC nanoparticle size on the sintering temperature, density, and microhardness of WC-8 wt % Co alloys. <i>Inorganic Materials</i> , 2009 , 45, 380-385	0.9	14
111	Titania synthesized through regulated mineralization of cellulose and its photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 8544-8551	3.7	13
110	Micro-Raman Spectroscopy of Nanostructured Silver Sulfide. <i>Doklady Physical Chemistry</i> , 2018 , 480, 81-84.8		13
109	Stability and recrystallization of PbS nanoparticles. <i>Inorganic Materials</i> , 2011 , 47, 837-843	0.9	13
108	Transition of the CdS disordered structure to the wurtzite structure with an increase in the nanoparticle size. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2008 , 72, 1395-1398	0.4	13
107	Thermal vacancy formation and D03 ordering in nanocrystalline intermetallic (Fe ₃ Si) ₉₅ Nb ₅ . <i>Physical Review B</i> , 2001 , 63,	3.3	13
106	Superconductivity in Disordered and Ordered Niobium Carbide. <i>Physica Status Solidi (B): Basic Research</i> , 1989 , 151, 211-224	1.3	13
105	Silver sulfide nanoparticles with a carbon-containing shell. <i>Inorganic Materials</i> , 2016 , 52, 441-446	0.9	12
104	Internal energy and parameters of the order-disorder phase transition in titanium monoxide TiO _y . <i>Journal of Experimental and Theoretical Physics</i> , 2013 , 116, 945-951	1	12
103	Effect of the long-range order in the vacancy distribution on the electronic structure of titanium monoxide TiO _{1.0} . <i>JETP Letters</i> , 2012 , 96, 507-510	1.2	12
102	Diffraction analysis of nanocrystalline particle size of lead and cadmium sulfides prepared by chemical deposition from aqueous solutions. <i>Journal of Structural Chemistry</i> , 2004 , 45, S154-S159	0.9	12
101	Synthesis of cadmium sulfide CdS nanoparticles in a silicate glass matrix. <i>Inorganic Materials</i> , 2015 , 51, 933-938	0.9	11
100	Domains of the phases V ₈ C ₇ and V ₃ C ₂ in bulk carbide VC _y . <i>JETP Letters</i> , 2015 , 101, 533-538	1.2	11
99	High Photocatalytic Activity Under Visible Light of Sandwich Structures Based on Anodic TiO ₂ /CdS Nanoparticles/Sol-Gel TiO ₂ . <i>Topics in Catalysis</i> , 2020 , 63, 130-138	2.3	11
98	Fragmentation of disordered titanium monoxide of stoichiometric composition TiO. <i>Russian Chemical Bulletin</i> , 2014 , 63, 2729-2732	1.7	11
97	Refinement of the V-O phase diagram in the range 25-50 at % oxygen. <i>Inorganic Materials</i> , 2009 , 45, 47-54	0.9	11
96	Positron Lifetime in the Atomic Vacancies of Nonstoichiometric Titanium and Vanadium Carbides. <i>Physica Status Solidi A</i> , 1998 , 169, R9-R10		11

95	X-ray transitions for studying the electronic structure of 5d metals. <i>Physical Review B</i> , 2001 , 64,	3.3	11
94	Microhardness and phase composition of TiO ₂ /hydroxyapatite nanocomposites synthesized under low-temperature annealing conditions. <i>Inorganic Materials</i> , 2016 , 52, 476-482	0.9	11
93	Probabilities of octahedral clusters depending on long-range order parameters and composition in nonstoichiometric titanium monoxide TiO _x . <i>Journal of Experimental and Theoretical Physics</i> , 2012 , 115, 999-1007	1	10
92	Oxidation of nanocrystalline lead sulfide in air. <i>Russian Journal of Inorganic Chemistry</i> , 2011 , 56, 1864-1869	0.9	10
91	Nonstoichiometric distribution of sulfur atoms in lead sulfide structure. <i>Doklady Physical Chemistry</i> , 2009 , 428, 167-171	0.8	10
90	Heat capacity of niobium carbide in different structural states. <i>Physica Status Solidi A</i> , 1989 , 113, 353-358	0.8	10
89	Relation between Short-Range and Long-Range Order in Solid Solutions with Basal B.C.C. and F.C.C. Structures. <i>Physica Status Solidi (B): Basic Research</i> , 1985 , 130, 413-420	1.3	10
88	Deep machine learning interatomic potential for liquid silica. <i>Physical Review E</i> , 2020 , 102, 052125	2.4	9
87	Magnetic susceptibility of palladium subjected to severe plastic deformation. <i>Physica Status Solidi (B): Basic Research</i> , 1996 , 196, 251-260	1.3	9
86	A New Ti9O10 Nanophase Prepared by Heat-Treating Nonstoichiometric Milled TiO ₂ Nanopowder. <i>Inorganic Materials</i> , 2018 , 54, 568-574	0.9	8
85	Preparation of nanocrystalline VO ₂ by high-energy ball milling. <i>Inorganic Materials</i> , 2011 , 47, 408-411	0.9	8
84	Positrons as chemically sensitive probes in interfaces of multicomponent complex materials: Nanocrystalline Fe ₉₀ Zr ₇ B ₃ . <i>International Journal of Materials Research</i> , 2003 , 94, 1073-1078	0.8	8
83	Positron lifetime in non-stoichiometric carbides with a B1(NaCl) structure. <i>Journal of Physics Condensed Matter</i> , 1993 , 5, 261-266	1.8	8
82	Zeta Potential, Size, and Semiconductor Properties of Zinc Sulfide Nanoparticles in a Stable Aqueous Colloid Solution. <i>Russian Journal of Physical Chemistry A</i> , 2016 , 90, 864-869	0.7	8
81	Nanostructured titanium dioxide for medicinal chemistry. <i>Russian Chemical Bulletin</i> , 2019 , 68, 2163-2171	1.7	8
80	Sol-gel synthesis of nanosized titanium dioxide at various pH of the initial solution 2017 ,	0.7	7
79	Influence of the degree of order and nonstoichiometry on the microstructure and microhardness of titanium monoxide. <i>Inorganic Materials</i> , 2017 , 53, 1174-1179	0.9	7
78	Direct functionalization of the C-H bond in (hetero)arenes: aerobic photoinduced oxidative coupling of azines with aromatic nucleophiles (S _N H ₂ -reactions) in the presence of a CdS/TiO ₂ photocatalyst. <i>Russian Chemical Bulletin</i> , 2016 , 65, 445-450	1.7	7

77	Effect of cobalt powder morphology on the properties of WC-Co hard alloys. <i>Inorganic Materials</i> , 2013 , 49, 889-893	0.9	7
76	Formation of the incommensurate ordered phase in TaCy carbide. <i>JETP Letters</i> , 2005 , 81, 326-330	1.2	7
75	The use of 3-mercaptopropyltrimethoxysilane for stabilization of luminescent cadmium sulfide nanoparticles. <i>Doklady Chemistry</i> , 2013 , 452, 215-219	0.8	6
74	Structure and stoichiometry of nanocrystalline silver sulfide. <i>Doklady Physical Chemistry</i> , 2015 , 464, 238-243	0.8	6
73	Lattice parameter, density, and defect system of VO _y . <i>Inorganic Materials</i> , 2009 , 45, 666-670	0.9	6
72	Microstructure and microhardness of vanadium oxides in the range VO _{0.57} -VO _{1.29} . <i>Inorganic Materials</i> , 2009 , 45, 905-909	0.9	6
71	Cluster probabilities in ordered titanium monoxide TiO _y as functions of the long-range order parameters. <i>JETP Letters</i> , 2008 , 88, 172-177	1.2	6
70	Nonstoichiometry, structure and properties of nanocrystalline oxides, carbides and sulfides. <i>Russian Chemical Reviews</i> , 2021 , 90, 601-626	6.8	6
69	Synthesis and Physicochemical Properties of Nanostructured TiO ₂ with Enhanced Photocatalytic Activity. <i>Inorganic Materials</i> , 2021 , 57, 503-510	0.9	6
68	Evolution of microstructure of niobium carbide NbC _{0.77} powders. <i>Crystal Research and Technology</i> , 2017 , 52, 1700061	1.3	5
67	Synthesis of a TiO ₂ Photocatalyst for Dehydrogenative Cross-Coupling of (Hetero)Arenes. <i>Inorganic Materials</i> , 2019 , 55, 155-161	0.9	5
66	Dependence of Van-Vleck paramagnetism on the size of nanocrystals in superstoichiometric TiO _y . <i>Journal of Experimental and Theoretical Physics</i> , 2016 , 122, 722-726	1	5
65	Template synthesis of titania on polysaccharides. <i>Russian Chemical Bulletin</i> , 2013 , 62, 976-983	1.7	5
64	Electronic structure and stability of nonstoichiometric titanium monoxide TiO _y with structural vacancies in one of the sublattices. <i>Physics of the Solid State</i> , 2013 , 55, 2108-2115	0.8	5
63	Identification of structural vacancies in carbides, oxides, and sulfides by Doppler broadening of the gamma-ray line. <i>JETP Letters</i> , 2010 , 92, 146-150	1.2	5
62	Thermal stability of lead sulfide nanocrystalline films. <i>Glass Physics and Chemistry</i> , 2009 , 35, 60-66	0.7	5
61	Formation of cadmium sulfide (CdS) nanofilm on a Cd(OH) ₂ /SiO ₂ precursor layer. <i>Journal of Structural Chemistry</i> , 2010 , 51, 1170-1175	0.9	5
60	Rempel et al. Reply.. <i>Physical Review Letters</i> , 2003 , 91,	7.4	5

59	Atomic Defects in Transition Metal Carbides and SiC Studied by Positron Annihilation. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 327, 299		5
58	Microinhomogeneity of the Structure of Nanocrystalline Niobium and Vanadium Carbides. <i>JETP Letters</i> , 2018 , 108, 253-259	1.2	5
57	Structure of a HAp/TiO _y Nanocomposite Studied by Vibrational Spectroscopy Techniques. <i>Inorganic Materials</i> , 2018 , 54, 898-903	0.9	5
56	Orientation Relationships upon the Structural Transformation of Monoclinic and Cubic Phases in Silver Sulfide. <i>Semiconductors</i> , 2019 , 53, 941-946	0.7	4
55	Short-range order in disordered transition metal oxides, carbides, and nitrides with the B1 structure. <i>Physics of the Solid State</i> , 2015 , 57, 637-651	0.8	4
54	Lifetime of Positrons in Nanostructured Nonstoichiometric Silver Sulfide Ag ₂ S. <i>JETP Letters</i> , 2018 , 107, 4-9	1.2	4
53	Synthesis of a stable colloidal solution of PbS nanoparticles. <i>Inorganic Materials</i> , 2014 , 50, 969-975	0.9	4
52	Dependence of the size of nanoparticles of lead sulfide PbS on the chemical affinity of its formation reaction. <i>Doklady Physical Chemistry</i> , 2013 , 453, 270-273	0.8	4
51	Size, zeta potential, and semiconductor properties of hybrid CdS/ZnS nanoparticles in a stable aqueous colloidal solution. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 1105-1108	0.7	4
50	Effect of high pressure on the period of the basis lattice and concentration of vacancies in titanium monoxide TiO. <i>JETP Letters</i> , 2017 , 106, 354-357	1.2	4
49	Nanocrystalline VC _y powders in the homogeneity range of a disordered cubic phase. <i>Inorganic Materials</i> , 2015 , 51, 1243-1250	0.9	4
48	Quasielastic neutron scattering study of hydrogen motion in NbC(0.71)H(0.28). <i>Journal of Physics Condensed Matter</i> , 2009 , 21, 175410	1.8	4
47	Neutron diffraction analysis of a defect vanadium monoxide close to the equiatomic vanadium monoxide. <i>JETP Letters</i> , 2009 , 89, 194-199	1.2	4
46	Effect of atomic ordering on the heat-capacity of non-stoichiometric niobium carbide. <i>Physica Status Solidi A</i> , 1984 , 86, K11-K14		4
45	Stability of Defectless Structures of Titanium Monoxide at High Pressures. <i>JETP Letters</i> , 2018 , 108, 476-480		4
44	Synthesis of hybrid nanoparticles based on magnetic Fe ₃ O ₄ nanoparticles and luminescent CdS nanoparticles. <i>Doklady Chemistry</i> , 2016 , 467, 113-117	0.8	3
43	Synthesis and optical properties of glass with cadmium sulfide nanoparticles. <i>Glass Physics and Chemistry</i> , 2016 , 42, 38-42	0.7	3
42	Size effect in nonstoichiometric titanium monoxide and vanadium carbide nanocrystals measured by positron lifetime spectroscopy. <i>Mendeleev Communications</i> , 2019 , 29, 486-488	1.9	3

41	Disintegration of microcrystalline Zn ₂ SiO ₄ :Mn phosphor powder. <i>Inorganic Materials</i> , 2013 , 49, 1019-1022	2.9	3
40	Morphology and crystal-chemical characteristics of cobalt and nickel nanopowders prepared by thermochemical and electrolytic methods. <i>Inorganic Materials</i> , 2013 , 49, 153-158	0.9	3
39	Diffraction spectra of order-order transition structural states in titanium monoxide. <i>JETP Letters</i> , 2017 , 106, 157-161	1.2	3
38	Positron annihilation sites in nano lead sulfide powders. <i>Journal of Physics: Conference Series</i> , 2013 , 443, 012013	0.3	3
37	A study of cadmium sulfide nanocrystalline films by grazing incidence X-ray diffraction. <i>Russian Journal of Physical Chemistry A</i> , 2007 , 81, 768-772	0.7	3
36	Structure and Specific Heat of Disordered and Ordered Titanium Monoxide TiO _y . <i>Journal of Structural Chemistry</i> , 2003 , 44, 235-242	0.9	3
35	Atomic Ordering as a New Method of Producing a Nanostructure 2003 , 313-327		3
34	Titanium dioxide nanotubes: synthesis, structure, properties and applications. <i>Russian Chemical Reviews</i> , 2021 , 90,	6.8	3
33	Selforganization of nanoparticles in the system of silver-sulfide-mercaptopropylsilane 2017 ,		2
32	Superposition of M5X5 superstructures and X-ray diffraction in TiO _{1.0} titanium monoxide. <i>Journal of Experimental and Theoretical Physics</i> , 2017 , 125, 235-245	1	2
31	Ab initio molecular dynamics and high-dimensional neural network potential study of VZrNbHfTa melt. <i>Journal of Physics Condensed Matter</i> , 2020 , 32, 214006	1.8	2
30	Formation of CdS nanoparticles in the matrix of silicate glass and its optical properties. <i>Glass Physics and Chemistry</i> , 2016 , 42, 251-256	0.7	2
29	NbO disintegration by surfactant-assisted high-energy ball milling. <i>Inorganic Materials</i> , 2014 , 50, 398-403	0.9	2
28	Photoluminescence of nanosized Zn ₂ SiO ₄ :Mn depending upon preparation method. <i>Journal of Physics: Conference Series</i> , 2014 , 552, 012043	0.3	2
27	Ordering of structural vacancies in vanadium monoxide of substoichiometric composition. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2007 , 71, 677-680	0.4	2
26	Modeling of short-range order in a defect square lattice. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2007 , 71, 1174-1178	0.4	2
25	Ionic equilibria in alkaline aqueous solutions of metal complex salts. <i>Russian Journal of General Chemistry</i> , 2008 , 78, 551-556	0.7	2
24	Local Static and Dynamic Atomic Displacements in Disordered Niobium Carbide. <i>Physica Status Solidi (B): Basic Research</i> , 1989 , 154, 453-459	1.3	2

23	DISORDERING IN CADMIUM SULFIDE NANOPARTICLES 2007 ,		2
22	Irradiation-induced atomic defects in SiC studied by positron annihilation 1995 , 61, 51		2
21	Order-order transition structural state in titanium monoxide TiO _{1.0} . <i>Physics of the Solid State</i> , 2017 , 59, 1190-1195	0.8	1
20	Role of structural vacancies in the stabilization of the basic B1 structure in nonstoichiometric titanium monoxide TiO _y . <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2013 , 77, 309-312	0.4	1
19	Photoluminescence of nanostructured Zn ₂ SiO ₄ :Mn ²⁺ ceramics under UV and VUV excitation. <i>Journal of Surface Investigation</i> , 2017 , 11, 727-731	0.5	1
18	Short-range order in disordered and ordered niobium carbide NbC _{0.83} from ab initio calculations. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2017 , 81, 373-376	0.4	1
17	Chemical design of the CdS-TiO ₂ composite photocatalyst. <i>Doklady Physical Chemistry</i> , 2012 , 447, 207-209	0.8	1
16	Correlation of sulfur atoms in nonmetal planes of lead sulfide films with the D0 ₃ structure. <i>Physics of the Solid State</i> , 2010 , 52, 2458-2466	0.8	1
15	Concentration phase transition near the stoichiometric composition of vanadium monoxide VO _{1.00} . <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2008 , 72, 1090-1093	0.4	1
14	Atomic ordering as a new way of nanostructure creation in solids. <i>Journal of Structural Chemistry</i> , 2004 , 45, S14-S22	0.9	1
13	Rempel et al. Reply:. <i>Physical Review Letters</i> , 2003 , 91,	7.4	1
12	Production, Properties and Practical Application of High-Entropy Alloys. <i>Steel in Translation</i> , 2020 , 50, 243-247	0.4	1
11	Partial pair correlation functions of liquid TiZrNbHfTa high-entropy alloy 2019 ,		1
10	Superimposure of M ₆ X ₅ Superstructures in Ordered Niobium Carbide NbC _{0.83} . <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2018 , 82, 595-599	0.4	1
9	Synthesis and properties of azines functionalized graphene with extremely high adsorptive ability to Eu ³⁺ ions. <i>FlatChem</i> , 2022 , 33, 100348	5.1	1
8	Analysis of the Probability of Synthesizing High-Entropy Alloys in the Systems Ti-Zr-Hf-V-Nb, Gd-Ti-Zr-Nb-Al, and Zr-Hf-V-Nb-Ni. <i>Physical Mesomechanics</i> , 2021 , 24, 701-706	1.6	0
7	Distribution of Vacancies in a Hybrid M(5 ^{1/18})X(5 ^{1/18}) Superstructure of a High-Temperature Ordered β -TiO Phase. <i>Physics of the Solid State</i> , 2018 , 60, 461-465	0.8	
6	Aggregative stability of the CdS nanoparticles-H ₂ O colloidal dispersion system in the presence of surfactants. <i>Doklady Chemistry</i> , 2012 , 443, 86-90	0.8	

- 5 In situ study of the temperature stability of TiO_{1.05} titanium monoxide using synchrotron radiation. *Bulletin of the Russian Academy of Sciences: Physics*, **2013**, 77, 134-137 0.4
- 4 Quantum-chemical study of titanium monoxide nanoparticles with structural vacancies. *Doklady Physical Chemistry*, **2017**, 473, 71-74 0.8
- 3 Short-range order and pair correlations in a binary solid solution with a square lattice. *Physics of the Solid State*, **2007**, 49, 1543-1547 0.8
- 2 Simulation of pair and three-particle correlations in a binary solid solution with a hexagonal lattice. *Physics of the Solid State*, **2008**, 50, 1131-1136 0.8
- 1 Positrons as chemically sensitive probes in interfaces of multicomponent complex materials: Nanocrystalline Fe₉₀Zr₇B₃. *International Journal of Materials Research*, **2022**, 94, 1073-1078 0.5