

# Vladislav Yu Kuznetsov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2655280/publications.pdf>

Version: 2024-02-01

42  
papers

554  
citations

623734

14  
h-index

677142

22  
g-index

43  
all docs

43  
docs citations

43  
times ranked

607  
citing authors

#	ARTICLE	IF	CITATIONS
1	POLLEN COMPLEXES OF THE MIKULINO (EEMIAN) INTERGLACIAL'S INITIAL PHASE IN THE UPPER VOLGA BASIN (ACCORDING TO THE STUDY OF THE MALAYA KOSHA RIVER SECTION). , 2022, , .		0
2	Mass-wasting processes input in proximal metalliferous sediments: A case study of the Pobeda hydrothermal fields. <i>Marine Geology</i> , 2021, 438, 106517.	2.1	7
3	Last interglacial environment of the Baikal Region (Southern Siberia, Russia) based on analysis of fossil invertebrates and plants. <i>Palaeoentomology</i> , 2021, 4, .	1.0	1
4	Ice Complex formation on Bol'shoy Lyakhovsky Island (New Siberian Archipelago, East Siberian Arctic) since about 200 ka. <i>Quaternary Research</i> , 2019, 92, 530-548.	1.7	26
5	The terrestrial Eemian to late Weichselian sediment record at Beckentin (NE-Germany): First results from lithostratigraphic, palynological and geochronological analyses. <i>Quaternary International</i> , 2019, 501, 90-108.	1.5	9
6	Late Pleistocene paleosols in the extra-glacial regions of Northwestern Eurasia: Pedogenesis, post-pedogenic transformation, paleoenvironmental inferences. <i>Quaternary International</i> , 2019, 501, 174-192.	1.5	17
7	Palaeoecological investigations and <sup>230</sup> Th/U dating of the Eemian Interglacial peat sequence from Neubrandenburg-Hinterste MÄ¼hle (Mecklenburg-Western Pomerania, NE Germany). <i>Quaternary International</i> , 2018, 467, 62-78.	1.5	15
8	Uâ€“Th age of the Kazantsevo (MIS 5) Horizon of the Upper Neopleistocene Ust Oda reference section, Baikal Region. <i>Doklady Earth Sciences</i> , 2017, 473, 266-270.	0.7	2
9	Chronostratigraphy of the Cheremoshnik key section (Yaroslavl Volga region) based on new geochronological, palynological, and paleosol data. <i>Doklady Earth Sciences</i> , 2017, 472, 244-247.	0.7	2
10	Sulfide geochronology along the Northern Equatorial Mid-Atlantic Ridge. <i>Ore Geology Reviews</i> , 2017, 87, 147-154.	2.7	37
11	Composition and characteristics of the ferromanganese crusts from the western Arctic Ocean. <i>Ore Geology Reviews</i> , 2017, 87, 88-99.	2.7	43
12	Ice Complex permafrost of MIS5 age in the Dmitry Laptev Strait coastal region (East Siberian Arctic). <i>Quaternary Science Reviews</i> , 2016, 147, 298-311.	3.0	37
13	Environmental and climate reconstructions of the Fore-Baikal area during MIS 5-1: Multiproxy record from terrestrial sediments of the Ust-Oda section (Siberia, Russia). <i>Journal of Asian Earth Sciences</i> , 2016, 129, 220-230.	2.3	20
14	Uranium-thorium dating of high sea terraces of the Spitsbergen Archipelago. <i>Vestnik of Saint Petersburg University Geology Geography</i> , 2016, , 54-64.	0.0	0
15	Geochronology and Palaeomagnetic Records of the SnaigupÄ—lÄ— Section in South Lithuania. <i>Geochronometria</i> , 2015, 42, .	0.8	4
16	Palaeoecological investigations and <sup>230</sup> Th/U dating of Eemian interglacial peat sequence of Banzin (Mecklenburg-Western Pomerania, NE-Germany). <i>Quaternary International</i> , 2015, 386, 122-136.	1.5	17
17	Comparative <sup>230</sup> Th/U and <sup>14</sup> C Dating of a Buried Stump Layer (Western) Tj ETQq1 1 0.784314 rgBT /Over	0.8	0
18	A new approach to isotope dating of buried organic-rich deposits with an example from the Kuryador section, upper Vycheгда valley. <i>Doklady Earth Sciences</i> , 2015, 462, 570-574.	0.7	7

#	ARTICLE	IF	CITATIONS
19	The oldest seafloor massive sulfide deposits at the Mid-Atlantic Ridge: <sup>230</sup> Th/U chronology and composition. <i>Geochronometria</i> , 2015, 42, .	0.8	12
20	Environmental changes at final warming of Middle Pleistocene (MIS 7) in South Kurils. <i>Quaternary International</i> , 2015, 355, 90-100.	1.5	0
21	Landscape evolution in the periglacial zone of Eastern Europe since MIS5: Proxies from paleosols and sediments of the Cheremoshnik key site (Upper Volga, Russia). <i>Quaternary International</i> , 2015, 365, 26-41.	1.5	18
22	Middle Pleistocene warming phase based on the deposits of a buried oyster reef, Southern Lesser Kuril Islands. <i>Doklady Earth Sciences</i> , 2014, 455, 376-382.	0.7	0
23	Climatic Stratigraphy of the Kazantsevo Horizon (as an Analogue of MIS-5) in the Boreal Zone of Western Siberia. <i>Springer Geology</i> , 2014, , 965-968.	0.3	0
24	The First Case Study of <sup>230</sup> Th- <sup>U</sup> Dating of Buried Wood Remnants from Siberia. <i>Springer Geology</i> , 2014, , 293-296.	0.3	0
25	Stratigraphy of bottom sediments in the Mendeleev Ridge area (Arctic Ocean). <i>Doklady Earth Sciences</i> , 2013, 450, 602-606.	0.7	10
26	Massive sulfide ores of the northern equatorial Mid-Atlantic Ridge. <i>Oceanology</i> , 2013, 53, 607-619.	1.2	42
27	First <sup>230</sup> Th/U date of Middle Pleistocene peat bog in Siberia (key section Krivosheino, Western Siberia). <i>Geochronometria</i> , 2012, 39, 241-251.	0.8	11
28	New hydrothermal ore fields in the Mid-Atlantic Ridge: Zenith-Victoria (20°08' N) and Petersburg (19°52' N). <i>Journal of Earth System Science</i> , 2012, 177, 117-127.	0.7	17
29	Last interglacial climate changes and environments of the Lesser Kuril arc, north-western Pacific. <i>Quaternary International</i> , 2011, 241, 35-50.	1.5	6
30	<sup>230</sup> Th/U chronology of ore formation within the Semyenov hydrothermal district (13°31' N) at the Mid-Atlantic ridge. <i>Geochronometria</i> , 2011, 38, 72-76.	0.8	26
31	The first case study of <sup>230</sup> Th/U and <sup>14</sup> C dating of mid-valdai organic deposits. <i>Doklady Earth Sciences</i> , 2011, 438, 598-602.	0.7	10
32	The first uranium-thorium dating of the Middle Neopleistocene peat in West Siberia. <i>Doklady Earth Sciences</i> , 2010, 433, 915-919.	0.7	3
33	Seafloor Massive Sulfides from the Northern Equatorial Mid-Atlantic Ridge: New Discoveries and Perspectives. <i>Marine Georesources and Geotechnology</i> , 2010, 28, 222-239.	2.1	62
34	Assessment of the long-term safety of radioactive waste disposal: 1. Paleoreconstruction of groundwater formation conditions. <i>Water Resources</i> , 2009, 36, 206-213.	0.9	9
35	The first find of buried low-temperature hydrothermal deposits in the Mid-Atlantic Ridge rift valley. <i>Doklady Earth Sciences</i> , 2009, 424, 1-6.	0.7	2
36	New outcrop of buried Kazantsevo peat at lower reaches of the Irtysh River. <i>Doklady Earth Sciences</i> , 2008, 419, 200-204.	0.7	5

#	ARTICLE	IF	CITATIONS
37	Geochronology and landscape-climatic environments of the Early Zyryanian Interstadial in West Siberia. Doklady Earth Sciences, 2008, 421, 796-799.	0.7	7
38	Late Quaternary marine terraces in the Mediterranean coastal area of Syria: Geochronology and neotectonics. Quaternary International, 2008, 190, 158-170.	1.5	15
39	Two New Hydrothermal Fields at the Mid-Atlantic Ridge. Marine Georesources and Geotechnology, 2008, 26, 308-316.	2.1	34
40	The $^{230}\text{Th}/\text{U}$ dating of sulfide ores in the ocean: Methodical possibilities, measurement results, and perspectives of application. Doklady Earth Sciences, 2007, 417, 1202-1205.	0.7	14
41	Paleoclimates and chronology of the middle Würm megainterstadial on the West Siberian Plain. Doklady Earth Sciences, 2006, 411, 1457-1461.	0.7	5
42	Origin of high $^{234}\text{U}/^{238}\text{U}$ ratio in post-permafrost aquifers. , 2006, , 847-856.		2