

# Antonio Grieco

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2655394/antonio-grieco-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

4,307  
citations

33  
h-index

64  
g-index

109  
ext. papers

5,079  
ext. citations

4.5  
avg. IF

4.79  
L-index

#	Paper	IF	Citations
105	Increased intestinal permeability and tight junction alterations in nonalcoholic fatty liver disease. <i>Hepatology</i> , <b>2009</b> , 49, 1877-87	11.2	914
104	Epidemiological modifiers of non-alcoholic fatty liver disease: Focus on high-risk groups. <i>Digestive and Liver Disease</i> , <b>2015</b> , 47, 997-1006	3.3	279
103	Field-practice study of sorafenib therapy for hepatocellular carcinoma: a prospective multicenter study in Italy. <i>Hepatology</i> , <b>2011</b> , 54, 2055-63	11.2	273
102	The liver may act as a firewall mediating mutualism between the host and its gut commensal microbiota. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 237ra66	17.5	257
101	Prevalence, characteristics and severity of non-alcoholic fatty liver disease in patients with chronic plaque psoriasis. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 778-86	13.4	170
100	Silybin combined with phosphatidylcholine and vitamin E in patients with nonalcoholic fatty liver disease: a randomized controlled trial. <i>Free Radical Biology and Medicine</i> , <b>2012</b> , 52, 1658-65	7.8	163
99	The Kruppel-like factor 6 genotype is associated with fibrosis in nonalcoholic fatty liver disease. <i>Gastroenterology</i> , <b>2008</b> , 135, 282-291.e1	13.3	149
98	Intestinal permeability is increased in children with non-alcoholic fatty liver disease, and correlates with liver disease severity. <i>Digestive and Liver Disease</i> , <b>2014</b> , 46, 556-60	3.3	115
97	Impact of Gut Microbiota on Obesity, Diabetes, and Cardiovascular Disease Risk. <i>Current Cardiology Reports</i> , <b>2015</b> , 17, 120	4.2	93
96	Hepatic mitochondrial beta-oxidation in patients with nonalcoholic steatohepatitis assessed by 13C-octanoate breath test. <i>American Journal of Gastroenterology</i> , <b>2003</b> , 98, 2335-6	0.7	90
95	Predictors of survival in patients with advanced hepatocellular carcinoma who permanently discontinued sorafenib. <i>Hepatology</i> , <b>2015</b> , 62, 784-91	11.2	83
94	Glucokinase regulatory protein gene polymorphism affects liver fibrosis in non-alcoholic fatty liver disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e87523	3.7	83
93	Risk of nonalcoholic steatohepatitis and fibrosis in patients with nonalcoholic fatty liver disease and low visceral adiposity. <i>Journal of Hepatology</i> , <b>2011</b> , 54, 1244-9	13.4	82
92	Cost-effectiveness of sorafenib treatment in field practice for patients with hepatocellular carcinoma. <i>Hepatology</i> , <b>2013</b> , 57, 1046-54	11.2	78
91	Tumor necrosis factor- $\alpha$ inhibitors and chronic hepatitis C: a comprehensive literature review. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7867-73	5.6	78
90	Gut-liver Axis and Microbiota in NAFLD: Insight Pathophysiology for Novel Therapeutic Target. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 5314-5324	3.3	78
89	Clinical and economical impact of 2010 AASLD guidelines for the diagnosis of hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2014</b> , 60, 995-1001	13.4	46

88	Intestinal permeability in the pathogenesis of liver damage: From non-alcoholic fatty liver disease to liver transplantation. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 4814-4834	5.6	45
87	Rare Pathogenic Variants Predispose to Hepatocellular Carcinoma in Nonalcoholic Fatty Liver Disease. <i>Scientific Reports</i> , <b>2019</b> , 9, 3682	4.9	42
86	Ovarian senescence increases liver fibrosis in humans and zebrafish with steatosis. <i>DMM Disease Models and Mechanisms</i> , <b>2015</b> , 8, 1037-46	4.1	42
85	A "systems medicine" approach to the study of non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , <b>2016</b> , 48, 333-42	3.3	42
84	The Metabolic Role of Gut Microbiota in the Development of Nonalcoholic Fatty Liver Disease and Cardiovascular Disease. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	42
83	Gut-liver axis and microbiota in NAFLD: insight pathophysiology for novel therapeutic target. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 5314-24	3.3	41
82	Gallstone disease is associated with more severe liver damage in patients with non-alcoholic fatty liver disease. <i>PLoS ONE</i> , <b>2012</b> , 7, e41183	3.7	38
81	Abdominal angina. <i>American Journal of the Medical Sciences</i> , <b>2009</b> , 338, 389-95	2.2	37
80	Future of liver disease in the era of direct acting antivirals for the treatment of hepatitis C. <i>World Journal of Hepatology</i> , <b>2017</b> , 9, 352-367	3.4	37
79	Radiofrequency ablation plus drug-eluting beads transcatheter arterial chemoembolization for the treatment of single large hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , <b>2015</b> , 47, 242-8	3.3	36
78	Nonalcoholic fatty liver disease is associated with increased GHBP and reduced GH/IGF-I levels. <i>Clinical Endocrinology</i> , <b>2012</b> , 77, 531-6	3.4	36
77	Prenatal exposure to ethanol in rats: effects on liver energy level and antioxidant status in mothers, fetuses, and newborns. <i>Alcohol</i> , <b>1997</b> , 14, 569-73	2.7	36
76	Acute hepatitis caused by a natural lipid-lowering product: when "alternative" medicine is no "alternative" at all. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 1273-7	13.4	34
75	Acute cholestatic hepatitis associated with celecoxib. <i>Annals of Pharmacotherapy</i> , <b>2002</b> , 36, 1887-9	2.9	34
74	Long-term metformin treatment is able to reduce the prevalence of metabolic syndrome and its hepatic involvement in young hyperinsulinaemic overweight patients with polycystic ovarian syndrome. <i>Clinical Endocrinology</i> , <b>2011</b> , 75, 520-7	3.4	33
73	Serum levels of hyaluronic acid and tissue metalloproteinase inhibitor-1 combined with age predict the presence of nonalcoholic steatohepatitis in a pilot cohort of subjects with nonalcoholic fatty liver disease. <i>Translational Research</i> , <b>2009</b> , 154, 194-201	11	33
72	Telomerase reverse transcriptase germline mutations and hepatocellular carcinoma in patients with nonalcoholic fatty liver disease. <i>Cancer Medicine</i> , <b>2017</b> , 6, 1930-1940	4.8	29
71	A case-control study on the effect of metabolic gene polymorphisms, nutrition, and their interaction on the risk of non-alcoholic fatty liver disease. <i>Genes and Nutrition</i> , <b>2014</b> , 9, 383	4.3	29

70	Intestinal permeability after Mediterranean diet and low-fat diet in non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 509-520	5.6	29
69	Diabetes and Insulin Therapy, but Not Metformin, Are Related to Hepatocellular Cancer Risk. <i>Gastroenterology Research and Practice</i> , <b>2015</b> , 2015, 570356	2	28
68	Faecal calprotectin concentrations in untreated coeliac patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2007</b> , 42, 957-61	2.4	28
67	Noninvasive assessment of fibrosis in non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH). <i>Translational Research</i> , <b>2007</b> , 149, 114-25	11	26
66	Severe acute hepatitis after resumption of interferon-Beta therapy for multiple sclerosis: a word of caution. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 2606-7	0.7	25
65	Role of the "immersion technique" in diagnosing celiac disease with villous atrophy limited to the duodenal bulb. <i>Journal of Clinical Gastroenterology</i> , <b>2007</b> , 41, 571-5	3	20
64	Correlates of HCV seropositivity among familial contacts of HCV positive patients. <i>BMC Public Health</i> , <b>2006</b> , 6, 237	4.1	19
63	Recurrent acute hepatitis associated with use of cetirizine. <i>Annals of Pharmacotherapy</i> , <b>2004</b> , 38, 1844-7	2.9	19
62	Liver Resection versus Radiofrequency Ablation plus Transcatheter Arterial Chemoembolization in Cirrhotic Patients with Solitary Large Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , <b>2017</b> , 28, 1512-1519	2.4	18
61	A case-control study on the effects of the apolipoprotein E genotypes in nonalcoholic fatty liver disease. <i>Molecular Biology Reports</i> , <b>2012</b> , 39, 7381-8	2.8	18
60	A phase II study of sunitinib in advanced hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , <b>2013</b> , 45, 692-8	3.3	17
59	Hepatocellular carcinoma treated by conventional transarterial chemoembolization in field-practice: serum sodium predicts survival. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 8158-65	5.6	16
58	Hepatitis C in the elderly: a multicentre cross-sectional study by the Italian Association for the Study of the Liver. <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 674-80	3.3	15
57	Intrafamilial transmission of hepatitis C virus in Italy: a systematic review. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 843-8	5.1	15
56	Liver injury after pulsed methylprednisolone therapy in multiple sclerosis patients. <i>Brain and Behavior</i> , <b>2018</b> , 8, e00968	3.4	14
55	The effect of CYP, GST, and SULT polymorphisms and their interaction with smoking on the risk of hepatocellular carcinoma. <i>BioMed Research International</i> , <b>2015</b> , 2015, 179867	3	14
54	Non-alcoholic steatohepatitis induced by carbamazepine and variegate porphyria. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2001</b> , 13, 973-5	2.2	14
53	High-dose folinic acid (HDFA) combined with 5-fluorouracil (5-FU) in first line chemotherapy of advanced large bowel cancer. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1987</b> , 23, 1303-6		14

52	Elevated Hemoglobin Level Is Associated With Advanced Fibrosis in Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2017</b> , 65, 150-155	2.8	13
51	Enhanced liver fibrosis test as a reliable tool for assessing fibrosis in nonalcoholic fatty liver disease in a clinical setting. <i>International Journal of Biological Markers</i> , <b>2017</b> , 32, e397-e402	2.8	13
50	Non-alcoholic fatty liver disease is associated with high prevalence of gastro-oesophageal reflux symptoms. <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 1032-6	3.3	13
49	Prognostic ability of BCLC-B Subclassification in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Annals of Hepatology</i> , <b>2018</b> , 17, 110-118	3.1	13
48	Antipyrine clearance in chronic and neoplastic liver diseases: a study of 518 patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>1998</b> , 13, 460-6	4	11
47	Peginterferon alpha-2a and ribavirin versus peginterferon alpha-2a monotherapy in early virological responders and peginterferon alpha-2a and ribavirin versus peginterferon alpha-2a, ribavirin and amantadine triple therapy in early virological nonresponders: the SMIEC II trial in naïve patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 680-7	2.2	10
46	Cystic lymphangioma of the mesentery and hyposplenism in celiac disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2007</b> , 19, 1026-30	2.2	10
45	Transarterial chemoembolization (TACE) for unresectable hepatocellular carcinoma in cirrhotics: functional hepatic reserve and survival. <i>Hepato-Gastroenterology</i> , <b>2003</b> , 50, 207-12		10
44	Severe cholestatic hepatitis due to temozolomide: an adverse drug effect to keep in mind. Case report and review of literature. <i>Medicine (United States)</i> , <b>2015</b> , 94, e476	1.8	9
43	A Role for the Biological Clock in Liver Cancer. <i>Cancers</i> , <b>2019</b> , 11,	6.6	9
42	Socio-demographic determinants of coinfections by HIV, hepatitis B and hepatitis C viruses in central Italian prisoners. <i>BMC Infectious Diseases</i> , <b>2007</b> , 7, 100	4	9
41	Evaluation of the albumin-gamma-glutamyltransferase isoenzyme as a diagnostic marker of hepatocellular carcinoma-complicating liver cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2003</b> , 18, 288-95	4	9
40	Acute fatty liver after malaria prophylaxis with mefloquine. <i>Lancet, The</i> , <b>1999</b> , 353, 295-6	4.0	8
39	Nonalcoholic fatty liver disease (NAFLD) severity is associated to a nonhemostatic contribution and proinflammatory phenotype of platelets. <i>Translational Research</i> , <b>2021</b> , 231, 24-38	11	8
38	Severe veno-occlusive disease after autologous peripheral blood stem cell transplantation for high-grade non-Hodgkin lymphoma: report of a successfully managed case and a literature review of veno-occlusive disease. <i>Clinical Transplantation</i> , <b>2008</b> , 22, 837-41	3.8	7
37	Outcomes of Liver Transplant for Adults With Wilson's Disease. <i>Liver Transplantation</i> , <b>2020</b> , 26, 507-516	4.5	7
36	Nonalcoholic Fatty Liver Disease (NAFLD) as Model of Gut-Liver Axis Interaction: From Pathophysiology to Potential Target of Treatment for Personalized Therapy. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	7
35	Liver Transplantation in Patients with Alcoholic Liver Disease: A Retrospective Study. <i>Alcohol and Alcoholism</i> , <b>2018</b> , 53, 151-156	3.5	7

34	Daclatasvir-based regimens in HCV cirrhosis: experience from the Italian early access program. <i>Scientific Reports</i> , <b>2019</b> , 9, 585	4.9	6
33	Clopidogrel-induced neutropenia after coronary stenting: is cilostazol a good alternative?. <i>International Journal of Vascular Medicine</i> , <b>2011</b> , 2011, 867964	1.2	6
32	5-Fluorouracil (FU) and mitomycin C (MMC) in the management of colorectal carcinoma. Part II. In vitro activity of the two drugs in short-term tumor cultures. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1991</b> , 8, 75-8		6
31	Contrast-Enhanced Ultrasound in the Short-Term Evaluation of Hepatocellular Carcinoma after Locoregional Treatment. <i>Digestive Diseases</i> , <b>2020</b> , 38, 522-533	3.2	5
30	Comment to "Liver Match: a prospective observational cohort study on liver transplantation in Italy". <i>Digestive and Liver Disease</i> , <b>2011</b> , 43, 921; author reply 921-2	3.3	5
29	A case of esomeprazole-induced transient diabetes and hepatitis: the role of liver inflammation in the pathogenesis of insulin resistance. <i>Acta Diabetologica</i> , <b>2014</b> , 51, 151-3	3.9	4
28	Ketoalkalosis as a result of triple derangement of acid-base equilibrium in a diabetic patient. <i>Acta Diabetologica Latina</i> , <b>1985</b> , 22, 73-7		4
27	Ethanol injection is highly effective for hepatocellular carcinoma smaller than 2 cm. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 3126-32	5.6	4
26	High Prevalence and Gender-Related Differences of Gastrointestinal Manifestations in a Cohort of DM1 Patients: A Perspective, Cross-Sectional Study. <i>Frontiers in Neurology</i> , <b>2020</b> , 11, 394	4.1	3
25	Liver resection for hepatocellular carcinoma in patient with situs inversus viscerum. <i>Updates in Surgery</i> , <b>2014</b> , 66, 91-2	2.9	3
24	Corrigendum to "Acute hepatitis caused by a natural lipid-lowering product: When "alternative" medicine is no "alternative" at all" [ <i>J Hepatol</i> 50 (2009) 1273-1277]. <i>Journal of Hepatology</i> , <b>2010</b> , 52, 466	13.4	3
23	Massive hepatomegaly following splenectomy for myeloid metaplasia. <i>American Journal of Medicine</i> , <b>1988</b> , 84, 797	2.4	3
22	Genetic susceptibility of increased intestinal permeability is associated with progressive liver disease and diabetes in patients with non-alcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 2103-2110	4.5	3
21	The Disease-Modifying Therapies of Relapsing-Remitting Multiple Sclerosis and Liver Injury: A Narrative Review. <i>CNS Drugs</i> , <b>2021</b> , 35, 861-880	6.7	3
20	Clinical characteristics of metabolic associated fatty liver disease (MAFLD) in subjects with myotonic dystrophy type 1 (DM1). <i>Digestive and Liver Disease</i> , <b>2021</b> , 53, 1451-1457	3.3	3
19	COVID-19, adaptative immune response and metabolic-associated liver disease. <i>Liver International</i> , <b>2021</b> , 41, 2560-2577	7.9	3
18	Watery stools and metabolic acidosis. <i>Internal and Emergency Medicine</i> , <b>2017</b> , 12, 487-492	3.7	2
17	Liver transplantation for severe alcoholic hepatitis: a multicentre Italian study.. <i>American Journal of Transplantation</i> , <b>2021</b> ,	8.7	2

16	5-Fluorouracil (FU) with folinic acid (FA) and mitomycin C (MMC) in the adjuvant treatment of colorectal carcinoma. Part I. Evaluation of toxicity. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1991</b> , 8, 69-73		2
15	Effect of liver transplantation on intestinal permeability and correlation with infection episodes. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235359	3.7	1
14	Ventricular thrombosis during sorafenib therapy for advanced hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2013</b> , 25, 1001-2	2.2	1
13	Abdominal angina due to recurrence of cancer of the papilla of Vater: a case report. <i>Journal of Medical Case Reports</i> , <b>2009</b> , 3, 9314	1.2	1
12	Eighteen needles to forget...an unnamed past. <i>Journal of Clinical Forensic and Legal Medicine</i> , <b>2007</b> , 14, 304-6	1.7	1
11	Braised liver with herbs: the risks of naturopathic hepatoprotection. <i>Journal of Clinical Gastroenterology</i> , <b>2005</b> , 39, 344	3	1
10	Role of Immunoscintigraphy in Clinical Assessment of Gastrointestinal Tumors. <i>Tumori</i> , <b>1990</b> , 76, 270-273.	3.7	1
9	Sarco-Model: A score to predict the dropout risk in the perspective of organ allocation in patients awaiting liver transplantation. <i>Liver International</i> , <b>2021</b> , 41, 1629-1640	7.9	1
8	Reply to: Liver injury caused by oral anticoagulants: A population-based retrospective cohort study. <i>Liver International</i> , <b>2021</b> , 41, 1435-1436	7.9	1
7	The role of elastography in non-alcoholic fatty liver disease. <i>Minerva Gastroenterology</i> , <b>2021</b> , 67, 164-170.	3	1
6	Vanishing-recurrent benign liver lesions. <i>Liver International</i> , <b>2014</b> , 34, 1126	7.9	
5	Comment on "the role of endoscopic ultrasound in the evaluation of chronic mesenteric ischaemia". <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 86	3.3	
4	A peculiar cause of small-bowel intussusception and iron deficiency anaemia. <i>Digestive and Liver Disease</i> , <b>2011</b> , 43, 171	3.3	
3	ECG signs of biatrial enlargement in a young adult. <i>Internal and Emergency Medicine</i> , <b>2010</b> , 5, 441-2	3.7	
2	Etiopathogenesis of NAFLD: Diet, Gut, and NASH <b>2020</b> , 73-95		
1	Propafenone-related cholestatic hepatitis in an elderly patient. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , <b>2002</b> , 3, 431-4		