


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2656497/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Taro Leaf Blight—A Threat to Food Security. Agriculture (Switzerland), 2012, 2, 182-203.	3.1	52
2	Development and Validation of an Infection Risk Model for Bacterial Canker of Kiwifruit, Using a Multiplication and Dispersal Concept for Forecasting Bacterial Diseases. Phytopathology, 2017, 107, 184-191.	2.2	13
3	Genetic diversity in New Zealand populations of <i>Sclerotium cepivorum</i> . New Zealand Journal of Crop and Horticultural Science, 2002, 30, 37-48.	1.3	12
4	Pathogenic fungi isolated in association with grapevine trunk diseases in New Zealand. New Zealand Journal of Crop and Horticultural Science, 2020, 48, 84-96.	1.3	12
5	Mating types ofPhytophthora colocasiaefrom the Pacific region, India and South-east Asia. Australasian Plant Disease Notes, 2007, 2, 111.	0.7	10
6	Plant Pest Impact Metric System (PPIMS): Framework and guidelines for a common set of metrics to classify and prioritise plant pests. Crop Protection, 2020, 128, 105003.	2.1	9
7	Fast-tracking kiwifruit breeding through mutagenesis. Acta Horticulturae, 2016, , 217-222.	0.2	8
8	Survival, growth and detection ofPseudomonas syringaepv.actinidiaeinActinidia in vitrocultures. New Zealand Journal of Crop and Horticultural Science, 2018, 46, 319-333.	1.3	7
9	DISEASE NOTES OR NEW RECORDS: First report of Nectria haematococca fruit and stem rot of Capsicum annuum in New Zealand. Australasian Plant Pathology, 2001, 30, 375.	1.0	5
10	A pre-harvest rot of persimmon fruit caused by Phytophthora cactorum in New Zealand. Australasian Plant Disease Notes, 2014, 9, 1.	0.7	4
11	Effect of a protectant copper application on Psa infection of kiwifruit trap plants. New Zealand Plant Protection, 0, 70, 310-314.	0.3	4
12	The current outbreak of stemphylium leaf blight of onion in New Zealand – identification of cause and review of possible risk factors associated with the disease. New Zealand Plant Protection, 0, 72, 10-20.	0.3	4
13	Causal Fungus of Side Rot on †Zesy002' Kiwifruit in Jeju Island, South Korea. Research in Plant Disease, 2021, 27, 24-31.	0.8	3
14	The effect of grape berry growth stage on germination of Botrytis cinerea in New Zealand. Australasian Plant Pathology, 2022, 51, 79-90.	1.0	3
15	Suppression of Ripe Rot on â€~Zesy002' Kiwifruit with Commercial Agrochemicals. Plant Pathology Journal, 2021, 37, 347-355.	1.7	2
16	Pathogenicity of Ceratocystis fimbriata from New Zealand kūmara on kiwifruit cultivars. New Zealand Plant Protection, 2020, 73, 6-12.	0.3	2
17	Mating types of Phytophthora colocasiae on the island of Upolu, Samoa. New Zealand Plant Protection, 0, 71, 289-292.	0.3	2
18	<i>Neofabraea actinidiae </i> in New Zealand kiwifruit orchards: current status and knowledge gaps. New Zealand Plant Protection, 0, 72, 75-83.	0.3	2

Joy Tyson

#	Article	IF	CITATIONS
19	First report of benomyl resistance in Elsinoe fawcettii in New Zealand citrus orchards. Australasian Plant Pathology, 2001, 30, 69.	1.0	1
20	Pseudomonas syringae pv. actinidiae survival in point-inoculated kiwifruit vines. New Zealand Plant Protection, 0, 71, 45-50.	0.3	1
21	Preliminary pathogenicity screening of <i>Verticillium</i> spp. on kiwifruit in New Zealand. New Zealand Plant Protection, 0, 72, 89-94.	0.3	1
22	Understanding flower-bud rot development caused by <i>Pseudomonas syringae </i> pv. <i>actinidiae </i> in green-fleshed kiwifruit. New Zealand Plant Protection, 0, 72, 83-88.	0.3	1
23	Weather and inoculum factors associated with kiwifruit bud rot. New Zealand Plant Protection, 0, 71, 348.	0.3	0
24	Symptom expression of Phytophthora colocasiae in inoculated taro corms. New Zealand Plant Protection, 0, 73, 1-5.	0.3	0