

Eduard Vieta

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2656934/eduard-vieta-publications-by-citations.pdf>

Version: 2023-09-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,203
papers

49,756
citations

107
h-index

174
g-index

1,461
ext. papers

61,178
ext. citations

5
avg, IF

7.76
L-index

#	Paper	IF	Citations
1203	Cognitive function across manic or hypomanic, depressed, and euthymic states in bipolar disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 262-70	11.9	820
1202	Bipolar disorder. <i>Lancet, The</i> , 2016 , 387, 1561-1572	40	712
1201	Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression. <i>Archives of General Psychiatry</i> , 2003 , 60, 1079-88		668
1200	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
1199	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 97-170	3.8	639
1198	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry, the</i> , 2020 , 7, 813-824	23.3	542
1197	A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. <i>Archives of General Psychiatry</i> , 2003 , 60, 402-7		523
1196	The HCL-32: towards a self-assessment tool for hypomanic symptoms in outpatients. <i>Journal of Affective Disorders</i> , 2005 , 88, 217-33	6.6	476
1195	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553 ^{4.6}		468
1194	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009 , 11, 225-55	3.8	465
1193	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
1192	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004 , 6, 224-32	3.8	449
1191	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5	3.2	442
1190	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
1189	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007 , 9, 103-13	3.8	397
1188	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
1187	Allostatic load in bipolar disorder: implications for pathophysiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 675-92	9	357

1186	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
1185	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316
1184	Prevalence and characteristics of undiagnosed bipolar disorders in patients with a major depressive episode: the BRIDGE study. <i>Archives of General Psychiatry</i> , 2011 , 68, 791-8		307
1183	Bipolar disorders. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18008	51.1	289
1182	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 154-219	3.8	284
1181	Efficacy and Safety of Flexibly Dosed Esketamine Nasal Spray Combined With a Newly Initiated Oral Antidepressant in Treatment-Resistant Depression: A Randomized Double-Blind Active-Controlled Study. <i>American Journal of Psychiatry</i> , 2019 , 176, 428-438	11.9	282
1180	Functioning and disability in bipolar disorder: an extensive review. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 285-97	9.4	273
1179	The Safety, Tolerability and Risks Associated with the Use of Newer Generation Antidepressant Drugs: A Critical Review of the Literature. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 270-88	9.4	269
1178	Neuropsychological deficits and functional impairment in bipolar depression, hypomania and euthymia. <i>Bipolar Disorders</i> , 2007 , 9, 114-25	3.8	257
1177	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the treatment of acute bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 81-109	3.8	256
1176	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 85-116	3.8	251
1175	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 51	3	251
1174	Group psychoeducation for stabilised bipolar disorders: 5-year outcome of a randomised clinical trial. <i>British Journal of Psychiatry</i> , 2009 , 194, 260-5	5.4	243
1173	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: a long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 121, 156-60	6.6	226
1172	Clinical factors associated with treatment noncompliance in euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2000 , 61, 549-55	4.6	220
1171	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
1170	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008 , 109, 286-99	6.6	216
1169	Interferon-induced depression in chronic hepatitis C: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1128-38	4.6	216

1168	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
1167	Clinical and therapeutic implications of predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2006 , 93, 13-7	6.6	205
1166	Mood stabilisers plus risperidone or placebo in the treatment of acute mania. International, double-blind, randomised controlled trial. <i>British Journal of Psychiatry</i> , 2003 , 182, 141-7	5.4	203
1165	Efficacy of antimanic treatments: meta-analysis of randomized, controlled trials. <i>Neuropsychopharmacology</i> , 2011 , 36, 375-89	8.7	202
1164	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006 , 189, 254-9	5.4	198
1163	Safety, tolerability, and risks associated with first- and second-generation antipsychotics: a state-of-the-art clinical review. <i>Therapeutics and Clinical Risk Management</i> , 2017 , 13, 757-777	2.9	194
1162	A systematic literature review of resting state network--functional MRI in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 727-35	6.6	181
1161	Efficacy and safety of quetiapine in combination with lithium or divalproex for maintenance of patients with bipolar I disorder (international trial 126). <i>Journal of Affective Disorders</i> , 2008 , 109, 251-63	6.6	181
1160	Maintenance treatment for patients with bipolar I disorder: results from a north american study of quetiapine in combination with lithium or divalproex (trial 127). <i>American Journal of Psychiatry</i> , 2009 , 166, 476-88	11.9	179
1159	Cognitive dysfunctions in bipolar disorder: evidence of neuropsychological disturbances. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 2-18	9.4	178
1158	Hypothalamic-pituitary-adrenal axis and bipolar disorder. <i>Psychiatric Clinics of North America</i> , 2005 , 28, 469-80	3.1	177
1157	Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker in bipolar disorder: a meta-analysis of 52 studies. <i>BMC Medicine</i> , 2015 , 13, 289	11.4	176
1156	A 12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania. <i>Archives of General Psychiatry</i> , 2003 , 60, 1218-26		173
1155	Efficacy and safety of lamotrigine as add-on treatment to lithium in bipolar depression: a multicenter, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 223-31	4.6	168
1154	Identifying functional neuroimaging biomarkers of bipolar disorder: toward DSM-V. <i>Schizophrenia Bulletin</i> , 2007 , 33, 893-904	1.3	163
1153	Psychoeducation efficacy in bipolar disorders: beyond compliance enhancement. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1101-5	4.6	162
1152	Differential features between bipolar I and bipolar II disorder. <i>Comprehensive Psychiatry</i> , 1997 , 38, 98-104	1.3	161
1151	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 355-71	1.7	160

1150	Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 72-84	9.4	160
1149	Neurocognitive endophenotypes (endophenocognitypes) from studies of relatives of bipolar disorder subjects: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1426-38	9	159
1148	Longitudinal neuroimaging and neuropsychological changes in bipolar disorder patients: review of the evidence. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 418-35	9	158
1147	Coping behaviors associated with decreased anxiety and depressive symptoms during the COVID-19 pandemic and lockdown. <i>Journal of Affective Disorders</i> , 2020 , 275, 80-81	6.6	154
1146	Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 354-63	6.5	152
1145	Risperidone in the treatment of acute mania: double-blind, placebo-controlled study. <i>British Journal of Psychiatry</i> , 2005 , 187, 229-34	5.4	151
1144	Bipolar II disorder: arguments for and against a distinct diagnostic entity. <i>Bipolar Disorders</i> , 2008 , 10, 163-78	3.8	149
1143	A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 123-9	5.8	148
1142	Assessment and management of agitation in psychiatry: Expert consensus. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 86-128	3.8	146
1141	Executive function in patients with remitted bipolar disorder and schizophrenia and its relationship with functional outcome. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 39-46	9.4	146
1140	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010 , 12, 557-67	3.8	145
1139	Effectiveness of aripiprazole v. haloperidol in acute bipolar mania: double-blind, randomised, comparative 12-week trial. <i>British Journal of Psychiatry</i> , 2005 , 187, 235-42	5.4	145
1138	Areas of controversy in neuroprogression in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 91-103	6.5	145
1137	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. <i>Bipolar Disorders</i> , 2006 , 8, 618-24	3.8	144
1136	A randomized trial comparing paroxetine and venlafaxine in the treatment of bipolar depressed patients taking mood stabilizers. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 508-12	4.6	141
1135	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of bipolar disorders. Part I: Treatment of bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 115-24	3.8	139
1134	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008 , 10, 511-9	3.8	138
1133	Cognitive dysfunction in bipolar disorder and schizophrenia: a systematic review of meta-analyses. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 3111-25	3.1	133

1132	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009 , 11, 401-9	3.8	129
1131	Treatment guidelines for bipolar disorder: a critical review. <i>Journal of Affective Disorders</i> , 2005 , 86, 1-10	6.6	129
1130	Subthreshold symptoms in bipolar disorder: impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012 , 136, 650-9	6.6	126
1129	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
1128	Gut Microbiota, Bacterial Translocation, and Interactions with Diet: Pathophysiological Links between Major Depressive Disorder and Non-Communicable Medical Comorbidities. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 31-46	9.4	125
1127	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 339-46	1.2	125
1126	Persistent cognitive dysfunctions in bipolar I disorder and schizophrenic patients: a 3-year follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 113-9	9.4	125
1125	Identifying and improving non-adherence in bipolar disorders. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 5, 24-31	3.8	125
1124	Neurocognitive impairment in bipolar patients with and without history of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 233-9	4.6	125
1123	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 5-13	3.8	124
1122	Bipolar disorders. <i>Lancet, The</i> , 2020 , 396, 1841-1856	4.0	124
1121	Early Intervention in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2018 , 175, 411-426	11.9	123
1120	Persistent neuropsychological deficit in euthymic bipolar patients: executive function as a core deficit. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1078-86	4.6	123
1119	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
1118	Treatment of bipolar disorder: a systematic review of available data and clinical perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 999-1029	5.8	120
1117	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , 2010 , 13, 984-8	3.3	119
1116	One-year psychosocial functioning in patients in the early vs. late stage of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 335-41	6.5	118
1115	Gender differences in a cohort study of 604 bipolar patients: the role of predominant polarity. <i>Journal of Affective Disorders</i> , 2011 , 133, 443-9	6.6	118

1114	Efficacy of adjunctive aripiprazole to either valproate or lithium in bipolar mania patients partially nonresponsive to valproate/lithium monotherapy: a placebo-controlled study. <i>American Journal of Psychiatry</i> , 2008 , 165, 1316-25	11.9	118
1113	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 4-18	6.5	118
1112	The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1366-71	5.5	116
1111	Mixed features in patients with a major depressive episode: the BRIDGE-II-MIX study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e351-8	4.6	116
1110	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e899-905	4.6	114
1109	Bipolar Disorder. <i>New England Journal of Medicine</i> , 2020 , 383, 58-66	59.2	113
1108	Inverse and direct cancer comorbidity in people with central nervous system disorders: a meta-analysis of cancer incidence in 577,013 participants of 50 observational studies. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 89-105	9.4	113
1107	An 8-Week Randomized, Double-Blind, Placebo-Controlled Evaluation of the Safety and Efficacy of Cariprazine in Patients With Bipolar I Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 271-81	11.9	112
1106	Safety and efficacy of Vagus Nerve Stimulation in treatment-resistant depression. A systematic review. <i>Journal of Affective Disorders</i> , 2008 , 110, 1-15	6.6	112
1105	McLean-Harvard International First-Episode Project: two-year stability of DSM-IV diagnoses in 500 first-episode psychotic disorder patients. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 458-66	4.6	112
1104	Do cognitive complaints in euthymic bipolar patients reflect objective cognitive impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 295-302	9.4	110
1103	Bipolar depression: overview and commentary. <i>Harvard Review of Psychiatry</i> , 2010 , 18, 143-57	4.1	108
1102	Impact of a psychoeducational family intervention on caregivers of stabilized bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 312-9	9.4	108
1101	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001 , 3, 253-258	3.8	108
1100	Clinical staging in bipolar disorder: focus on cognition and functioning. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e450-6	4.6	107
1099	Deconstructing bipolar disorder: a critical review of its diagnostic validity and a proposal for DSM-V and ICD-11. <i>Schizophrenia Bulletin</i> , 2007 , 33, 886-92	1.3	107
1098	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
1097	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 670-680	5.8	104

1096	Staging in bipolar disorder: from theoretical framework to clinical utility. <i>World Psychiatry</i> , 2017 , 16, 236-244	4.4	104
1095	Ziprasidone plus a mood stabilizer in subjects with bipolar I disorder: a 6-month, randomized, placebo-controlled, double-blind trial. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 130-7	4.6	104
1094	The anatomy of panic buying related to the current COVID-19 pandemic. <i>Psychiatry Research</i> , 2020 , 288, 113015	9.9	104
1093	Methodological Recommendations for Trials of Psychological Interventions. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 276-284	9.4	103
1092	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017 , 19, 614-626	3.8	103
1091	No paradox, no progress: inverse cancer comorbidity in people with other complex diseases. <i>Lancet Oncology, The</i> , 2011 , 12, 604-8	21.7	103
1090	New treatment guidelines for acute bipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 14-26	6.6	103
1089	A systematic review of cognitive remediation for schizo-affective and affective disorders. <i>Journal of Affective Disorders</i> , 2012 , 142, 13-21	6.6	102
1088	Quetiapine monotherapy for mania associated with bipolar disorder: combined analysis of two international, double-blind, randomised, placebo-controlled studies. <i>Current Medical Research and Opinion</i> , 2005 , 21, 923-34	2.5	102
1087	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 3: The Clinical Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 180-195	5.8	102
1086	The clinical implications of cognitive impairment and allostatic load in bipolar disorder. <i>European Psychiatry</i> , 2013 , 28, 21-9	6	101
1085	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
1084	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017 , 17, 250	4.2	100
1083	Age at onset versus family history and clinical outcomes in 1,665 international bipolar-I disorder patients. <i>World Psychiatry</i> , 2012 , 11, 40-6	14.4	99
1082	Mixed states in DSM-5: implications for clinical care, education, and research. <i>Journal of Affective Disorders</i> , 2013 , 148, 28-36	6.6	99
1081	Latest maintenance data on lamotrigine in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13 Suppl 2, S57-66	1.2	99
1080	Persistence of cognitive impairment and its negative impact on psychosocial functioning in lithium-treated, euthymic bipolar patients: a 6-year follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1187-96	6.9	98
1079	Functional impairment in patients with mania: baseline results of the EMBLEM study. <i>Bipolar Disorders</i> , 2007 , 9, 45-52	3.8	98

1078	Depressive disorders and suicide: Epidemiology, risk factors, and burden. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2372-4	9	97
1077	Recovery in the outpatient setting: 36-month results from the Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Schizophrenia Research</i> , 2009 , 108, 223-30	3.6	97
1076	Two-year outcomes in first-episode psychotic depression the McLean-Harvard First-Episode Project. <i>Journal of Affective Disorders</i> , 2012 , 136, 1-8	6.6	96
1075	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
1074	Enhancing medication adherence in patients with bipolar disorder. <i>Human Psychopharmacology</i> , 2010 , 25, 1-16	2.3	94
1073	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 1, 1-48	5.1	93
1072	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e561-6	4.6	93
1071	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 105-110	2.7	92
1070	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013 , 144, 65-71	6.6	92
1069	Risk factors for suicide in schizophrenia: systematic review and clinical recommendations. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 418-26	6.5	92
1068	Mood state at study entry as predictor of the polarity of relapse in bipolar disorder. <i>Biological Psychiatry</i> , 2004 , 56, 957-63	7.9	92
1067	Psychoeducation Manual for Bipolar Disorder 2006 ,		91
1066	Staging bipolar disorder. <i>Neurotoxicity Research</i> , 2011 , 19, 279-85	4.3	90
1065	Clinical correlates of first-episode polarity in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2006 , 47, 433-7	7.3	90
1064	Long-Term Stability of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 712-719	4.6	90
1063	Effect of cariprazine across the symptoms of mania in bipolar I disorder: Analyses of pooled data from phase II/III trials. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1882-91	1.2	89
1062	Pharmacological approaches in bipolar disorders and the impact on cognition: a critical overview. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 315-31	6.5	89
1061	Evidence and implications for early intervention in bipolar disorder. <i>Journal of Mental Health</i> , 2010 , 19, 113-26	2.7	89

1060	Cross validation with the mood disorder questionnaire (MDQ) of an instrument for the detection of hypomania in Spanish: the 32 item hypomania symptom check list (HCL-32). <i>Journal of Affective Disorders</i> , 2007 , 101, 43-55	6.6	89
1059	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 2-58	3.8	89
1058	Food addiction: Prevalence, psychopathological correlates and associations with quality of life in a large sample. <i>Journal of Psychiatric Research</i> , 2018 , 96, 145-152	5.2	88
1057	Treatment options for bipolar depression: a systematic review of randomized, controlled trials. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 579-90	1.7	88
1056	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018 , 20, 184-194	3.8	87
1055	Predominant recurrence polarity among 928 adult international bipolar I disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 293-302	6.5	87
1054	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009 , 118, 161-5	6.6	87
1053	Quetiapine monotherapy in the treatment of patients with bipolar I or II depression and a rapid-cycling disease course: a randomized, double-blind, placebo-controlled study. <i>Bipolar Disorders</i> , 2007 , 9, 413-25	3.8	87
1052	Bipolar II disorder and comorbidity. <i>Comprehensive Psychiatry</i> , 2000 , 41, 339-43	7.3	87
1051	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012 , 106, 46-59	5.5	86
1050	Voxel-based meta-analysis via permutation of subject images (PSI): Theory and implementation for SDM. <i>NeuroImage</i> , 2019 , 186, 174-184	7.9	86
1049	The influence of cognitive reserve on psychosocial and neuropsychological functioning in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015 , 25, 214-22	1.2	85
1048	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
1047	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , 2010 , 123, 81-6	6.6	84
1046	Valproate for the treatment of acute bipolar depression: systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010 , 122, 1-9	6.6	84
1045	A meta-analysis of randomized, placebo-controlled trials of vortioxetine for the treatment of major depressive disorder in adults. <i>European Neuropsychopharmacology</i> , 2016 , 26, 979-93	1.2	84
1044	Association between completed suicide and bipolar disorder: A systematic review of the literature. <i>Journal of Affective Disorders</i> , 2019 , 242, 111-122	6.6	83
1043	What really matters to bipolar patients' caregivers: sources of family burden. <i>Journal of Affective Disorders</i> , 2006 , 94, 157-63	6.6	83

1042	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
1041	Influence of clinical and neuropsychological variables on the psychosocial and occupational outcome of remitted bipolar patients. <i>Psychopathology</i> , 2009 , 42, 148-56	3.4	82
1040	Variability in the serotonin transporter gene and increased risk for major depression with melancholia. <i>Human Genetics</i> , 1998 , 103, 319-22	6.3	82
1039	A randomized, double-blind, placebo-controlled trial to assess prevention of mood episodes with risperidone long-acting injectable in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 825-35	1.2	81
1038	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013 , 150, 29-36	6.6	80
1037	Efficacy of modern antipsychotics in placebo-controlled trials in bipolar depression: a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 5-14	5.8	80
1036	Risperidone Safety and Efficacy in the Treatment of Bipolar and Schizoaffective Disorders. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 818-825	4.6	80
1035	Neurocognition in bipolar disorders—a closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010 , 626, 87-96	5.3	79
1034	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients 2010 , 9,		78
1033	Treatment guidelines for acute mania 2010 , 9,		78
1032	Bipolar I patients with and without a history of psychotic symptoms: do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007 , 41, 265-72	5.2	78
1031	Bipolar disorder, schizoaffective disorder and schizophrenia: epidemiologic, clinical and prognostic differences. <i>European Psychiatry</i> , 2001 , 16, 167-72	6	78
1030	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S125-S126	1.3	78
1029	4.4 INTERNET-BASED INTERVENTIONS FOR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S5-S5	1.3	78
1028	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S318-S318	1.3	78
1027	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5	77
1026	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 437-44	6.5	76
1025	Increased serum glial cell line-derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. <i>Neuroscience Letters</i> , 2006 , 407, 146-50	3.3	76

1024	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 5, 32-6	3.8	76
1023	Long-term safety and tolerability of cariprazine as adjunctive therapy in major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 76-83	2.2	76
1022	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
1021	Predominant polarity in bipolar disorder: diagnostic implications. <i>Journal of Affective Disorders</i> , 2008 , 107, 45-51	6.6	75
1020	Pharmacological management of bipolar depression: acute treatment, maintenance, and prophylaxis. <i>CNS Drugs</i> , 2013 , 27, 515-29	6.7	74
1019	A randomized, placebo- and active-controlled study of paliperidone extended release for the treatment of acute manic and mixed episodes of bipolar I disorder. <i>Bipolar Disorders</i> , 2010 , 12, 230-43	3.8	74
1018	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004 , 6, 294-308	3.8	74
1017	Real-world Effectiveness of Pharmacologic Treatments for the Prevention of Rehospitalization in a Finnish Nationwide Cohort of Patients With Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018 , 75, 347-355	14.5	73
1016	Effectiveness of psychotropic medications in the maintenance phase of bipolar disorder: a meta-analysis of randomized controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1029-49	5.8	73
1015	Guidelines for the recognition and management of mixed depression. <i>CNS Spectrums</i> , 2017 , 22, 203-219	1.8	72
1014	Association of Antidepressant Use With Adverse Health Outcomes: A Systematic Umbrella Review. <i>JAMA Psychiatry</i> , 2019 , 76, 1241-1255	14.5	72
1013	Suicide attempts in major depressive episode: evidence from the BRIDGE-II-Mix study. <i>Bipolar Disorders</i> , 2015 , 17, 795-803	3.8	72
1012	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 88-97	6.5	71
1011	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
1010	Screening for cognitive dysfunction in unipolar depression: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2016 , 190, 607-615	6.6	71
1009	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up post hoc analysis. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 50-3	3.9	71
1008	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71
1007	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and meta-analyses. <i>Bipolar Disorders</i> , 2017 , 19, 84-96	3.8	69

1006	A perspective on the use of psychoeducation, cognitive-behavioral therapy and interpersonal therapy for bipolar patients. <i>Bipolar Disorders</i> , 2004 , 6, 480-6	3.8	69
1005	Long-term mental health resource utilization and cost of care following group psychoeducation or unstructured group support for bipolar disorders: a cost-benefit analysis. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 378-86	4.6	69
1004	McLean-Harvard International First-Episode Project: two-year stability of ICD-10 diagnoses in 500 first-episode psychotic disorder patients. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 183-93	4.6	69
1003	Impact of cannabis and other drugs on age at onset of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1210-6	4.6	69
1002	Psychoeducation in bipolar disorder with a SIMPLE smartphone application: Feasibility, acceptability and satisfaction. <i>Journal of Affective Disorders</i> , 2016 , 200, 58-66	6.6	69
1001	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
1000	A network meta-analysis on comparative efficacy and all-cause discontinuation of antimanic treatments in acute bipolar mania. <i>Psychological Medicine</i> , 2015 , 45, 299-317	6.9	68
999	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016 , 18, 288-99	3.8	68
998	The impact of cognitive reserve in the outcome of first-episode psychoses: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1638-48	1.2	67
997	Suicidal risk factors in bipolar I and II disorder patients. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 778-82	4.6	67
996	Synthesizing the Evidence for Ketamine and Esketamine in Treatment-Resistant Depression: An International Expert Opinion on the Available Evidence and Implementation. <i>American Journal of Psychiatry</i> , 2021 , 178, 383-399	11.9	67
995	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 613-22	7.3	66
994	Diagnostic guidelines for bipolar disorder: a summary of the International Society for Bipolar Disorders Diagnostic Guidelines Task Force Report. <i>Bipolar Disorders</i> , 2008 , 10, 117-28	3.8	66
993	Functional remediation for bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 112-6	3.2	66
992	A double-blind, randomized, placebo-controlled, prophylaxis study of adjunctive gabapentin for bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 473-7	4.6	66
991	Olanzapine versus divalproex versus placebo in the treatment of mild to moderate mania: a randomized, 12-week, double-blind study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1776-89	4.6	66
990	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
989	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , 2012 , 140, 125-41	6.6	64

988	Diagnostic criteria for bipolarity based on an international sample of 5,635 patients with DSM-IV major depressive episodes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 3-11	5.1	64
987	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 112-20	6.5	64
986	Rapid cycling in bipolar disorder: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e578-86	4.6	64
985	Internet-based psychological interventions for bipolar disorder: Review of the present and insights into the future. <i>Journal of Affective Disorders</i> , 2015 , 188, 1-13	6.6	63
984	Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011 , 133, 105-13	6.6	63
983	Psychoeducation for bipolar II disorder: an exploratory, 5-year outcome subanalysis. <i>Journal of Affective Disorders</i> , 2009 , 112, 30-5	6.6	63
982	Onset-age of bipolar disorders at six international sites. <i>Journal of Affective Disorders</i> , 2010 , 121, 143-6	6.6	63
981	Identifying features of bipolarity in patients with first-episode postpartum depression: findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2012 , 136, 710-5	6.6	62
980	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 309-17	6.5	62
979	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011 , 41, 1791-803	6.5	62
978	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 2: Review, Grading of the Evidence, and a Precise Algorithm. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 121-179	5.8	61
977	Psychological interventions in bipolar disorder: From wishful thinking to an evidence-based approach. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 34-8	6.5	61
976	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 139-48	3.6	60
975	Role of risperidone in bipolar II: an open 6-month study. <i>Journal of Affective Disorders</i> , 2001 , 67, 213-9	6.6	60
974	A systematic review of existing data on long-term lithium therapy: neuroprotective or neurotoxic?. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 269-87	5.8	59
973	The use of placebo in clinical trials on bipolar disorder: a new approach for an old debate. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 10-6	9.4	59
972	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 335-40	3.8	59
971	Depression in bipolar disorder versus major depressive disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2012 , 14, 271-82	3.8	58

970	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013 , 148, 170-8	6.6	58
969	Therapeutic options in treatment-resistant depression. <i>Annals of Medicine</i> , 2011 , 43, 512-30	1.5	58
968	Functional impairment in bipolar II disorder: is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010 , 127, 71-6	6.6	58
967	Comparison of rapid-cycling and non-rapid-cycling bipolar I manic patients during treatment with olanzapine: analysis of pooled data. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1420-8	4.6	58
966	Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 164-73	3.8	58
965	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017 , 12, e0175683	3.7	57
964	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014 , 44, 2409-18	6.9	57
963	Functional impairment in patients with remitted bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 390-2	9.4	57
962	Atypical antipsychotics: newer options for mania and maintenance therapy. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 4, 21-33	3.8	57
961	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1541-61	1.2	57
960	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 516-527	6.5	56
959	Lithium: still a cornerstone in the long-term treatment in bipolar disorder?. <i>Neuropsychobiology</i> , 2010 , 62, 27-35	4	56
958	Hypomania: a transcultural perspective. <i>World Psychiatry</i> , 2010 , 9, 41-9	14.4	56
957	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 102-108	6.5	56
956	Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 366-74	6.5	55
955	Hostile attributions in bipolar disorder and schizophrenia contribute to poor social functioning. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 472-82	6.5	55
954	Clinical and prognostic implications of seasonal pattern in bipolar disorder: a 10-year follow-up of 302 patients. <i>Psychological Medicine</i> , 2007 , 37, 1595-9	6.9	55
953	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54

952	Neurocognitive impairment across the bipolar spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 194-200	6.8	54
951	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , 2011 , 13, 679-86	3.8	54
950	Ziprasidone in the treatment of acute mania: a 12-week, placebo-controlled, haloperidol-referenced study. <i>Journal of Psychopharmacology</i> , 2010 , 24, 547-58	4.6	54
949	A double-blind, randomized, placebo-controlled prophylaxis trial of oxcarbazepine as adjunctive treatment to lithium in the long-term treatment of bipolar I and II disorder. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 445-52	5.8	54
948	Olanzapine in the acute treatment of bipolar I disorder with a history of rapid cycling. <i>Journal of Affective Disorders</i> , 2003 , 73, 155-61	6.6	54
947	Lithium treatment effects on the neuropsychological functioning of patients with bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1055-60	4.6	54
946	Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , 2018 , 9, 641	5	54
945	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry</i> , 2018 , 5, 930-939	23.3	53
944	Cognition as a target in major depression: new developments. <i>European Neuropsychopharmacology</i> , 2015 , 25, 231-47	1.2	53
943	Bipolar mixed episodes and antidepressants: a cohort study of bipolar I disorder patients. <i>Bipolar Disorders</i> , 2011 , 13, 145-54	3.8	53
942	Treatment-resistant bipolar depression: towards a new definition. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 429-40	6.5	53
941	Validity of a short functioning test (FAST) in Brazilian outpatients with bipolar disorder. <i>Value in Health</i> , 2009 , 12, 624-7	3.3	53
940	Going up in smoke: tobacco smoking is associated with worse treatment outcomes in mania. <i>Journal of Affective Disorders</i> , 2008 , 110, 126-34	6.6	53
939	Use of topiramate in treatment-resistant bipolar spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 431-5	1.7	53
938	Increased hippocampal, thalamus and amygdala volume in long-term lithium-treated bipolar I disorder patients compared with unmedicated patients and healthy subjects. <i>Bipolar Disorders</i> , 2017 , 19, 41-49	3.8	52
937	Effect of comorbid anxiety on treatment response in bipolar depression. <i>Journal of Affective Disorders</i> , 2007 , 104, 137-46	6.6	52
936	Neuropsychological performance in depressed and euthymic bipolar patients. <i>Neuropsychobiology</i> , 2002 , 46 Suppl 1, 16-21	4	52
935	Suicidal behavior in bipolar I and bipolar II disorder. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 407-9	1.8	52

934	Personality disorders in bipolar II patients. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 245-8	1.8	52
933	Screening for bipolar spectrum disorders: A comprehensive meta-analysis of accuracy studies. <i>Journal of Affective Disorders</i> , 2015 , 172, 337-46	6.6	51
932	Evidence-based definitions of bipolar-I and bipolar-II disorders among 5,635 patients with major depressive episodes in the Bridge Study: validity and comorbidity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 663-73	5.1	51
931	Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1719-32	5.8	51
930	Factors modifying drug and placebo responses in randomized trials for bipolar mania. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 863-75	5.8	51
929	Predominant polarity and temperament in bipolar and unipolar affective disorders. <i>Journal of Affective Disorders</i> , 2009 , 119, 28-33	6.6	51
928	Subsyndromal depressive symptoms in patients with bipolar and unipolar disorder during clinical remission. <i>Journal of Affective Disorders</i> , 2008 , 107, 169-74	6.6	51
927	Treatment of bipolar disorder: a complex treatment for a multi-faceted disorder. <i>Annals of General Psychiatry</i> , 2007 , 6, 27	3.4	51
926	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 27	5.4	50
925	Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: randomised double-blind placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 78-86	5.4	50
924	The road to DSM-V. Bipolar disorder episode and course specifiers. <i>Psychopathology</i> , 2009 , 42, 209-18	3.4	50
923	A double blind, randomized, placebo-controlled trial of quetiapine as an add-on therapy to lithium or divalproex for the treatment of bipolar mania. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 212-20	2.2	50
922	Neurocognitive dysfunctions in euthymic bipolar patients with and without prior history of alcohol use. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1120-7	4.6	50
921	Poor long-term prognosis in mixed bipolar patients: 10-year outcomes in the Vitoria prospective naturalistic study in Spain. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 671-6	4.6	50
920	Structural abnormalities in bipolar euthymia: a multicontrast molecular diffusion imaging study. <i>Biological Psychiatry</i> , 2014 , 76, 239-48	7.9	49
919	Olanzapine versus placebo in acute mania: treatment responses in subgroups. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 370-6	1.7	49
918	Olanzapine as long-term adjunctive therapy in treatment-resistant bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 469-73	1.7	49
917	Treatment of refractory rapid cycling bipolar disorder with risperidone. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 172-4	1.7	49

916	What is the optimal serum level for lithium in the maintenance treatment of bipolar disorder? A systematic review and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>Bipolar Disorders</i> , 2019 , 21, 394-409	3.8	48
915	Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. <i>Translational Psychiatry</i> , 2020 , 10, 152	8.6	48
914	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
913	The role of family interventions in bipolar disorder: A systematic review. <i>Clinical Psychology Review</i> , 2016 , 43, 47-57	10.8	48
912	Predominant previous polarity as an outcome predictor in a controlled treatment trial for depression in bipolar I disorder patients. <i>Journal of Affective Disorders</i> , 2009 , 119, 22-7	6.6	48
911	Rapid-cycling bipolar I disorder: course and treatment outcome of a large sample across Europe. <i>Journal of Psychiatric Research</i> , 2008 , 42, 1068-75	5.2	47
910	Enhanced corticotropin response to corticotropin-releasing hormone as a predictor of mania in euthymic bipolar patients. <i>Psychological Medicine</i> , 1999 , 29, 971-8	6.9	47
909	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 286-296	7.2	46
908	Phenomenology of manic episodes according to the presence or absence of depressive features as defined in DSM-5: Results from the IMPACT self-reported online survey. <i>Journal of Affective Disorders</i> , 2014 , 156, 206-13	6.6	46
907	What is the role of psychotherapy in the treatment of bipolar disorder?. <i>Psychotherapy and Psychosomatics</i> , 1998 , 67, 3-9	9.4	46
906	Risk factors for antidepressant-related switch to mania. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e271-6	4.6	46
905	2-Year course of bipolar disorder type I patients in outpatient care: factors associated with remission and functional recovery. <i>European Neuropsychopharmacology</i> , 2011 , 21, 287-93	1.2	45
904	A critical update on psychological interventions for bipolar disorders. <i>Current Psychiatry Reports</i> , 2009 , 11, 494-502	9.1	45
903	Antipsychotic agents in the treatment of bipolar mania. <i>Bipolar Disorders</i> , 2009 , 11 Suppl 2, 45-54	3.8	45
902	Different profile of substance abuse in relation to predominant polarity in bipolar disorder: The Vitoria long-term follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 250-5	6.6	45
901	Bipolar disorder as an emerging pathology in the scientific literature: a bibliometric approach. <i>Journal of Affective Disorders</i> , 2006 , 92, 161-70	6.6	45
900	Risk factors for posttraumatic stress disorder: An umbrella review of systematic reviews and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 154-165	9	44
899	Self-monitoring and psychoeducation in bipolar patients with a smart-phone application (SIMPLE) project: design, development and studies protocols. <i>BMC Psychiatry</i> , 2015 , 15, 52	4.2	44

898	Novel antipsychotics specificity profile: A clinically oriented review of lurasidone, brexpiprazole, cariprazine and lumateperone. <i>European Neuropsychopharmacology</i> , 2019 , 29, 971-985	1.2	44
897	Treatment adherence in bipolar I and schizoaffective disorder, bipolar type. <i>Journal of Affective Disorders</i> , 2013 , 151, 1003-8	6.6	44
896	Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013 , 544, 80-4	3.3	44
895	Electroconvulsive therapy in the treatment of mixed states in bipolar disorder. <i>European Psychiatry</i> , 2008 , 23, 53-6	6	44
894	A randomized, double-blind, placebo-controlled study of quetiapine in the treatment of bipolar I and II depression: improvements in quality of life. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 29-37	2.2	44
893	Risperidone in the treatment of mania: efficacy and safety results from a large, multicentre, open study in Spain. <i>Journal of Affective Disorders</i> , 2002 , 72, 15-9	6.6	44
892	Effects on weight and outcome of long-term olanzapine-topiramate combination treatment in bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 374-8	1.7	44
891	Doses of olanzapine, risperidone, and haloperidol used in clinical practice: results of a prospective pharmacoepidemiologic study. EFESO Study Group. Estudio Farmacoepidemiologico en la Esquizofrenia con Olanzapina. <i>Clinical Therapeutics</i> , 2000 , 22, 583-99	3.5	44
890	Acute and long-term treatment of mania. <i>Dialogues in Clinical Neuroscience</i> , 2008 , 10, 165-79	5.7	44
889	Brain structural changes in schizoaffective disorder compared to schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 23-33	6.5	44
888	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 240-7	3.6	43
887	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 453-60	6.5	43
886	Therapeutic interventions focused on the family of bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 2-10	9.4	43
885	Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. <i>American Journal of Psychiatry</i> , 2020 , 177, 76-92	11.9	43
884	The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 234-245	6.6	43
883	OpenSIMPLe: A real-world implementation feasibility study of a smartphone-based psychoeducation programme for bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 241, 436-445	6.6	42
882	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
881	The symptom structure of bipolar acute episodes: in search for the mixing link. <i>Journal of Affective Disorders</i> , 2013 , 149, 56-66	6.6	42

880	Fronto-limbic dysfunction in borderline personality disorder: a 18F-FDG positron emission tomography study. <i>Journal of Affective Disorders</i> , 2011 , 131, 260-7	6.6	42
879	Thyroid autoimmunity in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017 , 221, 97-106	6.6	41
878	The catechol-O-methyltransferase (COMT) Val158Met genotype modulates working memory-related dorsolateral prefrontal response and performance in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 214-224	3.8	41
877	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1562-78	1.2	41
876	Impulsivity and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012 , 136, 491-76.6		41
875	Differential outcome of bipolar patients receiving antidepressant monotherapy versus combination with an antimanic drug. <i>Journal of Affective Disorders</i> , 2011 , 129, 321-6	6.6	41
874	Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1017-28	4.3	41
873	Bipolar units and programmes: are they really needed?. <i>World Psychiatry</i> , 2011 , 10, 152	14.4	41
872	Olanzapine monotherapy and olanzapine combination therapy in the treatment of mania: 12-week results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) observational study. <i>Journal of Affective Disorders</i> , 2008 , 106, 63-72	6.6	41
871	Quetiapine for the treatment of bipolar II depression: analysis of data from two randomized, double-blind, placebo-controlled studies. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 198-211	3.8	41
870	Evolving trends in the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2007 , 8, 4-11	3.8	41
869	Bias in emerging biomarkers for bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 2287-97	6.9	41
868	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 210, 280-286	6.6	40
867	The COVID-19 pandemic is a crisis and opportunity for bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 641-643	6.6	40
866	Bipolar depression: clinical correlates of receiving antidepressants. <i>Journal of Affective Disorders</i> , 2012 , 139, 89-93	6.6	40
865	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017 , 208, 621-627	6.6	40
864	Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 136-44	5.4	40
863	Subthreshold symptoms and time to relapse/recurrence in a community cohort of bipolar disorder outpatients. <i>Journal of Affective Disorders</i> , 2012 , 143, 160-5	6.6	40

862	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010 , 116, 243-51	3.6	40
861	Time spent with symptoms in a cohort of bipolar disorder outpatients in Spain: a prospective, 18-month follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 125, 74-81	6.6	40
860	Psychotic versus non-psychotic bipolar II disorder. <i>Journal of Affective Disorders</i> , 2010 , 126, 55-60	6.6	40
859	Adaptation and validation of the Spanish version of the Mood Disorder Questionnaire for the detection of bipolar disorder. <i>Bipolar Disorders</i> , 2008 , 10, 400-12	3.8	40
858	A long-term prospective study on the outcome of bipolar patients treated with long-acting injectable risperidone. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 219-24	3.8	40
857	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
856	The role of mental health home hospitalization care during the COVID-19 pandemic. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 479-480	6.5	39
855	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 240, 57-62	6.6	39
854	Treatment of neurocognitive symptoms in unipolar depression: A systematic review and future perspectives. <i>Journal of Affective Disorders</i> , 2017 , 221, 205-221	6.6	39
853	Occupational disability in bipolar disorder: analysis of predictors of being on severe disablement benefit (PREBIS study data). <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 403-11	6.5	39
852	Long-term outcome of bipolar depressed patients receiving lamotrigine as add-on to lithium with the possibility of the addition of paroxetine in nonresponders: a randomized, placebo-controlled trial with a novel design. <i>Bipolar Disorders</i> , 2011 , 13, 111-7	3.8	39
851	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 616-26	3.8	39
850	Atypical antipsychotics in bipolar depression: neurobiological basis and clinical implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 275-82	5.5	39
849	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 90-105	2.7	39
848	Mixed states in bipolar and major depressive disorders: systematic review and quality appraisal of guidelines. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 196-222	6.5	39
847	COVID-19 inpatients with psychiatric disorders: Real-world clinical recommendations from an expert team in consultation-liaison psychiatry. <i>Journal of Affective Disorders</i> , 2020 , 274, 1062-1067	6.6	38
846	The prognostic role of perceived criticism, medication adherence and family knowledge in bipolar disorders. <i>Journal of Affective Disorders</i> , 2012 , 142, 72-6	6.6	38
845	Assessment of safety, tolerability and effectiveness of adjunctive aripiprazole to lithium/valproate in bipolar mania: a 46-week, open-label extension following a 6-week double-blind study. <i>Current Medical Research and Opinion</i> , 2010 , 26, 1485-96	2.5	38

844	Prevalence of mixed mania using 3 definitions. <i>Journal of Affective Disorders</i> , 2010 , 125, 61-73	6.6	38
843	Towards a reconceptualization of mixed states, based on an emotional-reactivity dimensional model. <i>Journal of Affective Disorders</i> , 2007 , 101, 35-41	6.6	38
842	Neuropsychological disturbances and cerebral blood flow in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 227-34	2.6	38
841	Management of adverse effects of mood stabilizers. <i>Current Psychiatry Reports</i> , 2015 , 17, 603	9.1	37
840	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
839	Revisiting loxapine: a systematic review. <i>Annals of General Psychiatry</i> , 2015 , 14, 15	3.4	37
838	Number needed to treat analyses of drugs used for maintenance treatment of bipolar disorder. <i>Psychopharmacology</i> , 2011 , 213, 657-67	4.7	37
837	A comparison of two fixed doses of aripiprazole with placebo in acutely relapsed, hospitalized patients with bipolar disorder I (manic or mixed) in subpopulations (CN138-007). <i>European Neuropsychopharmacology</i> , 2010 , 20, 776-83	1.2	37
836	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. <i>Bipolar Disorders</i> , 2007 , 9, 16-24	3.8	37
835	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
834	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 4: Unmet Needs in the Treatment of Bipolar Disorder and Recommendations for Future Research. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 196-205	5.8	36
833	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019 , 21, 686-719	3.8	36
832	Genetic variability at IMPA2, INPP1 and GSK3 β increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1452-62	1.2	36
831	Aripiprazole monotherapy in the treatment of bipolar disorder: a meta-analysis. <i>Journal of Affective Disorders</i> , 2011 , 133, 361-70	6.6	36
830	Reporting outcomes in clinical trials for bipolar disorder: a commentary and suggestions for change. <i>Bipolar Disorders</i> , 2008 , 10, 566-79	3.8	36
829	Neuropsychological profile in bipolar disorder: a preliminary study of monotherapy lithium-treated euthymic bipolar patients evaluated at a 2-year interval. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 373-81	6.5	36
828	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: a preliminary study. <i>Neuroscience</i> , 2006 , 139, 1289-300	3.9	36
827	Cognitive functioning in bipolar patients receiving lamotrigine: preliminary results. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 178-81	1.7	36

826	Baseline characteristics and outcomes in patients with first episode or multiple episodes of acute mania. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 255-61	4.6	36
825	Topiramate abuse in a bipolar patient with an eating disorder. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 475-6	4.6	36
824	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 467-477	5.8	35
823	Predictors of suicide in first-episode affective and nonaffective psychotic inpatients: five-year follow-up of patients from a catchment area in Vitoria, Spain. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 242-7	4.6	35
822	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY. <i>Journal of Affective Disorders</i> , 2021 , 281, 13-23	6.6	35
821	Antidepressant-induced hypomania/mania in patients with major depression: Evidence from the BRIDGE-II-MIX study. <i>Journal of Affective Disorders</i> , 2017 , 219, 187-192	6.6	34
820	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
819	Level of response and safety of pharmacological monotherapy in the treatment of acute bipolar I disorder phases: a systematic review and meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 813-32	5.8	34
818	Prediction of depressive relapse in remitted bipolar patients using corticotrophin-releasing hormone challenge test. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 205-11	6.5	34
817	Evidence for two types of bipolar depression using a dimensional approach. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 325-31	9.4	34
816	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
815	Efficacy and tolerability of flexibly-dosed adjunct TC-5214 (dexmecamylamine) in patients with major depressive disorder and inadequate response to prior antidepressant. <i>European Neuropsychopharmacology</i> , 2014 , 24, 564-74	1.2	33
814	Bipolar disorder in the elderly: a cohort study comparing older and younger patients. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 364-73	6.5	33
813	Screening for bipolar disorder in a Spanish sample of outpatients with current major depressive episode. <i>Journal of Affective Disorders</i> , 2009 , 114, 299-304	6.6	33
812	Tertiarism in psychiatry: the barcelona clinic bipolar disorders programme. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011 , 4, 1-4	2.7	33
811	Depression subtypes in bipolar I and II disorders. <i>Psychopathology</i> , 2008 , 41, 111-4	3.4	33
810	Neuropsychological and psychiatric complications in endoscopic third ventriculostomy: a clinical case report. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 71, 268-71	5.5	33
809	Why do clinicians maintain antidepressants in some patients with acute mania? Hints from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM), a large naturalistic study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1000-6	4.6	33

808	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019 , 214, 27-35	5.4	33
807	The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current antidepressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram. <i>Journal of Affective Disorders</i> , 2018 , 227, 803-809	6.6	33
806	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021 , 38, 528-544	8.4	33
805	Treatment of Functional Impairment in Patients with Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017 , 19, 3	9.1	32
804	Mixed features in bipolar disorder. <i>CNS Spectrums</i> , 2017 , 22, 134-140	1.8	32
803	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
802	Neuropsychological and neuroimaging underpinnings of schizoaffective disorder: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 16-30	6.5	32
801	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 720-740	3.8	32
800	The bipolar-borderline personality disorders connection in major depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 376-83	6.5	32
799	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 363-374	3.8	32
798	In-patient care costs of patients with bipolar I disorder: a comparison between two European centers. <i>Journal of Affective Disorders</i> , 2010 , 121, 152-5	6.6	32
797	Recall and recognition confabulation in psychotic and bipolar disorders: evidence for two different types without unitary mechanisms. <i>Comprehensive Psychiatry</i> , 2004 , 45, 281-8	7.3	32
796	Bipolar mixed states and their treatment. <i>Expert Review of Neurotherapeutics</i> , 2005 , 5, 63-8	4.3	32
795	An open-label study of amisulpride in the treatment of mania. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 575-8	4.6	32
794	Lithium and suicide prevention in mood disorders and in the general population: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 116, 142-153	9	31
793	Impact of number of episodes on neurocognitive trajectory in bipolar disorder patients: a 5-year follow-up study. <i>Psychological Medicine</i> , 2019 , 49, 1299-1307	6.9	31
792	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
791	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 485-96	5.8	31

790	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 6	5.4	31
789	Is a SIMPLE smartphone application capable of improving biological rhythms in bipolar disorder?. <i>Journal of Affective Disorders</i> , 2017 , 223, 10-16	6.6	31
788	Biological mechanisms of depression following treatment with interferon for chronic hepatitis C: A critical systematic review. <i>Journal of Affective Disorders</i> , 2017 , 209, 235-245	6.6	31
787	Atypical depression is associated with suicide attempt in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 30-6	6.5	31
786	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
785	Homocysteine as a peripheral biomarker in bipolar disorder: A meta-analysis. <i>European Psychiatry</i> , 2017 , 43, 81-91	6	30
784	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
783	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
782	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013 , 13, 127	4.2	30
781	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: an open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1511-4	5.2	30
780	Executive dysfunction and memory impairment in schizoaffective disorder: a comparison with bipolar disorder, schizophrenia and healthy controls. <i>Psychological Medicine</i> , 2012 , 42, 2127-35	6.9	30
779	Validation and use of the functioning assessment short test in first psychotic episodes. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 836-40	1.8	30
778	Adjunctive gabapentin treatment of bipolar disorder. <i>European Psychiatry</i> , 2000 , 15, 433-7	6	30
777	Prophylactic antidepressant treatment of interferon-induced depression in chronic hepatitis C: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e1113-21	4.6	30
776	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
775	Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2013 , 144, 72-8	6.6	29
774	Head to head comparisons as an alternative to placebo-controlled trials. <i>European Neuropsychopharmacology</i> , 2012 , 22, 800-3	1.2	29
773	Brief cognitive assessment instruments in schizophrenia and bipolar patients, and healthy control subjects: a comparison study between the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS) and the Screen for Cognitive Impairment in Psychiatry (SCIP). <i>Schizophrenia Research</i> , 2011 , 130, 137-43	3.6	29

772	The impact of general intellectual ability and white matter volume on the functional outcome of patients with Bipolar Disorder and their relatives. <i>Journal of Affective Disorders</i> , 2011 , 130, 413-20	6.6	29
771	Efficacy and safety of aripiprazole in the treatment of bipolar disorder: a systematic review. <i>Annals of General Psychiatry</i> , 2009 , 8, 16	3.4	29
770	The influence of medications on neurocognition in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 414-5	6.5	29
769	Spanish consensus on physical health of patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2008 , 1, 26-37	2.7	29
768	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 464-473	1.3	29
767	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015 , 6, 108	4.6	28
766	Cognitive tolerability following successful long term treatment of major depression and anxiety disorders with SSRI antidepressants. <i>Journal of Affective Disorders</i> , 2015 , 173, 211-5	6.6	28
765	Shared and divergent neurocognitive impairments in adult patients with schizophrenia and bipolar disorder: Whither the evidence?. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 61, 66-89	9	28
764	Obesity in patients with major depression is related to bipolarity and mixed features: evidence from the BRIDGE-II-Mix study. <i>Bipolar Disorders</i> , 2017 , 19, 458-464	3.8	28
763	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 247-54	5.1	28
762	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012 , 143, 125-30	6.6	28
761	Long-term efficacy of quetiapine in combination with lithium or divalproex on mixed symptoms in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2012 , 142, 36-44	6.6	28
760	Patterns of pharmacological maintenance treatment in a community mental health services bipolar disorder cohort study (SIN-DEPRES). <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 513-23	5.8	28
759	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S94-S104	2.4	28
758	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 28	3	28
757	Mood stabilization in the treatment of bipolar disorder: focus on quetiapine. <i>Human Psychopharmacology</i> , 2005 , 20, 225-36	2.3	28
756	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
755	Changing trends in psychiatric emergency service admissions during the COVID-19 outbreak: Report from a worldwide epicentre. <i>Journal of Affective Disorders</i> , 2021 , 282, 26-32	6.6	28

754	International Consensus Group on Bipolar I Depression Treatment Guidelines. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 571-9	4.6	28
753	Improving treatment adherence in bipolar disorder through psychoeducation. <i>Journal of Clinical Psychiatry</i> , 2005 , 66 Suppl 1, 24-9	4.6	28
752	Bipolar disorder with comorbid attention-deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 389-99	6.5	27
751	Unravelling potential severe psychiatric repercussions on healthcare professionals during the COVID-19 crisis. <i>Journal of Affective Disorders</i> , 2020 , 273, 422-424	6.6	27
750	Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAHA). <i>Maturitas</i> , 2016 , 83, 83-93	5	27
749	Polarity index of psychological interventions in maintenance treatment of bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 292-8	9.4	27
748	What we know and what we don't know about the treatment of schizoaffective disorder. <i>European Neuropsychopharmacology</i> , 2011 , 21, 680-90	1.2	27
747	Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009 , 118, 118-23	6.6	27
746	A 12-week, open, randomized trial comparing sodium valproate to lithium in patients with bipolar I disorder suffering from a manic episode. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 254-62	2.2	27
745	Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004 , 19, 41-5	2.3	27
744	Non-adherence in psychiatric disorders: misbehaviour or clinical feature?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 161-3	6.5	27
743	Cytokine-induced depression: current status and novel targets for depression therapy. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014 , 13, 1066-74	2.6	27
742	The Impact of Obesity on Cognitive Functioning in Euthymic Bipolar Patients: A Cross-Sectional and Longitudinal Study. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e924-e932	4.6	27
741	Developing an individualized treatment plan for patients with schizoaffective disorder: from pharmacotherapy to psychoeducation. <i>Journal of Clinical Psychiatry</i> , 2010 , 71 Suppl 2, 14-9	4.6	27
740	Identifying cognitive subgroups in bipolar disorder: A cluster analysis. <i>Journal of Affective Disorders</i> , 2019 , 246, 252-261	6.6	27
739	Long-term stability of cognitive impairment in bipolar disorder: a 2-year follow-up study of lithium-treated euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 712-9	4.6	27
738	Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 825-834	1.2	26
737	Staging and psychosocial early intervention in bipolar disorder. <i>Lancet Psychiatry</i> , 2015 , 2, 483-5	23.3	26

736	Erythropoietin as candidate for supportive treatment of severe COVID-19. <i>Molecular Medicine</i> , 2020 , 26, 58	6.2	26
735	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
734	Beyond the therapeutic shackles of the monoamines: New mechanisms in bipolar disorder biology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 72, 73-86	5.5	26
733	Disability in bipolar I disorder: the 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015 , 174, 353-60	6.6	26
732	Efficacy and safety of two treatment algorithms in bipolar depression consisting of a combination of lithium, lamotrigine or placebo and paroxetine. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 246-54	6.5	26
731	A bibliometric study of the use of the classification and diagnostic systems in psychiatry over the last 25 years. <i>Psychopathology</i> , 2008 , 41, 214-25	3.4	26
730	The treatment of mixed states and the risk of switching to depression. <i>European Psychiatry</i> , 2005 , 20, 96-100	6	26
729	Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: a critical review. <i>Current Psychiatry Reports</i> , 2005 , 7, 449-55	9.1	26
728	Serious suicide attempts in affective patients. <i>Journal of Affective Disorders</i> , 1992 , 24, 147-52	6.6	26
727	International consensus group on depression prevention in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1295-310	4.6	26
726	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 266-76	6.5	26
725	Relationships between mixed features and borderline personality disorder in 2811 patients with major depressive episode. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 133-143	6.5	26
724	The emergence of loss of efficacy during antidepressant drug treatment for major depressive disorder: An integrative review of evidence, mechanisms, and clinical implications. <i>Pharmacological Research</i> , 2019 , 139, 494-502	10.2	26
723	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 160	2.8	25
722	Clinical, Cognitive, and Neuroimaging Evidence of a Neurodevelopmental Continuum in Offspring of Proband With Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1208-1219	1.3	25
721	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
720	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
719	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25

718	Joint BAP NAPICU evidence-based consensus guidelines for the clinical management of acute disturbance: De-escalation and rapid tranquillisation. <i>Journal of Psychopharmacology</i> , 2018 , 32, 601-640	4.6	25
717	Transcultural validity of the Hypomania Checklist-32 (HCL-32) in patients with major depressive episodes. <i>Bipolar Disorders</i> , 2013 , 15, 701-12	3.8	25
716	Differential failure to deactivate the default mode network in unipolar and bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 386-395	3.8	25
715	Antipsychotic switching in bipolar disorders: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 497-507	5.8	25
714	Impact of geographical and cultural factors on clinical trials in acute mania: lessons from a ziprasidone and haloperidol placebo-controlled study. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1017-27	5.8	25
713	Functioning and disability in bipolar disorders: a systematic review of literature using the ICF as a reference. <i>Bipolar Disorders</i> , 2010 , 12, 473-82	3.8	25
712	Suicide risk in rapid cycling bipolar patients. <i>Journal of Affective Disorders</i> , 2009 , 117, 74-8	6.6	25
711	Case for caution, case for action. <i>Bipolar Disorders</i> , 2003 , 5, 434-5	3.8	25
710	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 41, 28-39	1.2	25
709	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001 , 3, 253-8	3.8	25
708	High BDNF serum levels are associated to good cognitive functioning in bipolar disorder. <i>European Psychiatry</i> , 2019 , 60, 97-107	6	24
707	Pharmacotherapy of acute mania: monotherapy or combination therapy with mood stabilizers and antipsychotics?. <i>CNS Drugs</i> , 2015 , 29, 221-7	6.7	24
706	Risk factors for rapid cycling in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 549-59	3.8	24
705	Hyperprolactinemia and medications for bipolar disorder: systematic review of a neglected issue in clinical practice. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1045-59	1.2	24
704	Lower rate of depressive switch following antimanic treatment with second-generation antipsychotics versus haloperidol. <i>Journal of Affective Disorders</i> , 2013 , 144, 191-8	6.6	24
703	Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 362-372	6.5	24
702	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
701	Are bipolar disorders underdiagnosed in patients with depressive episodes? Results of the multicenter BRIDGE screening study in Germany. <i>Journal of Affective Disorders</i> , 2012 , 142, 45-52	6.6	24

700	Is anticonvulsant treatment of mania a class effect? Data from randomized clinical trials. <i>CNS Neuroscience and Therapeutics</i> , 2011 , 17, 167-77	6.8	24
699	Factors associated with initial treatment response with antidepressants in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2011 , 21, 362-9	1.2	24
698	Effectiveness and safety of the combination of fluoxetine and olanzapine in outpatients with bipolar depression: an open-label, randomized, flexible-dose study in Puerto Rico. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 358-61	1.7	24
697	Atypical antipsychotics in the treatment of mood disorders. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 23-27	4.9	24
696	Suicide attempts of high medical seriousness in schizophrenic patients. <i>Comprehensive Psychiatry</i> , 1992 , 33, 384-7	7.3	24
695	Efficacy and safety of risperidone in the treatment of schizoaffective disorder: initial results from a large, multicenter surveillance study. Group for the Study of Risperidone in Affective Disorders (GSRAD). <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 623-30	4.6	24
694	1-year follow-up of patients treated with risperidone and topiramate for a manic episode. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 834-9	4.6	24
693	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 283, 156-164	6.6	24
692	Long-acting injectable antipsychotics (LAIs) for maintenance treatment of bipolar and schizoaffective disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019 , 29, 457-470	1.2	23
691	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2016 , 42, 229-38	3.8	23
690	Protocol for the management of psychiatric patients with psychomotor agitation. <i>BMC Psychiatry</i> , 2017 , 17, 328	4.2	23
689	Glucocorticoid Receptors, Brain-Derived Neurotrophic Factor, Serotonin and Dopamine Neurotransmission are Associated with Interferon-Induced Depression. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	23
688	Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients: a principal component analysis of lifetime pharmacological and biophysical treatment options. <i>European Neuropsychopharmacology</i> , 2013 , 23, 263-75	1.2	23
687	Treatment implications of predominant polarity and the polarity index: a comprehensive review. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	23
686	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014 , 219, 1463-72	4	23
685	The CACNA1C risk allele selectively impacts on executive function in bipolar type I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 362-9	6.5	23
684	Maintenance treatment with quetiapine when combined with either lithium or divalproex in bipolar I disorder: analysis of two large randomized, placebo-controlled trials. <i>Depression and Anxiety</i> , 2013 , 30, 1089-98	8.4	23
683	Development of the International Classification of Functioning, Disability and Health core sets for bipolar disorders: results of an international consensus process. <i>Disability and Rehabilitation</i> , 2013 , 35, 2138-46	2.4	23

682	Epidemiology and management of anxiety in patients with bipolar disorder. <i>CNS Drugs</i> , 2009 , 23, 953-646.7		23
681	Molecular targets of lithium action. <i>Acta Neuropsychiatrica</i> , 2003 , 15, 316-40	3.9	23
680	Neurodevelopmental pathways in bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 112, 213-226	9	22
679	A preliminary longitudinal study on the cognitive and functional outcome of bipolar excellent lithium responders. <i>Comprehensive Psychiatry</i> , 2016 , 71, 25-32	7.3	22
678	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
677	Vortioxetine: A new alternative for the treatment of major depressive disorder. <i>Revista De Psiquiatria Y Salud Mental</i> , 2018 , 11, 48-59	2.7	22
676	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
675	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Japanese patients with bipolar disorder. <i>Psychiatry Research</i> , 2017 , 254, 85-89	9.9	21
674	Big Data in mental health: a challenging fragmented future. <i>World Psychiatry</i> , 2016 , 15, 186-7	14.4	21
673	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
672	Alzheimer's disease and cancer: current epidemiological evidence for a mutual protection. <i>Neuroepidemiology</i> , 2014 , 42, 121-2	5.4	21
671	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 393-400	6.5	21
670	Recommendations for switching antipsychotics. A position statement of the Spanish Society of Psychiatry and the Spanish Society of Biological Psychiatry. <i>Revista De Psiquiatria Y Salud Mental</i> , 2011 , 4, 150-68	2.7	21
669	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1400-11	5.7	21
668	Work impairment in bipolar disorder patients--results from a two-year observational study (EMBLEM). <i>European Psychiatry</i> , 2010 , 25, 338-44	6	21
667	Oxcarbazepine in the treatment of bipolar and schizoaffective disorders. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 617-26	4.3	21
666	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016 , 11, e0158867	3.7	21
665	Persistent Negative Symptoms in First-Episode Psychosis: Early Cognitive and Social Functioning Correlates and Differences Between Early and Adult Onset. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1414-1422	4.6	21

664	The concept and management of acute episodes of treatment-resistant bipolar disorder: a systematic review and exploratory meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2020 , 276, 970-983	6.6	21
663	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
662	Individual trajectories of cognitive performance in first episode psychosis: a 2-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 699-711	5.1	21
661	Behavioural biomarkers and mobile mental health: a new paradigm. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 9	5.4	20
660	Faster onset of antimanic action with haloperidol compared to second-generation antipsychotics. A meta-analysis of randomized clinical trials in acute mania. <i>European Neuropsychopharmacology</i> , 2013 , 23, 305-16	1.2	20
659	Clinical predictors of interpersonal functioning in patients with bipolar disorder. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 83-8	2.7	20
658	Ziprasidone in the treatment of affective disorders: a review. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 278-86	6.8	20
657	Validation of the Barcelona Bipolar Eating Disorder Scale for bipolar patients with eating disturbances. <i>Psychopathology</i> , 2008 , 41, 379-87	3.4	20
656	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008 , 18, 313-7	2.9	20
655	Relevance of family history of suicide in the long-term outcome of bipolar disorders. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1517-21	4.6	20
654	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017 , 217, 210-217	6.6	19
653	Psychosocial functioning in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. <i>Journal of Affective Disorders</i> , 2018 , 229, 177-185	6.6	19
652	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 749-755	5.1	19
651	A Review of Asenapine in the Treatment of Bipolar Disorder. <i>Clinical Drug Investigation</i> , 2018 , 38, 87-99	3.2	19
650	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 98-120	5.8	19
649	Comparison of psychotic bipolar disorder, schizoaffective disorder, and schizophrenia: an international, multisite study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 34-43	6.5	19
648	Association between GSK3 β gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, 510-8	1.2	19
647	Bipolar disorder and antibodies against the N-methyl-d-aspartate receptor: A gate to the involvement of autoimmunity in the pathophysiology of bipolar illness. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 403-12	9	19

646	Making sense of DSM-5 mania with depressive features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 540-9	2.6	19
645	Functioning and symptomatic outcomes in patients with bipolar I disorder in syndromal remission: a 1-year, prospective, observational cohort study. <i>Journal of Affective Disorders</i> , 2010 , 127, 50-7	6.6	19
644	Sudden glory revisited: cognitive contents of hypomania. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 278-88	9.4	19
643	Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014 , 10, 48-52	3.2	19
642	Mixed Features in Depression: The Unmet Needs of Diagnostic and Statistical Manual of Mental Disorders Fifth Edition. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 59-68	3.1	19
641	Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	19
640	Associations between cognitive impairment and quality of life in euthymic bipolar patients. <i>Psychiatry Research</i> , 2019 , 271, 510-515	9.9	19
639	A systematic review on sleep alterations anticipating the onset of bipolar disorder. <i>European Psychiatry</i> , 2019 , 58, 45-53	6	18
638	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018 , 238, 297-304	6.6	18
637	Neurocognition in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. <i>Journal of Affective Disorders</i> , 2017 , 222, 169-176	6.6	18
636	Efficacy, safety and tolerability of aripiprazole in bipolar disorder: An updated systematic review and meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 289-301	5.5	18
635	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response: Association With IMPA2, INPP1, and GSK3B Genes. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 600-4	1.7	18
634	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
633	Neurocognitive training in patients with bipolar disorders: current status and perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 250-2	9.4	18
632	Bipolar disorder preceded by substance abuse: a different phenotype with not so poor outcome?. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 209-16	3.8	18
631	Role of aripiprazole in treating mood disorders. <i>Expert Review of Neurotherapeutics</i> , 2006 , 6, 1777-83	4.3	18
630	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 172-6	3.8	18
629	Detection of subclinical depression in bipolar disorder: a cross-sectional, 4-month prospective follow-up study at community mental health services (SIN-DEPRES). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1465-74	4.6	18

628	Psychometric properties of the well-being index (WHO-5) spanish version in a sample of euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 153-159	6.6	18
627	The relationship between genetic risk variants with brain structure and function in bipolar disorder: A systematic review of genetic-neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 79, 87-109	9	17
626	The role of comorbidities in duration of untreated illness for bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2015 , 188, 319-23	6.6	17
625	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
624	mHealth in affective disorders: hype or hope? A focused narrative review. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 61-68	2.2	17
623	Is recurrence in major depressive disorder related to bipolarity and mixed features? Results from the BRIDGE-II-Mix study. <i>Journal of Affective Disorders</i> , 2018 , 229, 164-170	6.6	17
622	PLACID study: A randomized trial comparing the efficacy and safety of inhaled loxapine versus intramuscular aripiprazole in acutely agitated patients with schizophrenia or bipolar disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 710-718	1.2	17
621	Beyond evidence-based treatment of bipolar disorder: Rational pragmatic approaches to management. <i>Bipolar Disorders</i> , 2019 , 21, 650-659	3.8	17
620	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012 , 11, 7	3.4	17
619	Effectiveness of long-term vortioxetine treatment of patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 877-884	1.2	17
618	Comparative evaluation of vortioxetine as a switch therapy in patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 773-781	1.2	17
617	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 104-112	2.7	17
616	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 158-67	2.4	17
615	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10915-39	4.6	17
614	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). <i>Journal of Affective Disorders</i> , 2012 , 141, 406-14	6.6	17
613	Treatment of psychotic symptoms in bipolar disorder with aripiprazole monotherapy: a meta-analysis. <i>Annals of General Psychiatry</i> , 2009 , 8, 27	3.4	17
612	Antiepileptic drugs and mood stability. <i>Clinical EEG and Neuroscience</i> , 2007 , 38, 116-23	2.3	17
611	Effective maintenance treatment--breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 365-71	6	17

610	Subclinical depressive symptoms and continued cannabis use: predictors of negative outcomes in first episode psychosis. <i>PLoS ONE</i> , 2015 , 10, e0123707	3.7	17
609	Electroconvulsive therapy protocol adaptation during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2020 , 276, 241-248	6.6	17
608	Risk and protective factors for anxiety and obsessive-compulsive disorders: an umbrella review of systematic reviews and meta-analyses. <i>Psychological Medicine</i> , 2020 , 50, 1300-1315	6.9	17
607	Mind long COVID: Psychiatric sequelae of SARS-CoV-2 infection. <i>European Neuropsychopharmacology</i> , 2021 , 49, 119-121	1.2	17
606	The implications of hypersomnia in the context of major depression: Results from a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 471-481	1.2	16
605	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
604	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
603	Parents with bipolar disorder: are disease characteristics good predictors of psychopathology in offspring?. <i>European Psychiatry</i> , 2013 , 28, 240-6	6	16
602	Extended release quetiapine fumarate as adjunct to antidepressant therapy in patients with major depressive disorder: pooled analyses of data in patients with anxious depression versus low levels of anxiety at baseline. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 155-66	3.8	16
601	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008 , 23, 360-7	6	16
600	Quetiapine in the treatment of acute mania: target dose for efficacious treatment. <i>Journal of Affective Disorders</i> , 2007 , 100 Suppl 1, S23-31	6.6	16
599	Outcomes for Latin American versus White patients suffering from acute mania in a randomized, double-blind trial comparing olanzapine and haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 126-34	1.7	16
598	Increasing rates of placebo response over time in mania studies. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 681-2; author reply 682	4.6	16
597	Functional Remediation for Bipolar Disorder 2014 ,		16
596	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 369-380	6.5	16
595	Predominant polarity in bipolar I and II disorders: A five-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 246, 806-813	6.6	16
594	Neurocognition and functional outcome in patients with psychotic, non-psychotic bipolar I disorder, and schizophrenia. A five-year follow-up. <i>European Psychiatry</i> , 2019 , 56, 60-68	6	16
593	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. <i>Journal of Affective Disorders</i> , 2017 , 212, 25-37	6.6	15

592	The role of overlapping excitatory symptoms in major depression: are they relevant for the diagnosis of mixed state?. <i>Journal of Psychiatric Research</i> , 2019 , 115, 151-157	5.2	15
591	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
590	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
589	Depressive mood and circadian rhythms disturbances as outcomes of seasonal affective disorder treatment: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 241, 608-626	6.6	15
588	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
587	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
586	Rates and clinical correlates of treatment non-adherence in schizoaffective bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 412-8	6.5	15
585	Critical issues on the use of network meta-analysis in psychiatry. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 367-72	4.1	15
584	Ziprasidone with adjunctive mood stabilizer in the maintenance treatment of bipolar I disorder: long-term changes in weight and metabolic profiles. <i>European Neuropsychopharmacology</i> , 2012 , 22, 123-31	1.2	15
583	Bipolar disorder and age-related functional impairment. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 354-7	2.6	15
582	An exploratory open trial on safety and efficacy of the anticonvulsant retigabine in acute manic patients. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 534-6	1.7	15
581	Antidepressant-Induced Mania in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 1992 , 149, 1282-a-1282	11.9	15
580	Serious suicide attempts in the elderly. <i>Psychopathology</i> , 1992 , 25, 183-8	3.4	15
579	Randomized Controlled Trials of Psychoeducation Modalities in the Management of Bipolar Disorder: A Systematic Review. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	15
578	Diagnostic biomarkers for obsessive-compulsive disorder: A reasonable quest or ignis fatuus?. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 118, 504-513	9	15
577	Tolerability of cariprazine in the treatment of acute bipolar I mania: A pooled post hoc analysis of 3 phase II/III studies. <i>Journal of Affective Disorders</i> , 2017 , 215, 205-212	6.6	14
576	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
575	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019 , 210, 21-29	3.6	14

574	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
573	Clinical factors leading to lamotrigine prescription in bipolar outpatients: subanalysis of the SIN-DEPRES study. <i>Journal of Affective Disorders</i> , 2012 , 143, 102-8	6.6	14
572	Brain functional abnormality in schizo-affective disorder: an fMRI study. <i>Psychological Medicine</i> , 2013 , 43, 143-53	6.9	14
571	Chronic mania revisited: factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 313-20	3.8	14
570	Alpha-1-acid glycoprotein in major depressive disorder. Relationships to severity, response to treatment and imipramine plasma levels. <i>Journal of Affective Disorders</i> , 2000 , 59, 159-64	6.6	14
569	Rate and significance of hypomanic switches in unipolar melancholic depression. <i>European Psychiatry</i> , 1993 , 8, 125-129	6	14
568	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14
567	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
566	The COVID-19 Pandemic and Mental Health of Refugees, Asylum Seekers, and Migrants. <i>Journal of Affective Disorders</i> , 2021 , 280, 407-408	6.6	14
565	Psychometric properties of the modified Yale Food Addiction Scale 2.0 in a large Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 444-448	2.6	14
564	The aggressor at the mirror: Psychiatric correlates of deliberate self-harm in male prison inmates. <i>European Psychiatry</i> , 2017 , 44, 153-160	6	13
563	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 443-447	1.8	13
562	Cancer and central nervous system disorders: protocol for an umbrella review of systematic reviews and updated meta-analyses of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 69	3	13
561	Asenapine prescribing patterns in the treatment of manic in- and outpatients: Results from the MANACOR study. <i>European Psychiatry</i> , 2015 , 30, 528-34	6	13
560	Effectiveness of a Specialized Brief Intervention for At-risk Drinkers in an Emergency Department: Short-term Results of a Randomized Controlled Trial. <i>Academic Emergency Medicine</i> , 2018 , 25, 517-525	3.4	13
559	Antipsychotic switching in schizoaffective disorder: A systematic review. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 495-513	3.8	13
558	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017 , 27, 959-969	1.2	13
557	Class effect of pharmacotherapy in bipolar disorder: fact or misbelief?. <i>Annals of General Psychiatry</i> , 2011 , 10, 8	3.4	13

556	Anticonvulsants in the treatment of aggression in the demented elderly: an update. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 14	3.2	13
555	Psychiatry: from interest in conflicts to conflicts of interest. <i>World Psychiatry</i> , 2007 , 6, 27-9	14.4	13
554	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e19	5.1	13
553	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
552	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017 , 215, 156-162	6.6	12
551	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
550	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
549	Association between Sirtuin 1 Gene rs10997870 Polymorphism and Suicide Behaviors in Bipolar Disorder. <i>Neuropsychobiology</i> , 2016 , 74, 1-7	4	12
548	Bipolar disorders in the new DSM-5 and ICD-11 classifications. <i>Revista De Psiquiatria Y Salud Mental</i> , 2014 , 7, 179-85	2.7	12
547	"Is bipolar disorder an endocrine condition?" Glucose abnormalities in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 73-4	6.5	12
546	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013 , 13, 71	4.2	12
545	When should mood stabilizers be withdrawn due to lack of efficacy? Some methodological considerations. <i>European Psychiatry</i> , 2011 , 26, 183-6	6	12
544	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania--results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011 , 131, 320-9	6.6	12
543	Possible new ways in the pharmacological treatment of bipolar disorder and comorbid alcoholism. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 37-46	3.1	12
542	Preliminary results of a fine-grain analysis of mood swings and treatment modalities of bipolar I and II patients using the daily prospective life-chart-methodology. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 474-80	6.5	12
541	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 300-6	3.9	12
540	A European perspective on the Canadian guidelines for bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 3, 73-6	3.8	12
539	Recommendations for the care of patients with bipolar disorder during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 279, 117-121	6.6	12

538	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
537	Peripheral levels of C-reactive protein, tumor necrosis factor- α interleukin-6, and interleukin-1 α across the mood spectrum in bipolar disorder: A meta-analysis of mean differences and variability. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 193-203	16.6	12
536	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
535	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 449-457	3.8	11
534	Predictors of functional outcome after a manic episode. <i>Journal of Affective Disorders</i> , 2015 , 182, 121-5	6.6	11
533	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
532	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1019-1025	1.3	11
531	Functioning Assessment Short Test (FAST): validity and reliability in adults with attention-deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 719-27	5.1	11
530	Restoring functioning in bipolar disorder: functional remediation. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 326-30	4.1	11
529	Clinical management and burden of bipolar disorder: a multinational longitudinal study (WAVE-bd study). <i>BMC Psychiatry</i> , 2011 , 11, 58	4.2	11
528	Is schizoaffective disorder still a neglected condition in the scientific literature?. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 389-90	9.4	11
527	A 2-year, open-label pilot study of adjunctive chromium in patients with treatment-resistant rapid-cycling bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 104-6	1.7	11
526	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder		11
525	Sultans of Swing: A Reappraisal of the Intertwined Association Between Affective Lability and Mood Reactivity in a Post Hoc Analysis of the BRIDGE-II-MIX Study. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	11
524	Long-term treatment of bipolar depression and other issues. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e07	4.6	11
523	The impact of the number of episodes on the outcome of Bipolar Disorder. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	11
522	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020 , 22, 255-265	3.8	11
521	The CINP Guidelines on the Definition and Evidence-Based Interventions for Treatment-Resistant Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 230-256	5.8	11

520	The relationship between attention deficit hyperactivity disorder, bipolarity and mixed features in major depressive patients: Evidence from the BRIDGE-II-Mix Study. <i>Journal of Affective Disorders</i> , 2019 , 246, 346-354	6.6	11
519	Risperidone safety and efficacy in the treatment of bipolar and schizoaffective disorders: results from a 6-month, multicenter, open study. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 818-25	4.6	11
518	Patterns of drug treatment for manic episode in the clinical practice. Outcomes of the Spanish sample in the EMBLEM Study. <i>Actas Espanolas De Psiquiatria</i> , 2007 , 35, 315-22	0.7	11
517	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019 , 255, 15-22	6.6	10
516	Antipsychotic-induced weight gain and birth weight in psychosis: A fetal programming model. <i>Journal of Psychiatric Research</i> , 2019 , 115, 29-35	5.2	10
515	Predominant polarity in bipolar disorder patients: The COPE bipolar sample. <i>Journal of Affective Disorders</i> , 2019 , 250, 43-50	6.6	10
514	The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. <i>Journal of Affective Disorders</i> , 2020 , 268, 201-205	6.6	10
513	Adjunctive antidepressants in bipolar depression. <i>Lancet Psychiatry</i> , 2016 , 3, 1095-1096	23.3	10
512	Clinical characterization of rapid cycling bipolar disorder: Association with attention deficit hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2018 , 240, 187-192	6.6	10
511	Effects of electroconvulsive therapy in the systemic inflammatory balance of patients with severe mental disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 628-635	6.2	10
510	The real world cost and health resource utilization associated to manic episodes: The MANACOR study. <i>Revista De Psiquiatria Y Salud Mental</i> , 2015 , 8, 55-64	2.7	10
509	Asenapine: a new focus on the treatment of mania. <i>Revista De Psiquiatria Y Salud Mental</i> , 2011 , 4, 101-8	2.7	10
508	Manic and depressive symptoms and insight in first episode psychosis. <i>Psychiatry Research</i> , 2010 , 178, 480-6	9.9	10
507	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010 , 10, 47	4.2	10
506	Maintenance therapy for bipolar disorder: current and future management options. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4, S35-42	4.3	10
505	Clinical value of 99mTc-HMPAO SPECT in depressed bipolar I patients. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 132, 285-9	2.9	10
504	Treatment of mixed mania with risperidone and mood stabilizers. <i>Canadian Journal of Psychiatry</i> , 2001 , 46, 866-7	4.8	10
503	Double-blind, placebo-controlled study of lurasidone monotherapy for the treatment of bipolar I depression. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 635-644	6.2	10

502	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 275-280	2.6	10
501	Brain functional changes in first-degree relatives of patients with bipolar disorder: evidence for default mode network dysfunction. <i>Psychological Medicine</i> , 2016 , 46, 2513-21	6.9	10
500	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016 , 245, 66-73	9.9	10
499	Progression of the functional deficit in a group of patients with bipolar disorder: a cluster analysis based on longitudinal data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 947-957	5.1	10
498	Risky Alcohol Use: The Impact on Health Service Use. <i>European Addiction Research</i> , 2018 , 24, 234-244	4.6	10
497	Process of adaptation to Spanish of the Temperament Evaluation of Memphis, Pisa, Paris and San Diego Scale. Self applied version (TEMPS-A). <i>Actas Espanolas De Psiquiatria</i> , 2005 , 33, 325-30	0.7	10
496	A psychiatrist's perspective from a COVID-19 epicentre: a personal account. <i>BJPsych Open</i> , 2020 , 6, e1085		9
495	Disruptive treatments in psychiatry. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 1-4	2.7	9
494	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Brazilian bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 170-178	2.3	9
493	Psychometric properties of the Chinese version of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 238, 156-160	6.6	9
492	The psychosocial difficulties in brain disorders that explain short term changes in health outcomes. <i>BMC Psychiatry</i> , 2013 , 13, 78	4.2	9
491	Group-based trajectory modeling: a novel approach to examining symptom trajectories in acute bipolar episodes. <i>Journal of Affective Disorders</i> , 2013 , 145, 36-41	6.6	9
490	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017 , 19, 637-650	3.8	9
489	Anxiety as a marker of severity in acute mania. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 351-5	6.5	9
488	Andr� Piquer-Arrufat (1711-1772): contributions of an eighteenth-century spanish physician to the concept of manic-depressive illness. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 68-77	4.1	9
487	Assessment of SPM in perfusion brain SPECT studies. A numerical simulation study using bootstrap resampling methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2008 , 55, 1849-53	5	9
486	Amisulpride plus valproate vs haloperidol plus valproate in the treatment of acute mania of bipolar I patients: a multicenter, open-label, randomized, comparative trial. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 675-86	3.1	9
485	Open-label olanzapine treatment in bipolar I disorder: clinical and work functional outcomes. <i>Current Medical Research and Opinion</i> , 2006 , 22, 961-6	2.5	9

484	Olanzapine in bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2004 , 5, 1613-9	4	9
483	The somatics of psyche: structural neuromorphometry of bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 180-9	9.4	9
482	Role of antidepressants in bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e21	4.6	9
481	Divalproex versus olanzapine in mania. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1266; author reply 1266-7.	4.6	9
480	Declaration of transparency: A step towards complete reporting of research articles. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 63-4	2.7	9
479	Management of inter-episodic periods in patients with bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2016 , 16, 659-70	4.3	9
478	Behavioral addictions in bipolar disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019 , 29, 76-97	1.2	9
477	"Do depressive and manic symptoms differentially impact on functioning in acute depression? Results from a large, cross-sectional study". <i>Journal of Affective Disorders</i> , 2020 , 261, 30-39	6.6	9
476	Can lithium salts prevent depressive episodes in the real world?. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1351-1359	1.2	9
475	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 863-874	1.2	9
474	Symptom networks in acute depression across bipolar and major depressive disorders: A network analysis on a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2020 , 35, 49-60	1.2	8
473	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 274, 1113-1121	6.6	8
472	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 514-523	4.6	8
471	Risk of mortality among children, adolescents, and adults with autism spectrum disorder or attention deficit hyperactivity disorder and their first-degree relatives: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 189	3	8
470	Quality indicators in the treatment of patients with depression, bipolar disorder or schizophrenia. Consensus study. <i>Revista De Psiquiatria Y Salud Mental</i> , 2018 , 11, 66-75	2.7	8
469	Functional impairment in adult bipolar disorder with ADHD. <i>Journal of Affective Disorders</i> , 2018 , 227, 117-125	6.6	8
468	Expert advice on the management of valproate in women with bipolar disorder at childbearing age. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1199-1212	1.2	8
467	One Year Clinical Correlates of EtG Positive Urine Screening in Alcohol-Dependent Patients: A Survival Analysis. <i>Alcohol and Alcoholism</i> , 2017 , 52, 460-465	3.5	8

466	Early medication discontinuation on long-term recovery outcome in first-episode psychosis. <i>JAMA Psychiatry</i> , 2014 , 71, 206-7	14.5	8
465	Developmental dynamics of PAFAH1B subunits during mouse brain development. <i>Journal of Comparative Neurology</i> , 2012 , 520, 3877-94	3.4	8
464	Postpartum bipolar episodes are not distinct from spontaneous episodes: implications for DSM-V. <i>Journal of Affective Disorders</i> , 2010 , 126, 61-4	6.6	8
463	Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008 , 22, 590-7	4.6	8
462	Efficacy of psychoeducation in compliant bipolar I patients. <i>European Neuropsychopharmacology</i> , 2002 , 12, 245-246	1.2	8
461	Effects of Mediterranean Diet or Mindfulness-Based Stress Reduction on Prevention of Small-for-Gestational Age Birth Weights in Newborns Born to At-Risk Pregnant Individuals: The IMPACT BCN Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2150-2160	27.4	8
460	Reboxetine-induced hypomania. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 655-6	4.6	8
459	Relapsing paranoid psychosis as the first manifestation of pheochromocytoma. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 949-50	4.6	8
458	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020 , 25, 102131	5.3	8
457	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
456	Risk Calculators in Bipolar Disorder: A Systematic Review. <i>Brain Sciences</i> , 2020 , 10,	3.4	8
455	Two randomized, double-blind, placebo-controlled trials and one open-label, long-term trial of brexpiprazole for the acute treatment of bipolar mania. <i>Journal of Psychopharmacology</i> , 2021 , 35, 971-982	4.6	8
454	Reliability and Concurrent and Construct Validity of a Food Frequency Questionnaire for Pregnant Women at High Risk to Develop Fetal Growth Restriction. <i>Nutrients</i> , 2021 , 13,	6.7	8
453	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
452	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019 , 249, 199-207	6.6	8
451	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
450	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
449	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7

448	Relationships between recurrence and polarity in major depressive disorders: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. <i>Journal of Affective Disorders</i> , 2019 , 256, 250-258	6.6	7
447	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
446	Predictive factors of functional outcome in patients with bipolar I disorder: a five-year follow-up. <i>Journal of Affective Disorders</i> , 2020 , 272, 249-258	6.6	7
445	Evaluation of cariprazine in the treatment of bipolar I and II depression: a randomized, double-blind, placebo-controlled, phase 2 trial. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 147-156	7.2	7
444	Duration of euthymia and predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 241, 356-359	6.6	7
443	The role of different patterns of psychomotor symptoms in major depressive episode: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. <i>Bipolar Disorders</i> , 2019 , 21, 785-793	3.8	7
442	Bipolar II Disorder: Frequent, Valid, and Reliable. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 541-543	4.8	7
441	A study on the bioequivalence of lithium and valproate salivary and blood levels in the treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 744-750	1.2	7
440	Explaining functional outcomes in depression treatment: a multilevel modelling approach. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S105-15	2.4	7
439	Syndromal and subsyndromal illness status and five-year morbidity using criteria of the International Society for Bipolar Disorders compared to alternative criteria. <i>Psychopathology</i> , 2012 , 45, 102-8	3.4	7
438	An open label follow-up study on amisulpride in the add-on treatment of bipolar I patients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 19	3.2	7
437	Neurodevelopmental mechanisms underlying psychosis. <i>International Clinical Psychopharmacology</i> , 2007 , 22, S1-S7	2.2	7
436	Physical health in affective disorders: a narrative review of the literature. <i>Revista Brasileira De Psiquiatria</i> , 2020 ,	2.6	7
435	Sleep and circadian rhythm disturbances in bipolar disorder: an urgent need for objective assessment and systematic follow-up. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 724	4.6	7
434	Motor speed predicts stability of cognitive deficits in both schizophrenic and bipolar I patients at one-year follow-up. <i>European Journal of Psychiatry</i> , 2009 , 23,	1	7
433	Suicide mortality and use of psychotropic drugs in patients hospitalized due to bipolar disorder: A Finnish nationwide cohort study. <i>Journal of Affective Disorders</i> , 2020 , 277, 885-892	6.6	7
432	Aripiprazole monotherapy as transdiagnostic intervention for the treatment of mental disorders: An umbrella review according to TRANSD criteria. <i>European Neuropsychopharmacology</i> , 2020 , 41, 16-27	1.2	7
431	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 105-110	0.2	7

430	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
429	Management of bipolar disorder in the intercontinental region: an international, multicenter, non-interventional, cross-sectional study in real-life conditions. <i>Scientific Reports</i> , 2016 , 6, 25920	4.9	7
428	Early group psychoeducation for bipolar disorder. <i>Lancet Psychiatry</i> , 2016 , 3, 1000-1001	23.3	7
427	Intravenous vortioxetine to accelerate onset of effect in major depressive disorder: a 2-week, randomized, double-blind, placebo-controlled study. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 153-160	2.2	7
426	Association between CANCA1C gene rs1034936 polymorphism and alcohol dependence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 261, 181-186	6.6	7
425	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7
424	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021 , 23, 659-678	3.8	7
423	Preventing new episodes of bipolar disorder in adults: Systematic review and meta-analysis of randomized controlled trials. <i>European Neuropsychopharmacology</i> , 2021 ,	1.2	7
422	The package of care for patients with bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2005 , 66 Suppl 5, 34-9	4.6	7
421	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. <i>Journal of Affective Disorders</i> , 2017 , 212, 10-16	6.6	6
420	Association of Anorexia Nervosa With Risk of Cancer: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e195313	10.4	6
419	Detection of early psychotic symptoms: Validation of the Spanish version of the "Symptom Onset in Schizophrenia (SOS) inventory". <i>Psychiatry Research</i> , 2018 , 261, 68-72	9.9	6
418	Diagnostic reliability in schizoaffective disorder. <i>Bipolar Disorders</i> , 2016 , 18, 78-80	3.8	6
417	Genetic basis of psychopathological dimensions shared between schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 23-29	5.5	6
416	Completed suicide in bipolar disorder patients: A cohort study after first hospitalization. <i>Journal of Affective Disorders</i> , 2019 , 257, 340-344	6.6	6
415	Pooled analysis of sustained response rates for extended release quetiapine fumarate as monotherapy or adjunct to antidepressant therapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 639-43	6.6	6
414	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2285-99	2.5	6
413	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Womens Mental Health</i> , 2011 , 14, 107-13	5	6

412	Antidepressant-induced mania in obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , 1992 , 149, 1282-3	11.9	6
411	Adverse outcomes during pregnancy and major congenital malformations in infants of patients with bipolar and schizoaffective disorders treated with antiepileptic drugs: A systematic review. <i>Psychiatria Polska</i> , 2019 , 53, 223-244	1.3	6
410	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021 ,	3.8	6
409	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
408	Does cognitive impairment in bipolar disorder impact on a SIMPLE app use?. <i>Journal of Affective Disorders</i> , 2021 , 282, 488-494	6.6	6
407	The efficacy of cariprazine on function in patients with bipolar depression: a analysis of a randomized controlled trial. <i>Current Medical Research and Opinion</i> , 2021 , 37, 1635-1643	2.5	6
406	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2016 , 9, 158-173	0.2	6
405	The influence of the working alliance on the treatment and outcomes of patients with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 260, 263-271	6.6	6
404	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 ,	2.7	6
403	Risk of cancer in bipolar disorder and the potential role of lithium: International collaborative systematic review and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 529-541	9	6
402	Epidemiology and costs of depressive disorder in Spain: the EPICO study. <i>European Neuropsychopharmacology</i> , 2021 , 50, 93-103	1.2	6
401	Behavioural activation training for depression. <i>Lancet, The</i> , 2017 , 389, 367	4.0	5
400	Effectiveness of a Pharmacogenetic Tool at Improving Treatment Efficacy in Major Depressive Disorder: A Meta-Analysis of Three Clinical Studies. <i>Pharmaceutics</i> , 2019 , 11,	6.4	5
399	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019 , 29, 701-710	1.2	5
398	e-HCL-32: a useful, valid and user friendly tool in the screening of bipolar II disorder. <i>Comprehensive Psychiatry</i> , 2015 , 56, 283-8	7.3	5
397	Anti-inflammatory treatment of bipolar depression: promise and disappointment. <i>Lancet Psychiatry, the</i> , 2020 , 7, 467-468	23.3	5
396	Placebo-To be or not to be? Are there really alternatives to placebo-controlled trials?. <i>European Neuropsychopharmacology</i> , 2020 , 32, 1-11	1.2	5
395	Violent criminal behavior in the context of bipolar disorder: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 239, 161-170	6.6	5

394	Re-analysis of the earliest controlled trials of imipramine. <i>Journal of Affective Disorders</i> , 2013 , 147, 451-46.6		5
393	Neurocognitive impairment in the bipolar spectrum. <i>Neuropsychiatry</i> , 2012 , 2, 43-55	1.8	5
392	Validity and reliability of the Spanish versions of the Bech-Rafaelsen's mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 207-15	6.5	5
391	Olanzapine in the treatment of bipolar depression. <i>European Neuropsychopharmacology</i> , 2002 , 12, 238-239		5
390	Rapidly cycling bipolar II disorder following liver transplantation. <i>General Hospital Psychiatry</i> , 1993 , 15, 129-31	5.6	5
389	Defining the bipolar spectrum and treating bipolar II disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e12	4.6	5
388	The importance of negative comorbidity. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1191-2; author reply 1192	4.6	5
387	Observational, pragmatic, and clinical trials in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e27	4.6	5
386	Individualizing treatment for patients with schizoaffective disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e26	4.6	5
385	Broad Efficacy of Cariprazine on Depressive Symptoms in Bipolar Disorder and the Clinical Implications. <i>primary care companion for CNS disorders, The</i> , 2020 , 22,	1.2	5
384	The efficacy and tolerability of paliperidone in mania of bipolar disorder: A preliminary meta-analysis. <i>Experimental and Clinical Psychopharmacology</i> , 2017 , 25, 422-433	3.2	5
383	Obstetric complications in bipolar disorder: Psychiatric factors and the risk of caesarean section. <i>European Neuropsychopharmacology</i> , 2020 , 32, 47-55	1.2	5
382	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
381	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
380	Factors associated with single versus multiple suicide attempts in depressive disorders. <i>Journal of Affective Disorders</i> , 2020 , 277, 306-312	6.6	5
379	Overview of lithium's use: a nationwide survey. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 10	5.4	5
378	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
377	Bipolar disorder cohort studies: Crucial, but underfunded. <i>European Neuropsychopharmacology</i> , 2021 , 47, 31-33	1.2	5

376	The Role of Mitochondria in Mood Disorders: From Physiology to Pathophysiology and to Treatment. <i>Frontiers in Psychiatry</i> , 2021 , 12, 546801	5	5
375	Prevalence and correlates of major depressive disorder, bipolar disorder and schizophrenia among nursing home residents without dementia: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2020 , 216, 6-15	5.4	5
374	The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 280, 409-431	6.6	5
373	Long-term treatment of bipolar disorder type I: A systematic and critical review of clinical guidelines with derived practice algorithms. <i>Bipolar Disorders</i> , 2021 , 23, 324-340	3.8	5
372	Impact of NTRK2, DRD2 and ACE polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis. <i>Journal of Psychopharmacology</i> , 2018 , 32, 702-710	4.6	5
371	Increased C-reactive protein concentration and suicidal behavior in people with psychiatric disorders: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 537-552	6.5	5
370	Pharmacotherapy for the peripartum management of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1731-1741	4	4
369	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019 , 209, 148-155	3.6	4
368	Obstetric complications in bipolar disorder: The role of mental health disorders in the risk of caesarean section. <i>Journal of Affective Disorders</i> , 2019 , 252, 458-463	6.6	4
367	Personalized medicine applied to mental health: Precision psychiatry. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2015 , 8, 117-118	0.2	4
366	Genetic variants associated with psychotic symptoms across psychiatric disorders. <i>Neuroscience Letters</i> , 2020 , 720, 134754	3.3	4
365	The black sheep of the family- whole-exome sequencing in family of lithium response discordant bipolar monozygotic twins. <i>European Neuropsychopharmacology</i> , 2020 , 34, 19-27	1.2	4
364	Anorexia nervosa and cancer: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 137	3	4
363	Vortioxetine: A new alternative for the treatment of major depressive disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2018 , 11, 48-59	0.2	4
362	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014 , 24, S436-S437	1.2	4
361	Cortisol-binding globulin levels in bipolar disorder. <i>European Psychiatry</i> , 1997 , 12, 11-5	6	4
360	Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 32	3.2	4
359	Do we need placebo control in maintenance studies in bipolar disorders?. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 61	3.8	4

358	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
357	Antidepressants in acute bipolar depression: an inconclusive meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 415-6; author reply 416	4.6	4
356	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort: Baseline Characterization and a 12-Month Follow-Up Analysis. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	4
355	Managing Bipolar Disorder in Clinical Practice 2013 ,		4
354	The biology of aggressive behavior in bipolar disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 119, 9-20	9	4
353	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 165-173	2.7	4
352	How to treat mania. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 142, 173-192	6.5	4
351	Genetic differences between bipolar disorder subtypes: A systematic review focused in bipolar disorder type II. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 118, 623-630	9	4
350	Mediterranean diet, Mindfulness-Based Stress Reduction and usual care during pregnancy for reducing fetal growth restriction and adverse perinatal outcomes: IMPACT BCN (Improving Mothers for a better Prenatal Care Trial Barcelona): a study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 362	2.8	4
349	Patients' adherence to smartphone apps in the management of bipolar disorder: a systematic review. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 19	5.4	4
348	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
347	Lighting as an aid for recovery in hospitalized psychiatric patients: a randomized controlled effectiveness trial. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 105-114	2.3	4
346	Clinical correlates of seasonality in bipolar disorder: A specifier that needs specification?. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 162-171	6.5	4
345	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185-194	1.34	4
344	Precision psychiatry: Complex problems require complex solutions. <i>European Neuropsychopharmacology</i> , 2021 , 52, 94-95	1.2	4
343	Food craving and consumption evolution in patients starting treatment with clozapine. <i>Psychopharmacology</i> , 2019 , 236, 3317-3327	4.7	3
342	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , 2019 , 21, 642-649	3.8	3
341	Differential effectiveness of right unilateral versus bilateral electroconvulsive therapy in resistant bipolar depression. <i>American Journal of Psychiatry</i> , 2015 , 172, 294	11.9	3

340	Clinical and Neurocognitive Predictors of Functional Outcome in Depressed Patients with Partial Response to Treatment: One Year Follow-Up Study. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 589-595	3.1	3
339	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 229-236	6.6	3
338	Filling the gap between lab and clinical impact: An open randomized diagnostic trial comparing urinary ethylglucuronide and ethanol in alcohol dependent outpatients. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 225-230	4.9	3
337	Thinking ahead: Executive dysfunction in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1348-9	1.2	3
336	Management of asenapine treatment in clinical practice: Recommendations from a panel of experts. <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 163-169	2.7	3
335	A 12-month prospective study on the time to hospitalization and clinical management of a cohort of bipolar type I and schizoaffective bipolar patients. <i>European Psychiatry</i> , 2019 , 61, 1-8	6	3
334	Patients' Knowledge and Attitudes Towards Regular Alcohol Urine Screening: A Survey Study. <i>Journal of Addiction Medicine</i> , 2017 , 11, 300-307	3.8	3
333	Rationale and design of the PLACID study: a randomised trial comparing the efficacy and safety of inhaled loxapine versus IM aripiprazole in acutely agitated patients with schizophrenia or bipolar disorder. <i>BMC Psychiatry</i> , 2017 , 17, 126	4.2	3
332	Bipolar disorders in the new DSM-5 and ICD-11 classifications. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 179-185	0.2	3
331	Transitions: Athanasios Koukopoulos [ΑΒΓ] M.D. (1931-2013). <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 18	5.4	3
330	P.2.e.026 Clinical, functional and therapeutic implications of comorbid personality disorders in a sample of bipolar patients. <i>European Neuropsychopharmacology</i> , 2011 , 21, S432-S433	1.2	3
329	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011 , 1, 45-54	1.8	3
328	Overcoming the current approach in bipolar disorder research: towards DSM-V and beyond. <i>Journal of Psychopharmacology</i> , 2008 , 22, 406-7; discussion 408	4.6	3
327	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 631-8	4.5	3
326	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 34	3.2	3
325	Precision psychotherapy. <i>European Neuropsychopharmacology</i> , 2021 , 55, 20-21	1.2	3
324	Toward a Valid Classification of Psychosis: Overcoming the Schizophrenia-Bipolar Dichotomy. <i>Psychiatric Annals</i> , 2010 , 40, 143-148	0.5	3
323	Mannitol-induced acute manic state. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 126	4.6	3

322	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
321	Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. <i>Translational Psychiatry</i> , 2020 , 10, 241	8.6	3
320	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-II-MIX study. <i>Bipolar Disorders</i> , 2021 , 23, 391-399	3.8	3
319	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. <i>European Neuropsychopharmacology</i> , 2021 , 53, 7-18	1.2	3
318	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
317	Detection and management of agitation in psychiatry: A Delphi expert consensus study. <i>European Psychiatry</i> , 2016 , 33, S170-S170	6	3
316	Psychiatric disorders and SLC6A4 gene variants: possible effects on alcohol dependence and alzheimer's disease. <i>Molecular Biology Reports</i> , 2020 , 47, 191-200	2.8	3
315	The rebirth of lithium as the archetypal mood stabilizer. <i>Bipolar Disorders</i> , 2021 , 23, 211-212	3.8	3
314	The usefulness of Olanzapine plasma concentrations in monitoring treatment efficacy and metabolic disturbances in first-episode psychosis. <i>Psychopharmacology</i> , 2021 , 238, 665-676	4.7	3
313	Commentary on: "Make lithium great again!". <i>Bipolar Disorders</i> , 2021 , 23, 90-91	3.8	3
312	Brain structural trajectories in youth at familial risk for schizophrenia or bipolar disorder according to development of psychosis spectrum symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 780-789	7.9	3
311	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 470	5	3
310	Group and sex differences in social cognition in bipolar disorder, schizophrenia/schizoaffective disorder and healthy people. <i>Comprehensive Psychiatry</i> , 2021 , 109, 152258	7.3	3
309	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68	1.2	3
308	Emotional cognition subgroups in mood disorders: Associations with familial risk. <i>European Neuropsychopharmacology</i> , 2021 , 51, 71-83	1.2	3
307	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
306	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. <i>Journal of Affective Disorders</i> , 2021 , 295, 740-751	6.6	3
305	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020 , 14, 569540	5.1	2

304	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
303	Bipolar disorder: defining symptoms and comorbidities--Authors' reply. <i>Lancet, The</i> , 2016 , 388, 869-70	4.0	2
302	Clinical features of a sample of inpatients with adjustment disorder referred to a consultation-liaison psychiatry service over 10 years. <i>General Hospital Psychiatry</i> , 2018 , 55, 98-99	5.6	2
301	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
300	Clinical research for good clinical care. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 426-7	6.5	2
299	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011 , 18, 55-67	0.2	2
298	P.2.e.003 Mania and depression: mixed, not stirred. <i>European Neuropsychopharmacology</i> , 2011 , 21, S419	1.2	2
297	PW01-39 - Characteristics of patients with hypomanic symptoms presenting a current major depressive episode identified with the HCL-32 patient questionnaire. <i>European Psychiatry</i> , 2010 , 25, 1458	6	2
296	A 6-month, Randomized, Placebo-controlled, Double Blind Trial of Ziprasidone Plus a Mood Stabilizer in Subjects With Bipolar I Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	2
295	P.3.16 Impulsivity in bipolar disorder: a randomized clinical trial of adjunctive oxcarbazepine. <i>European Neuropsychopharmacology</i> , 2009 , 19, S75-S76	1.2	2
294	Antipsychotics in bipolar depression: in reply. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 969	5.8	2
293	P.3.c.069 Day 4 partial response to ziprasidone predicts later treatment response in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2008 , 18, S443-S444	1.2	2
292	Onset of action of olanzapine-fluoxetine combination for bipolar depression. <i>European Neuropsychopharmacology</i> , 2002 , 12, 202	1.2	2
291	Vigencia del tratamiento con litio. <i>Medicina Cl3nica</i> , 2007 , 128, 36-36	1	2
290	Suicide-related thoughts and behavior and suicide death trends during the COVID-19 in the general population of Catalonia, Spain. <i>European Neuropsychopharmacology</i> , 2021 , 56, 4-12	1.2	2
289	Working with Bipolar Disorder During the COVID-19 Pandemic: Both Crisis and Opportunity		2
288	Late-onset manic episode in a 91-year-old man without previous psychiatric history as a unique clinical manifestation of a pancreatic neoplasm. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 296-7	4.6	2
287	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020 , 46, 846-856	1.3	2

286	What else is needed for a full functional recovery in bipolar disorder?. <i>Bipolar Disorders</i> , 2020 , 22, 411-413	28	2
285	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2020 , 223, 345-352	3.6	2
284	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	2
283	Feasibility of mHealth interventions for depressive symptoms in Latin America: a systematic review. <i>International Review of Psychiatry</i> , 2021 , 33, 300-311	3.6	2
282	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
281	The Collaborative Outcomes study on Health and Functioning during Infection Times in Adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2021 , 299, 393-393	6.6	2
280	Evaluation of Patient Satisfaction in a State Reference Center of Bipolar Disorder. <i>Journal of Behavioral Health Services and Research</i> , 2019 , 46, 319-329	1.7	2
279	Disability in bipolar I disorder: Application of Mokken scaling analysis and the graded response model to the World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2020 , 260, 506-513	6.6	2
278	Lithium concentration and recurrence risk during maintenance treatment of bipolar disorder: Multicenter cohort and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 368-378	6.5	2
277	Lithium therapy and weight change in people with bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 ,	9	2
276	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
275	Bipolar symptoms, somatic burden, and functioning in older-age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
274	Biased accuracy in multisite machine-learning studies due to incomplete removal of the effects of the site. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 314, 111313	2.9	2
273	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
272	Addressing the 'hypoxia paradox' in severe COVID-19: literature review and report of four cases treated with erythropoietin analogues. <i>Molecular Medicine</i> , 2021 , 27, 120	6.2	2
271	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T relaxometry. <i>Neurobiology of Aging</i> , 2021 , 106, 68-79	5.6	2
270	Structural brain correlates in major depression, anxiety disorders and post-traumatic stress disorder: A voxel-based morphometry meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 269-281	9	2
269	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021 , 294, 513-520	6.6	2

268	Economic impact of treatment-resistant depression: A retrospective observational study. <i>Journal of Affective Disorders</i> , 2021 , 295, 578-586	6.6	2
267	Patient and physician perspectives of a smartphone application for depression: a qualitative study. <i>BMC Psychiatry</i> , 2021 , 21, 65	4.2	2
266	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , 2022 ,	3.8	2
265	Minimal Effects of Cariprazine on Prolactin Levels in Bipolar Disorder and Schizophrenia.. <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 995-1011	3.1	2
264	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 104-112	0.2	1
263	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
262	47 Sustained Functional Recovery and Symptom Remission After Maintenance Treatment with Aripiprazole Once-Monthly for Patients with Bipolar I Disorder. <i>CNS Spectrums</i> , 2019 , 24, 201-202	1.8	1
261	Treatment Resistant Bipolar Depression. <i>European Psychiatry</i> , 2015 , 30, 58	6	1
260	Association between selective serotonin reuptake inhibitors and violent crime - could underlying psychopathology be the cause?. <i>European Neuropsychopharmacology</i> , 2020 , 36, 151-153	1.2	1
259	Associations between cognitive impairment and P300 mean amplitudes in individuals with bipolar disorder in remission. <i>Psychiatry Research</i> , 2020 , 290, 113125	9.9	1
258	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
257	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
256	The possible resilience role of cognitive reserve in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, S428-S429	1.2	1
255	Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, S404-S405	1.3	1
254	Patient characteristics driving clinical utility in psychiatric pharmacogenetics: a reanalysis from the AB-GEN multicentric trial. <i>Journal of Neural Transmission</i> , 2019 , 126, 95-99	4.3	1
253	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 135-140	0.2	1
252	Cognition and functioning in bipolar disorder1-14		1
251	Functioning Assessment Short Test (FAST)107-118		1

250	P.2.d.012 Clinical implications of the polarity index of drugs in maintenance treatment of bipolar disorder: a naturalistic study. <i>European Neuropsychopharmacology</i> , 2013 , 23, S369-S370	1.2	1
249	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, S370-S371	1.2	1
248	The bipolar-depressive continuum in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2013 , 15, 112-3	3.8	1
247	The Role of Long Acting Antipsychotics in Bipolar Disorder. <i>European Psychiatry</i> , 2017 , 41, S15-S15	6	1
246	Lifting the burden of bipolar disorder: The role of psychotherapies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 754-5	2.6	1
245	Olanzapine in schizophrenia and affective disorders. <i>Drug Safety</i> , 2012 , 35, 1185-6; author reply 1186	5.1	1
244	Therapy of No-Type I Bipolar Spectrum Disorders: A Systematic Review. <i>Current Psychiatry Reviews</i> , 2013 , 9, 41-50	0.9	1
243	Recommendations for switching antipsychotics. A position statement of the Spanish Society of Psychiatry and the Spanish Society of Biological Psychiatry. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2011 , 4, 150-168	0.2	1
242	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the Treatment of Acute Bipolar Depression. <i>Focus (American Psychiatric Publishing)</i> , 2011 , 9, 500-525	1.1	1
241	BRIDGE Study Warrants Critique-Reply. <i>Archives of General Psychiatry</i> , 2012 , 69, 644-5		1
240	Cardiovascular Risk in a Spanish Population of Bipolar Disorder Patients: Results from the BIMET Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
239	Development and use of a Biological Rhythm Interview. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
238	Identification of Relevant Problems of Individuals with Bipolar Disorder: A Worldwide Expert Survey. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
237	Drs. Suppes and Vieta Reply. <i>American Journal of Psychiatry</i> , 2009 , 166, 1186-1187	11.9	1
236	Management of acutely ill patients in the hospital setting: focus on quetiapine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 61-72	2.4	1
235	Suicide Risk in Schizophrenia. <i>American Journal of Psychiatry</i> , 1998 , 155, 1626y-1626	11.9	1
234	Attempted suicide by jumping. <i>European Psychiatry</i> , 1992 , 7, 221-224	6	1
233	Focusing on Comorbidity-A Novel Meta-Analytic Approach and Protocol to Disentangle the Specific Neuroanatomy of Co-occurring Mental Disorders.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 807839	5	1

232	Neurological, Psychiatric, and Psychological Implications of the COVID-19 Pandemic: Protocol for a Large-Scale Umbrella Review of Observational Studies.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
231	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
230	Neuropsychological functioning in post-ICU patients after severe COVID-19 infection: The role of cognitive reserve.. <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 21, 100425	5.1	1
229	Differences in the prophylactic effect of serum lithium levels on depression and mania in bipolar disorder: A dose-response meta-analysis.. <i>European Neuropsychopharmacology</i> , 2022 , 58, 20-29	1.2	1
228	A Self-administered Version of the Functioning Assessment Short Test for Use in Population-based Studies: A Pilot Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2020 , 16, 192-203	3.2	1
227	Does metabolic syndrome or its component factors alter the course of bipolar disorder? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 132, 142-153	9	1
226	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022 , 298, 522-531	6.6	1
225	Empirical support for the use and further study of the countertransference construct in the clinical care of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2021 ,	3.8	1
224	Perampanel-Induced Psychosis in a Young Woman: A Case Report. <i>Clinical Neuropharmacology</i> , 2021 , 44, 240-242	1.4	1
223	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
222	Ten-year course of treated bipolar I disorder: The role of polarity at onset. <i>Brain and Behavior</i> , 2021 , 11, e2279	3.4	1
221	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
220	Overview of Bipolar Disorder 2013 , 1-9		1
219	Personalized treatment in bipolar disorder 2020 , 423-436		1
218	Needs of people with psychosis and their caregivers: In their own voice <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 80-89	0.2	1
217	Characterization of Age and Polarity at Onset in Bipolar Disorder		1
216	Commentary on Kohne and van OS view on precision psychiatry. <i>Psychological Medicine</i> , 2021 , 51, 1412-1414	1.4	1
215	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1

214	Higher order theory of mind in patients with bipolar disorder and schizophrenia/schizoffective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
213	Misunderstanding precision psychiatry. <i>Psychological Medicine</i> , 2021 , 51, 1418-1419	6.9	1
212	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106	3.6	1
211	methylation is associated with bipolar disorder and the isoform expression and methylation of myelin genes. <i>Epigenomics</i> , 2021 , 13, 845-858	4.4	1
210	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
209	Clozapina en pacientes con trastorno esquizoafectivo: una revisi3n sistem3tica. <i>Revista De Psiquiatr3 Y Salud Mental</i> , 2021 , 14, 148-156	2.7	1
208	Introduction to the Integrative Approach 2019 , 61-63		1
207	Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatr3 Y Salud Mental</i> , 2021 , 14, 50-64	2.7	1
206	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1
205	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
204	Pathways Driving Neuroprogression in Depression: The Role of Immune Activation 2018 , 173-198		1
203	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2	1
202	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
201	Searching for factors associated with the "Revolving Door phenomenon" in the psychiatric inpatient unit: A 5-year retrospective cohort study. <i>Psychiatry Research</i> , 2021 , 303, 114080	9.9	1
200	Staging Bipolar Disorder 2012 , 77-83		1
199	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
198	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022 , 60, 91-99	1.2	1
197	The Pivotal Role of Psychoeducation in the Long-Term Treatment of Bipolar Disorder 2006 , 333-345		0

196	Bipolar I and bipolar II: a dichotomy? 2005 , 88-108		o
195	Real-world Implementation of a Smartphone-Based Psychoeducation Program for Bipolar Disorder: Observational Ecological Study.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e31565	7.6	o
194	Reliability and validity of the functioning assessment short test for older adults with bipolar disorder (FAST-O). <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 28	5.4	o
193	Neurocognition, functional outcome, and quality of life in remitted and non-remitted schizophrenia: A comparison with euthymic bipolar I disorder and a control group.. <i>Schizophrenia Research</i> , 2022 , 240, 81-91	3.6	o
192	Cortical thickness abnormalities in patients with bipolar disorder: a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2021 , 300, 209-209	6.6	o
191	Emotional cognition subgroups in unaffected first-degree relatives of patients with mood disorders. <i>Psychological Medicine</i> , 1-11	6.9	o
190	Evaluating maintenance electroconvulsive therapy in Bipolar Disorders: 3-year mirror-image study. <i>Journal of Affective Disorders</i> , 2022 , 298, 58-64	6.6	o
189	Relationship between cognition and age at onset of first-episode psychosis: comparative study between adolescents, young adults, and adults. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	o
188	Mid and long-term effects of a SBIRT program for at-risk drinkers attending to an emergency department. Follow-up results from a randomized controlled trial. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 373-379	2.3	o
187	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. <i>Journal of Affective Disorders</i> , 2021 , 282, 757-765	6.6	o
186	Functioning assessment short test (FAST): validity and reliability in adults with Autism Spectrum Disorder. <i>BMC Psychiatry</i> , 2021 , 21, 321	4.2	o
185	Study Protocol-Coping With the Pandemics: What Works Best to Reduce Anxiety and Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 642763	5	o
184	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701140	14.0	o
183	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	o
182	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 296, 208-215	6.6	o
181	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	o
180	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	o
179	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110540	5.5	o

178	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	o
177	Undetermined predominant polarity in a cohort of bipolar disorder patients: Prevalent, severe, and overlooked.. <i>Journal of Affective Disorders</i> , 2022 , 303, 223-229	6.6	o
176	Early intervention comes late.. <i>European Neuropsychopharmacology</i> , 2022 , 59, 1-3	1.2	o
175	Existing and emerging pharmacological approaches to the treatment of mania: A critical overview.. <i>Translational Psychiatry</i> , 2022 , 12, 169	8.6	o
174	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022 , 244, 46-54	3.6	o
173	The U-shaped relationship between parental age and the risk of bipolar disorder in the offspring: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2022 , 60, 55-75	1.2	o
172	Maternal Dietary Inflammatory Index during Pregnancy Is Associated with Perinatal Outcomes: Results from the IMPACT BCN Trial. <i>Nutrients</i> , 2022 , 14, 2284	6.7	o
171	Metabolic polygenic risk scores effect on antipsychotic-induced metabolic dysregulation: A longitudinal study in a first episode psychosis cohort. <i>Schizophrenia Research</i> , 2022 , 244, 101-110	3.6	o
170	The visceral brain: Bipolar disorder and microbiota. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 67-69	0.2	
169	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	
168	Management of asenapine treatment in clinical practice: Recommendations from a panel of experts. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 163-169	0.2	
167	BMI evolution and impaired oGTT in a sample of psychotic resistant patients that starting clozapine. <i>European Neuropsychopharmacology</i> , 2019 , 29, S537-S538	1.2	
166	Bipolar disorder may increase the risk of caesarean section. <i>European Neuropsychopharmacology</i> , 2019 , 29, S83-S84	1.2	
165	Predictors of sexual impairment at 6months after a manic episode: A post-hoc analysis of the MANACOR study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S386-S387	1.2	
164	The real world cost and health resource utilization associated to manic episodes: The MANACOR study. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2015 , 8, 55-64	0.2	
163	C.13.01 How I would manage a patient with MDD and occupational impairment. <i>European Neuropsychopharmacology</i> , 2015 , 25, S673-S674	1.2	
162	Introducción : Antipsicóticos y trastorno bipolar (II). <i>Psiquiatría Biológica</i> , 2015 , 22, 1-2	0.2	
161	156 The Broad Efficacy of Cariprazine Across Symptoms in Patients with Bipolar I Disorder: Post Hoc Analysis of Randomized, Placebo-Controlled Trials. <i>CNS Spectrums</i> , 2020 , 25, 300-300	1.8	

- 160 Bipolar disorder new data as aid for clinical practice. *European Neuropsychopharmacology*, **2016**, 26, S159-S160
- 159 Deliberate self-harm and psychiatric disorders as predictors of attempted suicide in prison inmates. *European Neuropsychopharmacology*, **2016**, 26, S406-S407 1.2
- 158 Initial usability and feasibility evaluation of the SIMPLe Smartphone application to monitor and psychoeducate bipolar patients. *European Psychiatry*, **2016**, 33, S122-S122 6
- 157 The Use of Antipsychotic Drugs in Bipolar II Disorder **2019**, 143-150
- 156 Promotion of a Healthy Lifestyle **2019**, 31-39
- 155 P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. *European Neuropsychopharmacology*, **2014**, 24, S432-S433 1.2
- 154 S.05.03 Switching antipsychotics in schizoaffective disorder: rules and cautions. *European Neuropsychopharmacology*, **2014**, 24, S116 1.2
- 153 P.3.b.001 Risk factors for suicide in schizophrenia: systematic review and clinical recommendations. *European Neuropsychopharmacology*, **2014**, 24, S490-S491 1.2
- 152 Cognitive remediation in psychiatric disorders 15-22
- 151 Functional remediation in bipolar disorder 23-30
- 150 Functional remediation program: sessions and content 31-106
- 149 Quetiapine in Bipolar Depression Contents **2013**, 5-86
- 148 P.2.d.028 Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. *European Neuropsychopharmacology*, **2013**, 23, S380 1.2
- 147 P.2.d.013 Clinical factors associated with rapid cycling bipolar disorder. *European Neuropsychopharmacology*, **2013**, 23, S370 1.2
- 146 High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. *European Psychiatry*, **2017**, 41, S116-S116 6
- 145 Concordance and Discrepancy Between Subjective and Objective Cognitive Assessment in Bipolar Disorder: What is Influencing this Discrepancy?. *European Psychiatry*, **2017**, 41, S207-S207 6
- 144 Needs of People with Schizophrenia/Psychosis and their Caregivers: A Large Scale Survey. *European Psychiatry*, **2017**, 41, S97-S97 6
- 143 Algorithm-based protocol for the identification, management and treatment of psychiatric patients with acute psychomotor agitation. *European Psychiatry*, **2017**, 41, S566-S566 6

142 Psychiatric Causes of Agitation: Exacerbation of Mood and Psychotic Disorders 126-143

141 Determinants of Functioning in Euthymic Patients with Bipolar Disorder: A Structural Equation Modelling Approach. *European Psychiatry*, **2017**, 41, S77-S77 6

140 Association between CACNA1C gene rs1034936 polymorphism and alcoholism in bipolar disorder. *European Neuropsychopharmacology*, **2017**, 27, S1057-S1058 1.2

139 P.2.a.011 Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients. *European Neuropsychopharmacology*, **2012**, 22, S230 1.2

138 P.2.e.015 Polarity index of drugs and psychotherapies in maintenance treatment of bipolar disorder. *European Neuropsychopharmacology*, **2012**, 22, S284-S285 1.2

137 P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. *European Neuropsychopharmacology*, **2012**, 22, S291-S292 1.2

136 Management commentary 258-261

135 The use of atypical antipsychotic drugs in Bipolar II disorder 126-132

134 Soft Bipolar Spectrum and Staging in Bipolar Disorder. *Current Psychiatry Reviews*, **2013**, 9, 33-40 0.9

133 Asenapine: A new focus on the treatment of mania. *Revista De Psiquiatria Y Salud Mental (English Edition)*, **2011**, 4, 101-108 0.2

132 Patterns of disease and severity in bipolar disorder: Retrospective data from a large multinational longitudinal study (WAVE-bd). *European Psychiatry*, **2011**, 26, 258-258 6

131 Bipolar disorder therapy in daily clinical practice: Analysis of retrospective data from a large multinational longitudinal study (WAVE-BD). *European Psychiatry*, **2011**, 26, 259-259 6

130 Adjunct quetiapine xr in patients with major depressive disorder: a pooled analysis of data from patients with anxious depression. *European Psychiatry*, **2011**, 26, 605-605 6

129 P.3.009 A principal component analysis of treatment patterns according to clinical features in a naturalistic cohort study of bipolar patients. *European Neuropsychopharmacology*, **2011**, 21, S65-S66 1.2

128 S.13.05 Psychopathology in offspring of patients with bipolar disorder. *European Neuropsychopharmacology*, **2011**, 21, S207 1.2

127 P.2.e.002 Risk factors for antidepressant-related switch to mania. *European Neuropsychopharmacology*, **2011**, 21, S418 1.2

126 Bipolar disorder co-morbid with addictions 129-138

125 P.2.e.008 Initial antidepressant monotherapy in bipolar depression is associated with more depressive relapses and switches. *European Neuropsychopharmacology*, **2010**, 20, S406 1.2

- 124 The usefulness of mood stabilizers in the treatment of bipolar depression. *European Psychiatry*, **2011**, 26, 2079-2079 6
- 123 Subsyndromal Depressive Symptoms in Bipolar II Disorder: a Community Mental Health Services Cohort Study (SIN-DEPRES). *Revista Colombiana De Psiquiatría*, **2011**, 40, 13S-49S 0.8
- 122 JS01-04 - Rational optimization of bipolar disorders treatment. *European Psychiatry*, **2011**, 26, 1998-1998 6
- 121 Comparison of the Hypomania Check List-32 scale with the Mood Disorder Questionnaire on Spanish Sample. *European Psychiatry*, **2009**, 24, 1-1 6
- 120 Spanish Consensus on Physical Health in Patients with Bipolar Disorder. *European Psychiatry*, **2009**, 24, 1-1 6
- 119 Cardiovascular and Respiratory Comorbidities in Patients with Bipolar Disorder: A Systematic Review. *European Psychiatry*, **2009**, 24, 1-1 6
- 118 Nutritional, Metabolic and Endocrine Disorders in Patients with Bipolar Disorder: A Systematic Review. *European Psychiatry*, **2009**, 24, 1-1 6
- 117 Gynaecological and Obstetric Comorbidities in Patients with Bipolar Disorder: A Systematic Review. *European Psychiatry*, **2009**, 24, 1-1 6
- 116 Spanish Consensus on Physical Health in Patients with Bipolar Disorder. *European Psychiatry*, **2009**, 24, 1-1 6
- 115 Metabolic Syndrome in Patients with Bipolar Disorders (BD): Findings from the BIMET study. *European Psychiatry*, **2009**, 24, 1-1 6
- 114 Cardiovascular Risk in a Spanish Population of Bipolar Disorder Patients: Results from the BIMET Study. *European Psychiatry*, **2009**, 24, 1-1 6
- 113 Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. *European Psychiatry*, **2009**, 24, 1-1 6
- 112 Clinical predictors of interpersonal functioning in patients with bipolar disorder. *Revista De Psiquiatría Y Salud Mental (English Edition)*, **2009**, 2, 83-88 0.2
- 111 S.01.02 Meta-analytic comparison of antipsychotics versus mood-stabilisers in mania. *European Neuropsychopharmacology*, **2009**, 19, S175 1.2
- 110 P.2.e.009 Gynaecological and obstetric comorbidities in patients with bipolar disorder: a systematic review. *European Neuropsychopharmacology*, **2009**, 19, S453-S454 1.2
- 109 P.3.c.061 Maintenance treatment with quetiapine added to either lithium or divalproex in bipolar I disorder. *European Neuropsychopharmacology*, **2009**, 19, S545-S546 1.2
- 108 Response to Shen J, Kobak K, Zhao Y, et al. Use of remote centralized raters via live 2-way video in a multicenter clinical trial for schizophrenia. (*J Clin Psychopharmacol*. 2008;28:691-693). *Journal of Clinical Psychopharmacology*, **2009**, 29, 409; author reply 409-10 1.7
- 107 Spanish Consensus on Physical Health of Patients With Bipolar Disorder. *Revista De Psiquiatría Y Salud Mental (English Edition)*, **2008**, 1, 26-37 0.2

106	P.2.e.006 Occupational outcome of lithium-treated bipolar patients in clinical remission. <i>European Neuropsychopharmacology</i> , 2008 , 18, S362	1.2
105	P.3.c.043 Does the inclusion of rapid cyclers jeopardize the chance of a positive outcome in acute mania trials?. <i>European Neuropsychopharmacology</i> , 2008 , 18, S428	1.2
104	C.12.01 Longitudinal course of bipolar disorders and treatment implications. <i>European Neuropsychopharmacology</i> , 2008 , 18, S600-S601	1.2
103	C.12.02 Current long term treatments for bipolar disorder. <i>European Neuropsychopharmacology</i> , 2008 , 18, S601	1.2
102	Selected papers from the Sixth International Conference on Bipolar Disorder: from epidemiology to endophenotypes to advances in therapeutics. <i>Bipolar Disorders</i> , 2007 , 9, 315-317	3.8
101	S.09.05 Psycho education and cognitive remediation of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2007 , 17, S191	1.2
100	P.3.a.019 Placebo-controlled trials of atypical antipsychotics in acute mania: what is the chance of a negative outcome?. <i>European Neuropsychopharmacology</i> , 2007 , 17, S412	1.2
99	S.05.03 Treatment of bipolar depression. <i>European Neuropsychopharmacology</i> , 2006 , 16, S173	1.2
98	Clinical course of schizoaffective disorders145-155	
97	Diagnosis and classification6-13	
96	Psychological interventions in bipolar disorders14-22	
95	Psychological treatment and bipolar disorders: why psychoeducate?25-29	
94	Mechanisms of action of psychoeducation30-33	
93	Integrating psychoeducation in clinical practice34-39	
92	When to introduce psychoeducation?40-44	
91	Formal aspects of the psychoeducation program45-50	
90	What is bipolar disorder?64-72	
89	Etiological and triggering factors73-77	

- 88 Symptoms I: Mania and hypomania 78-84
- 87 Symptoms II: Depression and mixed episodes 85-92
- 86 Evolution and prognosis 93-103
- 85 Drug adherence 104-110
- 84 Treatment I: Mood stabilizers 111-116
- 83 Treatment II: Antimanic drugs 117-121
- 82 Treatment III: Antidepressants 122-125
- 81 Plasma levels of mood stabilizers 126-129
- 80 Pregnancy and genetic counseling 130-134
- 79 Psycho-pharmacology vs. alternative therapies 135-139
- 78 Avoiding substance abuse 147-148
- 77 Psychoactive substances: risks in bipolar disorders 149-155
- 76 Early detection of new episodes 156-162
- 75 Early detection of mania and hypomanic episodes 163-168
- 74 Early detection of depressive and mixed episodes 169-172
- 73 What to do when a new phase is detected? 173-179
- 72 Regular habits and stress management 180-181
- 71 Regularity of habits 182-187

70 Stress-control techniques188-191

69 Problem-solving strategies192-196

68 Final note: Is psychoeducation efficacious?201-204

67 P01.105 Alpha-1-acid glycoprotein and suicidality in major depressive disorder. *European Psychiatry*, **2000**, 15, 348s-348s 6

66 Management commentary240-243

65 Trastorno bipolar, trastorno esquizoafectivo y esquizofrenia: diferencias epidemiológicas clínicas y de pronóstico. *European Psychiatry (Ed Española)*, **2001**, 8, 311-317

64 Biomarkers in bipolar disorder: an overview **2022**, 1-18

63 Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. *Psychological Medicine*, **2022**, 1-12 6.9

62 Letter to BJPsych in response to Horowitz and Moncrieff.. *British Journal of Psychiatry*, **2021**, 219, 619-620 6.9

61 Tratamiento complementario del trastorno bipolar con gabapentina. *European Psychiatry (Ed Española)*, **2001**, 8, 48-53

60 Tratamiento de mantenimiento eficaz: romper el ciclo del trastorno bipolar. *European Psychiatry (Ed Española)*, **2006**, 13, 38-45

59 Bipolar disorders through history4-5

58 Awareness of the disorder53-56

57 Presentation and rules of the group57-63

56 Risks associated with treatment withdrawal140-146

55 The use of atypical antipsychotic drugs in Bipolar II Disorder133-140

54 Niveles de globulina fijadora de cortisol en el trastorno bipolar. *European Psychiatry (Ed Española)*, **1997**, 4, 375-380

53 The Role of Noninferiority Designs in Bipolar Disorder Clinical Trials **2015**, 49-57

- 52 De rol van gezinsinterventies bij bipolaire stoornis: een systematische review. *Gezinstherapie Wereldwijd*, **2016**, 27, 280-308 ○
- 51 Global assessment scales **2010**, 3-7
- 50 Assessment of hypomania **2010**, 33-39
- 49 Health-related quality of life assessment in bipolar disorder **2010**, 41-45
- 48 Assessment of functioning **2010**, 73-76
- 47 Assessment of comorbidities **2010**, 69-71
- 46 Detection of bipolar I **2010**, 9-15
- 45 Assessment of mania in bipolar disorder **2010**, 27-32
- 44 Detection of bipolar II **2010**, 17-21
- 43 Aripiprazole in Bipolar Disorder **2013**, 245-269
- 42 Staging Bipolar Disorder **2013**, 81-87
- 41 Etiology and Disease Course **2013**, 23-39
- 40 Assessment and Diagnosis **2013**, 41-61
- 39 Psychosocial Interventions **2013**, 141-149
- 38 Overview of Management Options **2013**, 73-94
- 37 Psychosocial consequences **2013**, 11-21
- 36 Pharmacological Management of Manic Episodes **2013**, 109-133
- 35 Treatment-Resistant Bipolar Disorder **2013**, 135-140

- 34 Pharmacological Management of Depressive Episodes **2013**, 95-108
- 33 Suicide risk **2013**, 63-71
- 32 Disruptive treatments in psychiatry. *Revista De Psiquiatria Y Salud Mental (English Edition)*, **2020**, 13, 1-4 0.2
- 31 Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. *Revista De Psiquiatria Y Salud Mental (English Edition)*, **2020**, 13, 165-173 0.2
- 30 Validity of the Shahin Mixed Depression Scale: A Self-Rated Instrument Designed to Measure the Non-DSM Mixed Features in Depression. *Neuropsychiatric Disease and Treatment*, **2020**, 16, 2209-2219 3.1
- 29 Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". *Bipolar Disorders*, **2021**, 23, 513-514 3.8
- 28 A systematic review on genome-wide association studies exploring comorbidity in bipolar disorder. *Journal of Affective Disorders Reports*, **2021**, 4, 100130 1.4
- 27 Bipolar disorder and Susac syndrome: a case report. *International Clinical Psychopharmacology*, **2021**, 36, 305-309 2.2
- 26 Self-harm in prison inmates: not necessarily related with traumatic experiences. *European Neuropsychopharmacology*, **2016**, 26, S632 1.2
- 25 Psychoeducation for Patients and Family Members **2019**, 17-30
- 24 Cognitive and Functional Remediation **2019**, 50-60
- 23 Contents of the Integrative Approach **2019**, 64-109
- 22 Introduction to Bipolar Disorders **2019**, 1-5
- 21 Adjunctive Psychological Treatments in Adults with Bipolar Disorders **2019**, 6-14
- 20 The Group Rules (if the group format is used) **2019**, 110-110
- 19 Level of Satisfaction with the Intervention **2019**, 111-111
- 18 P.328 Exploring the correlation between functioning and cognition in bipolar disorder: A fMRI study using the n-back working memory task. *European Neuropsychopharmacology*, **2019**, 29, S234-S235 1.2
- 17 P.399 Abnormal neuroradiological findings in young adults with first-episodes of affective and non-affective psychosis. *European Neuropsychopharmacology*, **2019**, 29, S282-S283 1.2

- 16 P.612 Symptom network structure differences in acute depression between bipolar disorder and major depressive disorder: A network analysis.. *European Neuropsychopharmacology*, **2019**, 29, S419-S420^{1,2}
- 15 Management Commentary **2019**, 278-280
- 14 The biological basis of predominant polarity **2021**, 97-107
- 13 Bipolar disorders, obesity, and metabolic disturbances: Mechanisms and implications **2021**, 257-274
- 12 Quality of care in psychiatry is related to research activity. *European Psychiatry*, **2021**, 64, e53 6
- 11 Associations between cognitive impairment and illness awareness in fully remitted bipolar outpatients. *Psychiatry Research*, **2021**, 296, 113655 9.9
- 10 Clozapine in patients with schizoaffective disorder: A systematic review. *Revista De Psiquiatria Y Salud Mental (English Edition)*, **2021**, 14, 148-156 0.2
- 9 Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-subspecialty. *European Neuropsychopharmacology*, **2021**, 52, 72-83 1.2
- 8 Clinical profile of patients admitted in an acute psychiatric ward before and during the COVID-19 lockdown. *European Psychiatry*, **2021**, 64, S102-S102 6
- 7 Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. *European Psychiatry*, **2021**, 64, S163-S163 6
- 6 Dhat syndrome: A case report on a culture-bound challenge. *European Psychiatry*, **2021**, 64, S733-S733 6
- 5 P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. *European Neuropsychopharmacology*, **2021**, 53, S298-S299 1.2
- 4 P.0585 Disentangling clinical, neurobiological, and genetic correlates of first episode mania from first episode psychosis. *European Neuropsychopharmacology*, **2021**, 53, S428-S429 1.2
- 3 P.0373 The hidden link between duration of untreated illness, treatment response and functioning in bipolar disorder: results from a cross-sectional study. *European Neuropsychopharmacology*, **2021**, 53, S272-S273 1.2
- 2 P.0149 Cognitive reserve and cannabis use in first-episode psychoses. *European Neuropsychopharmacology*, **2021**, 53, S107-S108 1.2
- 1 Predictors of Clinical Recovery in Bipolar Disorders. *Comprehensive Approach To Psychiatry*, **2022**, 155-170.7