

Eduard Vieta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2656934/eduard-vieta-publications-by-year.pdf>

Version: 2023-09-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,203
papers

49,756
citations

107
h-index

174
g-index

1,461
ext. papers

61,178
ext. citations

5
avg, IF

7.76
L-index

#	Paper	IF	Citations
1203	Biomarkers in bipolar disorder: an overview 2022 , 1-18		
1202	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. <i>Psychological Medicine</i> , 2022 , 1-12	6.9	
1201	Neurological, Psychiatric, and Psychological Implications of the COVID-19 Pandemic: Protocol for a Large-Scale Umbrella Review of Observational Studies.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
1200	Real-world Implementation of a Smartphone-Based Psychoeducation Program for Bipolar Disorder: Observational Ecological Study.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e31565	7.6	0
1199	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
1198	Neuropsychological functioning in post-ICU patients after severe COVID-19 infection: The role of cognitive reserve.. <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 21, 100425	5.1	1
1197	Differences in the prophylactic effect of serum lithium levels on depression and mania in bipolar disorder: A dose-response meta-analysis.. <i>European Neuropsychopharmacology</i> , 2022 , 58, 20-29	1.2	1
1196	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022 , 298, 522-531	6.6	1
1195	Neurocognition, functional outcome, and quality of life in remitted and non-remitted schizophrenia: A comparison with euthymic bipolar I disorder and a control group.. <i>Schizophrenia Research</i> , 2022 , 240, 81-91	3.6	0
1194	Evaluating maintenance electroconvulsive therapy in Bipolar Disorders: 3-year mirror-image study. <i>Journal of Affective Disorders</i> , 2022 , 298, 58-64	6.6	0
1193	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022 , 296, 208-215	6.6	0
1192	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
1191	Randomised controlled cognition trials in remitted patients with mood disorders published between 2015-2021: A systematic review by the International Society for Bipolar Disorders Targeting Cognition Task Force.. <i>Bipolar Disorders</i> , 2022 ,	3.8	2
1190	A systematic review and meta-analysis of structural and functional brain alterations in individuals with genetic and clinical high-risk for psychosis and bipolar disorder.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110540	5.5	0
1189	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
1188	Undetermined predominant polarity in a cohort of bipolar disorder patients: Prevalent, severe, and overlooked.. <i>Journal of Affective Disorders</i> , 2022 , 303, 223-229	6.6	0
1187	Early intervention comes late.. <i>European Neuropsychopharmacology</i> , 2022 , 59, 1-3	1.2	0

1186	Existing and emerging pharmacological approaches to the treatment of mania: A critical overview.. <i>Translational Psychiatry</i> , 2022 , 12, 169	8.6	0
1185	Minimal Effects of Cariprazine on Prolactin Levels in Bipolar Disorder and Schizophrenia.. <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 995-1011	3.1	2
1184	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022 , 244, 46-54	3.6	0
1183	The U-shaped relationship between parental age and the risk of bipolar disorder in the offspring: A systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2022 , 60, 55-75	1.2	0
1182	Maternal Dietary Inflammatory Index during Pregnancy Is Associated with Perinatal Outcomes: Results from the IMPACT BCN Trial. <i>Nutrients</i> , 2022 , 14, 2284	6.7	0
1181	Metabolic polygenic risk scores effect on antipsychotic-induced metabolic dysregulation: A longitudinal study in a first episode psychosis cohort. <i>Schizophrenia Research</i> , 2022 , 244, 101-110	3.6	0
1180	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022 , 60, 91-99	1.2	1
1179	Predictors of Clinical Recovery in Bipolar Disorders. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 155-170.7		
1178	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
1177	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
1176	Focusing on Comorbidity-A Novel Meta-Analytic Approach and Protocol to Disentangle the Specific Neuroanatomy of Co-occurring Mental Disorders.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 807839	5	1
1175	Effects of Mediterranean Diet or Mindfulness-Based Stress Reduction on Prevention of Small-for-Gestational Age Birth Weights in Newborns Born to At-Risk Pregnant Individuals: The IMPACT BCN Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2150-2160	27.4	8
1174	Does metabolic syndrome or its component factors alter the course of bipolar disorder? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 132, 142-153	9	1
1173	Precision psychotherapy. <i>European Neuropsychopharmacology</i> , 2021 , 55, 20-21	1.2	3
1172	Empirical support for the use and further study of the countertransference construct in the clinical care of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2021 ,	3.8	1
1171	Perampanel-Induced Psychosis in a Young Woman: A Case Report. <i>Clinical Neuropharmacology</i> , 2021 , 44, 240-242	1.4	1
1170	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
1169	Letter to BJPsych in response to Horowitz and Moncrieff.. <i>British Journal of Psychiatry</i> , 2021 , 219, 619-620.4		

1168	Suicide-related thoughts and behavior and suicide death trends during the COVID-19 in the general population of Catalonia, Spain. <i>European Neuropsychopharmacology</i> , 2021 , 56, 4-12	1.2	2
1167	Cortical thickness abnormalities in patients with bipolar disorder: a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2021 , 300, 209-209	6.6	0
1166	Ten-year course of treated bipolar I disorder: The role of polarity at onset. <i>Brain and Behavior</i> , 2021 , 11, e2279	3.4	1
1165	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021 ,	3.8	6
1164	Relationship between cognition and age at onset of first-episode psychosis: comparative study between adolescents, young adults, and adults. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	0
1163	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGE-II-MIX study. <i>Bipolar Disorders</i> , 2021 , 23, 391-399	3.8	3
1162	Changing trends in psychiatric emergency service admissions during the COVID-19 outbreak: Report from a worldwide epicentre. <i>Journal of Affective Disorders</i> , 2021 , 282, 26-32	6.6	28
1161	Two randomized, double-blind, placebo-controlled trials and one open-label, long-term trial of brexpiprazole for the acute treatment of bipolar mania. <i>Journal of Psychopharmacology</i> , 2021 , 35, 971-982	4.6	8
1160	Mid and long-term effects of a SBIRT program for at-risk drinkers attending to an emergency department. Follow-up results from a randomized controlled trial. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 373-379	2.3	0
1159	Resilience and mental health during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 283, 156-164	6.6	24
1158	Does cognitive impairment in bipolar disorder impact on a SIMPLE app use?. <i>Journal of Affective Disorders</i> , 2021 , 282, 488-494	6.6	6
1157	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. <i>Journal of Affective Disorders</i> , 2021 , 282, 757-765	6.6	0
1156	Commentary on "The 2020 Royal Australian and New Zealand College of psychiatrists clinical practice guidelines for mood disorders: Bipolar disorder summary". <i>Bipolar Disorders</i> , 2021 , 23, 513-514	3.8	
1155	Overview of lithium's use: a nationwide survey. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 10	5.4	5
1154	A systematic review on genome-wide association studies exploring comorbidity in bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 4, 100130	1.4	
1153	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
1152	Commentary on Kohne and van OS view on precision psychiatry. <i>Psychological Medicine</i> , 2021 , 51, 1412-1414	1.4	1
1151	Feasibility of mHealth interventions for depressive symptoms in Latin America: a systematic review. <i>International Review of Psychiatry</i> , 2021 , 33, 300-311	3.6	2

1150	Efficacy of an integrative approach for bipolar disorder: preliminary results from a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1
1149	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
1148	Reliability and Concurrent and Construct Validity of a Food Frequency Questionnaire for Pregnant Women at High Risk to Develop Fetal Growth Restriction. <i>Nutrients</i> , 2021 , 13,	6.7	8
1147	Synthesizing the Evidence for Ketamine and Esketamine in Treatment-Resistant Depression: An International Expert Opinion on the Available Evidence and Implementation. <i>American Journal of Psychiatry</i> , 2021 , 178, 383-399	11.9	67
1146	Higher order theory of mind in patients with bipolar disorder and schizophrenia/schizoaffective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
1145	Mediterranean diet, Mindfulness-Based Stress Reduction and usual care during pregnancy for reducing fetal growth restriction and adverse perinatal outcomes: IMPACT BCN (Improving Mothers for a better PrenAtal Care Trial BarCeloNa): a study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 342	2.8	4
1144	Misunderstanding precision psychiatry. <i>Psychological Medicine</i> , 2021 , 51, 1418-1419	6.9	1
1143	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106	3.6	1
1142	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021 , 47, 54-61	1.2	8
1141	methylation is associated with bipolar disorder and the isoform expression and methylation of myelin genes. <i>Epigenomics</i> , 2021 , 13, 845-858	4.4	1
1140	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
1139	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
1138	Patients' adherence to smartphone apps in the management of bipolar disorder: a systematic review. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 19	5.4	4
1137	The efficacy of cariprazine on function in patients with bipolar depression: a analysis of a randomized controlled trial. <i>Current Medical Research and Opinion</i> , 2021 , 37, 1635-1643	2.5	6
1136	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
1135	Functioning assessment short test (FAST): validity and reliability in adults with Autism Spectrum Disorder. <i>BMC Psychiatry</i> , 2021 , 21, 321	4.2	0
1134	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
1133	Bipolar disorder cohort studies: Crucial, but underfunded. <i>European Neuropsychopharmacology</i> , 2021 , 47, 31-33	1.2	5

1132	Self-reported neurocognitive symptoms during COVID-19 lockdown and its associated factors in a sample of psychiatric patients. Results from the BRIS-MHC study. <i>European Neuropsychopharmacology</i> , 2021 , 53, 7-18	1.2	3
1131	Clozapina en pacientes con trastorno esquizoafectivo: una revisi3n sistem3tica. <i>Revista De Psiquiatr3 Y Salud Mental</i> , 2021 , 14, 148-156	2.7	1
1130	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
1129	The Collaborative Outcomes study on Health and Functioning during Infection Times in Adults (COH-FIT-Adults): Design and methods of an international online survey targeting physical and mental health effects of the COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2021 , 299, 393-393	6.6	2
1128	The Role of Mitochondria in Mood Disorders: From Physiology to Pathophysiology and to Treatment. <i>Frontiers in Psychiatry</i> , 2021 , 12, 546801	5	5
1127	Study Protocol-Coping With the Pandemics: What Works Best to Reduce Anxiety and Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 642763	5	0
1126	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701140	5	0
1125	Bipolar disorder and Susac syndrome: a case report. <i>International Clinical Psychopharmacology</i> , 2021 , 36, 305-309	2.2	
1124	Clinical correlates of seasonality in bipolar disorder: A specifier that needs specification?. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 162-171	6.5	4
1123	Recommendations for the care of patients with bipolar disorder during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2021 , 279, 117-121	6.6	12
1122	The prevalence, odds and predictors of lifespan comorbid eating disorder among people with a primary diagnosis of bipolar disorders, and vice-versa: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021 , 280, 409-431	6.6	5
1121	Effects of the COVID-19 pandemic and lockdown in Spain: comparison between community controls and patients with a psychiatric disorder. Preliminary results from the BRIS-MHC STUDY. <i>Journal of Affective Disorders</i> , 2021 , 281, 13-23	6.6	35
1120	The rebirth of lithium as the archetypal mood stabilizer. <i>Bipolar Disorders</i> , 2021 , 23, 211-212	3.8	3
1119	The COVID-19 Pandemic and Mental Health of Refugees, Asylum Seekers, and Migrants. <i>Journal of Affective Disorders</i> , 2021 , 280, 407-408	6.6	14
1118	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatr3 Y Salud Mental</i> , 2021 , 14, 90-105	2.7	39
1117	The usefulness of Olanzapine plasma concentrations in monitoring treatment efficacy and metabolic disturbances in first-episode psychosis. <i>Psychopharmacology</i> , 2021 , 238, 665-676	4.7	3
1116	Long-term treatment of bipolar disorder type I: A systematic and critical review of clinical guidelines with derived practice algorithms. <i>Bipolar Disorders</i> , 2021 , 23, 324-340	3.8	5
1115	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021 , 8, 14-15	23.3	7

1114	Commentary on: "Make lithium great again!". <i>Bipolar Disorders</i> , 2021 , 23, 90-91	3.8	3
1113	Brain structural trajectories in youth at familial risk for schizophrenia or bipolar disorder according to development of psychosis spectrum symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 780-789	7.9	3
1112	Can we increase the subjective well-being of the general population? An umbrella review of the evidence. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 50-64	2.7	1
1111	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1
1110	The biological basis of predominant polarity 2021 , 97-107		
1109	Bipolar disorders, obesity, and metabolic disturbances: Mechanisms and implications 2021 , 257-274		
1108	Quality of care in psychiatry is related to research activity. <i>European Psychiatry</i> , 2021 , 64, e53	6	
1107	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 ,	2.7	6
1106	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
1105	Associations between cognitive impairment and illness awareness in fully remitted bipolar outpatients. <i>Psychiatry Research</i> , 2021 , 296, 113655	9.9	
1104	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e19	5.1	13
1103	Lithium concentration and recurrence risk during maintenance treatment of bipolar disorder: Multicenter cohort and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 368-378	6.5	2
1102	Clozapine in patients with schizoaffective disorder: A systematic review. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 148-156	0.2	
1101	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021 , 23, 659-678	3.8	7
1100	Lithium therapy and weight change in people with bipolar disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 ,	9	2
1099	Risk of cancer in bipolar disorder and the potential role of lithium: International collaborative systematic review and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 529-541	9	6
1098	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
1097	Group and sex differences in social cognition in bipolar disorder, schizophrenia/schizoaffective disorder and healthy people. <i>Comprehensive Psychiatry</i> , 2021 , 109, 152258	7.3	3

1096	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68 ^{1,2}	3
1095	Increased C-reactive protein concentration and suicidal behavior in people with psychiatric disorders: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 537-552	6.5 5
1094	Bipolar symptoms, somatic burden, and functioning in older-age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2021 ,	3.8 2
1093	Mind long COVID: Psychiatric sequelae of SARS-CoV-2 infection. <i>European Neuropsychopharmacology</i> , 2021 , 49, 119-121	1.2 17
1092	Biased accuracy in multisite machine-learning studies due to incomplete removal of the effects of the site. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 314, 111313	2.9 2
1091	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2021 , 54, 90-90	1.2 1
1090	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9 2
1089	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4 0
1088	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9 1
1087	Searching for factors associated with the "Revolving Door phenomenon" in the psychiatric inpatient unit: A 5-year retrospective cohort study. <i>Psychiatry Research</i> , 2021 , 303, 114080	9.9 1
1086	Addressing the 'hypoxia paradox' in severe COVID-19: literature review and report of four cases treated with erythropoietin analogues. <i>Molecular Medicine</i> , 2021 , 27, 120	6.2 2
1085	Preventing new episodes of bipolar disorder in adults: Systematic review and meta-analysis of randomized controlled trials. <i>European Neuropsychopharmacology</i> , 2021 ,	1.2 7
1084	Epidemiology and costs of depressive disorder in Spain: the EPICO study. <i>European Neuropsychopharmacology</i> , 2021 , 50, 93-103	1.2 6
1083	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6 0
1082	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T relaxometry. <i>Neurobiology of Aging</i> , 2021 , 106, 68-79	5.6 2
1081	Emotional cognition subgroups in mood disorders: Associations with familial risk. <i>European Neuropsychopharmacology</i> , 2021 , 51, 71-83	1.2 3
1080	Peripheral levels of C-reactive protein, tumor necrosis factor- α , interleukin-6, and interleukin-1 β across the mood spectrum in bipolar disorder: A meta-analysis of mean differences and variability. <i>Brain, Behavior, and Immunity</i> , 2021 , 97, 193-203	16.6 12
1079	Structural brain correlates in major depression, anxiety disorders and post-traumatic stress disorder: A voxel-based morphometry meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 129, 269-281	9 2

1078	Manifesto for an ECNP Neuromodulation Thematic Working Group (TWG): Non-invasive brain stimulation as a new Super-specialty. <i>European Neuropsychopharmacology</i> , 2021 , 52, 72-83	1.2	
1077	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021 , 294, 513-520	6.6	2
1076	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
1075	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
1074	Precision psychiatry: Complex problems require complex solutions. <i>European Neuropsychopharmacology</i> , 2021 , 52, 94-95	1.2	4
1073	Economic impact of treatment-resistant depression: A retrospective observational study. <i>Journal of Affective Disorders</i> , 2021 , 295, 578-586	6.6	2
1072	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
1071	Implications of the COVID-19 pandemic for people with bipolar disorders: A scoping review. <i>Journal of Affective Disorders</i> , 2021 , 295, 740-751	6.6	3
1070	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021 , 38, 528-544	8.4	33
1069	Patient and physician perspectives of a smartphone application for depression: a qualitative study. <i>BMC Psychiatry</i> , 2021 , 21, 65	4.2	2
1068	Clinical profile of patients admitted in an acute psychiatric ward before and during the COVID-19 lockdown. <i>European Psychiatry</i> , 2021 , 64, S102-S102	6	
1067	Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>European Psychiatry</i> , 2021 , 64, S163-S163	6	
1066	Dhat syndrome: A case report on a culture-bound challenge. <i>European Psychiatry</i> , 2021 , 64, S733-S733	6	
1065	P.0412 Does sex really matter in cognitive and psychological functioning in bipolar disorder?. <i>European Neuropsychopharmacology</i> , 2021 , 53, S298-S299	1.2	
1064	P.0585 Disentangling clinical, neurobiological, and genetic correlates of first episode mania from first episode psychosis. <i>European Neuropsychopharmacology</i> , 2021 , 53, S428-S429	1.2	
1063	P.0373 The hidden link between duration of untreated illness, treatment response and functioning in bipolar disorder: results from a cross-sectional study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S272-S273	1.2	
1062	P.0149 Cognitive reserve and cannabis use in first-episode psychoses. <i>European Neuropsychopharmacology</i> , 2021 , 53, S107-S108	1.2	
1061	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020 , 14, 569540	5.1	2

1060	A psychiatrist's perspective from a COVID-19 epicentre: a personal account. <i>BJPsych Open</i> , 2020 , 6, e1085		9
1059	Evidence-based umbrella review of 162 peripheral biomarkers for major mental disorders. <i>Translational Psychiatry</i> , 2020 , 10, 152	8.6	48
1058	Anti-inflammatory treatment of bipolar depression: promise and disappointment. <i>Lancet Psychiatry</i> , 2020 , 7, 467-468	23.3	5
1057	Association between selective serotonin reuptake inhibitors and violent crime - could underlying psychopathology be the cause?. <i>European Neuropsychopharmacology</i> , 2020 , 36, 151-153	1.2	1
1056	Symptom networks in acute depression across bipolar and major depressive disorders: A network analysis on a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2020 , 35, 49-60	1.2	8
1055	Unravelling potential severe psychiatric repercussions on healthcare professionals during the COVID-19 crisis. <i>Journal of Affective Disorders</i> , 2020 , 273, 422-424	6.6	27
1054	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
1053	Associations between cognitive impairment and P300 mean amplitudes in individuals with bipolar disorder in remission. <i>Psychiatry Research</i> , 2020 , 290, 113125	9.9	1
1052	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020 , 36, 121-136	1.2	11
1051	Lithium and suicide prevention in mood disorders and in the general population: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 116, 142-153	9	31
1050	COVID-19 inpatients with psychiatric disorders: Real-world clinical recommendations from an expert team in consultation-liaison psychiatry. <i>Journal of Affective Disorders</i> , 2020 , 274, 1062-1067	6.6	38
1049	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
1048	Erythropoietin as candidate for supportive treatment of severe COVID-19. <i>Molecular Medicine</i> , 2020 , 26, 58	6.2	26
1047	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
1046	The COVID-19 pandemic is a crisis and opportunity for bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 641-648	6.4	40
1045	The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. <i>Journal of Affective Disorders</i> , 2020 , 268, 201-205	6.6	10
1044	Clinical and Neurocognitive Predictors of Functional Outcome in Depressed Patients with Partial Response to Treatment: One Year Follow-Up Study. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 589-595	3.1	3
1043	Bipolar Disorder. <i>New England Journal of Medicine</i> , 2020 , 383, 58-66	59.2	113

1042	Predictive factors of functional outcome in patients with bipolar I disorder: a five-year follow-up. <i>Journal of Affective Disorders</i> , 2020 , 272, 249-258	6.6	7
1041	Coping behaviors associated with decreased anxiety and depressive symptoms during the COVID-19 pandemic and lockdown. <i>Journal of Affective Disorders</i> , 2020 , 275, 80-81	6.6	154
1040	mHealth in affective disorders: hype or hope? A focused narrative review. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 61-68	2.2	17
1039	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
1038	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1019-1025	1.3	11
1037	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 274, 1113-1121	6.6	8
1036	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 514-523	4.6	8
1035	Genetic variants associated with psychotic symptoms across psychiatric disorders. <i>Neuroscience Letters</i> , 2020 , 720, 134754	3.3	4
1034	Placebo-To be or not to be? Are there really alternatives to placebo-controlled trials?. <i>European Neuropsychopharmacology</i> , 2020 , 32, 1-11	1.2	5
1033	Disruptive treatments in psychiatry. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 1-4	2.7	9
1032	Neurodevelopmental pathways in bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 112, 213-226	9	22
1031	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
1030	156 The Broad Efficacy of Cariprazine Across Symptoms in Patients with Bipolar I Disorder: Post Hoc Analysis of Randomized, Placebo-Controlled Trials. <i>CNS Spectrums</i> , 2020 , 25, 300-300	1.8	
1029	Evaluation of cariprazine in the treatment of bipolar I and II depression: a randomized, double-blind, placebo-controlled, phase 2 trial. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 147-156	7.2	7
1028	The role of mental health home hospitalization care during the COVID-19 pandemic. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 479-480	6.5	39
1027	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 105-110	2.7	92
1026	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
1025	The black sheep of the family- whole-exome sequencing in family of lithium response discordant bipolar monozygotic twins. <i>European Neuropsychopharmacology</i> , 2020 , 34, 19-27	1.2	4

1024	Physical health in affective disorders: a narrative review of the literature. <i>Revista Brasileira De Psiquiatria</i> , 2020 ,	2.6	7
1023	Reliability and validity of the functioning assessment short test for older adults with bipolar disorder (FAST-O). <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 28	5.4	0
1022	A Self-administered Version of the Functioning Assessment Short Test for Use in Population-based Studies: A Pilot Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2020 , 16, 192-203	3.2	1
1021	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
1020	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort: Baseline Characterization and a 12-Month Follow-Up Analysis. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	4
1019	Broad Efficacy of Cariprazine on Depressive Symptoms in Bipolar Disorder and the Clinical Implications. <i>primary care companion for CNS disorders, The</i> , 2020 , 22,	1.2	5
1018	Diagnostic biomarkers for obsessive-compulsive disorder: A reasonable quest or ignis fatuus?. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 118, 504-513	9	15
1017	The biology of aggressive behavior in bipolar disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 119, 9-20	9	4
1016	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
1015	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2020 , 13, 165-173	2.7	4
1014	Personalized treatment in bipolar disorder 2020 , 423-436		1
1013	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14
1012	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020 , 22, 255-265	3.8	11
1011	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020 , 46, 846-856	1.3	2
1010	Obstetric complications in bipolar disorder: Psychiatric factors and the risk of caesarean section. <i>European Neuropsychopharmacology</i> , 2020 , 32, 47-55	1.2	5
1009	What else is needed for a full functional recovery in bipolar disorder?. <i>Bipolar Disorders</i> , 2020 , 22, 411-413	3.8	2
1008	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
1007	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020 , 25, 102131	5.3	8

1006	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
1005	Mixed Features in Depression: The Unmet Needs of Diagnostic and Statistical Manual of Mental Disorders Fifth Edition. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 59-68	3.1	19
1004	Disruptive treatments in psychiatry. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 1-4	0.2	
1003	The CINP Guidelines on the Definition and Evidence-Based Interventions for Treatment-Resistant Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 230-256	5.8	11
1002	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S125-S126	1.3	78
1001	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2020 , 223, 345-352	3.6	2
1000	Suicide mortality and use of psychotropic drugs in patients hospitalized due to bipolar disorder: A Finnish nationwide cohort study. <i>Journal of Affective Disorders</i> , 2020 , 277, 885-892	6.6	7
999	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
998	Aripiprazole monotherapy as transdiagnostic intervention for the treatment of mental disorders: An umbrella review according to TRANSD criteria. <i>European Neuropsychopharmacology</i> , 2020 , 41, 16-27	1.2	7
997	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 165-173	0.2	
996	Validity of the Shahin Mixed Depression Scale: A Self-Rated Instrument Designed to Measure the Non-DSM Mixed Features in Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 2209-2219	3.1	
995	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
994	Needs of people with psychosis and their caregivers: In their own voice. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 80-89	0.2	1
993	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	2
992	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 813-824	23.3	542
991	Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. <i>Translational Psychiatry</i> , 2020 , 10, 241	8.6	3
990	The concept and management of acute episodes of treatment-resistant bipolar disorder: a systematic review and exploratory meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2020 , 276, 970-983	6.6	21
989	How to treat mania. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 142, 173-192	6.5	4

988	Bipolar disorders. <i>Lancet, The</i> , 2020 , 396, 1841-1856	4.0	124
987	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020 , 41, 28-39	1.2	25
986	Risk Calculators in Bipolar Disorder: A Systematic Review. <i>Brain Sciences</i> , 2020 , 10,	3.4	8
985	Electroconvulsive therapy protocol adaptation during the COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2020 , 276, 241-248	6.6	17
984	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
983	Genetic differences between bipolar disorder subtypes: A systematic review focused in bipolar disorder type II. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 118, 623-630	9	4
982	Factors associated with single versus multiple suicide attempts in depressive disorders. <i>Journal of Affective Disorders</i> , 2020 , 277, 306-312	6.6	5
981	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
980	Psychiatry in the aftermath of COVID-19. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020 , 13, 105-110	0.2	7
979	Double-blind, placebo-controlled study of lurasidone monotherapy for the treatment of bipolar I depression. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 635-644	6.2	10
978	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143 ^{15.1}	7.1	71
977	Risk and protective factors for anxiety and obsessive-compulsive disorders: an umbrella review of systematic reviews and meta-analyses. <i>Psychological Medicine</i> , 2020 , 50, 1300-1315	6.9	17
976	Prevalence and correlates of major depressive disorder, bipolar disorder and schizophrenia among nursing home residents without dementia: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2020 , 216, 6-15	5.4	5
975	The influence of the working alliance on the treatment and outcomes of patients with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 260, 263-271	6.6	6
974	Disability in bipolar I disorder: Application of Mokken scaling analysis and the graded response model to the World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2020 , 260, 506-513	6.6	2
973	Association between CANCA1C gene rs1034936 polymorphism and alcohol dependence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 261, 181-186	6.6	7
972	Lithium Exposure During Pregnancy and the Postpartum Period: A Systematic Review and Meta-Analysis of Safety and Efficacy Outcomes. <i>American Journal of Psychiatry</i> , 2020 , 177, 76-92	11.9	43
971	Psychiatric disorders and SLC6A4 gene variants: possible effects on alcohol dependence and alzheimer's disease. <i>Molecular Biology Reports</i> , 2020 , 47, 191-200	2.8	3

970	Lighting as an aid for recovery in hospitalized psychiatric patients: a randomized controlled effectiveness trial. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 105-114	2.3	4
969	"Do depressive and manic symptoms differentially impact on functioning in acute depression? Results from a large, cross-sectional study". <i>Journal of Affective Disorders</i> , 2020 , 261, 30-39	6.6	9
968	Progression of the functional deficit in a group of patients with bipolar disorder: a cluster analysis based on longitudinal data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 947-957	5.1	10
967	The anatomy of panic buying related to the current COVID-19 pandemic. <i>Psychiatry Research</i> , 2020 , 288, 113015	9.9	104
966	Effectiveness of a Pharmacogenetic Tool at Improving Treatment Efficacy in Major Depressive Disorder: A Meta-Analysis of Three Clinical Studies. <i>Pharmaceutics</i> , 2019 , 11,	6.4	5
965	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
964	Risk factors for posttraumatic stress disorder: An umbrella review of systematic reviews and meta-analyses. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 154-165	9	44
963	Management of asenapine treatment in clinical practice: Recommendations from a panel of experts. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 163-169	0.2	
962	Association of Antidepressant Use With Adverse Health Outcomes: A Systematic Umbrella Review. <i>JAMA Psychiatry</i> , 2019 , 76, 1241-1255	14.5	72
961	BMI evolution and impaired oGTT in a sample of psychotic resistant patients that starting clozapine. <i>European Neuropsychopharmacology</i> , 2019 , 29, S537-S538	1.2	
960	Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 825-834	1.2	26
959	Association of Anorexia Nervosa With Risk of Cancer: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e195313	10.4	6
958	Pharmacotherapy for the peripartum management of bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1731-1741	4	4
957	Relationships between recurrence and polarity in major depressive disorders: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. <i>Journal of Affective Disorders</i> , 2019 , 256, 250-258	6.6	7
956	Food craving and consumption evolution in patients starting treatment with clozapine. <i>Psychopharmacology</i> , 2019 , 236, 3317-3327	4.7	3
955	What is the optimal serum level for lithium in the maintenance treatment of bipolar disorder? A systematic review and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>Bipolar Disorders</i> , 2019 , 21, 394-409	3.8	48
954	Efficacy and Safety of Flexibly Dosed Esketamine Nasal Spray Combined With a Newly Initiated Oral Antidepressant in Treatment-Resistant Depression: A Randomized Double-Blind Active-Controlled Study. <i>American Journal of Psychiatry</i> , 2019 , 176, 428-438	11.9	282
953	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019 , 209, 148-155	3.6	4

952	Bipolar disorder may increase the risk of caesarean section. <i>European Neuropsychopharmacology</i> , 2019 , 29, S83-S84	1.2	
951	The Global Aging & Geriatric Experiments in Bipolar Disorder Database (GAGE-BD) project: Understanding older-age bipolar disorder by combining multiple datasets. <i>Bipolar Disorders</i> , 2019 , 21, 642-649	3.8	3
950	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
949	The role of overlapping excitatory symptoms in major depression: are they relevant for the diagnosis of mixed state?. <i>Journal of Psychiatric Research</i> , 2019 , 115, 151-157	5.2	15
948	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
947	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019 , 29, 701-710	1.2	5
946	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019 , 255, 15-22	6.6	10
945	Antipsychotic-induced weight gain and birth weight in psychosis: A fetal programming model. <i>Journal of Psychiatric Research</i> , 2019 , 115, 29-35	5.2	10
944	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 467-477	5.8	35
943	Obstetric complications in bipolar disorder: The role of mental health disorders in the risk of caesarean section. <i>Journal of Affective Disorders</i> , 2019 , 252, 458-463	6.6	4
942	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
941	The implications of hypersomnia in the context of major depression: Results from a large, international, observational study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 471-481	1.2	16
940	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
939	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
938	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 449-457	3.8	11
937	47 Sustained Functional Recovery and Symptom Remission After Maintenance Treatment with Aripiprazole Once-Monthly for Patients with Bipolar I Disorder. <i>CNS Spectrums</i> , 2019 , 24, 201-202	1.8	1
936	Predictors of sexual impairment at 6months after a manic episode: A post-hoc analysis of the MANACOR study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S386-S387	1.2	
935	Predominant polarity in bipolar disorder patients: The COPE bipolar sample. <i>Journal of Affective Disorders</i> , 2019 , 250, 43-50	6.6	10

934	High BDNF serum levels are associated to good cognitive functioning in bipolar disorder. <i>European Psychiatry</i> , 2019 , 60, 97-107	6	24
933	A systematic review on sleep alterations anticipating the onset of bipolar disorder. <i>European Psychiatry</i> , 2019 , 58, 45-53	6	18
932	Long-acting injectable antipsychotics (LAIs) for maintenance treatment of bipolar and schizoaffective disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019 , 29, 457-470	1.2	23
931	Impact of number of episodes on neurocognitive trajectory in bipolar disorder patients: a 5-year follow-up study. <i>Psychological Medicine</i> , 2019 , 49, 1299-1307	6.9	31
930	Management of asenapine treatment in clinical practice: Recommendations from a panel of experts. <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 163-169	2.7	3
929	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
928	Association between completed suicide and bipolar disorder: A systematic review of the literature. <i>Journal of Affective Disorders</i> , 2019 , 242, 111-122	6.6	83
927	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
926	Genetic basis of psychopathological dimensions shared between schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 23-29	5.5	6
925	Patient characteristics driving clinical utility in psychiatric pharmacogenetics: a reanalysis from the AB-GEN multicentric trial. <i>Journal of Neural Transmission</i> , 2019 , 126, 95-99	4.3	1
924	The role of different patterns of psychomotor symptoms in major depressive episode: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. <i>Bipolar Disorders</i> , 2019 , 21, 785-793	3.8	7
923	Completed suicide in bipolar disorder patients: A cohort study after first hospitalization. <i>Journal of Affective Disorders</i> , 2019 , 257, 340-344	6.6	6
922	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	14
921	Beyond evidence-based treatment of bipolar disorder: Rational pragmatic approaches to management. <i>Bipolar Disorders</i> , 2019 , 21, 650-659	3.8	17
920	Bipolar II Disorder: Frequent, Valid, and Reliable. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 541-543	4.8	7
919	Novel antipsychotics specificity profile: A clinically oriented review of lurasidone, brexpiprazole, cariprazine and lumateperone. <i>European Neuropsychopharmacology</i> , 2019 , 29, 971-985	1.2	44
918	A 12-month prospective study on the time to hospitalization and clinical management of a cohort of bipolar type I and schizoaffective bipolar patients. <i>European Psychiatry</i> , 2019 , 61, 1-8	6	3
917	Neurocognitive endophenotypes in schizophrenia and bipolar disorder: A systematic review of longitudinal family studies. <i>Schizophrenia Research</i> , 2019 , 210, 21-29	3.6	14

916	Effects of electroconvulsive therapy in the systemic inflammatory balance of patients with severe mental disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 628-635	6.2	10
915	The Use of Antipsychotic Drugs in Bipolar II Disorder 2019 , 143-150		
914	Expert advice on the management of valproate in women with bipolar disorder at childbearing age. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1199-1212	1.2	8
913	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 135-140	0.2	1
912	Promotion of a Healthy Lifestyle 2019 , 31-39		
911	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 720-740	3.8	32
910	Affective cognition in bipolar disorder: A systematic review by the ISBD targeting cognition task force. <i>Bipolar Disorders</i> , 2019 , 21, 686-719	3.8	36
909	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
908	Adverse outcomes during pregnancy and major congenital malformations in infants of patients with bipolar and schizoaffective disorders treated with antiepileptic drugs: A systematic review. <i>Psychiatria Polska</i> , 2019 , 53, 223-244	1.3	6
907	Sultans of Swing: A Reappraisal of the Intertwined Association Between Affective Lability and Mood Reactivity in a Post Hoc Analysis of the BRIDGE-II-MIX Study. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	11
906	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019 , 249, 199-207	6.6	8
905	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 369-380	6.5	16
904	Psychoeducation for Patients and Family Members 2019 , 17-30		
903	Cognitive and Functional Remediation 2019 , 50-60		
902	Introduction to the Integrative Approach 2019 , 61-63		1
901	Contents of the Integrative Approach 2019 , 64-109		
900	Introduction to Bipolar Disorders 2019 , 1-5		
899	Adjunctive Psychological Treatments in Adults with Bipolar Disorders 2019 , 6-14		

898 The Group Rules (if the group format is used) **2019**, 110-110

897 Level of Satisfaction with the Intervention **2019**, 111-111

896 P.328 Exploring the correlation between functioning and cognition in bipolar disorder: A fMRI study using the n-back working memory task. *European Neuropsychopharmacology*, **2019**, 29, S234-S235 ^{1,2}

895 P.399 Abnormal neuroradiological findings in young adults with first-episodes of affective and non-affective psychosis. *European Neuropsychopharmacology*, **2019**, 29, S282-S283 ^{1,2}

894 Long-term safety and tolerability of cariprazine as adjunctive therapy in major depressive disorder. *International Clinical Psychopharmacology*, **2019**, 34, 76-83 ^{2,2} 76

893 Meta-analysis of Voxel-Based Neuroimaging Studies using Seed-based d Mapping with Permutation of Subject Images (SDM-PSI). *Journal of Visualized Experiments*, **2019**, ^{1,6} 19

892 Intravenous vortioxetine to accelerate onset of effect in major depressive disorder: a 2-week, randomized, double-blind, placebo-controlled study. *International Clinical Psychopharmacology*, **2019**, 34, 153-160 ^{2,2} 7

891 Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. *Cell*, **2019**, 179, 1469-1482.e11 ^{56.2} 402

890 P.612 Symptom network structure differences in acute depression between bipolar disorder and major depressive disorder: A network analysis.. *European Neuropsychopharmacology*, **2019**, 29, S419-S420 ^{1,2}

889 The relationship between attention deficit hyperactivity disorder, bipolarity and mixed features in major depressive patients: Evidence from the BRIDGE-II-Mix Study. *Journal of Affective Disorders*, **2019**, 246, 346-354 ^{6.6} 11

888 Identifying cognitive subgroups in bipolar disorder: A cluster analysis. *Journal of Affective Disorders*, **2019**, 246, 252-261 ^{6.6} 27

887 Behavioral addictions in bipolar disorders: A systematic review. *European Neuropsychopharmacology*, **2019**, 29, 76-97 ^{1,2} 9

886 Predominant polarity in bipolar I and II disorders: A five-year follow-up study. *Journal of Affective Disorders*, **2019**, 246, 806-813 ^{6.6} 16

885 Management Commentary **2019**, 278-280

884 Voxel-based meta-analysis via permutation of subject images (PSI): Theory and implementation for SDM. *NeuroImage*, **2019**, 186, 174-184 ^{7.9} 86

883 The emergence of loss of efficacy during antidepressant drug treatment for major depressive disorder: An integrative review of evidence, mechanisms, and clinical implications. *Pharmacological Research*, **2019**, 139, 494-502 ^{10.2} 26

882 Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. *British Journal of Psychiatry*, **2019**, 214, 27-35 ^{5.4} 33

881 Neurocognition and functional outcome in patients with psychotic, non-psychotic bipolar I disorder, and schizophrenia. A five-year follow-up. *European Psychiatry*, **2019**, 56, 60-68 ⁶ 16

880	Associations between cognitive impairment and quality of life in euthymic bipolar patients. <i>Psychiatry Research</i> , 2019 , 271, 510-515	9.9	19
879	Evaluation of Patient Satisfaction in a State Reference Center of Bipolar Disorder. <i>Journal of Behavioral Health Services and Research</i> , 2019 , 46, 319-329	1.7	2
878	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 464-473	1.3	29
877	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 516-527	6.5	56
876	Bipolar disorders. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18008	51.1	289
875	Vortioxetine: A new alternative for the treatment of major depressive disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2018 , 11, 48-59	0.2	4
874	Real-world Effectiveness of Pharmacologic Treatments for the Prevention of Rehospitalization in a Finnish Nationwide Cohort of Patients With Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018 , 75, 347-355	14.5	73
873	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
872	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 232, 229-236	6.6	3
871	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
870	Assessing and addressing cognitive impairment in bipolar disorder: the International Society for Bipolar Disorders Targeting Cognition Task Force recommendations for clinicians. <i>Bipolar Disorders</i> , 2018 , 20, 184-194	3.8	87
869	Effectiveness of a Specialized Brief Intervention for At-risk Drinkers in an Emergency Department: Short-term Results of a Randomized Controlled Trial. <i>Academic Emergency Medicine</i> , 2018 , 25, 517-525	3.4	13
868	Early Intervention in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2018 , 175, 411-426	11.9	123
867	Filling the gap between lab and clinical impact: An open randomized diagnostic trial comparing urinary ethylglucuronide and ethanol in alcohol dependent outpatients. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 225-230	4.9	3
866	Quality indicators in the treatment of patients with depression, bipolar disorder or schizophrenia. Consensus study. <i>Revista De Psiquiatria Y Salud Mental</i> , 2018 , 11, 66-75	2.7	8
865	Risk factors and peripheral biomarkers for schizophrenia spectrum disorders: an umbrella review of meta-analyses. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 88-97	6.5	71
864	Detection of early psychotic symptoms: Validation of the Spanish version of the "Symptom Onset in Schizophrenia (SOS) inventory". <i>Psychiatry Research</i> , 2018 , 261, 68-72	9.9	6
863	Psychosocial functioning in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. <i>Journal of Affective Disorders</i> , 2018 , 229, 177-185	6.6	19

862	Is recurrence in major depressive disorder related to bipolarity and mixed features? Results from the BRIDGE-II-Mix study. <i>Journal of Affective Disorders</i> , 2018 , 229, 164-170	6.6	17
861	PLACID study: A randomized trial comparing the efficacy and safety of inhaled loxapine versus intramuscular aripiprazole in acutely agitated patients with schizophrenia or bipolar disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 710-718	1.2	17
860	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 145-154	6.5	36
859	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 97-170	3.8	639
858	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018 , 23, 932-942	15.1	340
857	Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 749-755	5.1	19
856	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25
855	Functional impairment in adult bipolar disorder with ADHD. <i>Journal of Affective Disorders</i> , 2018 , 227, 117-125	6.6	8
854	A Review of Asenapine in the Treatment of Bipolar Disorder. <i>Clinical Drug Investigation</i> , 2018 , 38, 87-99	3.2	19
853	Food addiction: Prevalence, psychopathological correlates and associations with quality of life in a large sample. <i>Journal of Psychiatric Research</i> , 2018 , 96, 145-152	5.2	88
852	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Brazilian bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 170-178	2.3	9
851	Duration of euthymia and predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 241, 356-359	6.6	7
850	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
849	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 240, 57-62	6.6	39
848	Clinical characterization of rapid cycling bipolar disorder: Association with attention deficit hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2018 , 240, 187-192	6.6	10
847	Methodological Recommendations for Trials of Psychological Interventions. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 276-284	9.4	103
846	Violent criminal behavior in the context of bipolar disorder: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 239, 161-170	6.6	5
845	Behavioural biomarkers and mobile mental health: a new paradigm. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 9	5.4	20

844	Clinical features of a sample of inpatients with adjustment disorder referred to a consultation-liaison psychiatry service over 10 years. <i>General Hospital Psychiatry</i> , 2018 , 55, 98-99	5.6	2
843	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry</i> , 2018 , 5, 930-939	23.3	53
842	OpenSIMPLe: A real-world implementation feasibility study of a smartphone-based psychoeducation programme for bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 241, 436-445	6.6	42
841	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
840	Depressive mood and circadian rhythms disturbances as outcomes of seasonal affective disorder treatment: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 241, 608-626	6.6	15
839	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018 , 238, 297-304	6.6	18
838	Joint BAP NAPICU evidence-based consensus guidelines for the clinical management of acute disturbance: De-escalation and rapid tranquillisation. <i>Journal of Psychopharmacology</i> , 2018 , 32, 601-640	4.6	25
837	Psychometric properties of the Chinese version of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 238, 156-160	6.6	9
836	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
835	Randomized Controlled Trials of Psychoeducation Modalities in the Management of Bipolar Disorder: A Systematic Review. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	15
834	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Acute and long-term treatment of mixed states in bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 2-58	3.8	89
833	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185-194	4.3	4
832	Psychometric properties of the well-being index (WHO-5) spanish version in a sample of euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 153-159	6.6	18
831	The effects of vortioxetine on cognitive dysfunction in patients with inadequate response to current antidepressants in major depressive disorder: A short-term, randomized, double-blind, exploratory study versus escitalopram. <i>Journal of Affective Disorders</i> , 2018 , 227, 803-809	6.6	33
830	Individual trajectories of cognitive performance in first episode psychosis: a 2-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 699-711	5.1	21
829	The effectiveness of adjunct mindfulness-based intervention in treatment of bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 225, 234-245	6.6	43
828	Vortioxetine: A new alternative for the treatment of major depressive disorder. <i>Revista De Psiquiatria Y Salud Mental</i> , 2018 , 11, 48-59	2.7	22
827	4.4 INTERNET-BASED INTERVENTIONS FOR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S5-S5	1.3	78

826	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
825	Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , 2018 , 9, 641	5	54
824	Can lithium salts prevent depressive episodes in the real world?. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1351-1359	1.2	9
823	Psychometric properties of the modified Yale Food Addiction Scale 2.0 in a large Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 444-448	2.6	14
822	Risky Alcohol Use: The Impact on Health Service Use. <i>European Addiction Research</i> , 2018 , 24, 234-244	4.6	10
821	Revising , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1173-1182	2.6	12
820	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 470	5	3
819	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 863-874	1.2	9
818	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S318-S318	1.3	78
817	Impact of NTRK2, DRD2 and ACE polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis. <i>Journal of Psychopharmacology</i> , 2018 , 32, 702-710	4.6	5
816	Pathways Driving Neuroprogression in Depression: The Role of Immune Activation 2018 , 173-198		1
815	Mixed states in bipolar and major depressive disorders: systematic review and quality appraisal of guidelines. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 196-222	6.5	39
814	Treatment of Functional Impairment in Patients with Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2017 , 19, 3	9.1	32
813	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. <i>Journal of Affective Disorders</i> , 2017 , 212, 25-37	6.6	15
812	Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 210, 280-286	6.6	40
811	An exploratory study of the heterogeneity of the jealousy phenomenon and its associations with affective temperaments and psychopathological dimensions in a large Brazilian sample. <i>Journal of Affective Disorders</i> , 2017 , 212, 10-16	6.6	6
810	Cognitive Impairment in Euthymic Pediatric Bipolar Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 286-296	7.2	46
809	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21

808	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
807	Increased hippocampal, thalamus and amygdala volume in long-term lithium-treated bipolar I disorder patients compared with unmedicated patients and healthy subjects. <i>Bipolar Disorders</i> , 2017 , 19, 41-49	3.8	52
806	Homocysteine as a peripheral biomarker in bipolar disorder: A meta-analysis. <i>European Psychiatry</i> , 2017 , 43, 81-91	6	30
805	Guidelines for the recognition and management of mixed depression. <i>CNS Spectrums</i> , 2017 , 22, 203-219	1.8	72
804	Behavioural activation training for depression. <i>Lancet, The</i> , 2017 , 389, 367	40	5
803	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
802	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
801	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
800	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
799	The aggressor at the mirror: Psychiatric correlates of deliberate self-harm in male prison inmates. <i>European Psychiatry</i> , 2017 , 44, 153-160	6	13
798	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 160	2.8	25
797	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 670-680	5.8	104
796	Systematic assessment of environmental risk factors for bipolar disorder: an umbrella review of systematic reviews and meta-analyses. <i>Bipolar Disorders</i> , 2017 , 19, 84-96	3.8	69
795	The relationship between genetic risk variants with brain structure and function in bipolar disorder: A systematic review of genetic-neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 79, 87-109	9	17
794	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Japanese patients with bipolar disorder. <i>Psychiatry Research</i> , 2017 , 254, 85-89	9.9	21
793	Thyroid autoimmunity in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017 , 221, 97-106	6.6	41
792	The visceral brain: Bipolar disorder and microbiota. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 67-69	0.2	
791	The catechol-O-methyltransferase (COMT) Val158Met genotype modulates working memory-related dorsolateral prefrontal response and performance in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 214-224	3.8	41

790	Functional Impairment in Older Adults With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 443-447	1.8	13
789	Antidepressant-induced hypomania/mania in patients with major depression: Evidence from the BRIDGE-II-MIX study. <i>Journal of Affective Disorders</i> , 2017 , 219, 187-192	6.6	34
788	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 104-112	0.2	1
787	Clinical, Cognitive, and Neuroimaging Evidence of a Neurodevelopmental Continuum in Offspring of Proband With Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1208-1219	1.3	25
786	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 78-86	2.7	25
785	Cancer and central nervous system disorders: protocol for an umbrella review of systematic reviews and updated meta-analyses of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 69	3	13
784	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017 , 217, 210-217	6.6	19
783	Manual motor speed dysfunction as a neurocognitive endophenotype in euthymic bipolar disorder patients and their healthy relatives. Evidence from a 5-year follow-up study. <i>Journal of Affective Disorders</i> , 2017 , 215, 156-162	6.6	12
782	When the healthcare does not follow the evidence: The case of the lack of early intervention programs for psychosis in Spain. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2017 , 10, 78-86	0.2	
781	Tolerability of cariprazine in the treatment of acute bipolar I mania: A pooled post hoc analysis of 3 phase II/III studies. <i>Journal of Affective Disorders</i> , 2017 , 215, 205-212	6.6	14
780	Mixed features in bipolar disorder. <i>CNS Spectrums</i> , 2017 , 22, 134-140	1.8	32
779	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017 , 12, e0175683	3.7	57
778	Anorexia nervosa and cancer: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 137	3	4
777	Risk of mortality among children, adolescents, and adults with autism spectrum disorder or attention deficit hyperactivity disorder and their first-degree relatives: a protocol for a systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017 , 6, 189	3	8
776	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 27	5.4	50
775	Efficacy of prospective pharmacogenetic testing in the treatment of major depressive disorder: results of a randomized, double-blind clinical trial. <i>BMC Psychiatry</i> , 2017 , 17, 250	4.2	100
774	Protocol for the management of psychiatric patients with psychomotor agitation. <i>BMC Psychiatry</i> , 2017 , 17, 328	4.2	23
773	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 2: Review, Grading of the Evidence, and a Precise Algorithm. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 121-179	5.8	61

772	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 98-120	5.8	19
771	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 4: Unmet Needs in the Treatment of Bipolar Disorder and Recommendations for Future Research. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 196-205	5.8	36
770	Methodological recommendations for cognition trials in bipolar disorder by the International Society for Bipolar Disorders Targeting Cognition Task Force. <i>Bipolar Disorders</i> , 2017 , 19, 614-626	3.8	103
769	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017 , 19, 637-650	3.8	9
768	Staging in bipolar disorder: from theoretical framework to clinical utility. <i>World Psychiatry</i> , 2017 , 16, 236-244	3.8	104
767	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017 , 27, 959-969	1.2	13
766	Differential failure to deactivate the default mode network in unipolar and bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 386-395	3.8	25
765	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
764	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017 , 19, 363-374	3.8	32
763	Obesity in patients with major depression is related to bipolarity and mixed features: evidence from the BRIDGE-II-Mix study. <i>Bipolar Disorders</i> , 2017 , 19, 458-464	3.8	28
762	Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 362-372	6.5	24
761	Effectiveness of long-term vortioxetine treatment of patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 877-884	1.2	17
760	High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017 , 41, S116-S116	6	
759	Concordance and Discrepancy Between Subjective and Objective Cognitive Assessment in Bipolar Disorder: What is Influencing this Discrepancy?. <i>European Psychiatry</i> , 2017 , 41, S207-S207	6	
758	Is a SIMPLe smartphone application capable of improving biological rhythms in bipolar disorder?. <i>Journal of Affective Disorders</i> , 2017 , 223, 10-16	6.6	31
757	The Role of Long Acting Antipsychotics in Bipolar Disorder. <i>European Psychiatry</i> , 2017 , 41, S15-S15	6	1
756	Needs of People with Schizophrenia/Psychosis and their Caregivers: A Large Scale Survey. <i>European Psychiatry</i> , 2017 , 41, S97-S97	6	
755	Algorithm-based protocol for the identification, management and treatment of psychiatric patients with acute psychomotor agitation. <i>European Psychiatry</i> , 2017 , 41, S566-S566	6	

754	Patients' Knowledge and Attitudes Towards Regular Alcohol Urine Screening: A Survey Study. <i>Journal of Addiction Medicine</i> , 2017 , 11, 300-307	3.8	3
753	Treatment of neurocognitive symptoms in unipolar depression: A systematic review and future perspectives. <i>Journal of Affective Disorders</i> , 2017 , 221, 205-221	6.6	39
752	One Year Clinical Correlates of EtG Positive Urine Screening in Alcohol-Dependent Patients: A Survival Analysis. <i>Alcohol and Alcoholism</i> , 2017 , 52, 460-465	3.5	8
751	Neurocognition in patients with psychotic and non-psychotic bipolar I disorder. A comparative study with individuals with schizophrenia. <i>Journal of Affective Disorders</i> , 2017 , 222, 169-176	6.6	18
750	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
749	Determinants of Functioning in Euthymic Patients with Bipolar Disorder: A Structural Equation Modelling Approach. <i>European Psychiatry</i> , 2017 , 41, S77-S77	6	
748	Efficacy, safety and tolerability of aripiprazole in bipolar disorder: An updated systematic review and meta-analysis of randomized controlled trials. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 289-301	5.5	18
747	Rationale and design of the PLACID study: a randomised trial comparing the efficacy and safety of inhaled loxapine versus IM aripiprazole in acutely agitated patients with schizophrenia or bipolar disorder. <i>BMC Psychiatry</i> , 2017 , 17, 126	4.2	3
746	Comparative evaluation of vortioxetine as a switch therapy in patients with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 773-781	1.2	17
745	A study on the bioequivalence of lithium and valproate salivary and blood levels in the treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 744-750	1.2	7
744	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017 , 208, 621-627	6.6	40
743	Beyond the therapeutic shackles of the monoamines: New mechanisms in bipolar disorder biology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 72, 73-86	5.5	26
742	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 104-112	2.7	17
741	Biological mechanisms of depression following treatment with interferon for chronic hepatitis C: A critical systematic review. <i>Journal of Affective Disorders</i> , 2017 , 209, 235-245	6.6	31
740	Gut Microbiota, Bacterial Translocation, and Interactions with Diet: Pathophysiological Links between Major Depressive Disorder and Non-Communicable Medical Comorbidities. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 31-46	9.4	125
739	Association between CACNA1C gene rs1034936 polymorphism and alcoholism in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, S1057-S1058	1.2	
738	Safety, tolerability, and risks associated with first- and second-generation antipsychotics: a state-of-the-art clinical review. <i>Therapeutics and Clinical Risk Management</i> , 2017 , 13, 757-777	2.9	194
737	The Impact of Obesity on Cognitive Functioning in Euthymic Bipolar Patients: A Cross-Sectional and Longitudinal Study. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e924-e932	4.6	27

736	Persistent Negative Symptoms in First-Episode Psychosis: Early Cognitive and Social Functioning Correlates and Differences Between Early and Adult Onset. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1414-1422	4.6	21
735	The efficacy and tolerability of paliperidone in mania of bipolar disorder: A preliminary meta-analysis. <i>Experimental and Clinical Psychopharmacology</i> , 2017 , 25, 422-433	3.2	5
734	The International College of Neuro-Psychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 3: The Clinical Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2017 , 20, 180-195	5.8	102
733	Bipolar disorder. <i>Lancet, The</i> , 2016 , 387, 1561-1572	4.0	712
732	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2016 , 42, 229-38		23
731	Association between Sirtuin 1 Gene rs10997870 Polymorphism and Suicide Behaviors in Bipolar Disorder. <i>Neuropsychobiology</i> , 2016 , 74, 1-7	4	12
730	Big Data in mental health: a challenging fragmented future. <i>World Psychiatry</i> , 2016 , 15, 186-7	14.4	21
729	Bipolar disorder: defining symptoms and comorbidities--Authors' reply. <i>Lancet, The</i> , 2016 , 388, 869-70	4.0	2
728	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
727	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1562-78	1.2	41
726	A preliminary longitudinal study on the cognitive and functional outcome of bipolar excellent lithium responders. <i>Comprehensive Psychiatry</i> , 2016 , 71, 25-32	7.3	22
725	The Safety, Tolerability and Risks Associated with the Use of Newer Generation Antidepressant Drugs: A Critical Review of the Literature. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 270-88	9.4	269
724	The impact of cognitive reserve in the outcome of first-episode psychoses: 2-year follow-up study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1638-48	1.2	67
723	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
722	Bipolar disorder new data as aid for clinical practice. <i>European Neuropsychopharmacology</i> , 2016 , 26, S159-S160		
721	Deliberate self-harm and psychiatric disorders as predictors of attempted suicide in prison inmates. <i>European Neuropsychopharmacology</i> , 2016 , 26, S406-S407	1.2	
720	The possible resilience role of cognitive reserve in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, S428-S429	1.2	1
719	Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, S404-S405	1.2	1

718	Adjunctive antidepressants in bipolar depression. <i>Lancet Psychiatry</i> , 2016 , 3, 1095-1096	23.3	10
717	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 355-71	1.7	160
716	Neuropsychological and neuroimaging underpinnings of schizoaffective disorder: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 16-30	6.5	32
715	Thinking ahead: Executive dysfunction in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1348-9	1.2	3
714	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
713	Initial usability and feasibility evaluation of the SIMPLe Smartphone application to monitor and psychoeducate bipolar patients. <i>European Psychiatry</i> , 2016 , 33, S122-S122	6	
712	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016 , 18, 288-99	3.8	68
711	Antipsychotic switching in schizoaffective disorder: A systematic review. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 495-513	3.8	13
710	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
709	An 8-Week Randomized, Double-Blind, Placebo-Controlled Evaluation of the Safety and Efficacy of Cariprazine in Patients With Bipolar I Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 271-81	11.9	112
708	The role of family interventions in bipolar disorder: A systematic review. <i>Clinical Psychology Review</i> , 2016 , 43, 47-57	10.8	48
707	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553 ^{4.6}	4.6	468
706	Comparison of psychotic bipolar disorder, schizoaffective disorder, and schizophrenia: an international, multisite study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 34-43	6.5	19
705	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
704	Diagnostic reliability in schizoaffective disorder. <i>Bipolar Disorders</i> , 2016 , 18, 78-80	3.8	6
703	Assessment and management of agitation in psychiatry: Expert consensus. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 86-128	3.8	146
702	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
701	Shared and divergent neurocognitive impairments in adult patients with schizophrenia and bipolar disorder: Whither the evidence?. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 61, 66-89	9	28

700	Glucocorticoid Receptors, Brain-Derived Neurotrophic Factor, Serotonin and Dopamine Neurotransmission are Associated with Interferon-Induced Depression. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	23
699	Agomelatine or placebo as adjunctive therapy to a mood stabiliser in bipolar I depression: randomised double-blind placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2016 , 208, 78-86	5.4	50
698	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016 , 208, 87-93	5.4	71
697	Screening for cognitive dysfunction in unipolar depression: Validation and evaluation of objective and subjective tools. <i>Journal of Affective Disorders</i> , 2016 , 190, 607-615	6.6	71
696	Mild cognitive decline. A position statement of the Cognitive Decline Group of the European Innovation Partnership for Active and Healthy Ageing (EIPAAH). <i>Maturitas</i> , 2016 , 83, 83-93	5	27
695	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016 , 11, e0158867	3.7	21
694	De rol van gezinsinterventies bij bipolaire stoornis: een systematische review. <i>Gezinstherapie Wereldwijd</i> , 2016 , 27, 280-308	0	
693	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 275-280	2.6	10
692	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 102-108	6.5	56
691	Areas of controversy in neuroprogression in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 91-103	6.5	145
690	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 386-98	6.5	77
689	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 266-76	6.5	26
688	Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 57-64	6.5	22
687	Relationships between mixed features and borderline personality disorder in 2811 patients with major depressive episode. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 133-143	6.5	26
686	Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. <i>Bipolar Disorders</i> , 2016 , 18, 164-73	3.8	58
685	Management of bipolar disorder in the intercontinental region: an international, multicenter, non-interventional, cross-sectional study in real-life conditions. <i>Scientific Reports</i> , 2016 , 6, 25920	4.9	7
684	Brain functional changes in first-degree relatives of patients with bipolar disorder: evidence for default mode network dysfunction. <i>Psychological Medicine</i> , 2016 , 46, 2513-21	6.9	10
683	Self-harm in prison inmates: not necessarily related with traumatic experiences. <i>European Neuropsychopharmacology</i> , 2016 , 26, S632	1.2	

682	A meta-analysis of randomized, placebo-controlled trials of vortioxetine for the treatment of major depressive disorder in adults. <i>European Neuropsychopharmacology</i> , 2016 , 26, 979-93	1.2	84
681	Declaration of transparency: A step towards complete reporting of research articles. <i>Revista De Psiquiatria Y Salud Mental</i> , 2016 , 9, 63-4	2.7	9
680	Psychoeducation in bipolar disorder with a SIMPLE smartphone application: Feasibility, acceptability and satisfaction. <i>Journal of Affective Disorders</i> , 2016 , 200, 58-66	6.6	69
679	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016 , 46, 291-301	6.9	30
678	Detection and management of agitation in psychiatry: A Delphi expert consensus study. <i>European Psychiatry</i> , 2016 , 33, S170-S170	6	3
677	Bias in emerging biomarkers for bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 2287-97	6.9	41
676	Management of inter-episodic periods in patients with bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2016 , 16, 659-70	4.3	9
675	Cognitive enhancement treatments for bipolar disorder: A systematic review and methodological recommendations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1541-61	1.2	57
674	Early group psychoeducation for bipolar disorder. <i>Lancet Psychiatry</i> , 2016 , 3, 1000-1001	23.3	7
673	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2016 , 9, 158-173	0.2	6
672	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016 , 245, 66-73	9.9	10
671	Brain structural changes in schizoaffective disorder compared to schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 23-33	6.5	44
670	Asenapine prescribing patterns in the treatment of manic in- and outpatients: Results from the MANACOR study. <i>European Psychiatry</i> , 2015 , 30, 528-34	6	13
669	Pharmacotherapy of acute mania: monotherapy or combination therapy with mood stabilizers and antipsychotics?. <i>CNS Drugs</i> , 2015 , 29, 221-7	6.7	24
668	Risk factors for rapid cycling in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 549-59	3.8	24
667	A network meta-analysis on comparative efficacy and all-cause discontinuation of antimanic treatments in acute bipolar mania. <i>Psychological Medicine</i> , 2015 , 45, 299-317	6.9	68
666	Predictors of functional outcome after a manic episode. <i>Journal of Affective Disorders</i> , 2015 , 182, 121-5	6.6	11
665	The real world cost and health resource utilization associated to manic episodes: The MANACOR study. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2015 , 8, 55-64	0.2	

664	Treatment Resistant Bipolar Depression. <i>European Psychiatry</i> , 2015 , 30, 58	6	1
663	Staging and psychosocial early intervention in bipolar disorder. <i>Lancet Psychiatry</i> , 2015 , 2, 483-5	23.3	26
662	Management of adverse effects of mood stabilizers. <i>Current Psychiatry Reports</i> , 2015 , 17, 603	9.1	37
661	Self-monitoring and psychoeducation in bipolar patients with a smart-phone application (SIMPLe) project: design, development and studies protocols. <i>BMC Psychiatry</i> , 2015 , 15, 52	4.2	44
660	Hyperprolactinemia and medications for bipolar disorder: systematic review of a neglected issue in clinical practice. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1045-59	1.2	24
659	Bipolar disorder with comorbid attention-deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 389-99	6.5	27
658	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015 , 6, 108	4.6	28
657	Differential effectiveness of right unilateral versus bilateral electroconvulsive therapy in resistant bipolar depression. <i>American Journal of Psychiatry</i> , 2015 , 172, 294	11.9	3
656	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
655	The role of comorbidities in duration of untreated illness for bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2015 , 188, 319-23	6.6	17
654	Internet-based psychological interventions for bipolar disorder: Review of the present and insights into the future. <i>Journal of Affective Disorders</i> , 2015 , 188, 1-13	6.6	63
653	Personalized medicine applied to mental health: Precision psychiatry. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2015 , 8, 117-118	0.2	4
652	C.13.01 How I would manage a patient with MDD and occupational impairment. <i>European Neuropsychopharmacology</i> , 2015 , 25, S673-S674	1.2	
651	Introducci3n : Antipsic3ticos y trastorno bipolar (II). <i>Psiquiatria Biologica</i> , 2015 , 22, 1-2	0.2	
650	Cognitive tolerability following successful long term treatment of major depression and anxiety disorders with SSRI antidepressants. <i>Journal of Affective Disorders</i> , 2015 , 173, 211-5	6.6	28
649	e-HCL-32: a useful, valid and user friendly tool in the screening of bipolar II disorder. <i>Comprehensive Psychiatry</i> , 2015 , 56, 283-8	7.3	5
648	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
647	Screening for bipolar spectrum disorders: A comprehensive meta-analysis of accuracy studies. <i>Journal of Affective Disorders</i> , 2015 , 172, 337-46	6.6	51

646	The influence of cognitive reserve on psychosocial and neuropsychological functioning in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015 , 25, 214-22	1.2	85
645	Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker in bipolar disorder: a meta-analysis of 52 studies. <i>BMC Medicine</i> , 2015 , 13, 289	11.4	176
644	Suicide attempts in major depressive episode: evidence from the BRIDGE-II-Mix study. <i>Bipolar Disorders</i> , 2015 , 17, 795-803	3.8	72
643	Clinical research for good clinical care. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 426-7	6.5	2
642	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response: Association With IMPA2, INPP1, and GSK3B Genes. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 600-4	1.7	18
641	Cognitive dysfunction in bipolar disorder and schizophrenia: a systematic review of meta-analyses. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 3111-25	3.1	133
640	Revisiting loxapine: a systematic review. <i>Annals of General Psychiatry</i> , 2015 , 14, 15	3.4	37
639	Lifting the burden of bipolar disorder: The role of psychotherapies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 754-5	2.6	1
638	Bipolar disorder and antibodies against the N-methyl-d-aspartate receptor: A gate to the involvement of autoimmunity in the pathophysiology of bipolar illness. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 55, 403-12	9	19
637	Making sense of DSM-5 mania with depressive features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 540-9	2.6	19
636	The real world cost and health resource utilization associated to manic episodes: The MANACOR study. <i>Revista De Psiquiatria Y Salud Mental</i> , 2015 , 8, 55-64	2.7	10
635	Effect of cariprazine across the symptoms of mania in bipolar I disorder: Analyses of pooled data from phase II/III trials. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1882-91	1.2	89
634	Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 136-44	5.4	40
633	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 158-67	2.4	17
632	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
631	Disability in bipolar I disorder: the 36-item World Health Organization Disability Assessment Schedule 2.0. <i>Journal of Affective Disorders</i> , 2015 , 174, 353-60	6.6	26
630	Hostile attributions in bipolar disorder and schizophrenia contribute to poor social functioning. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 472-82	6.5	55
629	Cognition as a target in major depression: new developments. <i>European Neuropsychopharmacology</i> , 2015 , 25, 231-47	1.2	53

628	Subclinical depressive symptoms and continued cannabis use: predictors of negative outcomes in first episode psychosis. <i>PLoS ONE</i> , 2015 , 10, e0123707	3.7	17
627	Mixed features in patients with a major depressive episode: the BRIDGE-II-MIX study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e351-8	4.6	116
626	The Role of Noninferiority Designs in Bipolar Disorder Clinical Trials 2015 , 49-57		
625	Phenomenology of manic episodes according to the presence or absence of depressive features as defined in DSM-5: Results from the IMPACT self-reported online survey. <i>Journal of Affective Disorders</i> , 2014 , 156, 206-13	6.6	46
624	Clinical implications of predominant polarity and the polarity index in bipolar disorder: a naturalistic study. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 366-74	6.5	55
623	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 437-44	6.5	76
622	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
621	Bipolar disorders in the new DSM-5 and ICD-11 classifications. <i>Revista De Psiquiatria Y Salud Mental</i> , 2014 , 7, 179-85	2.7	12
620	"Is bipolar disorder an endocrine condition?" Glucose abnormalities in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 73-4	6.5	12
619	Staging systems in bipolar disorder: an International Society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 354-63	6.5	152
618	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014 , 24, S436-S437	1.2	4
617	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. <i>European Neuropsychopharmacology</i> , 2014 , 24, S432-S433	1.2	
616	S.05.03 Switching antipsychotics in schizoaffective disorder: rules and cautions. <i>European Neuropsychopharmacology</i> , 2014 , 24, S116	1.2	
615	Functioning Assessment Short Test (FAST): validity and reliability in adults with attention-deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 719-27	5.1	11
614	P.3.b.001 Risk factors for suicide in schizophrenia: systematic review and clinical recommendations. <i>European Neuropsychopharmacology</i> , 2014 , 24, S490-S491	1.2	
613	Structural abnormalities in bipolar euthymia: a multicontrast molecular diffusion imaging study. <i>Biological Psychiatry</i> , 2014 , 76, 239-48	7.9	49
612	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54
611	Efficacy and tolerability of flexibly-dosed adjunct TC-5214 (dexmecamylamine) in patients with major depressive disorder and inadequate response to prior antidepressant. <i>European Neuropsychopharmacology</i> , 2014 , 24, 564-74	1.2	33

610	Bipolar disorder in the elderly: a cohort study comparing older and younger patients. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 364-73	6.5	33
609	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
608	Association between GSK3 β gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, 510-8	1.2	19
607	Clinical staging in bipolar disorder: focus on cognition and functioning. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e450-6	4.6	107
606	Treatment implications of predominant polarity and the polarity index: a comprehensive review. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	23
605	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10915-39	4.6	17
604	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
603	Extended release quetiapine fumarate as adjunct to antidepressant therapy in patients with major depressive disorder: pooled analyses of data in patients with anxious depression versus low levels of anxiety at baseline. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 155-66	3.8	16
602	Risk factors for suicide in schizophrenia: systematic review and clinical recommendations. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 418-26	6.5	92
601	Alzheimer's disease and cancer: current epidemiological evidence for a mutual protection. <i>Neuroepidemiology</i> , 2014 , 42, 121-2	5.4	21
600	Early medication discontinuation on long-term recovery outcome in first-episode psychosis. <i>JAMA Psychiatry</i> , 2014 , 71, 206-7	14.5	8
599	Bipolar disorders in the new DSM-5 and ICD-11 classifications. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2014 , 7, 179-185	0.2	3
598	Inverse and direct cancer comorbidity in people with central nervous system disorders: a meta-analysis of cancer incidence in 577,013 participants of 50 observational studies. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 89-105	9.4	113
597	Restoring functioning in bipolar disorder: functional remediation. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 326-30	4.1	11
596	Critical issues on the use of network meta-analysis in psychiatry. <i>Harvard Review of Psychiatry</i> , 2014 , 22, 367-72	4.1	15
595	Altered plasma glutathione levels in bipolar disorder indicates higher oxidative stress; a possible risk factor for illness onset despite normal brain-derived neurotrophic factor (BDNF) levels. <i>Psychological Medicine</i> , 2014 , 44, 2409-18	6.9	57
594	Antipsychotic switching in bipolar disorders: a systematic review. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 497-507	5.8	25
593	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 393-400	6.5	21

592	The impact of repeated manic episodes and executive dysfunction on work adjustment in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 247-54	5.1	28
591	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014 , 219, 1463-72	4	23
590	Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014 , 10, 48-52	3.2	19
589	Cytokine-induced depression: current status and novel targets for depression therapy. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014 , 13, 1066-74	2.6	27
588	Prophylactic antidepressant treatment of interferon-induced depression in chronic hepatitis C: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e1113-21	4.6	30
587	Rapid cycling in bipolar disorder: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e578-86	4.6	64
586	Functional Remediation for Bipolar Disorder 2014 ,		16
585	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 485-96	5.8	31
584	A systematic literature review of resting state network--functional MRI in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 727-35	6.6	181
583	The screen for cognitive impairment in psychiatry: diagnostic-specific standardization in psychiatric ill patients. <i>BMC Psychiatry</i> , 2013 , 13, 127	4.2	30
582	The psychosocial difficulties in brain disorders that explain short term changes in health outcomes. <i>BMC Psychiatry</i> , 2013 , 13, 78	4.2	9
581	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013 , 13, 71	4.2	12
580	Transcultural validity of the Hypomania Checklist-32 (HCL-32) in patients with major depressive episodes. <i>Bipolar Disorders</i> , 2013 , 15, 701-12	3.8	25
579	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 6	5.4	31
578	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 2	5.4	16
577	Evidence-based definitions of bipolar-I and bipolar-II disorders among 5,635 patients with major depressive episodes in the Bridge Study: validity and comorbidity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 663-73	5.1	51
576	Depressive disorders and suicide: Epidemiology, risk factors, and burden. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2372-4	9	97
575	Quetiapine in Bipolar Depression Contents 2013 , 5-86		

574	P.2.d.028 Relating mood to plasma glutathione and BDNF levels in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, S380	1.2	
573	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013 , 150, 29-36	6.6	80
572	Treatment adherence in bipolar I and schizoaffective disorder, bipolar type. <i>Journal of Affective Disorders</i> , 2013 , 151, 1003-8	6.6	44
571	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
570	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013 , 148, 170-8	6.6	58
569	Pharmacological management of bipolar depression: acute treatment, maintenance, and prophylaxis. <i>CNS Drugs</i> , 2013 , 27, 515-29	6.7	74
568	Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2013 , 144, 72-8	6.6	29
567	Genetic variability at IMPA2, INPP1 and GSK3 β increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1452-62	1.2	36
566	Polarity index of psychological interventions in maintenance treatment of bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 292-8	9.4	27
565	Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients: a principal component analysis of lifetime pharmacological and biophysical treatment options. <i>European Neuropsychopharmacology</i> , 2013 , 23, 263-75	1.2	23
564	P.2.d.013 Clinical factors associated with rapid cycling bipolar disorder. <i>European Neuropsychopharmacology</i> , 2013 , 23, S370	1.2	
563	Lower rate of depressive switch following antimanic treatment with second-generation antipsychotics versus haloperidol. <i>Journal of Affective Disorders</i> , 2013 , 144, 191-8	6.6	24
562	Towards a clinical staging for bipolar disorder: defining patient subtypes based on functional outcome. <i>Journal of Affective Disorders</i> , 2013 , 144, 65-71	6.6	92
561	P.2.d.012 Clinical implications of the polarity index of drugs in maintenance treatment of bipolar disorder: a naturalistic study. <i>European Neuropsychopharmacology</i> , 2013 , 23, S369-S370	1.2	1
560	Re-analysis of the earliest controlled trials of imipramine. <i>Journal of Affective Disorders</i> , 2013 , 147, 451-46.6		5
559	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013 , 23, S370-S371	1.2	1
558	Faster onset of antimanic action with haloperidol compared to second-generation antipsychotics. A meta-analysis of randomized clinical trials in acute mania. <i>European Neuropsychopharmacology</i> , 2013 , 23, 305-16	1.2	20
557	Group-based trajectory modeling: a novel approach to examining symptom trajectories in acute bipolar episodes. <i>Journal of Affective Disorders</i> , 2013 , 145, 36-41	6.6	9

556	Parents with bipolar disorder: are disease characteristics good predictors of psychopathology in offspring?. <i>European Psychiatry</i> , 2013 , 28, 240-6	6	16
555	The bipolar-depressive continuum in the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2013 , 15, 112-3	3.8	1
554	The symptom structure of bipolar acute episodes: in search for the mixing link. <i>Journal of Affective Disorders</i> , 2013 , 149, 56-66	6.6	42
553	The bipolar-borderline personality disorders connection in major depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 376-83	6.5	32
552	Pooled analysis of sustained response rates for extended release quetiapine fumarate as monotherapy or adjunct to antidepressant therapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 150, 639-43	6.6	6
551	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2012 on the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 154-219	3.8	284
550	The CACNA1C risk allele selectively impacts on executive function in bipolar type I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 362-9	6.5	23
549	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
548	Mixed states in DSM-5: implications for clinical care, education, and research. <i>Journal of Affective Disorders</i> , 2013 , 148, 28-36	6.6	99
547	Longitudinal neuroimaging and neuropsychological changes in bipolar disorder patients: review of the evidence. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 418-35	9	158
546	Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1719-32	5.8	51
545	Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013 , 544, 80-4	3.3	44
544	The clinical implications of cognitive impairment and allostatic load in bipolar disorder. <i>European Psychiatry</i> , 2013 , 28, 21-9	6	101
543	Maintenance treatment with quetiapine when combined with either lithium or divalproex in bipolar I disorder: analysis of two large randomized, placebo-controlled trials. <i>Depression and Anxiety</i> , 2013 , 30, 1089-98	8.4	23
542	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
541	Development of the International Classification of Functioning, Disability and Health core sets for bipolar disorders: results of an international consensus process. <i>Disability and Rehabilitation</i> , 2013 , 35, 2138-46	2.4	23
540	Patterns of pharmacological maintenance treatment in a community mental health services bipolar disorder cohort study (SIN-DEPRES). <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 513-23	5.8	28
539	Transitions: Athanasios Koukopoulos [ΑΒΒ] M.D. (1931-2013). <i>International Journal of Bipolar Disorders</i> , 2013 , 1, 18	5.4	3

538	Persistence of cognitive impairment and its negative impact on psychosocial functioning in lithium-treated, euthymic bipolar patients: a 6-year follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1187-96	6.9	98
537	Brain functional abnormality in schizo-affective disorder: an fMRI study. <i>Psychological Medicine</i> , 2013 , 43, 143-53	6.9	14
536	Occupational disability in bipolar disorder: analysis of predictors of being on severe disablement benefit (PREBIS study data). <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 403-11	6.5	39
535	Soft Bipolar Spectrum and Staging in Bipolar Disorder. <i>Current Psychiatry Reviews</i> , 2013 , 9, 33-40	0.9	
534	Therapy of No-Type I Bipolar Spectrum Disorders: A Systematic Review. <i>Current Psychiatry Reviews</i> , 2013 , 9, 41-50	0.9	1
533	Managing Bipolar Disorder in Clinical Practice 2013 ,		4
532	Staging Bipolar Disorder 2013 , 81-87		
531	Etiology and Disease Course 2013 , 23-39		
530	Assessment and Diagnosis 2013 , 41-61		
529	Psychosocial Interventions 2013 , 141-149		
528	Overview of Management Options 2013 , 73-94		
527	Psychosocial consequences 2013 , 11-21		
526	Pharmacological Management of Manic Episodes 2013 , 109-133		
525	Treatment-Resistant Bipolar Disorder 2013 , 135-140		
524	Pharmacological Management of Depressive Episodes 2013 , 95-108		
523	Suicide risk 2013 , 63-71		
522	Overview of Bipolar Disorder 2013 , 1-9		1
521	Two-year outcomes in first-episode psychotic depression the McLean-Harvard First-Episode Project. <i>Journal of Affective Disorders</i> , 2012 , 136, 1-8	6.6	96

520	Identifying features of bipolarity in patients with first-episode postpartum depression: findings from the international BRIDGE study. <i>Journal of Affective Disorders</i> , 2012 , 136, 710-5	6.6	62
519	Subthreshold symptoms in bipolar disorder: impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012 , 136, 650-9	6.6	126
518	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , 2012 , 140, 125-41	6.6	64
517	Impulsivity and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012 , 136, 491-7	6.6	41
516	Bipolar depression: clinical correlates of receiving antidepressants. <i>Journal of Affective Disorders</i> , 2012 , 139, 89-93	6.6	40
515	Neurocognitive impairment and psychosocial functioning in bipolar II disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 309-17	6.5	62
514	Predominant recurrence polarity among 928 adult international bipolar I disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 293-302	6.5	87
513	One-year psychosocial functioning in patients in the early vs. late stage of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 335-41	6.5	118
512	Rates and clinical correlates of treatment non-adherence in schizoaffective bipolar patients. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 412-8	6.5	15
511	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012 , 106, 46-50	6.5	86
510	Depression in bipolar disorder versus major depressive disorder: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Bipolar Disorders</i> , 2012 , 14, 271-82	3.8	58
509	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
508	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012 , 11, 7	3.4	17
507	Diagnostic criteria for bipolarity based on an international sample of 5,635 patients with DSM-IV major depressive episodes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 3-11	5.1	64
506	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: an open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1511-4	5.2	30
505	Neurocognitive impairment across the bipolar spectrum. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 194-200	6.8	54
504	P.2.a.011 Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients. <i>European Neuropsychopharmacology</i> , 2012 , 22, S230	1.2	
503	P.2.e.015 Polarity index of drugs and psychotherapies in maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, S284-S285	1.2	

502	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, S291-S292	1.2	
501	Olanzapine in schizophrenia and affective disorders. <i>Drug Safety</i> , 2012 , 35, 1185-6; author reply 1186	5.1	1
500	Ziprasidone with adjunctive mood stabilizer in the maintenance treatment of bipolar I disorder: long-term changes in weight and metabolic profiles. <i>European Neuropsychopharmacology</i> , 2012 , 22, 123-31	1.2	15
499	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 339-46	1.2	125
498	Head to head comparisons as an alternative to placebo-controlled trials. <i>European Neuropsychopharmacology</i> , 2012 , 22, 800-3	1.2	29
497	A randomized, double-blind, placebo-controlled trial to assess prevention of mood episodes with risperidone long-acting injectable in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 825-35	1.2	81
496	A systematic review of cognitive remediation for schizo-affective and affective disorders. <i>Journal of Affective Disorders</i> , 2012 , 142, 13-21	6.6	102
495	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. <i>Journal of Affective Disorders</i> , 2012 , 143, 125-30	6.6	28
494	Subthreshold symptoms and time to relapse/recurrence in a community cohort of bipolar disorder outpatients. <i>Journal of Affective Disorders</i> , 2012 , 143, 160-5	6.6	40
493	Age at onset versus family history and clinical outcomes in 1,665 international bipolar-I disorder patients. <i>World Psychiatry</i> , 2012 , 11, 40-6	14.4	99
492	Clinical factors leading to lamotrigine prescription in bipolar outpatients: subanalysis of the SIN-DEPRES study. <i>Journal of Affective Disorders</i> , 2012 , 143, 102-8	6.6	14
491	Developmental dynamics of PAFAH1B subunits during mouse brain development. <i>Journal of Comparative Neurology</i> , 2012 , 520, 3877-94	3.4	8
490	Long-term efficacy of quetiapine in combination with lithium or divalproex on mixed symptoms in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2012 , 142, 36-44	6.6	28
489	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). <i>Journal of Affective Disorders</i> , 2012 , 141, 406-14	6.6	17
488	Anxiety as a marker of severity in acute mania. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 351-5	6.5	9
487	Pharmacological approaches in bipolar disorders and the impact on cognition: a critical overview. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 315-31	6.5	89
486	Utility of the World Health Organization Disability Assessment Schedule II in schizophrenia. <i>Schizophrenia Research</i> , 2012 , 138, 240-7	3.6	43
485	The prognostic role of perceived criticism, medication adherence and family knowledge in bipolar disorders. <i>Journal of Affective Disorders</i> , 2012 , 142, 72-6	6.6	38

484	Are bipolar disorders underdiagnosed in patients with depressive episodes? Results of the multicenter BRIDGE screening study in Germany. <i>Journal of Affective Disorders</i> , 2012 , 142, 45-52	6.6	24
483	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262 Suppl 1, 1-48	5.1	93
482	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 616-26	3.8	39
481	Executive dysfunction and memory impairment in schizoaffective disorder: a comparison with bipolar disorder, schizophrenia and healthy controls. <i>Psychological Medicine</i> , 2012 , 42, 2127-35	6.9	30
480	BRIDGE Study Warrants Critique-Reply. <i>Archives of General Psychiatry</i> , 2012 , 69, 644-5		1
479	Is schizoaffective disorder still a neglected condition in the scientific literature?. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 389-90	9.4	11
478	Syndromal and subsyndromal illness status and five-year morbidity using criteria of the International Society for Bipolar Disorders compared to alternative criteria. <i>Psychopathology</i> , 2012 , 45, 102-8	3.4	7
477	Neurocognitive training in patients with bipolar disorders: current status and perspectives. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 250-2	9.4	18
476	Neurocognitive impairment in the bipolar spectrum. <i>Neuropsychiatry</i> , 2012 , 2, 43-55	1.8	5
475	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e561-6	4.6	93
474	Suicidal risk factors in bipolar I and II disorder patients. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 778-82	4.6	67
473	Risk factors for antidepressant-related switch to mania. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e271-6	4.6	46
472	Long-term outcome of cognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e899-905	4.6	114
471	Interferon-induced depression in chronic hepatitis C: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1128-38	4.6	216
470	Staging Bipolar Disorder 2012 , 77-83		1
469	Asenapine: A new focus on the treatment of mania. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2011 , 4, 101-108	0.2	
468	Patterns of disease and severity in bipolar disorder: Retrospective data from a large multinational longitudinal study (WAVE-bd). <i>European Psychiatry</i> , 2011 , 26, 258-258	6	
467	Bipolar disorder therapy in daily clinical practice: Analysis of retrospective data from a large multinational longitudinal study (WAVE-BD). <i>European Psychiatry</i> , 2011 , 26, 259-259	6	

466	Adjunct quetiapine xr in patients with major depressive disorder: a pooled analysis of data from patients with anxious depression. <i>European Psychiatry</i> , 2011 , 26, 605-605	6	
465	Ventajas y desventajas del tratamiento de combinaci3n con antipsic3ticos. Reuni3n ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatria Biologica</i> , 2011 , 18, 55-67	0.2	2
464	Asenapine: a new focus on the treatment of mania. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2011 , 4, 101-8	2.7	10
463	Recommendations for switching antipsychotics. A position statement of the Spanish Society of Psychiatry and the Spanish Society of Biological Psychiatry. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2011 , 4, 150-68	2.7	21
462	Recommendations for switching antipsychotics. A position statement of the Spanish Society of Psychiatry and the Spanish Society of Biological Psychiatry. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2011 , 4, 150-168	0.2	1
461	Brief cognitive assessment instruments in schizophrenia and bipolar patients, and healthy control subjects: a comparison study between the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS) and the Screen for Cognitive Impairment in Psychiatry (SCIP). <i>Schizophrenia Research</i> , 2011 , 130, 127-32	3.6	29
460	Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2285-99	2.5	6
459	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2011 , 52, 613-22	7.3	66
458	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1400-11	5.7	21
457	No paradox, no progress: inverse cancer comorbidity in people with other complex diseases. <i>Lancet Oncology</i> , 2011 , 12, 604-8	21.7	103
456	Is anticonvulsant treatment of mania a class effect? Data from randomized clinical trials. <i>CNS Neuroscience and Therapeutics</i> , 2011 , 17, 167-77	6.8	24
455	P.3.009 A principal component analysis of treatment patterns according to clinical features in a naturalistic cohort study of bipolar patients. <i>European Neuropsychopharmacology</i> , 2011 , 21, S65-S66	1.2	
454	S.13.05 Psychopathology in offspring of patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2011 , 21, S207	1.2	
453	P.2.e.002 Risk factors for antidepressant-related switch to mania. <i>European Neuropsychopharmacology</i> , 2011 , 21, S418	1.2	
452	P.2.e.003 Mania and depression: mixed, not stirred. <i>European Neuropsychopharmacology</i> , 2011 , 21, S419	1.2	2
451	P.2.e.026 Clinical, functional and therapeutic implications of comorbid personality disorders in a sample of bipolar patients. <i>European Neuropsychopharmacology</i> , 2011 , 21, S432-S433	1.2	3
450	When should mood stabilizers be withdrawn due to lack of efficacy? Some methodological considerations. <i>European Psychiatry</i> , 2011 , 26, 183-6	6	12
449	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania--results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011 , 131, 320-9	6.6	12

448	2-Year course of bipolar disorder type I patients in outpatient care: factors associated with remission and functional recovery. <i>European Neuropsychopharmacology</i> , 2011 , 21, 287-93	1.2	45
447	Factors associated with initial treatment response with antidepressants in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2011 , 21, 362-9	1.2	24
446	What we know and what we don't know about the treatment of schizoaffective disorder. <i>European Neuropsychopharmacology</i> , 2011 , 21, 680-90	1.2	27
445	Factors modifying drug and placebo responses in randomized trials for bipolar mania. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 863-75	5.8	51
444	Impact of geographical and cultural factors on clinical trials in acute mania: lessons from a ziprasidone and haloperidol placebo-controlled study. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1017-27	5.8	25
443	Long-term outcome of bipolar depressed patients receiving lamotrigine as add-on to lithium with the possibility of the addition of paroxetine in nonresponders: a randomized, placebo-controlled trial with a novel design. <i>Bipolar Disorders</i> , 2011 , 13, 111-7	3.8	39
442	Bipolar mixed episodes and antidepressants: a cohort study of bipolar I disorder patients. <i>Bipolar Disorders</i> , 2011 , 13, 145-54	3.8	53
441	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized-care program. <i>Bipolar Disorders</i> , 2011 , 13, 679-86	3.8	54
440	New treatment guidelines for acute bipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 14-26	6.6	103
439	Differential outcome of bipolar patients receiving antidepressant monotherapy versus combination with an antimanic drug. <i>Journal of Affective Disorders</i> , 2011 , 129, 321-6	6.6	41
438	Aripiprazole monotherapy in the treatment of bipolar disorder: a meta-analysis. <i>Journal of Affective Disorders</i> , 2011 , 133, 361-70	6.6	36
437	The impact of general intellectual ability and white matter volume on the functional outcome of patients with Bipolar Disorder and their relatives. <i>Journal of Affective Disorders</i> , 2011 , 130, 413-20	6.6	29
436	Fronto-limbic dysfunction in borderline personality disorder: a 18F-FDG positron emission tomography study. <i>Journal of Affective Disorders</i> , 2011 , 131, 260-7	6.6	42
435	Mania and depression. Mixed, not stirred. <i>Journal of Affective Disorders</i> , 2011 , 133, 105-13	6.6	63
434	Gender differences in a cohort study of 604 bipolar patients: the role of predominant polarity. <i>Journal of Affective Disorders</i> , 2011 , 133, 443-9	6.6	118
433	Therapeutic options in treatment-resistant depression. <i>Annals of Medicine</i> , 2011 , 43, 512-30	1.5	58
432	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Womens Mental Health</i> , 2011 , 14, 107-13	5	6
431	Number needed to treat analyses of drugs used for maintenance treatment of bipolar disorder. <i>Psychopharmacology</i> , 2011 , 213, 657-67	4.7	37

430	Staging bipolar disorder. <i>Neurotoxicity Research</i> , 2011 , 19, 279-85	4.3	90
429	Clinical management and burden of bipolar disorder: a multinational longitudinal study (WAVE-bd study). <i>BMC Psychiatry</i> , 2011 , 11, 58	4.2	11
428	Class effect of pharmacotherapy in bipolar disorder: fact or misbelief?. <i>Annals of General Psychiatry</i> , 2011 , 10, 8	3.4	13
427	Efficacy of antimanic treatments: meta-analysis of randomized, controlled trials. <i>Neuropsychopharmacology</i> , 2011 , 36, 375-89	8.7	202
426	Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 1017-28	4.3	41
425	The usefulness of mood stabilizers in the treatment of bipolar depression. <i>European Psychiatry</i> , 2011 , 26, 2079-2079	6	
424	Subsyndromal Depressive Symptoms in Bipolar II Disorder: a Community Mental Health Services Cohort Study (SIN-DEPRES). <i>Revista Colombiana De Psiquiatría</i> , 2011 , 40, 13S-49S	0.8	
423	JS01-04 - Rational optimization of bipolar disorders treatment. <i>European Psychiatry</i> , 2011 , 26, 1998-1998		
422	Tertiarism in psychiatry: the barcelona clinic bipolar disorders programme. <i>Revista De Psiquiatría Y Salud Mental</i> , 2011 , 4, 1-4	2.7	33
421	Should bipolar disorder be considered a systemic illness?. <i>Neuropsychiatry</i> , 2011 , 1, 45-54	1.8	3
420	Bipolar units and programmes: are they really needed?. <i>World Psychiatry</i> , 2011 , 10, 152	14.4	41
419	Are bipolar II patients cognitively impaired? A systematic review. <i>Psychological Medicine</i> , 2011 , 41, 1791-803	8.3	62
418	Prevalence and characteristics of undiagnosed bipolar disorders in patients with a major depressive episode: the BRIDGE study. <i>Archives of General Psychiatry</i> , 2011 , 68, 791-8		307
417	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the Treatment of Acute Bipolar Depression. <i>Focus (American Psychiatric Publishing)</i> , 2011 , 9, 500-525	1.1	1
416	André Piquer-Arrufat (1711-1772): contributions of an eighteenth-century spanish physician to the concept of manic-depressive illness. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 68-77	4.1	9
415	Effectiveness of psychotropic medications in the maintenance phase of bipolar disorder: a meta-analysis of randomized controlled trials. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 1029-49	5.8	73
414	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
413	Functional remediation for bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 112-6	3.2	66

412	McLean-Harvard International First-Episode Project: two-year stability of ICD-10 diagnoses in 500 first-episode psychotic disorder patients. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 183-93	4.6	69
411	Poor long-term prognosis in mixed bipolar patients: 10-year outcomes in the Vitoria prospective naturalistic study in Spain. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 671-6	4.6	50
410	International consensus group on depression prevention in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1295-310	4.6	26
409	Antidepressants in acute bipolar depression: an inconclusive meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 415-6; author reply 416	4.6	4
408	Sleep and circadian rhythm disturbances in bipolar disorder: an urgent need for objective assessment and systematic follow-up. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 724	4.6	7
407	Functional impairment and disability across mood states in bipolar disorder. <i>Value in Health</i> , 2010 , 13, 984-8	3.3	119
406	Has number of previous episodes any effect on response to group psychoeducation in bipolar patients? A 5-year follow-up post hoc analysis. <i>Acta Neuropsychiatrica</i> , 2010 , 22, 50-3	3.9	71
405	Efficacy and safety of two treatment algorithms in bipolar depression consisting of a combination of lithium, lamotrigine or placebo and paroxetine. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 246-54	6.5	26
404	A randomized, placebo- and active-controlled study of paliperidone extended release for the treatment of acute manic and mixed episodes of bipolar I disorder. <i>Bipolar Disorders</i> , 2010 , 12, 230-43	3.8	74
403	Functioning and disability in bipolar disorders: a systematic review of literature using the ICF as a reference. <i>Bipolar Disorders</i> , 2010 , 12, 473-82	3.8	25
402	Effects of recurrence on the cognitive performance of patients with bipolar I disorder: implications for relapse prevention and treatment adherence. <i>Bipolar Disorders</i> , 2010 , 12, 557-67	3.8	145
401	Possible new ways in the pharmacological treatment of bipolar disorder and comorbid alcoholism. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 37-46	3.1	12
400	Efficacy of modern antipsychotics in placebo-controlled trials in bipolar depression: a meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 5-14	5.8	80
399	Ziprasidone in the treatment of acute mania: a 12-week, placebo-controlled, haloperidol-referenced study. <i>Journal of Psychopharmacology</i> , 2010 , 24, 547-58	4.6	54
398	Lithium: still a cornerstone in the long-term treatment in bipolar disorder?. <i>Neuropsychobiology</i> , 2010 , 62, 27-35	4	56
397	Evidence and implications for early intervention in bipolar disorder. <i>Journal of Mental Health</i> , 2010 , 19, 113-26	2.7	89
396	Hypomania: a transcultural perspective. <i>World Psychiatry</i> , 2010 , 9, 41-9	14.4	56
395	The role and impact of contextual factors on functioning in patients with bipolar disorder. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S94-S104	2.4	28

394	Explaining functional outcomes in depression treatment: a multilevel modelling approach. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S105-15	2.4	7
393	Assessment of safety, tolerability and effectiveness of adjunctive aripiprazole to lithium/valproate in bipolar mania: a 46-week, open-label extension following a 6-week double-blind study. <i>Current Medical Research and Opinion</i> , 2010 , 26, 1485-96	2.5	38
392	Level of response and safety of pharmacological monotherapy in the treatment of acute bipolar I disorder phases: a systematic review and meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 813-32	5.8	34
391	PW01-39 - Characteristics of patients with hypomanic symptoms presenting a current major depressive episode identified with the HCL-32 patient questionnaire. <i>European Psychiatry</i> , 2010 , 25, 1458	6	2
390	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders: Update 2010 on the treatment of acute bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 81-109	3.8	256
389	Neurocognitive diagnosis and cut-off scores of the Screen for Cognitive Impairment in Psychiatry (SCIP-S). <i>Schizophrenia Research</i> , 2010 , 116, 243-51	3.6	40
388	Manic and depressive symptoms and insight in first episode psychosis. <i>Psychiatry Research</i> , 2010 , 178, 480-6	9.9	10
387	P.2.e.008 Initial antidepressant monotherapy in bipolar depression is associated with more depressive relapses and switches. <i>European Neuropsychopharmacology</i> , 2010 , 20, S406	1.2	
386	Work impairment in bipolar disorder patients--results from a two-year observational study (EMBLEM). <i>European Psychiatry</i> , 2010 , 25, 338-44	6	21
385	A comparison of two fixed doses of aripiprazole with placebo in acutely relapsed, hospitalized patients with bipolar disorder I (manic or mixed) in subpopulations (CN138-007). <i>European Neuropsychopharmacology</i> , 2010 , 20, 776-83	1.2	37
384	Antipsychotics in bipolar depression: in reply. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 969	5.8	2
383	Validation and use of the functioning assessment short test in first psychotic episodes. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 836-40	1.8	30
382	Treatment options for bipolar depression: a systematic review of randomized, controlled trials. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 579-90	1.7	88
381	Bipolar depression: overview and commentary. <i>Harvard Review of Psychiatry</i> , 2010 , 18, 143-57	4.1	108
380	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 51	3	251
379	Neurocognition in bipolar disorders--a closer look at comorbidities and medications. <i>European Journal of Pharmacology</i> , 2010 , 626, 87-96	5.3	79
378	In-patient care costs of patients with bipolar I disorder: a comparison between two European centers. <i>Journal of Affective Disorders</i> , 2010 , 121, 152-5	6.6	32
377	Clinical and neurocognitive predictors of functional outcome in bipolar euthymic patients: a long-term, follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 121, 156-60	6.6	226

376	Onset-age of bipolar disorders at six international sites. <i>Journal of Affective Disorders</i> , 2010 , 121, 143-6	6.6	63
375	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , 2010 , 123, 81-6	6.6	84
374	Valproate for the treatment of acute bipolar depression: systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2010 , 122, 1-9	6.6	84
373	Different profile of substance abuse in relation to predominant polarity in bipolar disorder: The Vitoria long-term follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 250-5	6.6	45
372	Time spent with symptoms in a cohort of bipolar disorder outpatients in Spain: a prospective, 18-month follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 125, 74-81	6.6	40
371	Prevalence of mixed mania using 3 definitions. <i>Journal of Affective Disorders</i> , 2010 , 125, 61-73	6.6	38
370	Postpartum bipolar episodes are not distinct from spontaneous episodes: implications for DSM-V. <i>Journal of Affective Disorders</i> , 2010 , 126, 61-4	6.6	8
369	Psychotic versus non-psychotic bipolar II disorder. <i>Journal of Affective Disorders</i> , 2010 , 126, 55-60	6.6	40
368	Functioning and symptomatic outcomes in patients with bipolar I disorder in syndromal remission: a 1-year, prospective, observational cohort study. <i>Journal of Affective Disorders</i> , 2010 , 127, 50-7	6.6	19
367	Functional impairment in bipolar II disorder: is it as disabling as bipolar I?. <i>Journal of Affective Disorders</i> , 2010 , 127, 71-6	6.6	58
366	Enhancing medication adherence in patients with bipolar disorder. <i>Human Psychopharmacology</i> , 2010 , 25, 1-16	2.3	94
365	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010 , 10, 47	4.2	10
364	Effects of atypical antipsychotics on neurocognition in euthymic bipolar patients 2010 , 9,		78
363	Treatment guidelines for acute mania 2010 , 9,		78
362	Toward a Valid Classification of Psychosis: Overcoming the Schizophrenia-Bipolar Dichotomy. <i>Psychiatric Annals</i> , 2010 , 40, 143-148	0.5	3
361	Baseline characteristics and outcomes in patients with first episode or multiple episodes of acute mania. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 255-61	4.6	36
360	Lithium treatment effects on the neuropsychological functioning of patients with bipolar I disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1055-60	4.6	54
359	Why do clinicians maintain antidepressants in some patients with acute mania? Hints from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM), a large naturalistic study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1000-6	4.6	33

358	Detection of subclinical depression in bipolar disorder: a cross-sectional, 4-month prospective follow-up study at community mental health services (SIN-DEPRES). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1465-74	4.6	18
357	Ziprasidone plus a mood stabilizer in subjects with bipolar I disorder: a 6-month, randomized, placebo-controlled, double-blind trial. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 130-7	4.6	104
356	Role of antidepressants in bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e21	4.6	9
355	Long-term treatment of bipolar depression and other issues. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e07	4.6	11
354	Developing an individualized treatment plan for patients with schizoaffective disorder: from pharmacotherapy to psychoeducation. <i>Journal of Clinical Psychiatry</i> , 2010 , 71 Suppl 2, 14-9	4.6	27
353	Individualizing treatment for patients with schizoaffective disorder. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, e26	4.6	5
352	Global assessment scales 2010 , 3-7		
351	Assessment of hypomania 2010 , 33-39		
350	Health-related quality of life assessment in bipolar disorder 2010 , 41-45		
349	Assessment of functioning 2010 , 73-76		
348	Assessment of comorbidities 2010 , 69-71		
347	Detection of bipolar I 2010 , 9-15		
346	Assessment of mania in bipolar disorder 2010 , 27-32		
345	Detection of bipolar II 2010 , 17-21		
344	Bipolar disorder and age-related functional impairment. <i>Revista Brasileira De Psiquiatria</i> , 2009 , 31, 354-7	2.6	15
343	Maintenance treatment for patients with bipolar I disorder: results from a north american study of quetiapine in combination with lithium or divalproex (trial 127). <i>American Journal of Psychiatry</i> , 2009 , 166, 476-88	11.9	179
342	Influence of clinical and neuropsychological variables on the psychosocial and occupational outcome of remitted bipolar patients. <i>Psychopathology</i> , 2009 , 42, 148-56	3.4	82
341	The road to DSM-V. Bipolar disorder episode and course specifiers. <i>Psychopathology</i> , 2009 , 42, 209-18	3.4	50

340	Group psychoeducation for stabilised bipolar disorders: 5-year outcome of a randomised clinical trial. <i>British Journal of Psychiatry</i> , 2009 , 194, 260-5	5.4	243
339	Psychoeducation for bipolar II disorder: an exploratory, 5-year outcome subanalysis. <i>Journal of Affective Disorders</i> , 2009 , 112, 30-5	6.6	63
338	Screening for bipolar disorder in a Spanish sample of outpatients with current major depressive episode. <i>Journal of Affective Disorders</i> , 2009 , 114, 299-304	6.6	33
337	Suicide risk in rapid cycling bipolar patients. <i>Journal of Affective Disorders</i> , 2009 , 117, 74-8	6.6	25
336	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009 , 118, 161-5	6.6	87
335	Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009 , 118, 118-23	6.6	27
334	Predominant previous polarity as an outcome predictor in a controlled treatment trial for depression in bipolar I disorder patients. <i>Journal of Affective Disorders</i> , 2009 , 119, 22-7	6.6	48
333	Predominant polarity and temperament in bipolar and unipolar affective disorders. <i>Journal of Affective Disorders</i> , 2009 , 119, 28-33	6.6	51
332	A critical update on psychological interventions for bipolar disorders. <i>Current Psychiatry Reports</i> , 2009 , 11, 494-502	9.1	45
331	Efficacy and safety of aripiprazole in the treatment of bipolar disorder: a systematic review. <i>Annals of General Psychiatry</i> , 2009 , 8, 16	3.4	29
330	Atypical depression is associated with suicide attempt in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 30-6	6.5	31
329	Preliminary results of a fine-grain analysis of mood swings and treatment modalities of bipolar I and II patients using the daily prospective life-chart-methodology. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 474-80	6.5	12
328	Treatment-resistant bipolar depression: towards a new definition. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 429-40	6.5	53
327	The influence of medications on neurocognition in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 414-5	6.5	29
326	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009 , 11, 225-55	3.8	465
325	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009 , 11, 401-9	3.8	129
324	Antipsychotic agents in the treatment of bipolar mania. <i>Bipolar Disorders</i> , 2009 , 11 Suppl 2, 45-54	3.8	45
323	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316

322	Validity of a short functioning test (FAST) in Brazilian outpatients with bipolar disorder. <i>Value in Health</i> , 2009 , 12, 624-7	3.3	53
321	The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1366-71	5.5	116
320	Recovery in the outpatient setting: 36-month results from the Schizophrenia Outpatients Health Outcomes (SOHO) study. <i>Schizophrenia Research</i> , 2009 , 108, 223-30	3.6	97
319	Functioning and disability in bipolar disorder: an extensive review. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 285-97	9.4	273
318	Comparison of the Hypomania Check List-32 scale with the Mood Disorder Questionnaire on Spanish Sample. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
317	Cardiovascular Risk in a Spanish Population of Bipolar Disorder Patients: Results from the BIMET Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
316	Spanish Consensus on Physical Health in Patients with Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
315	Development and use of a Biological Rhythm Interview. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
314	Identification of Relevant Problems of Individuals with Bipolar Disorder: A Worldwide Expert Survey. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
313	Cardiovascular and Respiratory Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
312	Nutritional, Metabolic and Endocrine Disorders in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
311	Gynaecological and Obstetric Comorbidities in Patients with Bipolar Disorder: A Systematic Review. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
310	Spanish Consensus on Physical Health in Patients with Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
309	A 6-month, Randomized, Placebo-controlled, Double Blind Trial of Ziprasidone Plus a Mood Stabilizer in Subjects With Bipolar I Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	2
308	Metabolic Syndrome in Patients with Bipolar Disorders (BD): Findings from the BIMET study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
307	Cardiovascular Risk in a Spanish Population of Bipolar Disorder Patients: Results from the BIMET Study. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
306	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
305	Clinical predictors of interpersonal functioning in patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009 , 2, 83-8	2.7	20

304	Clinical predictors of interpersonal functioning in patients with bipolar disorder. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2009 , 2, 83-88	0.2	
303	Efficacy and safety of lamotrigine as add-on treatment to lithium in bipolar depression: a multicenter, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 223-31	4.6	168
302	Clinical usefulness of the screen for cognitive impairment in psychiatry (SCIP-S) scale in patients with type I bipolar disorder. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 28	3	28
301	The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 85-116	3.8	251
300	Bipolar disorder preceded by substance abuse: a different phenotype with not so poor outcome?. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 209-16	3.8	18
299	Epidemiology and management of anxiety in patients with bipolar disorder. <i>CNS Drugs</i> , 2009 , 23, 953-646.7		23
298	Advantages and disadvantages of combination treatment with antipsychotics ECNP Consensus Meeting, March 2008, Nice. <i>European Neuropsychopharmacology</i> , 2009 , 19, 520-32	1.2	101
297	P.3.16 Impulsivity in bipolar disorder: a randomized clinical trial of adjunctive oxcarbazepine. <i>European Neuropsychopharmacology</i> , 2009 , 19, S75-S76	1.2	2
296	S.01.02 Meta-analytic comparison of antipsychotics versus mood-stabilisers in mania. <i>European Neuropsychopharmacology</i> , 2009 , 19, S175	1.2	
295	P.2.e.009 Gynaecological and obstetric comorbidities in patients with bipolar disorder: a systematic review. <i>European Neuropsychopharmacology</i> , 2009 , 19, S453-S454	1.2	
294	P.3.c.061 Maintenance treatment with quetiapine added to either lithium or divalproex in bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2009 , 19, S545-S546	1.2	
293	Response to Shen J, Kobak K, Zhao Y, et al. Use of remote centralized raters via live 2-way video in a multicenter clinical trial for schizophrenia. (<i>J Clin Psychopharmacol</i> . 2008;28:691-693). <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 409; author reply 409-10	1.7	
292	Effectiveness and safety of the combination of fluoxetine and olanzapine in outpatients with bipolar depression: an open-label, randomized, flexible-dose study in Puerto Rico. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 358-61	1.7	24
291	Drs. Suppes and Vieta Reply. <i>American Journal of Psychiatry</i> , 2009 , 166, 1186-1187	11.9	1
290	Treatment of psychotic symptoms in bipolar disorder with aripiprazole monotherapy: a meta-analysis. <i>Annals of General Psychiatry</i> , 2009 , 8, 27	3.4	17
289	Anticonvulsants in the treatment of aggression in the demented elderly: an update. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009 , 5, 14	3.2	13
288	Late-onset manic episode in a 91-year-old man without previous psychiatric history as a unique clinical manifestation of a pancreatic neoplasm. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 296-7	4.6	2
287	The importance of negative comorbidity. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1191-2; author reply 1192	4.6	5

286	McLean-Harvard International First-Episode Project: two-year stability of DSM-IV diagnoses in 500 first-episode psychotic disorder patients. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 458-66	4.6	112
285	Neurocognitive dysfunctions in euthymic bipolar patients with and without prior history of alcohol use. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1120-7	4.6	50
284	Long-term mental health resource utilization and cost of care following group psychoeducation or unstructured group support for bipolar disorders: a cost-benefit analysis. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 378-86	4.6	69
283	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
282	Motor speed predicts stability of cognitive deficits in both schizophrenic and bipolar I patients at one-year follow-up. <i>European Journal of Psychiatry</i> , 2009 , 23,	1	7
281	Diagnostic guidelines for bipolar disorder: a summary of the International Society for Bipolar Disorders Diagnostic Guidelines Task Force Report. <i>Bipolar Disorders</i> , 2008 , 10, 117-28	3.8	66
280	Bipolar II disorder: arguments for and against a distinct diagnostic entity. <i>Bipolar Disorders</i> , 2008 , 10, 163-78	3.8	149
279	Adaptation and validation of the Spanish version of the Mood Disorder Questionnaire for the detection of bipolar disorder. <i>Bipolar Disorders</i> , 2008 , 10, 400-12	3.8	40
278	Impact of caregiver group psychoeducation on the course and outcome of bipolar patients in remission: a randomized controlled trial. <i>Bipolar Disorders</i> , 2008 , 10, 511-9	3.8	138
277	Reporting outcomes in clinical trials for bipolar disorder: a commentary and suggestions for change. <i>Bipolar Disorders</i> , 2008 , 10, 566-79	3.8	36
276	Assessment of SPM in perfusion brain SPECT studies. A numerical simulation study using bootstrap resampling methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2008 , 55, 1849-53	5	9
275	Olanzapine monotherapy and olanzapine combination therapy in the treatment of mania: 12-week results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) observational study. <i>Journal of Affective Disorders</i> , 2008 , 106, 63-72	6.6	41
274	Predominant polarity in bipolar disorder: diagnostic implications. <i>Journal of Affective Disorders</i> , 2008 , 107, 45-51	6.6	75
273	Subsyndromal depressive symptoms in patients with bipolar and unipolar disorder during clinical remission. <i>Journal of Affective Disorders</i> , 2008 , 107, 169-74	6.6	51
272	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. <i>Journal of Affective Disorders</i> , 2008 , 109, 286-99	6.6	216
271	Going up in smoke: tobacco smoking is associated with worse treatment outcomes in mania. <i>Journal of Affective Disorders</i> , 2008 , 110, 126-34	6.6	53
270	Safety and efficacy of Vagus Nerve Stimulation in treatment-resistant depression. A systematic review. <i>Journal of Affective Disorders</i> , 2008 , 110, 1-15	6.6	112
269	Efficacy and safety of quetiapine in combination with lithium or divalproex for maintenance of patients with bipolar I disorder (international trial 126). <i>Journal of Affective Disorders</i> , 2008 , 109, 251-63	6.6	181

268	Rapid-cycling bipolar I disorder: course and treatment outcome of a large sample across Europe. <i>Journal of Psychiatric Research</i> , 2008 , 42, 1068-75	5.2	47
267	Spanish version of the Screen for Cognitive Impairment in Psychiatry (SCIP-S): psychometric properties of a brief scale for cognitive evaluation in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 139-48	3.6	60
266	Spanish consensus on physical health of patients with bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , 2008 , 1, 26-37	2.7	29
265	Spanish Consensus on Physical Health of Patients With Bipolar Disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2008 , 1, 26-37	0.2	
264	P.2.e.006 Occupational outcome of lithium-treated bipolar patients in clinical remission. <i>European Neuropsychopharmacology</i> , 2008 , 18, S362	1.2	
263	P.3.c.043 Does the inclusion of rapid cyclers jeopardize the chance of a positive outcome in acute mania trials?. <i>European Neuropsychopharmacology</i> , 2008 , 18, S428	1.2	
262	P.3.c.069 Day 4 partial response to ziprasidone predicts later treatment response in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2008 , 18, S443-S444	1.2	2
261	C.12.01 Longitudinal course of bipolar disorders and treatment implications. <i>European Neuropsychopharmacology</i> , 2008 , 18, S600-S601	1.2	
260	C.12.02 Current long term treatments for bipolar disorder. <i>European Neuropsychopharmacology</i> , 2008 , 18, S601	1.2	
259	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
258	Electroconvulsive therapy in the treatment of mixed states in bipolar disorder. <i>European Psychiatry</i> , 2008 , 23, 53-6	6	44
257	Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008 , 23, 360-7	6	16
256	Ziprasidone in the treatment of affective disorders: a review. <i>CNS Neuroscience and Therapeutics</i> , 2008 , 14, 278-86	6.8	20
255	Quetiapine for the treatment of bipolar II depression: analysis of data from two randomized, double-blind, placebo-controlled studies. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 198-211	3.8	41
254	Chronic mania revisited: factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 313-20	3.8	14
253	Ethical questions in human clinical psychopharmacology: should the focus be on placebo administration?. <i>Journal of Psychopharmacology</i> , 2008 , 22, 590-7	4.6	8
252	Overcoming the current approach in bipolar disorder research: towards DSM-V and beyond. <i>Journal of Psychopharmacology</i> , 2008 , 22, 406-7; discussion 408	4.6	3
251	A bibliometric study of the use of the classification and diagnostic systems in psychiatry over the last 25 years. <i>Psychopathology</i> , 2008 , 41, 214-25	3.4	26

250	Functional impairment in patients with remitted bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 390-2	9.4	57
249	Treatment of bipolar disorder: a systematic review of available data and clinical perspectives. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 999-1029	5.8	120
248	A double-blind, randomized, placebo-controlled prophylaxis trial of oxcarbazepine as adjunctive treatment to lithium in the long-term treatment of bipolar I and II disorder. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 445-52	5.8	54
247	A systematic review of existing data on long-term lithium therapy: neuroprotective or neurotoxic?. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 269-87	5.8	59
246	A 12-week, open, randomized trial comparing sodium valproate to lithium in patients with bipolar I disorder suffering from a manic episode. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 254-62	2.2	27
245	Efficacy of adjunctive aripiprazole to either valproate or lithium in bipolar mania patients partially nonresponsive to valproate/lithium monotherapy: a placebo-controlled study. <i>American Journal of Psychiatry</i> , 2008 , 165, 1316-25	11.9	118
244	Validation of the Barcelona Bipolar Eating Disorder Scale for bipolar patients with eating disturbances. <i>Psychopathology</i> , 2008 , 41, 379-87	3.4	20
243	A long-term prospective study on the outcome of bipolar patients treated with long-acting injectable risperidone. <i>World Journal of Biological Psychiatry</i> , 2008 , 9, 219-24	3.8	40
242	Evidence for association between structural variants in lissencephaly-related genes and executive deficits in schizophrenia or bipolar patients from a Spanish isolate population. <i>Psychiatric Genetics</i> , 2008 , 18, 313-7	2.9	20
241	Amisulpride plus valproate vs haloperidol plus valproate in the treatment of acute mania of bipolar I patients: a multicenter, open-label, randomized, comparative trial. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 675-86	3.1	9
240	Allostatic load in bipolar disorder: implications for pathophysiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 675-92	9	357
239	Neurocognitive endophenotypes (endophenocognitypes) from studies of relatives of bipolar disorder subjects: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1426-38	9	159
238	Depression subtypes in bipolar I and II disorders. <i>Psychopathology</i> , 2008 , 41, 111-4	3.4	33
237	Validity and reliability of the Spanish versions of the Bech-Rafaelsen's mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 207-15	6.5	5
236	Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 4-18	6.5	118
235	Neuropsychological profile in bipolar disorder: a preliminary study of monotherapy lithium-treated euthymic bipolar patients evaluated at a 2-year interval. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 373-81	6.5	36
234	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 300-6	3.9	12
233	Acute and long-term treatment of mania. <i>Dialogues in Clinical Neuroscience</i> , 2008 , 10, 165-79	5.7	44

232	Defining the bipolar spectrum and treating bipolar II disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e12	4.6	5
231	Observational, pragmatic, and clinical trials in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, e27	4.6	5
230	Neurocognitive impairment in bipolar patients with and without history of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 233-9	4.6	125
229	Increasing rates of placebo response over time in mania studies. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 681-2; author reply 682	4.6	16
228	Long-Term Stability of Cognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 712-719	4.6	90
227	Impact of cannabis and other drugs on age at onset of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1210-6	4.6	69
226	Olanzapine versus divalproex versus placebo in the treatment of mild to moderate mania: a randomized, 12-week, double-blind study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1776-89	4.6	66
225	Long-term stability of cognitive impairment in bipolar disorder: a 2-year follow-up study of lithium-treated euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 712-9	4.6	27
224	Antiepileptic drugs and mood stability. <i>Clinical EEG and Neuroscience</i> , 2007 , 38, 116-23	2.3	17
223	Treatment of bipolar disorder: a complex treatment for a multi-faceted disorder. <i>Annals of General Psychiatry</i> , 2007 , 6, 27	3.4	51
222	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. <i>Bipolar Disorders</i> , 2007 , 9, 16-24	3.8	37
221	Neuropsychological deficits and functional impairment in bipolar depression, hypomania and euthymia. <i>Bipolar Disorders</i> , 2007 , 9, 114-25	3.8	257
220	Functional impairment in patients with mania: baseline results of the EMBLEM study. <i>Bipolar Disorders</i> , 2007 , 9, 45-52	3.8	98
219	Functional outcome in bipolar disorder: the role of clinical and cognitive factors. <i>Bipolar Disorders</i> , 2007 , 9, 103-13	3.8	397
218	Quetiapine monotherapy in the treatment of patients with bipolar I or II depression and a rapid-cycling disease course: a randomized, double-blind, placebo-controlled study. <i>Bipolar Disorders</i> , 2007 , 9, 413-25	3.8	87
217	Selected papers from the Sixth International Conference on Bipolar Disorder: from epidemiology to endophenotypes to advances in therapeutics. <i>Bipolar Disorders</i> , 2007 , 9, 315-317	3.8	
216	Cognitive impairment in schizoaffective disorder: a comparison with non-psychotic bipolar and healthy subjects. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 453-60	6.5	43
215	Cross validation with the mood disorder questionnaire (MDQ) of an instrument for the detection of hypomania in Spanish: the 32 item hypomania symptom check list (HCL-32). <i>Journal of Affective Disorders</i> , 2007 , 101, 43-55	6.6	89

214	Towards a reconceptualization of mixed states, based on an emotional-reactivity dimensional model. <i>Journal of Affective Disorders</i> , 2007 , 101, 35-41	6.6	38
213	Quetiapine in the treatment of acute mania: target dose for efficacious treatment. <i>Journal of Affective Disorders</i> , 2007 , 100 Suppl 1, S23-31	6.6	16
212	Effect of comorbid anxiety on treatment response in bipolar depression. <i>Journal of Affective Disorders</i> , 2007 , 104, 137-46	6.6	52
211	Bipolar I patients with and without a history of psychotic symptoms: do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007 , 41, 265-72	5.2	78
210	The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 631-8	4.5	3
209	Identifying functional neuroimaging biomarkers of bipolar disorder: toward DSM-V. <i>Schizophrenia Bulletin</i> , 2007 , 33, 893-904	1.3	163
208	Oxcarbazepine in the treatment of bipolar and schizoaffective disorders. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 617-26	4.3	21
207	Management of acutely ill patients in the hospital setting: focus on quetiapine. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007 , 11, 61-72	2.4	1
206	Deconstructing bipolar disorder: a critical review of its diagnostic validity and a proposal for DSM-V and ICD-11. <i>Schizophrenia Bulletin</i> , 2007 , 33, 886-92	1.3	107
205	Sudden glory revisited: cognitive contents of hypomania. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 278-88	9.4	19
204	Evolving trends in the long-term treatment of bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2007 , 8, 4-11	3.8	41
203	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 5	3.2	442
202	Outcomes for Latin American versus White patients suffering from acute mania in a randomized, double-blind trial comparing olanzapine and haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 126-34	1.7	16
201	Neurodevelopmental mechanisms underlying psychosis. <i>International Clinical Psychopharmacology</i> , 2007 , 22, S1-S7	2.2	7
200	A randomized, double-blind, placebo-controlled study of quetiapine in the treatment of bipolar I and II depression: improvements in quality of life. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 29-37	2.2	44
199	A double blind, randomized, placebo-controlled trial of quetiapine as an add-on therapy to lithium or divalproex for the treatment of bipolar mania. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 212-20	2.2	50
198	A 2-year, open-label pilot study of adjunctive chromium in patients with treatment-resistant rapid-cycling bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 104-6	1.7	11
197	A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 123-9	5.8	148

196	Clinical and prognostic implications of seasonal pattern in bipolar disorder: a 10-year follow-up of 302 patients. <i>Psychological Medicine</i> , 2007 , 37, 1595-9	6.9	55
195	Atypical antipsychotics in bipolar depression: neurobiological basis and clinical implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 275-82	5.5	39
194	S.09.05 Psycho education and cognitive remediation of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2007 , 17, S191	1.2	
193	P.3.a.019 Placebo-controlled trials of atypical antipsychotics in acute mania: what is the chance of a negative outcome?. <i>European Neuropsychopharmacology</i> , 2007 , 17, S412	1.2	
192	Evidence for two types of bipolar depression using a dimensional approach. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 325-31	9.4	34
191	Vigencia del tratamiento con litio. <i>Medicina Clínica</i> , 2007 , 128, 36-36	1	2
190	Psychiatry: from interest in conflicts to conflicts of interest. <i>World Psychiatry</i> , 2007 , 6, 27-9	14.4	13
189	Predictors of suicide in first-episode affective and nonaffective psychotic inpatients: five-year follow-up of patients from a catchment area in Vitoria, Spain. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 242-7	4.6	35
188	Persistent neuropsychological deficit in euthymic bipolar patients: executive function as a core deficit. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1078-86	4.6	123
187	Relevance of family history of suicide in the long-term outcome of bipolar disorders. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1517-21	4.6	20
186	Patterns of drug treatment for manic episode in the clinical practice. Outcomes of the Spanish sample in the EMBLEM Study. <i>Actas Espanolas De Psiquiatria</i> , 2007 , 35, 315-22	0.7	11
185	Clinical and therapeutic implications of predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2006 , 93, 13-7	6.6	205
184	Bipolar disorder as an emerging pathology in the scientific literature: a bibliometric approach. <i>Journal of Affective Disorders</i> , 2006 , 92, 161-70	6.6	45
183	What really matters to bipolar patients' caregivers: sources of family burden. <i>Journal of Affective Disorders</i> , 2006 , 94, 157-63	6.6	83
182	Open-label olanzapine treatment in bipolar I disorder: clinical and work functional outcomes. <i>Current Medical Research and Opinion</i> , 2006 , 22, 961-6	2.5	9
181	Cognitive impairment in bipolar II disorder. <i>British Journal of Psychiatry</i> , 2006 , 189, 254-9	5.4	198
180	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 34	3.2	3
179	An open label follow-up study on amisulpride in the add-on treatment of bipolar I patients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 19	3.2	7

178	Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 32	3.2	4
177	Role of aripiprazole in treating mood disorders. <i>Expert Review of Neurotherapeutics</i> , 2006 , 6, 1777-83	4.3	18
176	S.05.03 Treatment of bipolar depression. <i>European Neuropsychopharmacology</i> , 2006 , 16, S173	1.2	
175	Specificity of cognitive deficits in bipolar disorder versus schizophrenia. A systematic review. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 72-84	9.4	160
174	Clinical correlates of first-episode polarity in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2006 , 47, 433-7	7.3	90
173	Increased serum glial cell line-derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. <i>Neuroscience Letters</i> , 2006 , 407, 146-50	3.3	76
172	Variations in genes regulating neuronal migration predict reduced prefrontal cognition in schizophrenia and bipolar subjects from mediterranean Spain: a preliminary study. <i>Neuroscience</i> , 2006 , 139, 1289-300	3.9	36
171	The Pivotal Role of Psychoeducation in the Long-Term Treatment of Bipolar Disorder 2006 , 333-345		0
170	Cognitive functioning in bipolar patients receiving lamotrigine: preliminary results. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 178-81	1.7	36
169	An exploratory open trial on safety and efficacy of the anticonvulsant retigabine in acute manic patients. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 534-6	1.7	15
168	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. <i>Bipolar Disorders</i> , 2006 , 8, 618-24	3.8	144
167	Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 112-20	6.5	64
166	A double-blind, randomized, placebo-controlled, prophylaxis study of adjunctive gabapentin for bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 473-7	4.6	66
165	The impact of the number of episodes on the outcome of Bipolar Disorder. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	11
164	Tratamiento de mantenimiento eficaz: romper el ciclo del trastorno bipolar. <i>European Psychiatry (Ed España)</i> , 2006 , 13, 38-45		
163	Psychoeducation Manual for Bipolar Disorder 2006 ,		91
162	The use of placebo in clinical trials on bipolar disorder: a new approach for an old debate. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 10-6	9.4	59
161	Persistent cognitive dysfunctions in bipolar I disorder and schizophrenic patients: a 3-year follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 113-9	9.4	125

160	Do cognitive complaints in euthymic bipolar patients reflect objective cognitive impairment?. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 295-302	9.4	110
159	The treatment of mixed states and the risk of switching to depression. <i>European Psychiatry</i> , 2005 , 20, 96-100	6	26
158	Effective maintenance treatment--breaking the cycle of bipolar disorder. <i>European Psychiatry</i> , 2005 , 20, 365-71	6	17
157	Hypothalamic-pituitary-adrenal axis and bipolar disorder. <i>Psychiatric Clinics of North America</i> , 2005 , 28, 469-80	3.1	177
156	Quetiapine monotherapy for mania associated with bipolar disorder: combined analysis of two international, double-blind, randomised, placebo-controlled studies. <i>Current Medical Research and Opinion</i> , 2005 , 21, 923-34	2.5	102
155	Risperidone in the treatment of acute mania: double-blind, placebo-controlled study. <i>British Journal of Psychiatry</i> , 2005 , 187, 229-34	5.4	151
154	Atypical antipsychotics: newer options for mania and maintenance therapy. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 4, 21-33	3.8	57
153	A European perspective on the Canadian guidelines for bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 3, 73-6	3.8	12
152	Identifying and improving non-adherence in bipolar disorders. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 5, 24-31	3.8	125
151	Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 5, 32-6	3.8	76
150	Treatment guidelines for bipolar disorder: a critical review. <i>Journal of Affective Disorders</i> , 2005 , 86, 1-10	6.6	129
149	The HCL-32: towards a self-assessment tool for hypomanic symptoms in outpatients. <i>Journal of Affective Disorders</i> , 2005 , 88, 217-33	6.6	476
148	Mood stabilization in the treatment of bipolar disorder: focus on quetiapine. <i>Human Psychopharmacology</i> , 2005 , 20, 225-36	2.3	28
147	Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: a critical review. <i>Current Psychiatry Reports</i> , 2005 , 7, 449-55	9.1	26
146	Bipolar I and bipolar II: a dichotomy? 2005 , 88-108		0
145	Bipolar mixed states and their treatment. <i>Expert Review of Neurotherapeutics</i> , 2005 , 5, 63-8	4.3	32
144	Neuropsychological disturbances and cerebral blood flow in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 227-34	2.6	38
143	Effectiveness of aripiprazole v. haloperidol in acute bipolar mania: double-blind, randomised, comparative 12-week trial. <i>British Journal of Psychiatry</i> , 2005 , 187, 235-42	5.4	145

142	An open-label study of amisulpride in the treatment of mania. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 575-8	4.6	32
141	Relapsing paranoid psychosis as the first manifestation of pheochromocytoma. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 949-50	4.6	8
140	Improving treatment adherence in bipolar disorder through psychoeducation. <i>Journal of Clinical Psychiatry</i> , 2005 , 66 Suppl 1, 24-9	4.6	28
139	The package of care for patients with bipolar depression. <i>Journal of Clinical Psychiatry</i> , 2005 , 66 Suppl 5, 34-9	4.6	7
138	Process of adaptation to Spanish of the Temperament Evaluation of Memphis, Pisa, Paris and San Diego Scale. Self applied version (TEMPS-A). <i>Actas Espanolas De Psiquiatria</i> , 2005 , 33, 325-30	0.7	10
137	Olanzapine in bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2004 , 5, 1613-9	4	9
136	Impact of a psychoeducational family intervention on caregivers of stabilized bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 312-9	9.4	108
135	Maintenance therapy for bipolar disorder: current and future management options. <i>Expert Review of Neurotherapeutics</i> , 2004 , 4, S35-42	4.3	10
134	Cognitive impairment in euthymic bipolar patients: implications for clinical and functional outcome. <i>Bipolar Disorders</i> , 2004 , 6, 224-32	3.8	449
133	Psychoeducation in bipolar patients with comorbid personality disorders. <i>Bipolar Disorders</i> , 2004 , 6, 294-388	74	
132	A perspective on the use of psychoeducation, cognitive-behavioral therapy and interpersonal therapy for bipolar patients. <i>Bipolar Disorders</i> , 2004 , 6, 480-6	3.8	69
131	Psychological interventions in bipolar disorder: From wishful thinking to an evidence-based approach. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 34-8	6.5	61
130	Clinical value of 99mTc-HMPAO SPECT in depressed bipolar I patients. <i>Psychiatry Research - Neuroimaging</i> , 2004 , 132, 285-9	2.9	10
129	Acute and continuation risperidone monotherapy in mania. <i>Human Psychopharmacology</i> , 2004 , 19, 41-5	2.3	27
128	Mood state at study entry as predictor of the polarity of relapse in bipolar disorder. <i>Biological Psychiatry</i> , 2004 , 56, 957-63	7.9	92
127	Recall and recognition confabulation in psychotic and bipolar disorders: evidence for two different types without unitary mechanisms. <i>Comprehensive Psychiatry</i> , 2004 , 45, 281-8	7.3	32
126	Cognitive function across manic or hypomanic, depressed, and euthymic states in bipolar disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 262-70	11.9	820
125	Effects on weight and outcome of long-term olanzapine-topiramate combination treatment in bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 374-8	1.7	44

124	Comparison of rapid-cycling and non-rapid-cycling bipolar I manic patients during treatment with olanzapine: analysis of pooled data. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1420-8	4.6	58
123	International Consensus Group on Bipolar I Depression Treatment Guidelines. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 571-9	4.6	28
122	Mood stabilisers plus risperidone or placebo in the treatment of acute mania. International, double-blind, randomised controlled trial. <i>British Journal of Psychiatry</i> , 2003 , 182, 141-7	5.4	203
121	The World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for the Biological Treatment of Bipolar Disorders, Part II: Treatment of Mania. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 5-13	3.8	124
120	Atypical antipsychotics in the treatment of mood disorders. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 23-27.9	4.9	24
119	Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003 , 4, 172-6	3.8	18
118	Olanzapine versus placebo in acute mania: treatment responses in subgroups. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 370-6	1.7	49
117	Olanzapine in the acute treatment of bipolar I disorder with a history of rapid cycling. <i>Journal of Affective Disorders</i> , 2003 , 73, 155-61	6.6	54
116	Case for caution, case for action. <i>Bipolar Disorders</i> , 2003 , 5, 434-5	3.8	25
115	Molecular targets of lithium action. <i>Acta Neuropsychiatrica</i> , 2003 , 15, 316-40	3.9	23
114	Latest maintenance data on lamotrigine in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003 , 13 Suppl 2, S57-66	1.2	99
113	A 12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania. <i>Archives of General Psychiatry</i> , 2003 , 60, 1218-26		173
112	Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression. <i>Archives of General Psychiatry</i> , 2003 , 60, 1079-88		668
111	A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. <i>Archives of General Psychiatry</i> , 2003 , 60, 402-7		523
110	1-year follow-up of patients treated with risperidone and topiramate for a manic episode. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 834-9	4.6	24
109	Psychoeducation efficacy in bipolar disorders: beyond compliance enhancement. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1101-5	4.6	162
108	Divalproex versus olanzapine in mania. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1266; author reply 1266-7.4.6	4.6	9
107	Risperidone in the treatment of mania: efficacy and safety results from a large, multicentre, open study in Spain. <i>Journal of Affective Disorders</i> , 2002 , 72, 15-9	6.6	44

106	Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002 , 4, 335-40	3.8	59
105	Do we need placebo control in maintenance studies in bipolar disorders?. <i>Bipolar Disorders</i> , 2002 , 4 Suppl 1, 61	3.8	4
104	Non-adherence in psychiatric disorders: misbehaviour or clinical feature?. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 161-3	6.5	27
103	Executive function in patients with remitted bipolar disorder and schizophrenia and its relationship with functional outcome. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 39-46	9.4	146
102	Neuropsychological performance in depressed and euthymic bipolar patients. <i>Neuropsychobiology</i> , 2002 , 46 Suppl 1, 16-21	4	52
101	Therapeutic interventions focused on the family of bipolar patients. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 2-10	9.4	43
100	Use of topiramate in treatment-resistant bipolar spectrum disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 431-5	1.7	53
99	The somatics of psyche: structural neuromorphometry of bipolar disorder. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 180-9	9.4	9
98	Onset of action of olanzapine-fluoxetine combination for bipolar depression. <i>European Neuropsychopharmacology</i> , 2002 , 12, 202	1.2	2
97	Olanzapine in the treatment of bipolar depression. <i>European Neuropsychopharmacology</i> , 2002 , 12, 238-239		5
96	Efficacy of psychoeducation in compliant bipolar I patients. <i>European Neuropsychopharmacology</i> , 2002 , 12, 245-246	1.2	8
95	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of bipolar disorders. Part I: Treatment of bipolar depression. <i>World Journal of Biological Psychiatry</i> , 2002 , 3, 115-24	3.8	139
94	A randomized trial comparing paroxetine and venlafaxine in the treatment of bipolar depressed patients taking mood stabilizers. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 508-12	4.6	141
93	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001 , 3, 253-258	3.8	108
92	Role of risperidone in bipolar II: an open 6-month study. <i>Journal of Affective Disorders</i> , 2001 , 67, 213-9	6.6	60
91	Neuropsychological and psychiatric complications in endoscopic third ventriculostomy: a clinical case report. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 71, 268-71	5.5	33
90	Bipolar disorder, schizoaffective disorder and schizophrenia: epidemiologic, clinical and prognostic differences. <i>European Psychiatry</i> , 2001 , 16, 167-72	6	78
89	Trastorno bipolar, trastorno esquizoafectivo y esquizofrenia: diferencias epidemiológicas clínicas y de pronóstico. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 311-317		

88	Treatment of mixed mania with risperidone and mood stabilizers. <i>Canadian Journal of Psychiatry</i> , 2001 , 46, 866-7	4.8	10
87	Olanzapine as long-term adjunctive therapy in treatment-resistant bipolar disorder. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 469-73	1.7	49
86	Mannitol-induced acute manic state. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 126	4.6	3
85	Topiramate abuse in a bipolar patient with an eating disorder. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 475-6	4.6	36
84	Efficacy and safety of risperidone in the treatment of schizoaffective disorder: initial results from a large, multicenter surveillance study. Group for the Study of Risperidone in Affective Disorders (GSRAD). <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 623-30	4.6	24
83	Reboxetine-induced hypomania. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 655-6	4.6	8
82	Risperidone Safety and Efficacy in the Treatment of Bipolar and Schizoaffective Disorders. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 818-825	4.6	80
81	Tratamiento complementario del trastorno bipolar con gabapentina. <i>European Psychiatry (Ed España)</i> , 2001 , 8, 48-53		
80	Risperidone safety and efficacy in the treatment of bipolar and schizoaffective disorders: results from a 6-month, multicenter, open study. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 818-25	4.6	11
79	Clinical correlates of psychiatric comorbidity in bipolar I patients. <i>Bipolar Disorders</i> , 2001 , 3, 253-8	3.8	25
78	Alpha-1-acid glycoprotein in major depressive disorder. Relationships to severity, response to treatment and imipramine plasma levels. <i>Journal of Affective Disorders</i> , 2000 , 59, 159-64	6.6	14
77	Cognitive dysfunctions in bipolar disorder: evidence of neuropsychological disturbances. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 2-18	9.4	178
76	Doses of olanzapine, risperidone, and haloperidol used in clinical practice: results of a prospective pharmacoepidemiologic study. EFESO Study Group. Estudio Farmacoepidemiologico en la Esquizofrenia con Olanzapina. <i>Clinical Therapeutics</i> , 2000 , 22, 583-99	3.5	44
75	Bipolar II disorder and comorbidity. <i>Comprehensive Psychiatry</i> , 2000 , 41, 339-43	7.3	87
74	Adjunctive gabapentin treatment of bipolar disorder. <i>European Psychiatry</i> , 2000 , 15, 433-7	6	30
73	P01.105 Alpha-1-acid glycoprotein and suicidality in major depressive disorder. <i>European Psychiatry</i> , 2000 , 15, 348s-348s	6	
72	Clinical factors associated with treatment noncompliance in euthymic bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2000 , 61, 549-55	4.6	220
71	Enhanced corticotropin response to corticotropin-releasing hormone as a predictor of mania in euthymic bipolar patients. <i>Psychological Medicine</i> , 1999 , 29, 971-8	6.9	47

70	Personality disorders in bipolar II patients. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 245-8	1.8	52
69	Variability in the serotonin transporter gene and increased risk for major depression with melancholia. <i>Human Genetics</i> , 1998 , 103, 319-22	6.3	82
68	What is the role of psychotherapy in the treatment of bipolar disorder?. <i>Psychotherapy and Psychosomatics</i> , 1998 , 67, 3-9	9.4	46
67	Suicide Risk in Schizophrenia. <i>American Journal of Psychiatry</i> , 1998 , 155, 1626y-1626	11.9	1
66	Treatment of refractory rapid cycling bipolar disorder with risperidone. <i>Journal of Clinical Psychopharmacology</i> , 1998 , 18, 172-4	1.7	49
65	Cortisol-binding globulin levels in bipolar disorder. <i>European Psychiatry</i> , 1997 , 12, 11-5	6	4
64	Differential features between bipolar I and bipolar II disorder. <i>Comprehensive Psychiatry</i> , 1997 , 38, 98-101	7.3	161
63	Prediction of depressive relapse in remitted bipolar patients using corticotrophin-releasing hormone challenge test. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 205-11	6.5	34
62	Suicidal behavior in bipolar I and bipolar II disorder. <i>Journal of Nervous and Mental Disease</i> , 1997 , 185, 407-9	1.8	52
61	Niveles de globulina fijadora de cortisol en el trastorno bipolar. <i>European Psychiatry (Ed Española)</i> , 1997 , 4, 375-380		
60	Rapidly cycling bipolar II disorder following liver transplantation. <i>General Hospital Psychiatry</i> , 1993 , 15, 129-31	5.6	5
59	Rate and significance of hypomanic switches in unipolar melancholic depression. <i>European Psychiatry</i> , 1993 , 8, 125-129	6	14
58	Antidepressant-Induced Mania in Obsessive-Compulsive Disorder. <i>American Journal of Psychiatry</i> , 1992 , 149, 1282-a-1282	11.9	15
57	Serious suicide attempts in the elderly. <i>Psychopathology</i> , 1992 , 25, 183-8	3.4	15
56	Serious suicide attempts in affective patients. <i>Journal of Affective Disorders</i> , 1992 , 24, 147-52	6.6	26
55	Suicide attempts of high medical seriousness in schizophrenic patients. <i>Comprehensive Psychiatry</i> , 1992 , 33, 384-7	7.3	24
54	Attempted suicide by jumping. <i>European Psychiatry</i> , 1992 , 7, 221-224	6	1
53	Antidepressant-induced mania in obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , 1992 , 149, 1282-3	11.9	6

- 52 Cognition and functioning in bipolar disorder1-14 1
- 51 Cognitive remediation in psychiatric disorders15-22
- 50 Functional remediation in bipolar disorder23-30
- 49 Functional remediation program: sessions and content31-106
- 48 Functioning Assessment Short Test (FAST)107-118 1
- 47 Psychiatric Causes of Agitation: Exacerbation of Mood and Psychotic Disorders126-143
- 46 Management commentary258-261
- 45 The use of atypical antipsychotic drugs in Bipolar II disorder126-132
- 44 Bipolar disorder co-morbid with addictions129-138
- 43 Clinical course of schizoaffective disorders145-155
- 42 Diagnosis and classification6-13
- 41 Psychological interventions in bipolar disorders14-22
- 40 Psychological treatment and bipolar disorders: why psychoeducate?25-29
- 39 Mechanisms of action of psychoeducation30-33
- 38 Integrating psychoeducation in clinical practice34-39
- 37 When to introduce psychoeducation?40-44
- 36 Formal aspects of the psychoeducation program45-50
- 35 What is bipolar disorder?64-72

- 34 Etiological and triggering factors73-77
- 33 Symptoms I:Mania and hypomania78-84
- 32 Symptoms II: Depression and mixed episodes85-92
- 31 Evolution and prognosis93-103
- 30 Drug adherence104-110
- 29 Treatment I: Mood stabilizers111-116
- 28 Treatment II: Antimanic drugs117-121
- 27 Treatment III: Antidepressants122-125
- 26 Plasma levels of mood stabilizers126-129
- 25 Pregnancy and genetic counseling130-134
- 24 Psycho-pharmacology vs. alternative therapies135-139
- 23 Avoiding substance abuse147-148
- 22 Psychoactive substances: risks in bipolar disorders149-155
- 21 Early detection of new episodes156-162
- 20 Early detection of mania and hypomanic episodes163-168
- 19 Early detection of depressive and mixed episodes169-172
- 18 What to do when a new phase is detected?173-179
- 17 Regular habits and stress management180-181

16	Regularity of habits182-187		
15	Stress-control techniques188-191		
14	Problem-solving strategies192-196		
13	Final note: Is psychoeducation efficacious?201-204		
12	Management commentary240-243		
11	Neuropsychological Disturbances and Cerebral Blood Flow in Bipolar Disorder		11
10	Working with Bipolar Disorder During the COVID-19 Pandemic: Both Crisis and Opportunity		2
9	Emotional cognition subgroups in unaffected first-degree relatives of patients with mood disorders. <i>Psychological Medicine</i> ,1-11	6.9	0
8	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1
7	Bipolar disorders through history4-5		
6	Awareness of the disorder53-56		
5	Presentation and rules of the group57-63		
4	Risks associated with treatment withdrawal140-146		
3	The use of atypical antipsychotic drugs in Bipolar II Disorder133-140		
2	Aripiprazole in Bipolar Disorder245-269		
1	Characterization of Age and Polarity at Onset in Bipolar Disorder		1