

G Hilmar Gislason

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2657137/g-hilmar-gislason-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

693
papers

21,234
citations

69
h-index

123
g-index

822
ext. papers

26,487
ext. citations

6
avg, IF

6.96
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 693 | Validation of risk stratification schemes for predicting stroke and thromboembolism in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2011 , 342, d124 | 5.9 | 913 |
| 692 | Association of national initiatives to improve cardiac arrest management with rates of bystander intervention and patient survival after out-of-hospital cardiac arrest. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1377-84 | 27.4 | 674 |
| 691 | Stroke and bleeding in atrial fibrillation with chronic kidney disease. <i>New England Journal of Medicine</i> , 2012 , 367, 625-35 | 59.2 | 624 |
| 690 | Risk of bleeding with single, dual, or triple therapy with warfarin, aspirin, and clopidogrel in patients with atrial fibrillation. <i>Archives of Internal Medicine</i> , 2010 , 170, 1433-41 | | 580 |
| 689 | Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. <i>Lancet, The</i> , 2009 , 374, 1967-74 | 4.0 | 422 |
| 688 | Diabetes patients requiring glucose-lowering therapy and nondiabetics with a prior myocardial infarction carry the same cardiovascular risk: a population study of 3.3 million people. <i>Circulation</i> , 2008 , 117, 1945-54 | 16.7 | 402 |
| 687 | Risk of death or reinfarction associated with the use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs after acute myocardial infarction. <i>Circulation</i> , 2006 , 113, 2906-13 | 16.7 | 333 |
| 686 | Risks of thromboembolism and bleeding with thromboprophylaxis in patients with atrial fibrillation: A net clinical benefit analysis using a Real world nationwide cohort study. <i>Thrombosis and Haemostasis</i> , 2011 , 106, 739-49 | 7 | 332 |
| 685 | Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study. <i>Circulation</i> , 2012 , 126, 1185-93 | 16.7 | 317 |
| 684 | Mortality and cardiovascular risk associated with different insulin secretagogues compared with metformin in type 2 diabetes, with or without a previous myocardial infarction: a nationwide study. <i>European Heart Journal</i> , 2011 , 32, 1900-8 | 9.5 | 311 |
| 683 | The risk of myocardial infarction in rheumatoid arthritis and diabetes mellitus: a Danish nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 929-34 | 2.4 | 275 |
| 682 | Oral anticoagulation and antiplatelets in atrial fibrillation patients after myocardial infarction and coronary intervention. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 981-9 | 15.1 | 265 |
| 681 | Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 168-177 | 27.4 | 262 |
| 680 | Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction. <i>European Heart Journal</i> , 2006 , 27, 1153-8 | 9.5 | 232 |
| 679 | Duration of treatment with nonsteroidal anti-inflammatory drugs and impact on risk of death and recurrent myocardial infarction in patients with prior myocardial infarction: a nationwide cohort study. <i>Circulation</i> , 2011 , 123, 2226-35 | 16.7 | 229 |
| 678 | Net clinical benefit of antithrombotic therapy in patients with atrial fibrillation and chronic kidney disease: a nationwide observational cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2471-82 | 15.1 | 205 |
| 677 | Antiplatelet therapy for stable coronary artery disease in atrial fibrillation patients taking an oral anticoagulant: a nationwide cohort study. <i>Circulation</i> , 2014 , 129, 1577-85 | 16.7 | 204 |

| | | | |
|-----|---|------|-----|
| 676 | Proton-pump inhibitors are associated with increased cardiovascular risk independent of clopidogrel use: a nationwide cohort study. <i>Annals of Internal Medicine</i> , 2010 , 153, 378-86 | 8 | 194 |
| 675 | Increased mortality and cardiovascular morbidity associated with use of nonsteroidal anti-inflammatory drugs in chronic heart failure. <i>Archives of Internal Medicine</i> , 2009 , 169, 141-9 | | 187 |
| 674 | Accuracy of a heart failure diagnosis in administrative registers. <i>European Journal of Heart Failure</i> , 2008 , 10, 658-60 | 12.3 | 177 |
| 673 | Bystander Efforts and 1-Year Outcomes in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2017 , 376, 1737-1747 | 59.2 | 176 |
| 672 | Subclinical and overt thyroid dysfunction and risk of all-cause mortality and cardiovascular events: a large population study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2372-82 | 5.6 | 165 |
| 671 | The spectrum of thyroid disease and risk of new onset atrial fibrillation: a large population cohort study. <i>BMJ, The</i> , 2012 , 345, e7895 | 5.9 | 162 |
| 670 | Psoriasis and risk of atrial fibrillation and ischaemic stroke: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2012 , 33, 2054-64 | 9.5 | 161 |
| 669 | Location of cardiac arrest in a city center: strategic placement of automated external defibrillators in public locations. <i>Circulation</i> , 2009 , 120, 510-7 | 16.7 | 149 |
| 668 | Association of warfarin therapy duration after bioprosthetic aortic valve replacement with risk of mortality, thromboembolic complications, and bleeding. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 2118-25 | 27.4 | 148 |
| 667 | Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naïve atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015 , 17, 187-93 | 3.9 | 135 |
| 666 | Dabigatran use in Danish atrial fibrillation patients in 2011: a nationwide study. <i>BMJ Open</i> , 2013 , 3, | 3 | 130 |
| 665 | Persistent use of evidence-based pharmacotherapy in heart failure is associated with improved outcomes. <i>Circulation</i> , 2007 , 116, 737-44 | 16.7 | 129 |
| 664 | Disease activity in inflammatory bowel disease is associated with increased risk of myocardial infarction, stroke and cardiovascular death--a Danish nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e56944 | 3.7 | 128 |
| 663 | Cardiovascular outcomes and systemic anti-inflammatory drugs in patients with severe psoriasis: 5-year follow-up of a Danish nationwide cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1128-34 | 4.6 | 127 |
| 662 | Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. <i>European Heart Journal</i> , 2017 , 38, 899-906 | 9.5 | 127 |
| 661 | Cardiovascular disease event rates in patients with severe psoriasis treated with systemic anti-inflammatory drugs: a Danish real-world cohort study. <i>Journal of Internal Medicine</i> , 2013 , 273, 197-204 | 10.8 | 126 |
| 660 | Proton pump inhibitor use and risk of adverse cardiovascular events in aspirin treated patients with first time myocardial infarction: nationwide propensity score matched study. <i>BMJ, The</i> , 2011 , 342, d2690 | 5.9 | 125 |
| 659 | Risk of Major Adverse Cardiovascular Events and All-Cause Mortality in Patients With Hidradenitis Suppurativa. <i>JAMA Dermatology</i> , 2016 , 152, 429-34 | 5.1 | 123 |

| | | | |
|-----|--|------|-----|
| 658 | Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012. <i>Circulation</i> , 2017 , 135, 1214-1223 | 16.7 | 114 |
| 657 | Missed opportunities: despite improvement in use of cardioprotective medications among patients with lower-extremity peripheral artery disease, underuse remains. <i>Circulation</i> , 2012 , 126, 1345-54 | 16.7 | 114 |
| 656 | Risk of atrial fibrillation and stroke in rheumatoid arthritis: Danish nationwide cohort study. <i>BMJ, The</i> , 2012 , 344, e1257 | 5.9 | 114 |
| 655 | Differences between out-of-hospital cardiac arrest in residential and public locations and implications for public-access defibrillation. <i>Circulation</i> , 2010 , 122, 623-30 | 16.7 | 112 |
| 654 | Cause-specific cardiovascular risk associated with nonsteroidal antiinflammatory drugs among healthy individuals. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 395-405 | 5.8 | 107 |
| 653 | The pattern of use of non-steroidal anti-inflammatory drugs (NSAIDs) from 1997 to 2005: a nationwide study on 4.6 million people. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 822-33 | 2.6 | 102 |
| 652 | Burden of sudden cardiac death in persons aged 1 to 49 years: nationwide study in Denmark. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 205-11 | 6.4 | 98 |
| 651 | Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. <i>Nature Communications</i> , 2019 , 10, 3651 | 17.4 | 96 |
| 650 | Return to Work in Out-of-Hospital Cardiac Arrest Survivors: A Nationwide Register-Based Follow-Up Study. <i>Circulation</i> , 2015 , 131, 1682-90 | 16.7 | 94 |
| 649 | Time elapsed after ischemic stroke and risk of adverse cardiovascular events and mortality following elective noncardiac surgery. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 269-77 | 27.4 | 94 |
| 648 | Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2015 , 351, h5876 | 5.9 | 91 |
| 647 | Exposure to selective serotonin reuptake inhibitors and the risk of congenital malformations: a nationwide cohort study. <i>BMJ Open</i> , 2012 , 2, | 3 | 91 |
| 646 | Risk of Multiple Sclerosis in Patients with Psoriasis: A Danish Nationwide Cohort Study. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 93-8 | 4.3 | 90 |
| 645 | Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. <i>Europace</i> , 2015 , 17, 18-23 | 3.9 | 87 |
| 644 | Automated external defibrillators inaccessible to more than half of nearby cardiac arrests in public locations during evening, nighttime, and weekends. <i>Circulation</i> , 2013 , 128, 2224-31 | 16.7 | 87 |
| 643 | Association of NSAID use with risk of bleeding and cardiovascular events in patients receiving antithrombotic therapy after myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 805-14 | 27.4 | 85 |
| 642 | Increased Suicide Risk in Patients with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 52-57 | 4.3 | 84 |
| 641 | Association of Bystander Cardiopulmonary Resuscitation and Survival According to Ambulance Response Times After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016 , 134, 2095-2104 | 16.7 | 83 |

| | | | |
|-----|---|------|----|
| 640 | Early Versus Standard Care Invasive Examination and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Circulation</i> , 2018 , 138, 2741-2750 | 16.7 | 82 |
| 639 | Dietary Intake of Vitamin K and Its Association With All-Cause, Cardiovascular Disease and Cancer Mortality in the Danish Diet, Cancer, and Health Cohort. <i>Current Developments in Nutrition</i> , 2021 , 5, 1077-1077 | 0.4 | 78 |
| 638 | Bystander Defibrillation for Out-of-Hospital Cardiac Arrest in Public vs Residential Locations. <i>JAMA Cardiology</i> , 2017 , 2, 507-514 | 16.2 | 76 |
| 637 | Association of β -blocker therapy with risks of adverse cardiovascular events and deaths in patients with ischemic heart disease undergoing noncardiac surgery: a Danish nationwide cohort study. <i>JAMA Internal Medicine</i> , 2014 , 174, 336-44 | 11.5 | 76 |
| 636 | Psoriasis carries an increased risk of venous thromboembolism: a Danish nationwide cohort study. <i>PLoS ONE</i> , 2011 , 6, e18125 | 3.7 | 76 |
| 635 | Short-term mortality risk of serum potassium levels in hypertension: a retrospective analysis of nationwide registry data. <i>European Heart Journal</i> , 2017 , 38, 104-112 | 9.5 | 76 |
| 634 | Major Bleeding Complications and Persistence With Oral Anticoagulation in Non-Valvular Atrial Fibrillation: Contemporary Findings in Real-Life Danish Patients. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 74 |
| 633 | Valproate attenuates the risk of myocardial infarction in patients with epilepsy: a nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 146-53 | 2.6 | 73 |
| 632 | Long-term cardiovascular risk of nonsteroidal anti-inflammatory drug use according to time passed after first-time myocardial infarction: a nationwide cohort study. <i>Circulation</i> , 2012 , 126, 1955-63 | 16.7 | 73 |
| 631 | Risk of myocardial infarction, ischemic stroke, and cardiovascular death in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 310-312.e3 | 11.5 | 73 |
| 630 | Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. <i>European Journal of Heart Failure</i> , 2016 , 18, 260-6 | 12.3 | 73 |
| 629 | Antiepileptic drugs and risk of suicide: a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 518-24 | 2.6 | 72 |
| 628 | Mortality after acute myocardial infarction according to income and education. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 351-6 | 5.1 | 72 |
| 627 | Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 317-25 | 3.9 | 70 |
| 626 | Oral anticoagulation therapy after radiofrequency ablation of atrial fibrillation and the risk of thromboembolism and serious bleeding: long-term follow-up in nationwide cohort of Denmark. <i>European Heart Journal</i> , 2015 , 36, 307-14a | 9.5 | 70 |
| 625 | Risk of atrial fibrillation in diabetes mellitus: A nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 621-7 | 3.9 | 69 |
| 624 | Survival after out-of-hospital cardiac arrest in relation to sex: a nationwide registry-based study. <i>Resuscitation</i> , 2014 , 85, 1212-8 | 4 | 69 |
| 623 | Temporal trends in coverage of historical cardiac arrests using a volunteer-based network of automated external defibrillators accessible to laypersons and emergency dispatch centers. <i>Circulation</i> , 2014 , 130, 1859-67 | 16.7 | 69 |

| | | | |
|-----|--|------|----|
| 622 | Increased risk of atrial fibrillation and stroke during active stages of inflammatory bowel disease: a nationwide study. <i>Europace</i> , 2014 , 16, 477-84 | 3.9 | 69 |
| 621 | The relation between age, sex, comorbidity, and pharmacotherapy and the risk of syncope: a Danish nationwide study. <i>Europace</i> , 2012 , 14, 1506-14 | 3.9 | 69 |
| 620 | Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011-2015 in Denmark. <i>Scientific Reports</i> , 2016 , 6, 31477 | 4.9 | 68 |
| 619 | Non-steroidal anti-inflammatory drugs and risk of cardiovascular disease in patients with rheumatoid arthritis: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1515-1521 | 2.4 | 68 |
| 618 | Influenza Vaccine in Heart Failure. <i>Circulation</i> , 2019 , 139, 575-586 | 16.7 | 67 |
| 617 | Survival After Out-of-Hospital Cardiac Arrest in Relation to Age and Early Identification of Patients With Minimal Chance of Long-Term Survival. <i>Circulation</i> , 2015 , 131, 1536-45 | 16.7 | 66 |
| 616 | Exploring the Association Between Rosacea and Parkinson Disease: A Danish Nationwide Cohort Study. <i>JAMA Neurology</i> , 2016 , 73, 529-34 | 17.2 | 66 |
| 615 | Incidence, prevalence, and risk of selected ocular disease in adults with atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 280-286.e1 | 4.5 | 66 |
| 614 | Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020 , 142, 2080-2082 | 16.7 | 66 |
| 613 | Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2017 , 38, 907-915 | 9.5 | 63 |
| 612 | Vascular disease and stroke risk in atrial fibrillation: a nationwide cohort study. <i>American Journal of Medicine</i> , 2012 , 125, 826.e13-23 | 2.4 | 62 |
| 611 | Efficacy of post-operative clopidogrel treatment in patients revascularized with coronary artery bypass grafting after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1202-9 | 15.1 | 62 |
| 610 | Cardiovascular effects and safety of (non-aspirin) NSAIDs. <i>Nature Reviews Cardiology</i> , 2020 , 17, 574-584 | 14.8 | 62 |
| 609 | Autoimmune diseases in adults with atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 274-280.e1 | 4.5 | 61 |
| 608 | Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 453-463 | 15.1 | 60 |
| 607 | Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018 , 39, 623-629 | 9.5 | 60 |
| 606 | Functional Testing or Coronary Computed Tomography Angiography in Patients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1761-1770 | 15.1 | 59 |
| 605 | Prognosis among healthy individuals discharged with a primary diagnosis of syncope. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 325-32 | 15.1 | 59 |

| | | | |
|-----|---|------|----|
| 604 | Relation of nonsteroidal anti-inflammatory drugs to serious bleeding and thromboembolism risk in patients with atrial fibrillation receiving antithrombotic therapy: a nationwide cohort study. <i>Annals of Internal Medicine</i> , 2014 , 161, 690-8 | 8 | 58 |
| 603 | Short-term mortality risk of serum potassium levels in acute heart failure following myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 245-51 | 6.4 | 57 |
| 602 | Psoriasis and new-onset diabetes: a Danish nationwide cohort study. <i>Diabetes Care</i> , 2013 , 36, 2402-7 | 14.6 | 57 |
| 601 | Increased short-term risk of thrombo-embolism or death after interruption of warfarin treatment in patients with atrial fibrillation. <i>European Heart Journal</i> , 2012 , 33, 1886-92 | 9.5 | 56 |
| 600 | Use of statins and beta-blockers after acute myocardial infarction according to income and education. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 1091-7 | 5.1 | 56 |
| 599 | Accuracy of the ICD-10 discharge diagnosis for syncope. <i>Europace</i> , 2013 , 15, 595-600 | 3.9 | 54 |
| 598 | Obesity is a risk factor for atrial fibrillation among fertile young women: a nationwide cohort study. <i>Europace</i> , 2013 , 15, 781-6 | 3.9 | 54 |
| 597 | Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2010 , 12, 1333-8 | 12.3 | 54 |
| 596 | Incidence of New-Onset and Worsening Heart Failure Before and After the COVID-19 Epidemic Lockdown in Denmark: A Nationwide Cohort Study. <i>Circulation: Heart Failure</i> , 2020 , 13, e007274 | 7.6 | 53 |
| 595 | New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020 , 41, 3072-3079 | 9.5 | 53 |
| 594 | Effects of epilepsy and selected antiepileptic drugs on risk of myocardial infarction, stroke, and death in patients with or without previous stroke: a nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 964-71 | 2.6 | 53 |
| 593 | Charlson Comorbidity Index Score and Risk of Severe Outcome and Death in Danish COVID-19 Patients. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2801-2803 | 4 | 52 |
| 592 | Incidence and Prognosis of Psoriasis and Psoriatic Arthritis in Patients Undergoing Bariatric Surgery. <i>JAMA Surgery</i> , 2017 , 152, 344-349 | 5.4 | 51 |
| 591 | Patients with Rosacea Have Increased Risk of Depression and Anxiety Disorders: A Danish Nationwide Cohort Study. <i>Dermatology</i> , 2016 , 232, 208-13 | 4.4 | 51 |
| 590 | Moderate overweight is beneficial and severe obesity detrimental for patients with documented atherosclerotic heart disease. <i>Heart</i> , 2013 , 99, 655-60 | 5.1 | 51 |
| 589 | Prognosis in heart failure and the value of {beta}-blockers are altered by the use of antidepressants and depend on the type of antidepressants used. <i>Circulation: Heart Failure</i> , 2009 , 2, 582-90 | 7.6 | 51 |
| 588 | Out-of-hospital cardiac arrests in children and adolescents: incidences, outcomes, and household socioeconomic status. <i>Resuscitation</i> , 2015 , 88, 12-9 | 4 | 50 |
| 587 | Psoriasis and risk of heart failure: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014 , 16, 743-8 | 12.3 | 50 |

| | | | |
|-----|--|------|----|
| 586 | Effects of oral glucose-lowering drugs on long term outcomes in patients with diabetes mellitus following myocardial infarction not treated with emergent percutaneous coronary intervention--a retrospective nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2010 , 9, 54 | 8.7 | 50 |
| 585 | Temporal trends in atrial fibrillation recurrence rates after ablation between 2005 and 2014: a nationwide Danish cohort study. <i>European Heart Journal</i> , 2018 , 39, 442-449 | 9.5 | 49 |
| 584 | Clustering of autoimmune diseases in patients with rosacea. <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, 667-72.e1 | 4.5 | 48 |
| 583 | The relationship between duration of psoriasis, vascular inflammation, and cardiovascular events. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 650-656.e3 | 4.5 | 48 |
| 582 | Prevalence and Risk of Inflammatory Bowel Disease in Patients with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1060-1064 | 4.3 | 47 |
| 581 | Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)-A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4025-e4030 | 11.6 | 47 |
| 580 | Body mass index and risk of perioperative cardiovascular adverse events and mortality in 34,744 Danish patients undergoing hip or knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 456-62 | 4.3 | 46 |
| 579 | Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 1646-1655 | 15.1 | 45 |
| 578 | Long-term prognostic importance of resting heart rate in patients with left ventricular dysfunction in connection with either heart failure or myocardial infarction: the DIAMOND study. <i>International Journal of Cardiology</i> , 2010 , 140, 279-86 | 3.2 | 45 |
| 577 | Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2027-2036 | 15.1 | 45 |
| 576 | Smartphone Activation of Citizen Responders to Facilitate Defibrillation in Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 43-53 | 15.1 | 44 |
| 575 | Incidence and Prevalence of Psoriasis in Denmark. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 808-812 | 2.2 | 44 |
| 574 | Missed opportunities: low use of evidence-based treatment with eplerenone after myocardial infarction - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, 809-809 | 9.5 | 44 |
| 573 | CHADS-VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 651-658 | 3.9 | 43 |
| 572 | Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018 , 3, 417-424 | 16.2 | 43 |
| 571 | Inflammatory bowel disease is associated with an increased risk of hospitalization for heart failure: a Danish Nationwide Cohort study. <i>Circulation: Heart Failure</i> , 2014 , 7, 717-22 | 7.6 | 43 |
| 570 | Risk of fracture in adults on renal replacement therapy: a Danish national cohort study. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1654-62 | 4.3 | 42 |
| 569 | New-onset atrial fibrillation is associated with cardiovascular events leading to death in a first time myocardial infarction population of 89,703 patients with long-term follow-up: a nationwide study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000382 | 6 | 42 |

| | | | |
|-----|---|------|----|
| 568 | Familial clustering of myocardial infarction in first-degree relatives: a nationwide study. <i>European Heart Journal</i> , 2013 , 34, 1198-203 | 9.5 | 42 |
| 567 | The increasing incidence of infective endocarditis in Denmark, 1994-2011. <i>European Journal of Internal Medicine</i> , 2016 , 35, 95-99 | 3.9 | 41 |
| 566 | Calcium-channel blockers do not alter the clinical efficacy of clopidogrel after myocardial infarction: a nationwide cohort study. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 409-17 | 15.1 | 41 |
| 565 | Automated external defibrillator accessibility is crucial for bystander defibrillation and survival: A registry-based study. <i>Resuscitation</i> , 2019 , 136, 30-37 | 4 | 40 |
| 564 | Association of Psoriatic Disease With Uveitis: A Danish Nationwide Cohort Study. <i>JAMA Dermatology</i> , 2015 , 151, 1200-5 | 5.1 | 40 |
| 563 | Cardiovascular safety of combination therapies with incretin-based drugs and metformin compared with a combination of metformin and sulphonylurea in type 2 diabetes mellitus--a retrospective nationwide study. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 1001-8 | 6.7 | 39 |
| 562 | Cardiovascular safety of non-steroidal anti-inflammatory drugs among healthy individuals. <i>Expert Opinion on Drug Safety</i> , 2010 , 9, 893-903 | 4.1 | 39 |
| 561 | Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020 , 7, 4189 | 3.7 | 39 |
| 560 | Psoriasis and New-onset Depression: A Danish Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 39-42 | 2.2 | 39 |
| 559 | Non-steroidal anti-inflammatory drug use is associated with increased risk of out-of-hospital cardiac arrest: a nationwide case-time-control study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 100-107 | 6.4 | 39 |
| 558 | Incidence and survival outcome according to heart rhythm during resuscitation attempt in out-of-hospital cardiac arrest patients with presumed cardiac etiology. <i>Resuscitation</i> , 2017 , 114, 157-163 ⁴ | | 38 |
| 557 | Association of clopidogrel treatment with risk of mortality and cardiovascular events following myocardial infarction in patients with and without diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 882-9 | 27.4 | 38 |
| 556 | Bystander cardiopulmonary resuscitation and long-term outcomes in out-of-hospital cardiac arrest according to location of arrest. <i>European Heart Journal</i> , 2019 , 40, 309-318 | 9.5 | 38 |
| 555 | The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021 , 42, 1621-1631 | 9.5 | 37 |
| 554 | Cause-specific cardiovascular risk associated with nonsteroidal anti-inflammatory drugs among myocardial infarction patients--a nationwide study. <i>PLoS ONE</i> , 2013 , 8, e54309 | 3.7 | 36 |
| 553 | Reduced risk of gastrointestinal bleeding associated with proton pump inhibitor therapy in patients treated with dual antiplatelet therapy after myocardial infarction. <i>European Heart Journal</i> , 2019 , 40, 1963-1970 | 9.5 | 35 |
| 552 | Prevalence of Pulmonary Embolism in Patients With Syncope. <i>JAMA Internal Medicine</i> , 2018 , 178, 356-362 ^{1.5} | | 35 |
| 551 | Risk of periodontitis in patients with psoriasis and psoriatic arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 288-293 | 4.6 | 35 |

| | | | |
|-----|---|------|----|
| 550 | Initiation and adherence to secondary prevention pharmacotherapy after myocardial infarction in patients with rheumatoid arthritis: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1496-501 | 2.4 | 35 |
| 549 | Comparison of incidence, predictors, and the impact of co-morbidity and polypharmacy on the risk of recurrent syncope in patients. <i>American Journal of Cardiology</i> , 2013 , 112, 1610-5 | 3 | 35 |
| 548 | Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. <i>BMJ Open</i> , 2020 , 10, e044421 | 3 | 35 |
| 547 | Relationship between heart failure, concurrent chronic obstructive pulmonary disease and beta-blocker use: a Danish nationwide cohort study. <i>European Journal of Heart Failure</i> , 2018 , 20, 548-556 ^{12,3} | 3.5 | 35 |
| 546 | Risk of Infective Endocarditis in Patients with End Stage Renal Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1814-1822 | 6.9 | 34 |
| 545 | Out-of-hospital cardiac arrest: Probability of bystander defibrillation relative to distance to nearest automated external defibrillator. <i>Resuscitation</i> , 2018 , 124, 138-144 | 4 | 34 |
| 544 | Assessment of the risk of cardiovascular disease in patients with rosacea. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 336-9 | 4.5 | 34 |
| 543 | Levothyroxine Substitution in Patients with Subclinical Hypothyroidism and the Risk of Myocardial Infarction and Mortality. <i>PLoS ONE</i> , 2015 , 10, e0129793 | 3.7 | 34 |
| 542 | Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in patients with abdominal aortic aneurysms: nation-wide cohort study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 733-40 | 9.4 | 34 |
| 541 | Risk of Myocardial Infarction in Anticoagulated Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 17-26 | 15.1 | 34 |
| 540 | Incidence and prevalence of psoriatic arthritis in Denmark: a nationwide register linkage study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1591-1597 | 2.4 | 33 |
| 539 | Atrial fibrillation and risk of stroke: a nationwide cohort study. <i>Europace</i> , 2016 , 18, 1689-1697 | 3.9 | 33 |
| 538 | Association of heart failure severity with risk of diabetes: a Danish nationwide cohort study. <i>Diabetologia</i> , 2014 , 57, 1595-600 | 10.3 | 33 |
| 537 | Diabetes is associated with impaired myocardial performance in patients without significant coronary artery disease. <i>Cardiovascular Diabetology</i> , 2010 , 9, 3 | 8.7 | 33 |
| 536 | Age-specific performance of the revised cardiac risk index for predicting cardiovascular risk in elective noncardiac surgery. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 103-8 | 5.8 | 32 |
| 535 | Sulfonylurea in combination with insulin is associated with increased mortality compared with a combination of insulin and metformin in a retrospective Danish nationwide study. <i>Diabetologia</i> , 2015 , 58, 50-8 | 10.3 | 32 |
| 534 | Falls and comorbidity: the pathway to fractures. <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 287-94 | 3 | 32 |
| 533 | Risk of cancer in patients using glucose-lowering agents: a nationwide cohort study of 3.6 million people. <i>BMJ Open</i> , 2012 , 2, | 3 | 31 |

| | | | |
|-----|--|------|----|
| 532 | Response to pneumococcal vaccine in chronic obstructive lung disease--the effect of ongoing, systemic steroid treatment. <i>Vaccine</i> , 2006 , 24, 1408-12 | 4.1 | 31 |
| 531 | The impact of co-morbidity burden on appropriate implantable cardioverter defibrillator therapy and all-cause mortality: insight from Danish nationwide clinical registers. <i>European Journal of Heart Failure</i> , 2017 , 19, 377-386 | 12.3 | 30 |
| 530 | Antidepressant use and risk for mortality in 121,252 heart failure patients with or without a diagnosis of clinical depression. <i>International Journal of Cardiology</i> , 2016 , 203, 867-73 | 3.2 | 30 |
| 529 | Retinal vein and artery occlusions: a risk factor for stroke in atrial fibrillation. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 1485-92 | 15.4 | 30 |
| 528 | Return to Work and Risk of Subsequent Detachment From Employment After Myocardial Infarction: Insights From Danish Nationwide Registries. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 30 |
| 527 | Statin treatment and risk of recurrent venous thromboembolism: a nationwide cohort study. <i>BMJ Open</i> , 2013 , 3, e003135 | 3 | 30 |
| 526 | Statin use after acute myocardial infarction: a nationwide study in Denmark. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 150-8 | 3.8 | 30 |
| 525 | Pharmacological undertreatment of coronary risk factors in patients with psoriasis: observational study of the Danish nationwide registries. <i>PLoS ONE</i> , 2012 , 7, e36342 | 3.7 | 30 |
| 524 | Combining Oral Anticoagulants With Platelet Inhibitors in Patients With Atrial Fibrillation and Coronary Disease. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1790-1800 | 15.1 | 30 |
| 523 | Incidence and factors associated with infective endocarditis in patients undergoing left-sided heart valve replacement. <i>European Heart Journal</i> , 2018 , 39, 2668-2675 | 9.5 | 29 |
| 522 | Return to the Workforce After First Hospitalization for Heart Failure: A Danish Nationwide Cohort Study. <i>Circulation</i> , 2016 , 134, 999-1009 | 16.7 | 29 |
| 521 | Patients with rosacea have increased risk of dementia. <i>Annals of Neurology</i> , 2016 , 79, 921-8 | 9.4 | 29 |
| 520 | Osteoporotic Fractures in Patients With Atrial Fibrillation Treated With Conventional Versus Direct Anticoagulants. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2150-2158 | 15.1 | 29 |
| 519 | Comparative safety and effectiveness of rivaroxaban versus VKAs in patients with venous thromboembolism. A Danish nationwide registry-based study. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 1182-1191 | 7 | 29 |
| 518 | Metformin is associated with improved left ventricular diastolic function measured by tissue Doppler imaging in patients with diabetes. <i>European Journal of Endocrinology</i> , 2010 , 163, 593-9 | 6.5 | 29 |
| 517 | The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016 , 181, 35-42 | 4.9 | 29 |
| 516 | The association with cardiovascular disease and type 2 diabetes in adults with atopic dermatitis: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2018 , 178, 1272-1279 | 4 | 29 |
| 515 | Long-Term Outcome in Levothyroxine Treated Patients With Subclinical Hypothyroidism and Concomitant Heart Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4170-4177 | 5.6 | 28 |

| | | | |
|-----|---|------|----|
| 514 | Thromboembolic risk stratification of patients hospitalized with heart failure in sinus rhythm: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2015 , 17, 828-36 | 12.3 | 28 |
| 513 | Danish register-based study on the association between specific cardiovascular drugs and fragility fractures. <i>BMJ Open</i> , 2015 , 5, e009522 | 3 | 28 |
| 512 | Persistent socio-economic differences in revascularization after acute myocardial infarction despite a universal health care system-a Danish study. <i>Cardiovascular Drugs and Therapy</i> , 2007 , 21, 449-57 | 3.9 | 28 |
| 511 | SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study.. <i>BMJ, The</i> , 2021 , 375, e068665 | 5.9 | 28 |
| 510 | The Danish Cardiac Rehabilitation Database. <i>Clinical Epidemiology</i> , 2016 , 8, 451-456 | 5.9 | 28 |
| 509 | Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation: An Observational Cohort Study. <i>Stroke</i> , 2016 , 47, 2707-2713 | 6.7 | 28 |
| 508 | Cardiovascular Manifestations of Systemic Sclerosis: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e013405 | 6 | 27 |
| 507 | Incident Heart Failure in Patients With Rheumatoid Arthritis: A Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 27 |
| 506 | Syncope and Motor Vehicle Crash Risk: A Danish Nationwide Study. <i>JAMA Internal Medicine</i> , 2016 , 176, 503-10 | 11.5 | 27 |
| 505 | Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. <i>Europace</i> , 2015 , 17, 1215-22 | 3.9 | 27 |
| 504 | Patient adherence to evidence-based pharmacotherapy in systolic heart failure and the transition of follow-up from specialized heart failure outpatient clinics to primary care. <i>European Journal of Heart Failure</i> , 2013 , 15, 671-8 | 12.3 | 27 |
| 503 | Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016 , 6, e010880 | 3 | 27 |
| 502 | Cardiopulmonary Resuscitation Training in Schools Following 8 Years of Mandating Legislation in Denmark: A Nationwide Survey. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 26 |
| 501 | β-Blocker-Associated Risks in Patients With Uncomplicated Hypertension Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2015 , 175, 1923-31 | 11.5 | 26 |
| 500 | Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018 , 20, 1447-1453 | 12.3 | 26 |
| 499 | Cardioversion and Risk of Adverse Events with Dabigatran versus Warfarin-A Nationwide Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0141377 | 3.7 | 26 |
| 498 | Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997-2010: A Danish cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 731-8 | 3.9 | 26 |
| 497 | Antiarrhythmic therapy and risk of death in patients with atrial fibrillation: a nationwide study. <i>Europace</i> , 2009 , 11, 886-91 | 3.9 | 26 |

| | | | |
|-----|--|------|----|
| 496 | Impact of Depression on Risk of Myocardial Infarction, Stroke and Cardiovascular Death in Patients with Psoriasis: A Danish Nationwide Study. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 218-21 | 2.2 | 26 |
| 495 | Neonatal risk factors of atopic dermatitis in Denmark - Results from a nationwide register-based study. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 368-74 | 4.2 | 25 |
| 494 | Temporal trends in initiation of VKA, rivaroxaban, apixaban and dabigatran for the treatment of venous thromboembolism - A Danish nationwide cohort study. <i>Scientific Reports</i> , 2017 , 7, 3347 | 4.9 | 25 |
| 493 | Survival after out-of-hospital cardiac arrest in nursing homes - A nationwide study. <i>Resuscitation</i> , 2018 , 125, 90-98 | 4 | 24 |
| 492 | Prevalence and risk of migraine in patients with rosacea: A population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 454-458 | 4.5 | 24 |
| 491 | Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons. <i>Journal of the American Heart Association</i> , 2015 , 4, e001666 | 6 | 24 |
| 490 | Different angiotensin-converting enzyme inhibitors have similar clinical efficacy after myocardial infarction. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 217-23 | 3.8 | 24 |
| 489 | Nationwide trends in the prescription of beta-blockers and angiotensin-converting enzyme inhibitors after myocardial infarction in Denmark, 1995-2002. <i>Scandinavian Cardiovascular Journal</i> , 2005 , 39, 42-9 | 2 | 24 |
| 488 | Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. <i>JACC: Heart Failure</i> , 2019 , 7, 217-224 | 7.9 | 23 |
| 487 | Association of Rosacea With Risk for Glioma in a Danish Nationwide Cohort Study. <i>JAMA Dermatology</i> , 2016 , 152, 541-5 | 5.1 | 23 |
| 486 | Age-dependent trends in postoperative mortality and preoperative comorbidity in isolated coronary artery bypass surgery: a nationwide study. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 49, 391-7 | 3 | 23 |
| 485 | No association between metal allergy and cardiac in-stent restenosis in patients with dermatitis-results from a linkage study. <i>Contact Dermatitis</i> , 2011 , 64, 138-41 | 2.7 | 23 |
| 484 | The Danish Heart Registry. <i>Clinical Epidemiology</i> , 2016 , 8, 503-508 | 5.9 | 23 |
| 483 | Dialysis-Requiring Acute Kidney Injury in Denmark 2000-2012: Time Trends of Incidence and Prevalence of Risk Factors-A Nationwide Study. <i>PLoS ONE</i> , 2016 , 11, e0148809 | 3.7 | 23 |
| 482 | Prolonged cardiopulmonary resuscitation and outcomes after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016 , 105, 45-51 | 4 | 23 |
| 481 | Incidence of atrial fibrillation in different major cancer subtypes: a Nationwide population-based 12 year follow up study. <i>BMC Cancer</i> , 2019 , 19, 1105 | 4.8 | 23 |
| 480 | Increased risk of migraine in patients with psoriasis: A Danish nationwide cohort study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 829-35 | 4.5 | 22 |
| 479 | Risk of thromboembolism and fatal stroke in patients with psoriasis and nonvalvular atrial fibrillation: a Danish nationwide cohort study. <i>Journal of Internal Medicine</i> , 2015 , 277, 447-55 | 10.8 | 22 |

| | | | |
|-----|---|------|----|
| 478 | Psoriasis and Sleep Apnea: A Danish Nationwide Cohort Study. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 663-71 | 3.1 | 22 |
| 477 | Risk of Myocardial Infarction in Patients with Psoriasis and Psoriatic Arthritis: A Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 819-824 | 2.2 | 22 |
| 476 | Determinants of occurrence and survival after sudden cardiac arrest-A European perspective: The ESCAPE-NET project. <i>Resuscitation</i> , 2018 , 124, 7-13 | 4 | 22 |
| 475 | The preventive effect of statin therapy on new-onset and recurrent atrial fibrillation in patients not undergoing invasive cardiac interventions: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 167, 624-30 | 3.2 | 22 |
| 474 | Thiazolidinediones are associated with a decreased risk of atrial fibrillation compared with other antidiabetic treatment: a nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 140-146 | 6.4 | 22 |
| 473 | Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019 , 40, 1355-1361 | 9.5 | 22 |
| 472 | Prevalence of Infective Endocarditis in Streptococcal Bloodstream Infections Is Dependent on Streptococcal Species. <i>Circulation</i> , 2020 , 142, 720-730 | 16.7 | 21 |
| 471 | Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2018 , 39, 1698-1705a ^{9.5} | 9.5 | 21 |
| 470 | Atrial fibrillation and vascular disease--a bad combination. <i>Clinical Cardiology</i> , 2012 , 35 Suppl 1, 15-20 | 3.3 | 21 |
| 469 | Evaluation of the CHADS2 risk score on short- and long-term all-cause and cardiovascular mortality after syncope. <i>Clinical Cardiology</i> , 2013 , 36, 262-8 | 3.3 | 21 |
| 468 | Does type 2 diabetes confer higher relative rates of cardiovascular events in women compared with men?. <i>European Heart Journal</i> , 2020 , 41, 1346-1353 | 9.5 | 21 |
| 467 | Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 767-777 | 15.1 | 21 |
| 466 | Trends in incidence, mortality, and causes of death associated with systemic sclerosis in Denmark between 1995 and 2015: a nationwide cohort study. <i>BMC Rheumatology</i> , 2018 , 2, 36 | 2.9 | 21 |
| 465 | Infective endocarditis and risk of death after cardiac implantable electronic device implantation: a nationwide cohort study. <i>Europace</i> , 2017 , 19, 1007-1014 | 3.9 | 20 |
| 464 | Risk factors and causes of sudden noncardiac death: A nationwide cohort study in Denmark. <i>Heart Rhythm</i> , 2015 , 12, 968-74 | 6.7 | 20 |
| 463 | Coronary artery disease severity and long-term cardiovascular risk in patients with myocardial infarction: a Danish nationwide register-based cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 25-35 | 6.4 | 20 |
| 462 | Comparison of the clinical outcome of different beta-blockers in heart failure patients: a retrospective nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014 , 16, 678-84 | 12.3 | 20 |
| 461 | Hyponatremia, all-cause mortality, and risk of cancer diagnoses in the primary care setting: A large population study. <i>European Journal of Internal Medicine</i> , 2016 , 36, 36-43 | 3.9 | 20 |

| | | | |
|-----|---|------|----|
| 460 | Cutaneous lupus erythematosus and systemic lupus erythematosus are associated with clinically significant cardiovascular risk: a Danish nationwide cohort study. <i>Lupus</i> , 2017 , 26, 48-53 | 2.6 | 19 |
| 459 | Cutaneous lupus erythematosus and the risk of deep venous thrombosis and pulmonary embolism: A Danish nationwide cohort study. <i>Lupus</i> , 2017 , 26, 1435-1439 | 2.6 | 19 |
| 458 | Nationwide population-based study of cause-specific death rates in patients with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1002-5 | 4.6 | 19 |
| 457 | Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020 , 22, 1777-1785 | 12.3 | 19 |
| 456 | Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 860-866 | 3 | 19 |
| 455 | Adult atopic dermatitis and the risk of type 2 diabetes. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1057-1059 | 11.5 | 19 |
| 454 | Incidence and outcome of first myocardial infarction according to gender and age in Denmark over a 35-year period (1978-2012). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015 , 1, 72-78 | 4.6 | 19 |
| 453 | Atrial fibrillation pharmacotherapy after hospital discharge between 1995 and 2004: a shift towards beta-blockers. <i>Europace</i> , 2008 , 10, 395-402 | 3.9 | 19 |
| 452 | Sudden cardiac death among persons with diabetes aged 1-49 years: a 10-year nationwide study of 14 294 deaths in Denmark. <i>European Heart Journal</i> , 2020 , 41, 2699-2706 | 9.5 | 19 |
| 451 | Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark: A Nationwide Cohort Study. <i>Circulation</i> , 2020 , 142, 1227-1229 | 16.7 | 19 |
| 450 | Pregnancy complications, treatment characteristics and birth outcomes in women with atopic dermatitis in Denmark. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 577-587 | 4.6 | 19 |
| 449 | Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: a nationwide study in Denmark. <i>Resuscitation</i> , 2014 , 85, 1161-8 | 4 | 18 |
| 448 | Effect of extended follow-up in a specialized heart failure clinic on adherence to guideline recommended therapy: NorthStar Adherence Study. <i>European Journal of Heart Failure</i> , 2014 , 16, 1249-55 | 12.3 | 18 |
| 447 | Hormone replacement therapy and risk of new-onset atrial fibrillation after myocardial infarction--a nationwide cohort study. <i>PLoS ONE</i> , 2012 , 7, e51580 | 3.7 | 18 |
| 446 | Comparable long-term mortality risk associated with individual sulfonylureas in diabetes patients with heart failure. <i>Diabetes Research and Clinical Practice</i> , 2011 , 94, 119-25 | 7.4 | 18 |
| 445 | Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 172-180 | 4.6 | 18 |
| 444 | Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. <i>Lancet Planetary Health</i> , 2019 , 3, e450-e459 | 9.8 | 18 |
| 443 | All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021 , 42, 1516-1523 | 9.5 | 18 |

| | | | |
|-----|---|------|----|
| 442 | Prestroke and Poststroke Antithrombotic Therapy in Patients With Atrial Fibrillation: Results From a Nationwide Cohort. <i>JAMA Network Open</i> , 2018 , 1, e180171 | 10.4 | 18 |
| 441 | Rosacea and risk of cancer in Denmark. <i>Cancer Epidemiology</i> , 2017 , 47, 76-80 | 2.8 | 17 |
| 440 | Assessment of major comorbidities in adults with atopic dermatitis using the Charlson comorbidity index. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 1088-1092.e1 | 4.5 | 17 |
| 439 | Incidence of heart failure after pacemaker implantation: a nationwide Danish Registry-based follow-up study. <i>European Heart Journal</i> , 2019 , 40, 3641-3648 | 9.5 | 17 |
| 438 | Association Between Topical Corticosteroid Use and Type 2 Diabetes in Two European Population-Based Adult Cohorts. <i>Diabetes Care</i> , 2019 , 42, 1095-1103 | 14.6 | 17 |
| 437 | Association between biomarkers and COVID-19 severity and mortality: a nationwide Danish cohort study. <i>BMJ Open</i> , 2020 , 10, e041295 | 3 | 17 |
| 436 | Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018 , 20, e78-e86 | 3.9 | 17 |
| 435 | Prepregnancy obesity and associations with stroke and myocardial infarction in women in the years after childbirth: a nationwide cohort study. <i>Circulation</i> , 2014 , 129, 330-7 | 16.7 | 17 |
| 434 | The impact of NSAID treatment on cardiovascular risk - insight from Danish observational data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 115, 179-84 | 3.1 | 17 |
| 433 | Spousal depression, anxiety, and suicide after myocardial infarction. <i>European Heart Journal</i> , 2013 , 34, 649-56 | 9.5 | 17 |
| 432 | New-onset atrial fibrillation is a predictor of subsequent hyperthyroidism: a nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e57893 | 3.7 | 17 |
| 431 | Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020 , 13, 1103-1107 | 4.9 | 17 |
| 430 | Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 82-91 | 6.5 | 17 |
| 429 | Identifying Drug-Drug Interactions by Data Mining: A Pilot Study of Warfarin-Associated Drug Interactions. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 621-628 | 5.8 | 17 |
| 428 | Nationwide Assessment of Cause-Specific Mortality in Patients with Rosacea: A Cohort Study in Denmark. <i>American Journal of Clinical Dermatology</i> , 2016 , 17, 673-679 | 7.1 | 17 |
| 427 | Incidence of new onset cancer in patients with a myocardial infarction - a nationwide cohort study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 198 | 2.3 | 17 |
| 426 | Antithrombotic Therapy and First Myocardial Infarction in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2901-2909 | 15.1 | 16 |
| 425 | Heart failure and the prognostic impact and incidence of new-onset of diabetes mellitus: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 79 | 8.7 | 16 |

| | | | |
|-----|--|------|----|
| 424 | Long-term proarrhythmic pharmacotherapy among patients with congenital long QT syndrome and risk of arrhythmia and mortality. <i>European Heart Journal</i> , 2019 , 40, 3110-3117 | 9.5 | 16 |
| 423 | Safety and efficacy of direct oral anticoagulants compared to warfarin for extended treatment of venous thromboembolism -a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2015 , 136, 732-8 | 8.2 | 16 |
| 422 | Antithrombotic treatment in patients with heart failure and associated atrial fibrillation and vascular disease: a nationwide cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2689-98 | 15.1 | 16 |
| 421 | Management and prognosis of atrial fibrillation in the diabetic patient. <i>Expert Review of Cardiovascular Therapy</i> , 2015 , 13, 643-51 | 2.5 | 16 |
| 420 | Sarcoidosis in patients with psoriasis: a population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e109632 | 3.7 | 16 |
| 419 | Comparative cardiovascular safety of dementia medications: a cross-national study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2283-9 | 5.6 | 16 |
| 418 | Cardiovascular and non-cardiovascular hospital admissions associated with atrial fibrillation: a Danish nationwide, retrospective cohort study. <i>BMJ Open</i> , 2013 , 3, | 3 | 16 |
| 417 | Temporal trends in stroke admissions in Denmark 1997-2009. <i>BMC Neurology</i> , 2013 , 13, 156 | 3.1 | 16 |
| 416 | Increased mortality associated with low use of clopidogrel in patients with heart failure and acute myocardial infarction not undergoing percutaneous coronary intervention: a nationwide study. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1300-7 | 15.1 | 16 |
| 415 | Beta-blocker subtype and risks of perioperative adverse events following non-cardiac surgery: a nationwide cohort study. <i>European Heart Journal</i> , 2017 , 38, 2421-2428 | 9.5 | 15 |
| 414 | Utility of left atrial strain for predicting atrial fibrillation following ischemic stroke. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 1605-1613 | 2.5 | 15 |
| 413 | Oral anticoagulation among atrial fibrillation patients with anaemia: an observational cohort study. <i>European Heart Journal</i> , 2019 , 40, 3782-3790 | 9.5 | 15 |
| 412 | Statins reduce new-onset atrial fibrillation in a first-time myocardial infarction population: a nationwide propensity score-matched study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 330-8 | 3.9 | 15 |
| 411 | Symptomatic venous thromboembolism following fractures distal to the knee: a nationwide Danish cohort study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015 , 97, 470-7 | 5.6 | 15 |
| 410 | Associations between body mass index and development of metabolic disorders in fertile women--a nationwide cohort study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000672 | 6 | 15 |
| 409 | Nationwide Study on the Risk of Abdominal Aortic Aneurysms in Patients With Psoriasis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1043-8 | 9.4 | 15 |
| 408 | Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 11-19 | 6.4 | 15 |
| 407 | Effect of Reduced Renal Function on Time in Therapeutic Range Among Anticoagulated Atrial Fibrillation Patients. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 752-753 | 15.1 | 14 |

| | | | |
|-----|--|------|----|
| 406 | Long-Term Outcome in Patients With Heart Failure Treated With Levothyroxine: An Observational Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1725-1734 | 5.6 | 14 |
| 405 | Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015 , 351, h5096 | 5.9 | 14 |
| 404 | Familial Clustering of Aortic Size, Aneurysms, and Dissections in the Community. <i>Circulation</i> , 2020 , 142, 920-928 | 16.7 | 14 |
| 403 | Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2291-2299 | 7 | 14 |
| 402 | Use of nonsteroidal anti-inflammatory drugs prior to chronic renal replacement therapy initiation: a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 428-34 | 2.6 | 14 |
| 401 | Persistence of the prognostic importance of left ventricular systolic function and heart failure after myocardial infarction: 17-year follow-up of the TRACE register. <i>European Journal of Heart Failure</i> , 2010 , 12, 805-11 | 12.3 | 14 |
| 400 | Effect of long-term beta-blocker treatment following myocardial infarction among stable, optimally treated patients without heart failure in the reperfusion era: a Danish, nationwide cohort study. <i>European Heart Journal</i> , 2021 , 42, 907-914 | 9.5 | 14 |
| 399 | Hyperprolactinemia and the Association with All-Cause Mortality and Cardiovascular Mortality. <i>Hormone and Metabolic Research</i> , 2017 , 49, 411-417 | 3.1 | 13 |
| 398 | Risks of Cardiovascular Adverse Events and Death in Patients with Previous Stroke Undergoing Emergency Noncardiac, Nonintracranial Surgery: The Importance of Operative Timing. <i>Anesthesiology</i> , 2017 , 127, 9-19 | 4.3 | 13 |
| 397 | Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality--a retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, 104-12 | 7.4 | 13 |
| 396 | Type 2 Diabetes Mellitus and Impact of Heart Failure on Prognosis Compared to Other Cardiovascular Diseases: A Nationwide Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006260 | 5.8 | 13 |
| 395 | Influence of age on perioperative major adverse cardiovascular events and mortality risks in elective non-cardiac surgery. <i>European Journal of Internal Medicine</i> , 2016 , 35, 55-59 | 3.9 | 13 |
| 394 | Family history predicts major adverse cardiovascular events (MACE) in young adults with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 340-6 | 4.5 | 13 |
| 393 | Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016 , 18, 658-64 | 3.9 | 13 |
| 392 | Increased risk of depression in patients with cutaneous lupus erythematosus and systemic lupus erythematosus: a Danish nationwide cohort study. <i>British Journal of Dermatology</i> , 2018 , 179, 1095-1101 | 4 | 13 |
| 391 | Incidence and influence of hospitalization for recurrent syncope and its effect on short- and long-term all-cause and cardiovascular mortality. <i>American Journal of Cardiology</i> , 2014 , 113, 1744-50 | 3 | 13 |
| 390 | Noncardiac surgery in patients with aortic stenosis: a contemporary study on outcomes in a matched sample from the Danish health care system. <i>Clinical Cardiology</i> , 2014 , 37, 680-6 | 3.3 | 13 |
| 389 | Psychiatric comorbidities in children and adolescents with psoriasis: a population-based cohort study. <i>British Journal of Dermatology</i> , 2017 , 177, 551-553 | 4 | 13 |

| | | | |
|-----|--|-----|----|
| 388 | Clopidogrel discontinuation after myocardial infarction and risk of thrombosis: a nationwide cohort study. <i>European Heart Journal</i> , 2012 , 33, 2527-34 | 9.5 | 13 |
| 387 | Risk factors for venous thromboembolism during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1283-91 | 2.6 | 13 |
| 386 | Trends in One-Year Outcomes of Dialysis-Requiring Acute Kidney Injury in Denmark 2005-2012: A Population-Based Nationwide Study. <i>PLoS ONE</i> , 2016 , 11, e0159944 | 3.7 | 13 |
| 385 | Increased Risk of Autoimmune Hepatitis in Patients with Psoriasis: A Danish Nationwide Cohort Study. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1515-1517 | 4.3 | 13 |
| 384 | The DANish randomized, double-blind, placebo controlled trial in patients with chronic HEART failure (DANHEART): A 2 x 2 factorial trial of hydralazine-isosorbide dinitrate in patients with chronic heart failure (H-HeFT) and metformin in patients with chronic heart failure and diabetes or prediabetes (Met-HeFT). <i>American Heart Journal</i> 2021 , 231, 137-146 | 4.9 | 13 |
| 383 | Mortality associated with cardiovascular drugs in patients with chronic obstructive pulmonary disease and right-sided heart failure - A danish nationwide registry-based study. <i>European Journal of Internal Medicine</i> , 2019 , 63, 56-61 | 3.9 | 12 |
| 382 | Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 107 | 8.7 | 12 |
| 381 | Gastrointestinal bleeding and the risk of colorectal cancer in anticoagulated patients with atrial fibrillation. <i>European Heart Journal</i> , 2020 , | 9.5 | 12 |
| 380 | Autoimmune Disease in Children and Adolescents with Psoriasis: A Cross-sectional Study in Denmark. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1225-1229 | 2.2 | 12 |
| 379 | Temporal trends in acute myocardial infarction presentation and association with use of cardioprotective drugs: a nationwide registry-based study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 93-101 | 6.4 | 12 |
| 378 | Use of oral anticoagulants in combination with antiplatelet(s) in atrial fibrillation. <i>Heart</i> , 2018 , 104, 912-920 | 9.2 | 12 |
| 377 | Sleep Apnea, the Risk of Developing Heart Failure, and Potential Benefits of Continuous Positive Airway Pressure (CPAP) Therapy. <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 12 |
| 376 | Duration of Psoriatic Skin Disease as Risk Factor for Subsequent Onset of Psoriatic Arthritis. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 546-550 | 2.2 | 12 |
| 375 | Risk of incident atrial fibrillation in patients presenting with retinal artery or vein occlusion: a nationwide cohort study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 91 | 2.3 | 12 |
| 374 | Diabetes and risk of peripheral artery disease in patients undergoing first-time coronary angiography between 2000 and 2012 - a nationwide study. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 234 | 2.3 | 12 |
| 373 | Use of secondary prevention pharmacotherapy after first myocardial infarction in patients with diabetes mellitus. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 4 | 2.3 | 12 |
| 372 | Diabetes is an independent predictor of survival 17 years after myocardial infarction: follow-up of the TRACE registry. <i>Cardiovascular Diabetology</i> , 2010 , 9, 22 | 8.7 | 12 |
| 371 | Post-systolic shortening: normal values and association with validated echocardiographic and invasive measures of cardiac function. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 327-337 | 2.5 | 12 |

| | | | |
|-----|--|------|----|
| 370 | Cause-specific mortality in children and young adults with diabetes mellitus: A Danish nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2019 , 28, 159-165 | 3.9 | 12 |
| 369 | Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 240-247 | 12.3 | 12 |
| 368 | Outcomes Among Patients With Atrial Fibrillation and Appropriate Anticoagulation Control. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1357-1365 | 15.1 | 12 |
| 367 | Recovery of cardiac function following COVID-19 ECHOVID-19: a prospective longitudinal cohort study. <i>European Journal of Heart Failure</i> , 2021 , 23, 1903-1912 | 12.3 | 12 |
| 366 | Increased risk of aortic valve stenosis in patients with psoriasis: a nationwide cohort study. <i>European Heart Journal</i> , 2015 , 36, 2177-83 | 9.5 | 11 |
| 365 | Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018 , 251, 15-21 | 3.2 | 11 |
| 364 | Burden and Causes of Hospital Admissions in Heart Failure During the Last Year of Life. <i>JACC: Heart Failure</i> , 2019 , 7, 561-570 | 7.9 | 11 |
| 363 | Incidence and predictors of end-stage renal disease in outpatients with systolic heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 1124-31 | 7.6 | 11 |
| 362 | Clarithromycin use and risk of death in patients with ischemic heart disease. <i>Cardiology</i> , 2010 , 116, 89-97 | 1.6 | 11 |
| 361 | Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 292-300 | 6.4 | 11 |
| 360 | Substantial differences in initiation of oral anticoagulant therapy and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings. <i>Europace</i> , 2016 , 18, 492-500 | 3.9 | 11 |
| 359 | Relationship between patient presentation and morphology of coronary atherosclerosis by quantitative multidetector computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 1221-1230 | 4.1 | 11 |
| 358 | Temporal changes in the incidence of infective endocarditis in Denmark 1997-2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021 , 326, 145-152 | 3.2 | 11 |
| 357 | Increased vulnerability to COVID-19 in chronic kidney disease. <i>Journal of Internal Medicine</i> , 2021 , 290, 166-178 | 10.8 | 11 |
| 356 | Filaggrin loss-of-function mutations, atopic dermatitis and risk of actinic keratosis: results from two cross-sectional studies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1038-1043 | 4.6 | 10 |
| 355 | Sudden Cardiac Death: Pharmacotherapy and Proarrhythmic Drugs: A Nationwide Cohort Study in Denmark. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 473-481 | 4.6 | 10 |
| 354 | Dose reduction of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: A Danish nationwide cohort study. <i>Thrombosis Research</i> , 2019 , 178, 101-109 | 8.2 | 10 |
| 353 | NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 107-114 | 6.4 | 10 |

| | | | |
|-----|---|-----|----|
| 352 | Rivaroxaban Versus Apixaban for Stroke Prevention in Atrial Fibrillation: An Instrumental Variable Analysis of a Nationwide Cohort. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006058 | 5.8 | 10 |
| 351 | Metformin-associated risk of acute dialysis in patients with type 2 diabetes: A nationwide cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 1283-1287 | 6.7 | 10 |
| 350 | Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study. <i>International Journal of Cardiology</i> , 2016 , 221, 944-50 | 3.2 | 10 |
| 349 | Geographical clustering of incident acute myocardial infarction in Denmark: A spatial analysis approach. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016 , 19, 46-59 | 3.5 | 10 |
| 348 | Ongoing treatment with non-steroidal anti-inflammatory drugs at time of admission is associated with poorer prognosis in patients with first-time acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 168, 832-7 | 3.2 | 10 |
| 347 | The Role of Psychiatric Diagnoses for Outcome After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017 , 32, 3611-3615 | 4.4 | 10 |
| 346 | Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 266-273 | 2.9 | 10 |
| 345 | Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. <i>Resuscitation</i> , 2012 , 83, 584-90 | 4 | 10 |
| 344 | Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020 , 229, 127-137 | 4.9 | 10 |
| 343 | Safety and Tolerability of the Chymase Inhibitor Fulacimstat in Patients With Left Ventricular Dysfunction After Myocardial Infarction-Results of the CHIARA MIA 1 Trial. <i>Clinical Pharmacology in Drug Development</i> , 2019 , 8, 942-951 | 2.3 | 10 |
| 342 | Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021 , 232, 146-153 | 4.9 | 10 |
| 341 | Safety and effectiveness of rivaroxaban and apixaban in patients with venous thromboembolism: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 220-227 | 6.4 | 10 |
| 340 | Erectile Dysfunction in Male Adults With Atopic Dermatitis and Psoriasis. <i>Journal of Sexual Medicine</i> , 2017 , 14, 380-386 | 1.1 | 9 |
| 339 | Out-of-Hospital Cardiac Arrest in Patients With and Without Psychiatric Disorders: Differences in Use of Coronary Angiography, Coronary Revascularization, and Implantable Cardioverter-Defibrillator and Survival. <i>Journal of the American Heart Association</i> , 2019 , 8, e012708 | 6 | 9 |
| 338 | Incidence of acute myocardial infarction-related cardiogenic shock during corona virus disease 19 (COVID-19) pandemic. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100659 | 2.4 | 9 |
| 337 | Early Systolic Lengthening in Patients With ST-Segment-Elevation Myocardial Infarction: A Novel Predictor of Cardiovascular Events. <i>Journal of the American Heart Association</i> , 2020 , 9, e013835 | 6 | 9 |
| 336 | Regional variation in out-of-hospital cardiac arrest: Incidence and survival - A nationwide study of regions in Denmark. <i>Resuscitation</i> , 2020 , 148, 191-199 | 4 | 9 |
| 335 | Cardiovascular Risk is not Increased in Patients with Chronic Urticaria: A Retrospective Population-based Cohort Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 261-262 | 2.2 | 9 |

| | | | |
|-----|---|------|---|
| 334 | Associations between metabolic disorders and risk of cancer in Danish men and women--a nationwide cohort study. <i>BMC Cancer</i> , 2016 , 16, 133 | 4.8 | 9 |
| 333 | Localized Scleroderma, Systemic Sclerosis and Cardiovascular Risk: A Danish Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 361-365 | 2.2 | 9 |
| 332 | Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. <i>JAMA Cardiology</i> , 2019 , 4, 1139-1147 | 16.2 | 9 |
| 331 | Data Resource Profile: Danish Heart Statistics. <i>International Journal of Epidemiology</i> , 2017 , 46, 1368-1369 | 9.8 | 9 |
| 330 | Prognosis after first-time myocardial infarction in patients with inflammatory bowel disease according to disease activity: nationwide cohort study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 857-62 | 5.8 | 9 |
| 329 | Importance and inter-relationship of tissue Doppler variables for predicting adverse outcomes in high-risk patients: an analysis of 388 diabetic patients referred for coronary angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 643-9 | 4.1 | 9 |
| 328 | Pharmacotherapy and hospital admissions before out-of-hospital cardiac arrest: a nationwide study. <i>Resuscitation</i> , 2010 , 81, 1657-63 | 4 | 9 |
| 327 | One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. <i>European Heart Journal</i> , 2020 , 41, 1112-1119 | 9.5 | 9 |
| 326 | Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2020 , 43, 2226-2233 | 14.6 | 9 |
| 325 | Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5, | 6 | 9 |
| 324 | Increased risk of Staphylococcus aureus bacteremia in hemodialysis-A nationwide study. <i>Hemodialysis International</i> , 2019 , 23, 230-238 | 1.7 | 9 |
| 323 | Differences in cardiovascular safety with non-steroidal anti-inflammatory drug therapy-A nationwide study in patients with osteoarthritis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 629-641 | 3.1 | 9 |
| 322 | Duration and complications of diabetes mellitus and the associated risk of infective endocarditis. <i>International Journal of Cardiology</i> , 2019 , 278, 280-284 | 3.2 | 9 |
| 321 | Differential effects on out-of-hospital cardiac arrest of dihydropyridines: real-world data from population-based cohorts across two European countries. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 347-355 | 6.4 | 9 |
| 320 | All-cause mortality, stroke, and bleeding in patients with atrial fibrillation and valvular heart disease. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, f93-f100 | 6.4 | 9 |
| 319 | Socioeconomic differences in outcomes after hospital admission for atrial fibrillation or flutter. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 295-303 | 4.6 | 9 |
| 318 | Syncope and Its Impact on Occupational Accidents and Employment: A Danish Nationwide Retrospective Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10, | 5.8 | 8 |
| 317 | Incidence of atrial fibrillation in conjunction with breast cancer. <i>Heart Rhythm</i> , 2019 , 16, 343-348 | 6.7 | 8 |

| | | | |
|-----|--|-----|---|
| 316 | Thyroid dysfunction and electrocardiographic changes in subjects without arrhythmias: a cross-sectional study of primary healthcare subjects from Copenhagen. <i>BMJ Open</i> , 2019 , 9, e023854 | 3 | 8 |
| 315 | Incidence of appropriate implantable cardioverter-defibrillator therapy and mortality after implantable cardioverter-defibrillator generator replacement: results from a real-world nationwide cohort. <i>Europace</i> , 2019 , 21, 1211-1219 | 3.9 | 8 |
| 314 | Geographical inequalities in acute myocardial infarction beyond neighbourhood-level and individual-level sociodemographic characteristics: a Danish 10-year nationwide population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e024207 | 3 | 8 |
| 313 | Usefulness of left atrial speckle tracking echocardiography in predicting recurrence of atrial fibrillation after radiofrequency ablation: a systematic review and meta-analysis. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1293-1309 | 2.5 | 8 |
| 312 | Return to the workforce following infective endocarditis-A nationwide cohort study. <i>American Heart Journal</i> , 2018 , 195, 130-138 | 4.9 | 8 |
| 311 | Trends in warfarin use and its associations with thromboembolic and bleeding rates in a population with atrial fibrillation between 1996 and 2011. <i>PLoS ONE</i> , 2018 , 13, e0194295 | 3.7 | 8 |
| 310 | Rate or Rhythm Control in Older Atrial Fibrillation Patients: Risk of Fall-Related Injuries and Syncope. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2023-2030 | 5.6 | 8 |
| 309 | GARFIELD-AF model for prediction of stroke and major bleeding in atrial fibrillation: a Danish nationwide validation study. <i>BMJ Open</i> , 2019 , 9, e033283 | 3 | 8 |
| 308 | Comparison of mortality in patients with acute myocardial infarction accidentally admitted to non-cardiology departments versus that in patients admitted to coronary care units. <i>American Journal of Cardiology</i> , 2014 , 114, 1151-7 | 3 | 8 |
| 307 | Use of nonsteroidal anti-inflammatory drugs among healthy people and specific cerebrovascular safety. <i>International Journal of Stroke</i> , 2014 , 9, 943-5 | 6.3 | 8 |
| 306 | NSAIDs and cardiac arrest: Non-steroidal anti-inflammatory drug use is associated with increased risk of Out-of-hospital Cardiac Arrest: A nationwide Case-Time-Control study. <i>European Heart Journal</i> , 2017 , 38, 1788-1789 | 9.5 | 8 |
| 305 | Ten-year mortality is increased after hospitalization for atopic dermatitis compared with the general population, but reduced compared with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 98-105 | 4.5 | 8 |
| 304 | Relation of body mass index to risk of stent thrombosis after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 110, 1592-7 | 3 | 8 |
| 303 | Mortality and reinfarction among patients using different beta-blockers for secondary prevention after a myocardial infarction. <i>Cardiology</i> , 2009 , 112, 144-50 | 1.6 | 8 |
| 302 | Discontinuation of hormone replacement therapy after myocardial infarction and short term risk of adverse cardiovascular events: nationwide cohort study. <i>BMJ, The</i> , 2012 , 344, e1802 | 5.9 | 8 |
| 301 | Use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs in high doses increases mortality and risk of reinfarction in patients with prior myocardial infarction. <i>Journal of Cardiovascular Nursing</i> , 2008 , 23, 14-9 | 2.1 | 8 |
| 300 | C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020 , 22, 1182-1188 | 3.9 | 8 |
| 299 | The impact of cardiovascular risk factors on global longitudinal strain over a decade in the general population: the copenhagen city heart study. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1907-1916 | 2.5 | 8 |

| | | | |
|-----|--|------|---|
| 298 | Usefulness of left atrial strain for predicting incident atrial fibrillation and ischaemic stroke in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , | 4.1 | 8 |
| 297 | Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. <i>European Journal of Epidemiology</i> , 2021 , 36, 813-825 | 12.1 | 8 |
| 296 | Geographical variation in a fatal outcome of acute myocardial infarction and association with contact to a general practitioner. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016 , 19, 60-69 | 3.5 | 8 |
| 295 | Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , | 1.5 | 8 |
| 294 | Socioeconomic position and one-year mortality risk among patients with heart failure: A nationwide register-based cohort study. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 79-88 | 3.9 | 8 |
| 293 | Use of hydroxychloroquine and risk of major adverse cardiovascular events in patients with lupus erythematosus: A Danish nationwide cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 930-937 | 4.5 | 8 |
| 292 | Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021 , 180, 1955-1963 | 4.1 | 8 |
| 291 | Treatment history of patients receiving biologic therapy for psoriasis - a Danish nationwide study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e362-e363 | 4.6 | 7 |
| 290 | Birth Outcomes in Children Fathered by Men Treated with Immunosuppressant Drugs before Conception-A Danish Population-Based Cohort Study. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1790-1792 | 4.3 | 7 |
| 289 | Danish register-based study on the association between specific antipsychotic drugs and fractures in elderly individuals. <i>Age and Ageing</i> , 2017 , 46, 258-264 | 3 | 7 |
| 288 | Symptomatic Venous Thromboembolism After Achilles Tendon Rupture: A Nationwide Danish Cohort Study of 28,546 Patients With Achilles Tendon Rupture. <i>American Journal of Sports Medicine</i> , 2019 , 47, 3229-3237 | 6.8 | 7 |
| 287 | Acute myocardial infarction: Does survival depend on geographical location and social background?. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1828-1839 | 3.9 | 7 |
| 286 | Gallstone Risk in Adult Patients with Atopic Dermatitis and Psoriasis: Possible Effect of Overweight and Obesity. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 627-631 | 2.2 | 7 |
| 285 | Association of Timing of Aortic Valve Replacement Surgery After Stroke With Risk of Recurrent Stroke and Mortality. <i>JAMA Cardiology</i> , 2018 , 3, 506-513 | 16.2 | 7 |
| 284 | Low-Dose Aspirin in Heart Failure Not Complicated by Atrial Fibrillation: A Nationwide Propensity-Matched Study. <i>JACC: Heart Failure</i> , 2018 , 6, 156-167 | 7.9 | 7 |
| 283 | Danish trends in pharmacotherapy, comorbidities, and demographics in patients referred for coronary angiography: what changed during a decade?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 157-65 | 6.4 | 7 |
| 282 | Temporal changes in patient characteristics and prior pharmacotherapy in patients undergoing radiofrequency ablation of atrial fibrillation: a Danish nationwide cohort study. <i>Europace</i> , 2013 , 15, 669-75 | 7.9 | 7 |
| 281 | Use and discontinuation of hormone replacement therapy in women with myocardial infarction: a nationwide study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 105-15 | 3.8 | 7 |

| | | | |
|-----|--|------|---|
| 280 | Renal function at the time of a myocardial infarction maintains prognostic value for more than 10 years. <i>BMC Cardiovascular Disorders</i> , 2011 , 11, 37 | 2.3 | 7 |
| 279 | Absence of metal allergy in patients with very late drug-eluting stent thrombosis: a pilot study. <i>International Journal of Cardiology</i> , 2010 , 145, 629-30 | 3.2 | 7 |
| 278 | Hospital variation in use of secondary preventive medicine after discharge for first acute myocardial infarction during 1995-2004. <i>Medical Care</i> , 2008 , 46, 70-7 | 3.1 | 7 |
| 277 | The reliability of echocardiographic left ventricular wall motion index to identify high-risk patients for multicenter studies. <i>Echocardiography</i> , 2006 , 23, 1-6 | 1.5 | 7 |
| 276 | Unexplained Syncope and Diagnostic Yield of Tests in Syncope According to the ICD-10 Discharge Diagnosis. <i>Journal of Clinical Medicine Research</i> , 2013 , 5, 441-50 | 2.9 | 7 |
| 275 | One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020 , 9, e016010 | 6 | 7 |
| 274 | Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers. <i>Clinical Epidemiology</i> , 2020 , 12, 589-594 | 5.9 | 7 |
| 273 | Echocardiographic predictors of cardiovascular morbidity and mortality in women from the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 1026-1034 | 4.1 | 7 |
| 272 | Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020 , 95, e2343-e2353 | 6.5 | 7 |
| 271 | Impact of plasma potassium normalization on short-term mortality in patients with hypertension and hypokalemia or low normal potassium. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 386 | 2.3 | 7 |
| 270 | Long QT syndrome is associated with an increased burden of diabetes, psychiatric and neurological comorbidities: a nationwide cohort study. <i>Open Heart</i> , 2019 , 6, e001161 | 3 | 7 |
| 269 | Assessing absolute stroke risk in patients with atrial fibrillation using a risk factor-based approach. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, f3-f10 | 6.4 | 7 |
| 268 | Left ventricular systolic ejection time is an independent predictor of all-cause mortality in heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2021 , 23, 240-249 | 12.3 | 7 |
| 267 | Risk of post-discharge fall-related injuries among adult patients with syncope: A nationwide cohort study. <i>PLoS ONE</i> , 2018 , 13, e0206936 | 3.7 | 7 |
| 266 | Familial Clustering of Cardiac Conduction Defects and Pacemaker Insertion. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007150 | 6.4 | 6 |
| 265 | Decline in incidence of sudden cardiac death in the young: a 10-year nationwide study of 8756 deaths in Denmark. <i>Europace</i> , 2019 , 21, 909-917 | 3.9 | 6 |
| 264 | Endogenous Testosterone Levels Are Associated with Risk of Type 2 Diabetes in Women without Established Comorbidity. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa050 | 0.4 | 6 |
| 263 | Improving bystander defibrillation in out-of-hospital cardiac arrests at home. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, S74-S81 | 4.3 | 6 |

| | | | |
|-----|---|------|---|
| 262 | Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 156, 54-60.e4 | 1.5 | 6 |
| 261 | Time trend in Alzheimer diagnoses and the association between distance to an Alzheimer clinic and Alzheimer diagnosis. <i>European Journal of Public Health</i> , 2015 , 25, 522-7 | 2.1 | 6 |
| 260 | Prognosis after percutaneous coronary intervention in patients with psoriasis: a cohort study using Danish nationwide registries. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 79 | 2.3 | 6 |
| 259 | Long-term prognostic importance of diabetes after a myocardial infarction depends on left ventricular systolic function. <i>Diabetes Care</i> , 2011 , 34, 1788-90 | 14.6 | 6 |
| 258 | Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. <i>American Journal of Clinical Nutrition</i> , 2020 , | 7 | 6 |
| 257 | Cardiac arrhythmias in patients hospitalized with COVID-19: The ACOVID study. <i>Heart Rhythm O2</i> , 2021 , 2, 304-308 | 1.5 | 6 |
| 256 | Beta-blocker, aspirin, and statin usage after first-time myocardial infarction in patients with chronic obstructive pulmonary disease: a nationwide analysis from 1995 to 2015 in Denmark. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , 6, 23-31 | 4.6 | 6 |
| 255 | Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. <i>Europace</i> , 2020 , 22, 74-83 | 3.9 | 6 |
| 254 | Hypertension genetic risk score is associated with burden of coronary heart disease among patients referred for coronary angiography. <i>PLoS ONE</i> , 2018 , 13, e0208645 | 3.7 | 6 |
| 253 | The impact of hemodialysis on mortality risk and cause of death in Staphylococcus aureus endocarditis. <i>BMC Nephrology</i> , 2018 , 19, 216 | 2.7 | 6 |
| 252 | Incidence of Ischemic Stroke in Individuals With and Without Aortic Valve Stenosis: A Danish Retrospective Cohort Study. <i>Stroke</i> , 2020 , 51, 1364-1371 | 6.7 | 5 |
| 251 | Flavonoid intake and its association with atrial fibrillation. <i>Clinical Nutrition</i> , 2020 , 39, 3821-3828 | 5.9 | 5 |
| 250 | Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1342-1351 | 6.1 | 5 |
| 249 | Prevalence of Cancer in Adult Patients with Atopic Dermatitis: A Nationwide Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1127-1129 | 2.2 | 5 |
| 248 | Incidence of pediatric atopic dermatitis following thymectomy: A Danish register study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1741-1743 | 9.3 | 5 |
| 247 | Temporal trends in survival after out-of-hospital cardiac arrest in patients with and without underlying chronic obstructive pulmonary disease. <i>Resuscitation</i> , 2016 , 104, 76-82 | 4 | 5 |
| 246 | Longevity and admission to nursing home according to age after isolated coronary artery bypass surgery: a nationwide cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 22, 792-8 | 1.8 | 5 |
| 245 | Nursing home admission after myocardial infarction in the elderly: A nationwide cohort study. <i>PLoS ONE</i> , 2018 , 13, e0202177 | 3.7 | 5 |

| | | | |
|-----|---|------|---|
| 244 | Patients with atrial fibrillation and permanent pacemaker: Temporal changes in patient characteristics and pharmacotherapy. <i>PLoS ONE</i> , 2018 , 13, e0195175 | 3.7 | 5 |
| 243 | Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , 2019 , 28, 2901-2908 | 3.7 | 5 |
| 242 | Out-of-hospital cardiac arrest in patients with psychiatric disorders - Characteristics and outcomes. <i>Resuscitation</i> , 2019 , 143, 180-188 | 4 | 5 |
| 241 | Ratio of Transmitral Early Filling Velocity to Early Diastolic Strain Rate Predicts All-Cause Mortality in Heart Failure with Reduced Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2019 , 25, 877-885 | 3.3 | 5 |
| 240 | Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905 | 3 | 5 |
| 239 | Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 893-902 | 3 | 5 |
| 238 | Non-vitamin K antagonist oral anticoagulants vs. vitamin-K antagonists in patients with atrial fibrillation and chronic kidney disease: a nationwide cohort study. <i>Thrombosis Journal</i> , 2019 , 17, 21 | 5.6 | 5 |
| 237 | Cardiovascular aspects of psoriasis: an updated review. <i>International Journal of Dermatology</i> , 2014 , 53, e337 | 1.7 | 5 |
| 236 | Comparison of antiplatelet regimens in secondary stroke prevention: a nationwide cohort study. <i>BMC Neurology</i> , 2015 , 15, 225 | 3.1 | 5 |
| 235 | Use of quinine and mortality-risk in patients with heart failure--a Danish nationwide observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 310-8 | 2.6 | 5 |
| 234 | Time since stroke and risk of adverse outcomes after surgery--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1930-1 | 27.4 | 5 |
| 233 | Risk of bleeding related to antithrombotic treatment in cardiovascular disease. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5362-78 | 3.3 | 5 |
| 232 | Myocardial Impairment and Acute Respiratory Distress Syndrome in Hospitalized Patients With COVID-19: The ECHOVID-19 Study. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2474-2476 | 8.4 | 5 |
| 231 | Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 147-157 | 3.7 | 5 |
| 230 | Out-of-hospital cardiac arrest: 30-day survival and 1-year risk of anoxic brain damage or nursing home admission according to consciousness status at hospital arrival. <i>Resuscitation</i> , 2020 , 148, 251-258 | 4 | 5 |
| 229 | Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2623-2631 | 15.1 | 5 |
| 228 | Impact of Plasma Potassium Normalization on Short-Term Mortality in Patients With Hypertension and Hyperkalemia. <i>Journal of the American Heart Association</i> , 2020 , 9, e017087 | 6 | 5 |
| 227 | Prognostic Value of Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1044-1052 | 15.1 | 5 |

| | | | |
|-----|---|------|---|
| 226 | Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant-Danish nationwide cohort study. <i>BMJ Open</i> , 2019 , 9, e028468 | 3 | 5 |
| 225 | The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019 , 21, 572-580 | 3.9 | 5 |
| 224 | Association between bystander cardiopulmonary resuscitation and redeemed prescriptions for antidepressants and anxiolytics in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2017 , 115, 32-38 | 4 | 4 |
| 223 | Clinical outcome in patients with implantable cardioverter-defibrillator and cancer: a nationwide study. <i>Europace</i> , 2019 , 21, 465-474 | 3.9 | 4 |
| 222 | Risk of stroke subsequent to infective endocarditis: A nationwide study. <i>American Heart Journal</i> , 2019 , 212, 144-151 | 4.9 | 4 |
| 221 | Dabigatran and the Risk of Staphylococcus aureus Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, 480-486 | 11.6 | 4 |
| 220 | Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020 , 305, 92-98 | 3.2 | 4 |
| 219 | The clinical application of the ratio of transmitral early filling velocity to early diastolic strain rate: a systematic review and meta-analysis. <i>Journal of Echocardiography</i> , 2020 , 18, 94-104 | 1.6 | 4 |
| 218 | The use of guideline recommended beta-blocker therapy in primary prevention implantable cardioverter defibrillator patients: insight from Danish nationwide registers. <i>Europace</i> , 2018 , 20, 301-307 | 3.9 | 4 |
| 217 | Risk of uncommon cancers in patients with psoriasis: a Danish nationwide cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 601-605 | 4.6 | 4 |
| 216 | Risk of death and stroke associated with anticoagulation therapy after mitral valve repair. <i>Heart</i> , 2016 , 102, 687-93 | 5.1 | 4 |
| 215 | Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 917-930 | 5.9 | 4 |
| 214 | Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. <i>American Heart Journal</i> , 2018 , 204, 43-51 | 4.9 | 4 |
| 213 | Atrial fibrillation and anticoagulation in patients with breast cancer. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 247-254 | 2 | 4 |
| 212 | Risk and benefit of dual antiplatelet treatment among non-revascularized myocardial infarction patients in different age groups. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 511-521 | 4.3 | 4 |
| 211 | The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 30 | 2.3 | 4 |
| 210 | Time-perspective in cardiovascular risk of NSAID use after first-time myocardial infarction. <i>Current Opinion in Cardiology</i> , 2013 , 28, 683-8 | 2.1 | 4 |
| 209 | Duration of clopidogrel treatment and risk of mortality and recurrent myocardial infarction among 11 680 patients with myocardial infarction treated with percutaneous coronary intervention: a cohort study. <i>BMC Cardiovascular Disorders</i> , 2010 , 10, 6 | 2.3 | 4 |

| | | | |
|-----|---|-----|---|
| 208 | Does access to invasive examination and treatment influence socioeconomic differences in case fatality for patients admitted for the first time with non-ST-elevation myocardial infarction or unstable angina?. <i>EuroIntervention</i> , 2016 , 11, 1495-502 | 3.1 | 4 |
| 207 | Prevalence and incidence of various Cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2020 , 316, 209-213 | 3.2 | 4 |
| 206 | Postsystolic shortening on echocardiography as a gateway to cardiac computed tomography in patients with suspected stable angina pectoris. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 309-316 | 2.5 | 4 |
| 205 | Amiodarone treatment in atrial fibrillation and the risk of incident cancers: A nationwide observational study. <i>Heart Rhythm</i> , 2020 , 17, 560-566 | 6.7 | 4 |
| 204 | Ticagrelor and The Risk of Staphylococcus Aureus Bacteremia and Other Infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , | 6.4 | 4 |
| 203 | Lipid-lowering therapy and low-density lipoprotein cholesterol goal attainment after acute coronary syndrome: a Danish population-based cohort study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 336 | 2.3 | 4 |
| 202 | Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100675 | 2.4 | 4 |
| 201 | Association Between Drug Use and Subsequent Diagnosis of Lupus Erythematosus. <i>JAMA Dermatology</i> , 2020 , 156, 1199-1207 | 5.1 | 4 |
| 200 | Treatment of Older Patients with Atrial Fibrillation by Morbidity Burden. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , | 4.6 | 4 |
| 199 | Beta-blocker use and acute exacerbations of COPD following myocardial infarction: a Danish nationwide cohort study. <i>Thorax</i> , 2020 , 75, 928-933 | 7.3 | 4 |
| 198 | Geographical variation and clustering are found in atrial fibrillation beyond socioeconomic differences: a Danish cohort study, 1987-2015. <i>International Journal of Health Geographics</i> , 2021 , 20, 11 | 3.5 | 4 |
| 197 | Exploring the association between parental psychiatric disease and childhood atopic dermatitis: a matched case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 725-734 | 4.6 | 4 |
| 196 | Left Atrial Function Determined by Echocardiography Predicts Incident Heart Failure in Patients With STEMI treated by Primary Percutaneous Coronary Intervention. <i>Journal of Cardiac Failure</i> , 2020 , 26, 35-42 | 3.3 | 4 |
| 195 | Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 20-30 | 6.4 | 4 |
| 194 | Socioeconomic disparities in prehospital factors and survival after out-of-hospital cardiac arrest. <i>Heart</i> , 2021 , 107, 627-634 | 5.1 | 4 |
| 193 | Gastrointestinal bleeding risk following concomitant treatment with oral glucocorticoids in patients on non-vitamin K oral anticoagulants. <i>Heart</i> , 2021 , | 5.1 | 4 |
| 192 | Clinical characteristics and lipid lowering treatment of patients initiated on proprotein convertase subtilisin-kexin type 9 inhibitors: a nationwide cohort study. <i>BMJ Open</i> , 2019 , 9, e022702 | 3 | 3 |
| 191 | Data concerning AED registration in the Danish AED Network, and cardiac arrest-related characteristics of OHCA, including AED coverage and AED accessibility. <i>Data in Brief</i> , 2019 , 24, 103960 | 1.2 | 3 |

| | | | |
|-----|--|------|---|
| 190 | Reply to Aspirin as a painkiller in patients with a high cardiovascular risk profile. <i>Nature Reviews Cardiology</i> , 2020 , 17, 609-610 | 14.8 | 3 |
| 189 | Living settings and cognitive impairment are stronger predictors of nursing home admission after hip fracture surgery than physical comorbidities A nationwide Danish cohort study. <i>Injury</i> , 2020 , 51, 2289-2294 | 2.5 | 3 |
| 188 | Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. <i>International Journal of Cardiology</i> , 2020 , 305, 106-112 | 3.2 | 3 |
| 187 | COMPARISON OF BLEEDING AND TREATMENT PERSISTENCE AMONG NEW USERS OF NOVEL ORAL ANTICOAGULANTS AND WARFARIN IN PATIENTS WITH NON-VALVULAR ATRIAL FIBRILLATION. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 887 | 15.1 | 3 |
| 186 | A risk score for predicting 30-day mortality in heart failure patients undergoing non-cardiac surgery. <i>European Journal of Heart Failure</i> , 2014 , 16, 1310-6 | 12.3 | 3 |
| 185 | Temporal trends in the initiation of glucose-lowering medications after a first-time myocardial infarction - a nationwide study between 1997 and 2006. <i>Cardiovascular Diabetology</i> , 2011 , 10, 5 | 8.7 | 3 |
| 184 | National Background is Associated with Disparities in Initiation and Persistence to Statin Treatment in Subjects with Diabetes in Denmark. <i>Frontiers in Pharmacology</i> , 2010 , 1, 142 | 5.6 | 3 |
| 183 | Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: A nationwide study in Denmark from 2003-2017.. <i>European Journal of Heart Failure</i> , 2021 , | 12.3 | 3 |
| 182 | Glycated haemoglobin levels among 3295 hospitalized COVID-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2021 , | 6.7 | 3 |
| 181 | Risk of diabetes among related and unrelated family members. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107997 | 7.4 | 3 |
| 180 | Temporal trends and socioeconomic differences in the incidence of left-sided valvular heart disease in Denmark. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 608-615 | 4.6 | 3 |
| 179 | Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021 , 199, 97-100 | 8.2 | 3 |
| 178 | Sex-Specific Prevalence, Incidence, and Mortality Associated With Atrial Fibrillation in Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 1366-1375 | 4.6 | 3 |
| 177 | Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 348-357 | 7 | 3 |
| 176 | Prognosis after Hospitalization for Erythroderma. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 959-962 | 2.2 | 3 |
| 175 | Treatment with non-steroidal anti-inflammatory drugs in patients after myocardial infarction - a systematic review. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1387-94 | 4 | 3 |
| 174 | Association between parental autoimmune disease and atopic dermatitis in their offspring: a matched case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1143-1151 | 4.6 | 3 |
| 173 | Survival of patients with and without diabetes following out-of-hospital cardiac arrest: A nationwide Danish study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 599-607 | 4.3 | 3 |

| | | | |
|-----|---|------|---|
| 172 | Myocardial performance index by tissue Doppler echocardiography predicts adverse events in patients with atrial fibrillation. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 560-566 | 4.1 | 3 |
| 171 | Significance of early recurrence of atrial fibrillation after catheter ablation: a nationwide Danish cohort study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 60, 271-278 | 2.4 | 3 |
| 170 | Left Atrial Strain Predicts Heart Failure and Cardiovascular Death in Patients Undergoing Coronary Artery Bypass Grafting. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 295-296 | 8.4 | 3 |
| 169 | Risk of out-of-hospital cardiac arrest in patients with bipolar disorder or schizophrenia. <i>Heart</i> , 2021 , 107, 1544-1551 | 5.1 | 3 |
| 168 | Out-of-hospital cardiac arrest and differential risk of cardiac and non-cardiac QT-prolonging drugs in 37 000 cases. <i>British Journal of Clinical Pharmacology</i> , 2021 , | 3.8 | 3 |
| 167 | Layer-specific global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , 2021 , 23, 1819-1827 | 12.3 | 3 |
| 166 | Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. <i>Journal of Nutrition</i> , 2021 , 151, 3533-3542 | 4.1 | 3 |
| 165 | Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. <i>American Heart Journal</i> , 2021 , 241, 35-37 | 4.9 | 3 |
| 164 | A medical history of arterial thrombosis is a strong predictor of post-operative myocardial infarction and stroke in patients with hip fractures-a nationwide cohort study. <i>Age and Ageing</i> , 2021 , 50, 1252-1260 | 3 | 3 |
| 163 | Associations of hypoglycemia, glycemic variability and risk of cardiac arrhythmias in insulin-treated patients with type 2 diabetes: a prospective, observational study.. <i>Cardiovascular Diabetology</i> , 2021 , 20, 241 | 8.7 | 3 |
| 162 | Feasibility of randomizing Danish citizens aged 65-79 years to high-dose quadrivalent influenza vaccine vs. standard-dose quadrivalent influenza vaccine in a pragmatic registry-based setting: rationale and design of the DANFLU-1 Trial.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 87 | 1.9 | 3 |
| 161 | Familial clustering of atrial fibrillation and comparative longitudinal outcomes of familial and non-familial atrial fibrillation. <i>Journal of Comparative Effectiveness Research</i> , 2017 , | 2.1 | 2 |
| 160 | Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011-2016. <i>Thrombosis Research</i> , 2017 , 160, 19-26 | 8.2 | 2 |
| 159 | Outcomes associated with dual antiplatelet therapy after myocardial infarction in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2019 , 281, 140-145 | 3.2 | 2 |
| 158 | Association of genetic variants previously implicated in coronary artery disease with age at onset of coronary artery disease requiring revascularizations. <i>PLoS ONE</i> , 2019 , 14, e0211690 | 3.7 | 2 |
| 157 | Socioeconomic differences in coronary procedures and survival after out-of-hospital cardiac arrest: A nationwide Danish study. <i>Resuscitation</i> , 2020 , 153, 10-19 | 4 | 2 |
| 156 | Association between regional longitudinal strain and left ventricular thrombus formation following acute myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1271-1281 | 2.5 | 2 |
| 155 | Risk of heart failure in type 2 diabetes complicated by incident ischaemic heart disease and end-stage renal disease. <i>European Journal of Heart Failure</i> , 2020 , 22, 813-820 | 12.3 | 2 |

| | | | |
|-----|---|-----|---|
| 154 | Cardiac implantable electronic device and associated risk of infective endocarditis in patients undergoing aortic valve replacement. <i>Europace</i> , 2018 , 20, e164-e170 | 3.9 | 2 |
| 153 | 1347The flu vaccine and mortality in hypertension. A Danish nationwide cohort study. <i>European Heart Journal</i> , 2019 , 40, | 9.5 | 2 |
| 152 | Safety in rate control medication in patients with atrial fibrillation: a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4114-P4114 | 9.5 | 2 |
| 151 | Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , 11, e022638 | 6 | 2 |
| 150 | Risk of Ischemic Stroke, Hemorrhagic Stroke, Bleeding, and Death in Patients Switching from Vitamin K Antagonist to Dabigatran after an Ablation. <i>PLoS ONE</i> , 2016 , 11, e0161768 | 3.7 | 2 |
| 149 | Bleeding risk following systemic fluconazole or topical azoles in patients with atrial fibrillation on apixaban, rivaroxaban or dabigatran. <i>American Journal of Medicine</i> , 2021 , | 2.4 | 2 |
| 148 | Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021286 | 6 | 2 |
| 147 | Risk of atrial fibrillation after pacemaker implantation: A nationwide Danish registry-based follow-up study. <i>Journal of Electrocardiology</i> , 2020 , 63, 153-158 | 1.4 | 2 |
| 146 | Long-term outcomes after in-hospital cardiac arrest: 30-day survival and 1-year follow-up of mortality, anoxic brain damage, nursing home admission and in-home care. <i>Resuscitation</i> , 2020 , 157, 23-31 | 4 | 2 |
| 145 | Hypertension, cardiovascular disease and cause of death in Danish living kidney donors: matched cohort study. <i>BMJ Open</i> , 2020 , 10, e041122 | 3 | 2 |
| 144 | The Association between Cardiovascular Disease Admission Rates and The Coronavirus Disease 2019 Lockdown and Reopening of a Nation: a Danish Nationwide Cohort Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , | 4.6 | 2 |
| 143 | Prognostic Value and Interplay Between Myocardial Tissue Velocities in Patients Undergoing Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2021 , 144, 37-45 | 3 | 2 |
| 142 | Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke: A Nationwide Study. <i>Stroke</i> , 2021 , 52, 1724-1732 | 6.7 | 2 |
| 141 | Acute hypoglycemia and risk of cardiac arrhythmias in insulin-treated type 2 diabetes and controls. <i>European Journal of Endocrinology</i> , 2021 , 185, 343-353 | 6.5 | 2 |
| 140 | Time Trends in Simple Congenital Heart Disease Over 39 Years: A Danish Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020375 | 6 | 2 |
| 139 | Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021 , 42, 2899-2908 | 9.5 | 2 |
| 138 | Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2019 , 14, 41-46.e2 | 2.9 | 2 |
| 137 | Chronic Paradoxes: A Systematic Review of Qualitative Family Perspectives on Living With Congenital Heart Defects. <i>Qualitative Health Research</i> , 2020 , 30, 119-132 | 3.9 | 2 |

| | | | |
|-----|--|-----|---|
| 136 | Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 14-21 | 6.4 | 2 |
| 135 | Protective association of angiotensin blockade with influenza: a result of immortal time bias?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, e58-e59 | 6.4 | 2 |
| 134 | Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 829-835 | 5.1 | 2 |
| 133 | Immune check point inhibitors are associated with a spectrum of cardiac events in patients with cancer. <i>European Heart Journal</i> , 2021 , 42, 1636 | 9.5 | 2 |
| 132 | Driving following defibrillator implantation: development and pilot results from a nationwide questionnaire. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 212 | 2.3 | 2 |
| 131 | Duration of psoriatic arthritis as a risk factor for myocardial infarction. <i>Rheumatology Advances in Practice</i> , 2018 , 2, rky011 | 1.1 | 2 |
| 130 | Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020551 | 6 | 2 |
| 129 | Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021 , 1, | | 2 |
| 128 | Association between magnesium in drinking water and atrial fibrillation incidence: a nationwide population-based cohort study, 2002-2015.. <i>Environmental Health</i> , 2021 , 20, 126 | 6 | 2 |
| 127 | The importance of β -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 551-559 | 4.3 | 1 |
| 126 | Rate and rhythm therapy in patients with atrial fibrillation and the risk of pacing and bradyarrhythmia. <i>Heart Rhythm</i> , 2019 , 16, 1348-1356 | 6.7 | 1 |
| 125 | Opportunities for improvement: anticoagulation in patients undergoing total knee or hip replacement. <i>Journal of Orthopaedic Science</i> , 2015 , 20, 1036-45 | 1.6 | 1 |
| 124 | Pre-hospital factors and survival after out-of-hospital cardiac arrest according to population density, a nationwide study. <i>Resuscitation Plus</i> , 2020 , 4, 100036 | 1.4 | 1 |
| 123 | Sibling history is associated with heart failure after a first myocardial infarction. <i>Open Heart</i> , 2020 , 7, e001143 | 3 | 1 |
| 122 | Haematuria and urinary tract cancers in patients with atrial fibrillation treated with oral anticoagulants. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 373-379 | 6.4 | 1 |
| 121 | Risk factors and a 3-month risk score for predicting pacemaker implantation in patients with atrial fibrillations. <i>Open Heart</i> , 2020 , 7, e001125 | 3 | 1 |
| 120 | Cardiovascular complications in patients with total cavopulmonary connection: A nationwide cohort study. <i>International Journal of Cardiology</i> , 2020 , 305, 120-126 | 3.2 | 1 |
| 119 | The cardiac isovolumetric contraction time is an independent predictor of incident heart failure in the general population. <i>International Journal of Cardiology</i> , 2020 , 312, 81-86 | 3.2 | 1 |

| | | | |
|-----|---|------|---|
| 118 | Pelvic organ prolapse surgery after native tissue vault suspension at hysterectomy-A prospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 144-150 | 2.4 | 1 |
| 117 | Response to letter regarding article, "Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study". <i>Circulation</i> , 2013 , 127, e585 | 16.7 | 1 |
| 116 | Return to work after COVID-19 infection - A Danish nationwide registry study.. <i>Public Health</i> , 2022 , 203, 116-122 | 4 | 1 |
| 115 | Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes - a Danish nationwide observational study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100308 | | 1 |
| 114 | Increased 5-year risk of stroke, atrial fibrillation, acute coronary syndrome, and heart failure in out-of-hospital cardiac arrest survivors compared with population controls: A nationwide registry-based study. <i>Resuscitation</i> , 2021 , 169, 53-59 | 4 | 1 |
| 113 | Creatinine increase following initiation of antihypertensives is associated with cardiovascular risk: a nationwide cohort study. <i>Journal of Hypertension</i> , 2020 , 38, 2519-2526 | 1.9 | 1 |
| 112 | The mediating role of effective treatments in the relationship between income level and survival in patients with heart failure: a sex- and cohabitation-stratified study. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 78-86 | 3.9 | 1 |
| 111 | Thromboembolic events related to atrial fibrillation during the COVID-19 epidemic in Denmark. <i>Thrombosis Research</i> , 2020 , 194, 220-221 | 8.2 | 1 |
| 110 | Socioeconomic position and first-time major cardiovascular event in patients with type 2 diabetes: a Danish nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2021 , | 3.9 | 1 |
| 109 | Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021 , 162, 135-142 | 4 | 1 |
| 108 | Driving following defibrillator implantation: a nationwide register-linked survey study. <i>European Heart Journal</i> , 2021 , 42, 3529-3537 | 9.5 | 1 |
| 107 | Sex differences in incidence rate, and temporal changes in surgical management and adverse events after hip fracture surgery in Denmark 1997-2017: a register-based study of 153,058 hip fracture patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 424-430 | 4.3 | 1 |
| 106 | Usefulness of echocardiography for predicting ventricular tachycardia detected by implantable loop recorder in syncope patients. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3157-3166 | 2.5 | 1 |
| 105 | Temporal Incidence of Appropriate and Inappropriate Therapy and Mortality in Secondary Prevention ICD Patients by Cardiac Diagnosis. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 781-792 | 4.6 | 1 |
| 104 | Early systolic lengthening by speckle tracking echocardiography predicts outcome after coronary artery bypass surgery. <i>IJC Heart and Vasculature</i> , 2021 , 34, 100799 | 2.4 | 1 |
| 103 | Heart failure associated with imported malaria: a nationwide Danish cohort study. <i>ESC Heart Failure</i> , 2021 , 8, 3521-3529 | 3.7 | 1 |
| 102 | Risk of Physical Injury for Dispatched Citizen Responders to Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021 , 10, e021626 | 6 | 1 |
| 101 | Familial Clustering of Venous Thromboembolism - A Danish Nationwide Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0169055 | 3.7 | 1 |

| | | | |
|-----|--|------|---|
| 100 | Global longitudinal strain predicts cardiovascular events after coronary artery bypass grafting. <i>Heart</i> , 2021 , 107, 814-821 | 5.1 | 1 |
| 99 | Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018 , 6, 41-48 | 7.9 | 1 |
| 98 | Lung ultrasound findings in hospitalized COVID-19 patients in relation to venous thromboembolic events: the ECHOVID-19 study. <i>Journal of Ultrasound</i> , 2021 , 1 | 3.4 | 1 |
| 97 | Compliance in Primary Prevention With Statins and Associations With Cardiovascular Risk and Death in a Low-Risk Population With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2021 , 10, e020395 | 6 | 1 |
| 96 | Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021 , 83, e12-e14 | 18.9 | 1 |
| 95 | DOAC discontinuation among patients with atrial fibrillation according to gender and cohabitation status; A Nationwide Cohort Study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , | 6.4 | 1 |
| 94 | Joint mapping of cardiovascular diseases: comparing the geographic patterns in incident acute myocardial infarction, stroke and atrial fibrillation, a Danish register-based cohort study 2014-15. <i>International Journal of Health Geographics</i> , 2021 , 20, 41 | 3.5 | 1 |
| 93 | Trends in Use of Cardioprotective Medication in Peripheral Artery Disease: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020333 | 6 | 1 |
| 92 | Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke - The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105916 | 2.8 | 1 |
| 91 | Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. <i>American Heart Journal</i> , 2022 , 243, 140-146 | 4.9 | 1 |
| 90 | Long-Term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021310 | 6 | 1 |
| 89 | Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Segment-Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e022333 | 6 | 1 |
| 88 | The feasibility of pragmatic influenza vaccine randomized controlled real-world trials in Denmark and England.. <i>Npj Vaccines</i> , 2022 , 7, 25 | 9.5 | 1 |
| 87 | Risk of out-of-hospital cardiac arrest in patients with epilepsy and users of antiepileptic drugs.. <i>British Journal of Clinical Pharmacology</i> , 2022 , | 3.8 | 1 |
| 86 | Geographical inequalities in the decreasing 28-day mortality following incident acute myocardial infarction: a Danish register-based cohort study, 1987-2016.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 81 | 2.3 | 1 |
| 85 | Age- and sex-specific trends in the incidence of myocardial infarction in Denmark, 2005 to 2021.. <i>Atherosclerosis</i> , 2022 , 346, 63-67 | 3.1 | 1 |
| 84 | Normal Values for Myocardial Work Indices Derived From Pressure-Strain Loop Analyses: From the CCHS.. <i>Circulation: Cardiovascular Imaging</i> , 2022 , 101161CIRCIMAGING121013712 | 3.9 | 1 |
| 83 | Incidence of Sudden Cardiac Death in the European Union.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1818-1827 | 15.1 | 1 |

| | | | |
|----|--|------|---|
| 82 | Polygenic predisposition to breast cancer and the risk of coronary artery disease. <i>International Journal of Cardiology</i> , 2019 , 291, 145-151 | 3.2 | ○ |
| 81 | Does macrolide use confer risk of out-of-hospital cardiac arrest compared with penicillin V? A Danish national case-crossover and case-time-control study. <i>BMJ Open</i> , 2018 , 8, e019997 | 3 | ○ |
| 80 | ASSOCIATIONS OF OCCUPANT MOTOR VEHICLE CRASH WITH FUTURE HEART FAILURE AND ISCHEMIC STROKE IN OLDER ADULTS. <i>American Journal of Epidemiology</i> , 2019 , 188, 1400-1403 | 3.8 | ○ |
| 79 | Limited incremental effect of inflammatory bowel disease on risk of comorbidities in patients with psoriasis. <i>Journal of Dermatology</i> , 2017 , 44, 1176-1177 | 1.6 | ○ |
| 78 | Flu Vaccine and Mortality in Hypertension: A Nationwide Cohort Study.. <i>Journal of the American Heart Association</i> , 2022 , e021715 | 6 | ○ |
| 77 | Incidence of Infective Endocarditis Among Patients With Tetralogy of Fallot. <i>Journal of the American Heart Association</i> , 2021 , 10, e022445 | 6 | ○ |
| 76 | Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 40-49 | 4.3 | ○ |
| 75 | Contacts With the Health Care System Before Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021 , 10, e021827 | 6 | ○ |
| 74 | Outcomes of prolonged dual anti-platelet therapy in patients with acute coronary syndrome undergoing percutaneous coronary intervention: a nationwide registry-based study.. <i>American Heart Journal</i> , 2021 , 245, 81-81 | 4.9 | ○ |
| 73 | Desloratadine Exposure and Incidence of Seizure: A Nordic Post-authorization Safety Study Using a New-User Cohort Study Design, 2001-2015. <i>Drug Safety</i> , 2021 , 44, 1231-1242 | 5.1 | ○ |
| 72 | Prediabetes Defined by First Measured HbA Predicts Higher Cardiovascular Risk Compared With HbA in the Diabetes Range: A Cohort Study of Nationwide Registries. <i>Diabetes Care</i> , 2021 , 44, 2767-2774 | 14.6 | ○ |
| 71 | Left atrial structure and function among different subtypes of atrial fibrillation: an echocardiographic substudy of the AMIO-CAT trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1386-1394 | 4.1 | ○ |
| 70 | Long-term prognosis following hospitalization for acute myocarditis - a matched nationwide cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 264-269 | 2 | ○ |
| 69 | Left ventricular end-diastolic pressure is associated with left atrial functional measures by echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3213-3221 | 2.5 | ○ |
| 68 | Increased long-term risk of heart failure and other adverse cardiac outcomes in dermatomyositis and polymyositis: Insights from a nationwide cohort. <i>Journal of Internal Medicine</i> , 2021 , 290, 704-714 | 10.8 | ○ |
| 67 | Insulin resistance genetic risk score and burden of coronary artery disease in patients referred for coronary angiography. <i>PLoS ONE</i> , 2021 , 16, e0252855 | 3.7 | ○ |
| 66 | Association of lithium use with rate of out-of-hospital cardiac arrest in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100164 | 1.4 | ○ |
| 65 | Incident atrial fibrillation and risk of psychoactive drug redemptions and psychiatric hospital contacts: a Danish Nationwide Register-based Follow-up Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 76-82 | 4.6 | ○ |

| | | | |
|----|--|------|---|
| 64 | Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels-a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 181-188 | 4.6 | ○ |
| 63 | Prevalence and incidence of various cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2021 , 326, 144 | 3.2 | ○ |
| 62 | Infective Endocarditis Following Transcatheter Aortic Valve Replacement and Cardiac Implantable Electronic Device. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1503-1505 | 5 | ○ |
| 61 | Proposal for the use of echocardiography in bloodstream infections due to different streptococcal species. <i>BMC Infectious Diseases</i> , 2021 , 21, 689 | 4 | ○ |
| 60 | Echocardiographic predictors of long-term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A follow-up analysis of the Copenhagen City Heart Study. <i>Diabetic Medicine</i> , 2021 , 38, e14627 | 3.5 | ○ |
| 59 | Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021 , 16, e0255364 | 3.7 | ○ |
| 58 | Temporal trends and socioeconomic differences in treatment and mortality following a diagnosis of aortic stenosis. <i>International Journal of Cardiology</i> , 2021 , 336, 87-92 | 3.2 | ○ |
| 57 | Association between vitamin K intake and mortality in the Danish Diet, Cancer, and Health cohort. <i>European Journal of Epidemiology</i> , 2021 , 36, 1005-1014 | 12.1 | ○ |
| 56 | Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2021 , 342, 15-22 | 3.2 | ○ |
| 55 | Temporal variation in out-of-hospital cardiac arrest occurrence in individuals with or without diabetes. <i>Resuscitation Plus</i> , 2021 , 8, 100167 | 1.4 | ○ |
| 54 | Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study).. <i>BMC Geriatrics</i> , 2022 , 22, 230 | 4.1 | ○ |
| 53 | Researchers in cardiology - Why and how to get on Twitter?. <i>IJC Heart and Vasculature</i> , 2022 , 40, 1010102.4 | 2.4 | ○ |
| 52 | Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer: A Nationwide Registry-Based Study.. <i>JACC: CardioOncology</i> , 2021 , 3, 725-733 | 3.8 | ○ |
| 51 | Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study.. <i>American Heart Journal Plus</i> , 2022 , 14, 100131 | | ○ |
| 50 | Drinking water magnesium and cardiovascular mortality: A cohort study in Denmark, 2005-2016.. <i>Environment International</i> , 2022 , 164, 107277 | 12.9 | ○ |
| 49 | Risk of out-of-hospital cardiac arrest in patients with rheumatoid arthritis: a nationwide study. <i>Open Heart</i> , 2022 , 9, e001987 | 3 | ○ |
| 48 | Incidence rates of dilated cardiomyopathy in adult first-degree relatives versus matched controls. <i>IJC Heart and Vasculature</i> , 2022 , 41, 101065 | 2.4 | ○ |
| 47 | Time trends and patient selection in the use of continuous electrocardiography for detecting atrial fibrillation after stroke: a nationwide cohort study. <i>European Journal of Neurology</i> , 2020 , 27, 2191-2201 | 6 | ○ |

- 46 Psoriatic Arthritis, but not Psoriasis, is Associated with Primary Adrenal Insufficiency. *Acta Dermato-Venereologica*, **2017**, 97, 519-521 2.2
- 45 FP242MORTALITY AND RELATIVE CHANGES IN PLASMA CREATININE IN NON-HOSPITALIZED GENERAL POPULATIONS. *Nephrology Dialysis Transplantation*, **2018**, 33, i111-i112 4.3
- 44 Reply: A persisting dilemma for triple antithrombotic therapy: are we close to finding the correct answer?. *Journal of the American College of Cardiology*, **2014**, 64, 231-2 15.1
- 43 Dosage of angiotensin-II receptor blockers in heart failure patients following changes in Danish drug reimbursement policies. *Pharmacoepidemiology and Drug Safety*, **2014**, 23, 1281-7 2.6
- 42 Reply: To PMID 23246392. *Journal of the American College of Cardiology*, **2013**, 61, 2490 15.1
- 41 Do Invasive Treatment and Time Waited Influence Socioeconomic Differences in Mortality for Patients Admitted First Time with Non St-Elevation Myocardial Infarction?. *International Journal of Epidemiology*, **2015**, 44, i255-i255 7.8
- 40 Striking disparities between out-of-hospital cardiac arrest occurrence and AED availability. *Resuscitation*, **2012**, 83, e120 4
- 39 Use of analgesics and risk of death after discharge from elective hip or knee replacement - a nationwide cohort study. *European Heart Journal*, **2013**, 34, P4309-P4309 9.5
- 38 Diabetes is associated with doubling in risk of atrial fibrillation compared to the background population: a nationwide study. *European Heart Journal*, **2013**, 34, P4079-P4079 9.5
- 37 Substantial differences in initiation of antithrombotic treatment and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings: a nationwide cohort. *European Heart Journal*, **2013**, 34, P529-P529 9.5
- 36 Temporal changes in patient characteristics and prophylactic pharmacotherapy among 156,496 patients referred for coronary angiography between 2000 and 2009 - a nationwide study. *European Heart Journal*, **2013**, 34, P5481-P5481 9.5
- 35 Psoriasis is associated with increased risk of new-onset heart failure: a nationwide cohort study. *European Heart Journal*, **2013**, 34, P2740-P2740 9.5
- 34 Differences in mortality and cardiovascular risk associated with insulin in combination with individual insulin secretagogues or metformin - a nationwide study. *European Heart Journal*, **2013**, 34, P4251-P4251 9.5
- 33 Weight gain is associated with lower risk of death regardless of baseline BMI in women with angiographically documented coronary artery disease a nationwide study. *European Heart Journal*, **2013**, 34, 4354-4354 9.5
- 32 Risk of stroke after radiofrequency ablation of atrial fibrillation: 10-year follow-up of Danish nationwide cohort. *European Heart Journal*, **2013**, 34, 1606-1606 9.5
- 31 Associations between being obese but metabolically healthy and risk of myocardial infarction, stroke and mortality - a nationwide study of fertile women. *European Heart Journal*, **2013**, 34, 2659-2659 9.5
- 30 Prescription of angiotensin II receptor antagonists in a cohort of heart failure patients following changes in Danish drug reimbursement policies. *European Heart Journal*, **2013**, 34, P3309-P3309 9.5
- 29 DPP-4 inhibitors and GLP-1 agonists in type 2 diabetes - early assessment of cardiovascular safety in a nationwide setting. *European Heart Journal*, **2013**, 34, 5929-5929 9.5

| | | |
|----|---|-----|
| 28 | Primary prevention of ischemic stroke: implication of multiple risk factors in patients with and without atrial fibrillation. <i>European Heart Journal</i> , 2013 , 34, P553-P553 | 9.5 |
| 27 | Diabetes is an independent risk factor for peripheral vascular disease but does not influence risk when coronary artery disease is verified among patients undergoing CAG - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4252-P4252 | 9.5 |
| 26 | Associations between obesity and cardiovascular risk factors requiring intervention in young women. <i>European Heart Journal</i> , 2013 , 34, 4353-4353 | 9.5 |
| 25 | Aspirin and coronary artery disease. <i>Heart</i> , 2010 , 96, 1684-1684 | 5.1 |
| 24 | NSAIDs in elderly patients with heart failure: stuck between a rock and a hard place?. <i>Aging Health</i> , 2009 , 5, 259-262 | |
| 23 | The burden of cardiovascular outcomes in heart failure patients with new-onset, prevalent, and without type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 111, 460 | 6.1 |
| 22 | Electrical cardioversion of atrial fibrillation and the risk of brady-arrhythmic events. <i>American Heart Journal</i> , 2021 , 244, 42-49 | 4.9 |
| 21 | Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. <i>Journal of the American Heart Association</i> , 2021 , 10, e021230 | 6 |
| 20 | Triple Therapy: Risky but Sometimes Necessary 2014 , 185-212 | |
| 19 | Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. <i>Europace</i> , 2020 , 22, 716-723 | 3.9 |
| 18 | Myocardial performance index is associated with cardiac computed tomography findings in patients with suspected coronary artery disease. <i>Echocardiography</i> , 2020 , 37, 1741-1748 | 1.5 |
| 17 | Long-term risk of heart failure and mortality following mitral valve surgery in patients with and without right ventricular pacemaker. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 2598-2604 | 1.3 |
| 16 | Association of beta-blockers and first-registered heart rhythm in out-of-hospital cardiac arrest: real-world data from population-based cohorts across two European countries. <i>Europace</i> , 2020 , 22, 1206-1215 | 3.9 |
| 15 | The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100741 | 2.4 |
| 14 | Change in global longitudinal strain following acute coronary syndrome and subsequent risk of heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3193-3202 | 2.5 |
| 13 | Sex differences in echocardiographic predictors of bradycardia detected by implantable loop recorder in patients with syncope and palpitations. <i>Echocardiography</i> , 2021 , 38, 1186-1194 | 1.5 |
| 12 | 45-OR: Hypoglycemia, Glycemic Variability, and Risk of Cardiac Arrhythmias in Insulin-Treated Patients with Type 2 Diabetes. <i>Diabetes</i> , 2021 , 70, 45-OR | 0.9 |
| 11 | Is metformin associated with acute kidney injury? A case-control study of patients with type 2 diabetes admitted with acute infection. <i>Journal of Nephrology</i> , 2021 , 34, 709-717 | 4.8 |

| | | |
|----|---|-----|
| 10 | Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12175 | 6 |
| 9 | The prognostic value of left atrial dyssynchrony measured by speckle tracking echocardiography in the general population. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1679-1688 | 2.5 |
| 8 | 518Risk of sudden infant death syndrome (SIDS) among siblings of SIDS victims: a Danish nationwide cohort study. <i>Europace</i> , 2018 , 20, i98-i98 | 3.9 |
| 7 | Reply: Aspirin and Prognosis in Heart Failure: A Question of Power. <i>JACC: Heart Failure</i> , 2018 , 6, 540 | 7.9 |
| 6 | Workforce Attachment after Ischemic Stroke - The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106031 | 2.8 |
| 5 | Diabetes increases the risk of bone fractures in patients on kidney replacement therapy: A Danish national cohort study. <i>Bone</i> , 2021 , 153, 116158 | 4.7 |
| 4 | Kidney function and the prognostic value of myocardial performance index. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1637-1647 | 2.5 |
| 3 | Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , e024402 | 6 |
| 2 | Clinical cardiovascular phenotypes and the pattern of future events in patients with type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 1 | 6.1 |
| 1 | Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine.. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 622 | 2.3 |