

G Hilmar Gislason

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2657137/g-hilmar-gislason-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

693
papers

21,234
citations

69
h-index

123
g-index

822
ext. papers

26,487
ext. citations

6
avg, IF

6.96
L-index

#	Paper	IF	Citations
693	The burden of cardiovascular outcomes in heart failure patients with new-onset, prevalent, and without type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 111, 460	6.1	
692	Return to work after COVID-19 infection - A Danish nationwide registry study.. <i>Public Health</i> , 2022 , 203, 116-122	4	1
691	Impact of socioeconomic position on initiation of SGLT-2 inhibitors or GLP-1 receptor agonists in patients with type 2 diabetes - a Danish nationwide observational study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100308		1
690	Flu Vaccine and Mortality in Hypertension: A Nationwide Cohort Study.. <i>Journal of the American Heart Association</i> , 2022 , e021715	6	0
689	Ischemic Stroke Severity and Mortality in Patients With and Without Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , 11, e022638	6	2
688	Temporal trends in utilization of transcatheter aortic valve replacement and patient characteristics: A nationwide study. <i>American Heart Journal</i> , 2022 , 243, 140-146	4.9	1
687	The feasibility of pragmatic influenza vaccine randomized controlled real-world trials in Denmark and England.. <i>Npj Vaccines</i> , 2022 , 7, 25	9.5	1
686	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study).. <i>BMC Geriatrics</i> , 2022 , 22, 230	4.1	0
685	Association Between Inappropriately Dosed Anticoagulation Therapy With Stroke Severity and Outcomes in Patients With Atrial Fibrillation.. <i>Journal of the American Heart Association</i> , 2022 , e024402	6	
684	Risk of out-of-hospital cardiac arrest in patients with epilepsy and users of antiepileptic drugs.. <i>British Journal of Clinical Pharmacology</i> , 2022 ,	3.8	1
683	Geographical inequalities in the decreasing 28-day mortality following incident acute myocardial infarction: a Danish register-based cohort study, 1987-2016.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 81	2.3	1
682	Age- and sex-specific trends in the incidence of myocardial infarction in Denmark, 2005 to 2021.. <i>Atherosclerosis</i> , 2022 , 346, 63-67	3.1	1
681	Clinical cardiovascular phenotypes and the pattern of future events in patients with type 2 diabetes.. <i>Clinical Research in Cardiology</i> , 2022 , 1	6.1	
680	Researchers in cardiology - Why and how to get on Twitter?. <i>IJC Heart and Vasculature</i> , 2022 , 40, 1010102.4		0
679	Prognostic implications of serial high-sensitivity cardiac troponin testing among patients with COVID-19: A Danish nationwide registry-based cohort study.. <i>American Heart Journal Plus</i> , 2022 , 14, 100131		0
678	Feasibility of randomizing Danish citizens aged 65-79 years to high-dose quadrivalent influenza vaccine vs. standard-dose quadrivalent influenza vaccine in a pragmatic registry-based setting: rationale and design of the DANFLU-1 Trial.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 87	1.9	3
677	Normal Values for Myocardial Work Indices Derived From Pressure-Strain Loop Analyses: From the CCHS.. <i>Circulation: Cardiovascular Imaging</i> , 2022 , 101161CIRCIMAGING121013712	3.9	1

676	Incidence of Sudden Cardiac Death in the European Union.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1818-1827	15.1	1
675	Drinking water magnesium and cardiovascular mortality: A cohort study in Denmark, 2005-2016.. <i>Environment International</i> , 2022 , 164, 107277	12.9	0
674	Risk of out-of-hospital cardiac arrest in patients with rheumatoid arthritis: a nationwide study. <i>Open Heart</i> , 2022 , 9, e001987	3	0
673	Incidence rates of dilated cardiomyopathy in adult first-degree relatives versus matched controls. <i>IJC Heart and Vasculature</i> , 2022 , 41, 101065	2.4	0
672	Haematuria and urinary tract cancers in patients with atrial fibrillation treated with oral anticoagulants. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 373-379	6.4	1
671	Dabigatran and the Risk of Staphylococcus aureus Bacteremia: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, 480-486	11.6	4
670	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19)-A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4025-e4030	11.6	47
669	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: A nationwide study in Denmark from 2003-2017.. <i>European Journal of Heart Failure</i> , 2021 ,	12.3	3
668	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study.. <i>BMJ, The</i> , 2021 , 375, e068665	5.9	28
667	Incidence of Infective Endocarditis Among Patients With Tetralogy of Fallot. <i>Journal of the American Heart Association</i> , 2021 , 10, e022445	6	0
666	Increased 5-year risk of stroke, atrial fibrillation, acute coronary syndrome, and heart failure in out-of-hospital cardiac arrest survivors compared with population controls: A nationwide registry-based study. <i>Resuscitation</i> , 2021 , 169, 53-59	4	1
665	Five-year risk of heart failure and death following myocardial infarction with cardiogenic shock: a nationwide cohort study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 40-49	4.3	0
664	Bleeding risk following systemic fluconazole or topical azoles in patients with atrial fibrillation on apixaban, rivaroxaban or dabigatran. <i>American Journal of Medicine</i> , 2021 ,	2.4	2
663	Glycated haemoglobin levels among 3295 hospitalized COVID-19 patients, with and without diabetes, and risk of severe infection, admission to an intensive care unit and all-cause mortality. <i>Diabetes, Obesity and Metabolism</i> , 2021 ,	6.7	3
662	Contacts With the Health Care System Before Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021 , 10, e021827	6	0
661	Outcomes of prolonged dual anti-platelet therapy in patients with acute coronary syndrome undergoing percutaneous coronary intervention: a nationwide registry-based study.. <i>American Heart Journal</i> , 2021 , 245, 81-81	4.9	0
660	Desloratadine Exposure and Incidence of Seizure: A Nordic Post-authorization Safety Study Using a New-User Cohort Study Design, 2001-2015. <i>Drug Safety</i> , 2021 , 44, 1231-1242	5.1	0
659	Prediabetes Defined by First Measured HbA Predicts Higher Cardiovascular Risk Compared With HbA in the Diabetes Range: A Cohort Study of Nationwide Registries. <i>Diabetes Care</i> , 2021 , 44, 2767-2774	14.6	0

658	Electrical cardioversion of atrial fibrillation and the risk of brady-arrhythmic events. <i>American Heart Journal</i> , 2021 , 244, 42-49	4.9	
657	Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021286	6	2
656	Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. <i>Journal of the American Heart Association</i> , 2021 , 10, e021230	6	
655	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 172-180	4.6	18
654	The mediating role of effective treatments in the relationship between income level and survival in patients with heart failure: a sex- and cohabitation-stratified study. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 78-86	3.9	1
653	Temporal trends and socioeconomic differences in the incidence of left-sided valvular heart disease in Denmark. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 608-615	4.6	3
652	Echocardiographic predictors of cardiovascular morbidity and mortality in women from the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 1026-1034	4.1	7
651	Geographical variation and clustering are found in atrial fibrillation beyond socioeconomic differences: a Danish cohort study, 1987-2015. <i>International Journal of Health Geographics</i> , 2021 , 20, 11	3.5	4
650	Long-term prognosis following hospitalization for acute myocarditis - a matched nationwide cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 264-269	2	0
649	Prognostic Value of Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1044-1052	15.1	5
648	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. <i>Thrombosis Research</i> , 2021 , 199, 97-100	8.2	3
647	The Association between Cardiovascular Disease Admission Rates and The Coronavirus Disease 2019 Lockdown and Reopening of a Nation: a Danish Nationwide Cohort Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	2
646	Prognostic Value and Interplay Between Myocardial Tissue Velocities in Patients Undergoing Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2021 , 144, 37-45	3	2
645	The association of prior carpal tunnel syndrome surgery with adverse cardiovascular outcomes and long-term mortality after aortic valve replacement. <i>IJC Heart and Vasculature</i> , 2021 , 33, 100741	2.4	
644	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. <i>European Journal of Epidemiology</i> , 2021 , 36, 813-825	12.1	8
643	Sex-Specific Prevalence, Incidence, and Mortality Associated With Atrial Fibrillation in Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 1366-1375	4.6	3
642	Severe mental illness is associated with increased mortality and severe course of COVID-19. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 82-91	6.5	17
641	Change in global longitudinal strain following acute coronary syndrome and subsequent risk of heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3193-3202	2.5	

640	Socioeconomic position and first-time major cardiovascular event in patients with type 2 diabetes: a Danish nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	1
639	Time to Thrombolysis and Long-Term Outcomes in Patients With Acute Ischemic Stroke: A Nationwide Study. <i>Stroke</i> , 2021 , 52, 1724-1732	6.7	2
638	Prognosis of myocardial infarction-related cardiogenic shock according to preadmission out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021 , 162, 135-142	4	1
637	Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 348-357	7	3
636	Left ventricular end-diastolic pressure is associated with left atrial functional measures by echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3213-3221	2.5	0
635	Driving following defibrillator implantation: a nationwide register-linked survey study. <i>European Heart Journal</i> , 2021 , 42, 3529-3537	9.5	1
634	Sex differences in incidence rate, and temporal changes in surgical management and adverse events after hip fracture surgery in Denmark 1997-2017: a register-based study of 153,058 hip fracture patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 424-430	4.3	1
633	Usefulness of echocardiography for predicting ventricular tachycardia detected by implantable loop recorder in syncope patients. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3157-3166	2.5	1
632	Sex differences in echocardiographic predictors of bradycardia detected by implantable loop recorder in patients with syncope and palpitations. <i>Echocardiography</i> , 2021 , 38, 1186-1194	1.5	
631	Dietary Intake of Vitamin K and Its Association With All-Cause, Cardiovascular Disease and Cancer Mortality in the Danish Diet, Cancer, and Health Cohort. <i>Current Developments in Nutrition</i> , 2021 , 5, 1077-1077	0.4	78
630	Acute hypoglycemia and risk of cardiac arrhythmias in insulin-treated type 2 diabetes and controls. <i>European Journal of Endocrinology</i> , 2021 , 185, 343-353	6.5	2
629	Increased long-term risk of heart failure and other adverse cardiac outcomes in dermatomyositis and polymyositis: Insights from a nationwide cohort. <i>Journal of Internal Medicine</i> , 2021 , 290, 704-714	10.8	0
628	Insulin resistance genetic risk score and burden of coronary artery disease in patients referred for coronary angiography. <i>PLoS ONE</i> , 2021 , 16, e0252855	3.7	0
627	Temporal Incidence of Appropriate and Inappropriate Therapy and Mortality in Secondary Prevention ICD Patients by Cardiac Diagnosis. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 781-792	4.6	1
626	Early systolic lengthening by speckle tracking echocardiography predicts outcome after coronary artery bypass surgery. <i>IJC Heart and Vasculature</i> , 2021 , 34, 100799	2.4	1
625	Cardiac arrhythmias in patients hospitalized with COVID-19: The ACOVID study. <i>Heart Rhythm O2</i> , 2021 , 2, 304-308	1.5	6
624	45-OR: Hypoglycemia, Glycemic Variability, and Risk of Cardiac Arrhythmias in Insulin-Treated Patients with Type 2 Diabetes. <i>Diabetes</i> , 2021 , 70, 45-OR	0.9	
623	Heart failure associated with imported malaria: a nationwide Danish cohort study. <i>ESC Heart Failure</i> , 2021 , 8, 3521-3529	3.7	1

622	Risk of Physical Injury for Dispatched Citizen Responders to Out-of-Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2021 , 10, e021626	6	1
621	Time Trends in Simple Congenital Heart Disease Over 39 Years: A Danish Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020375	6	2
620	Association of lithium use with rate of out-of-hospital cardiac arrest in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021 , 5, 100164	1.4	0
619	Oral fluoroquinolones and risk of aortic or mitral regurgitation: a nationwide nested case-control study. <i>European Heart Journal</i> , 2021 , 42, 2899-2908	9.5	2
618	Significance of early recurrence of atrial fibrillation after catheter ablation: a nationwide Danish cohort study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 60, 271-278	2.4	3
617	Incident atrial fibrillation and risk of psychoactive drug redemptions and psychiatric hospital contacts: a Danish Nationwide Register-based Follow-up Study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 76-82	4.6	0
616	Assessing absolute stroke risk in patients with atrial fibrillation using a risk factor-based approach. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, f3-f10	6.4	7
615	Room for improvement: initiation of lipid-lowering treatment and achievement of lipid target levels-a Danish registry-based study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 181-188	4.6	0
614	All-cause mortality, stroke, and bleeding in patients with atrial fibrillation and valvular heart disease. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, f93-f100	6.4	9
613	Prevalence and incidence of various cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2021 , 326, 144	3.2	0
612	Is metformin associated with acute kidney injury? A case-control study of patients with type 2 diabetes admitted with acute infection. <i>Journal of Nephrology</i> , 2021 , 34, 709-717	4.8	
611	Protective association of angiotensin blockade with influenza: a result of immortal time bias?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, e58-e59	6.4	2
610	Left ventricular systolic ejection time is an independent predictor of all-cause mortality in heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2021 , 23, 240-249	12.3	7
609	The DANish randomized, double-blind, placebo controlled trial in patients with chronic HEART failure (DANHEART): A 2 x 2 factorial trial of hydralazine-isosorbide dinitrate in patients with chronic heart failure (H-HeFT) and metformin in patients with chronic heart failure and diabetes or prediabetes (Met-HeFT). <i>American Heart Journal</i> , 2021 , 231, 137-146	4.9	13
608	Incidence of acute coronary syndrome during national lock-down: Insights from nationwide data during the Coronavirus disease 2019 (COVID-19) pandemic. <i>American Heart Journal</i> , 2021 , 232, 146-153	4.9	10
607	Use of hydroxychloroquine and risk of major adverse cardiovascular events in patients with lupus erythematosus: A Danish nationwide cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 930-937	4.5	8
606	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021 , 42, 1621-1631	9.5	37
605	Temporal changes in the incidence of infective endocarditis in Denmark 1997-2017: A nationwide study. <i>International Journal of Cardiology</i> , 2021 , 326, 145-152	3.2	11

604	Socioeconomic differences in outcomes after hospital admission for atrial fibrillation or flutter. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 295-303	4.6	9
603	Vitamin K antagonists vs. direct oral anticoagulants after transcatheter aortic valve implantation in atrial fibrillation. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 11-19	6.4	15
602	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 20-30	6.4	4
601	Socioeconomic disparities in prehospital factors and survival after out-of-hospital cardiac arrest. <i>Heart</i> , 2021 , 107, 627-634	5.1	4
600	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12175	6	
599	Left Atrial Strain Predicts Heart Failure and Cardiovascular Death in Patients Undergoing Coronary Artery Bypass Grafting. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 295-296	8.4	3
598	The prognostic value of left atrial dyssynchrony measured by speckle tracking echocardiography in the general population. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1679-1688	2.5	
597	Risk of out-of-hospital cardiac arrest in patients with bipolar disorder or schizophrenia. <i>Heart</i> , 2021 , 107, 1544-1551	5.1	3
596	Risk of major cardiovascular events according to educational level before and after the initial COVID-19 public lockdown: a nationwide study. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 829-835	5.1	2
595	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021 , 42, 1516-1523	9.5	18
594	Increased vulnerability to COVID-19 in chronic kidney disease. <i>Journal of Internal Medicine</i> , 2021 , 290, 166-178	10.8	11
593	Immune check point inhibitors are associated with a spectrum of cardiac events in patients with cancer. <i>European Heart Journal</i> , 2021 , 42, 1636	9.5	2
592	Global longitudinal strain predicts cardiovascular events after coronary artery bypass grafting. <i>Heart</i> , 2021 , 107, 814-821	5.1	1
591	Consequences of coronavirus disease-2019 (COVID-19) lockdown on infection-related hospitalizations among the pediatric population in Denmark. <i>European Journal of Pediatrics</i> , 2021 , 180, 1955-1963	4.1	8
590	Infective Endocarditis Following Transcatheter Aortic Valve Replacement and Cardiac Implantable Electronic Device. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1503-1505	5	0
589	Lung ultrasound findings in hospitalized COVID-19 patients in relation to venous thromboembolic events: the ECHOVID-19 study. <i>Journal of Ultrasound</i> , 2021 , 1	3.4	1
588	Proposal for the use of echocardiography in bloodstream infections due to different streptococcal species. <i>BMC Infectious Diseases</i> , 2021 , 21, 689	4	0
587	Compliance in Primary Prevention With Statins and Associations With Cardiovascular Risk and Death in a Low-Risk Population With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2021 , 10, e020395	6	1

586	Echocardiographic predictors of long-term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A follow-up analysis of the Copenhagen City Heart Study. <i>Diabetic Medicine</i> , 2021 , 38, e14627	3.5	0
585	Gastrointestinal bleeding risk following concomitant treatment with oral glucocorticoids in patients on non-vitamin K oral anticoagulants. <i>Heart</i> , 2021 ,	5.1	4
584	Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020551	6	2
583	Out-of-hospital cardiac arrest and differential risk of cardiac and non-cardiac QT-prolonging drugs in 37 000 cases. <i>British Journal of Clinical Pharmacology</i> , 2021 ,	3.8	3
582	Initiation of domiciliary care and nursing home admission following first hospitalization for heart failure, stroke, chronic obstructive pulmonary disease or cancer. <i>PLoS ONE</i> , 2021 , 16, e0255364	3.7	0
581	Risk of coronavirus disease 2019 (Covid-19) contraction and severe infection in home- or healthcare professionals. <i>Journal of Infection</i> , 2021 , 83, e12-e14	18.9	1
580	DOAC discontinuation among patients with atrial fibrillation according to gender and cohabitation status; A Nationwide Cohort Study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 ,	6.4	1
579	Prediction of first cardiovascular disease event in 2.9 million individuals using Danish administrative healthcare data: a nationwide, registry-based derivation and validation study. <i>European Heart Journal Open</i> , 2021 , 1,		2
578	Joint mapping of cardiovascular diseases: comparing the geographic patterns in incident acute myocardial infarction, stroke and atrial fibrillation, a Danish register-based cohort study 2014-15. <i>International Journal of Health Geographics</i> , 2021 , 20, 41	3.5	1
577	Trends in Use of Cardioprotective Medication in Peripheral Artery Disease: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020333	6	1
576	Nursing Home Admission and Initiation of Domiciliary Care After Ischemic Stroke - The Importance of Time to Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105916	2.8	1
575	Layer-specific global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , 2021 , 23, 1819-1827	12.3	3
574	Temporal trends and socioeconomic differences in treatment and mortality following a diagnosis of aortic stenosis. <i>International Journal of Cardiology</i> , 2021 , 336, 87-92	3.2	0
573	Recovery of cardiac function following COVID-19 ECHOVID-19: a prospective longitudinal cohort study. <i>European Journal of Heart Failure</i> , 2021 , 23, 1903-1912	12.3	12
572	Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. <i>Journal of Nutrition</i> , 2021 , 151, 3533-3542	4.1	3
571	Long-Term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e021310	6	1
570	Importance of Risk Assessment in Timing of Invasive Coronary Evaluation and Treatment of Patients With Non-ST-Segment-Elevation Acute Coronary Syndrome: Insights From the VERDICT Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e022333	6	1
569	Association between vitamin K intake and mortality in the Danish Diet, Cancer, and Health cohort. <i>European Journal of Epidemiology</i> , 2021 , 36, 1005-1014	12.1	0

568	Workforce Attachment after Ischemic Stroke - The Importance of Time to Thrombolytic Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106031	2.8	
567	Nationwide cardiovascular disease admission rates during a second COVID-19 lockdown. <i>American Heart Journal</i> , 2021 , 241, 35-37	4.9	3
566	Clopidogrel, prasugrel, and ticagrelor for all-comers with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2021 , 342, 15-22	3.2	0
565	Diabetes increases the risk of bone fractures in patients on kidney replacement therapy: A Danish national cohort study. <i>Bone</i> , 2021 , 153, 116158	4.7	
564	Temporal variation in out-of-hospital cardiac arrest occurrence in individuals with or without diabetes. <i>Resuscitation Plus</i> , 2021 , 8, 100167	1.4	0
563	Kidney function and the prognostic value of myocardial performance index. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1637-1647	2.5	
562	Effect of long-term beta-blocker treatment following myocardial infarction among stable, optimally treated patients without heart failure in the reperfusion era: a Danish, nationwide cohort study. <i>European Heart Journal</i> , 2021 , 42, 907-914	9.5	14
561	A medical history of arterial thrombosis is a strong predictor of post-operative myocardial infarction and stroke in patients with hip fractures-a nationwide cohort study. <i>Age and Ageing</i> , 2021 , 50, 1252-1260	3	3
560	Associations of hypoglycemia, glycemic variability and risk of cardiac arrhythmias in insulin-treated patients with type 2 diabetes: a prospective, observational study.. <i>Cardiovascular Diabetology</i> , 2021 , 20, 241	8.7	3
559	Risk for Myocardial Infarction Following 5-Fluorouracil Treatment in Patients With Gastrointestinal Cancer: A Nationwide Registry-Based Study.. <i>JACC: CardioOncology</i> , 2021 , 3, 725-733	3.8	0
558	Association between magnesium in drinking water and atrial fibrillation incidence: a nationwide population-based cohort study, 2002-2015.. <i>Environmental Health</i> , 2021 , 20, 126	6	2
557	Incidence of heart valve disease in women treated with the ergot-derived dopamine agonist bromocriptine.. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 622	2.3	
556	Pre-hospital factors and survival after out-of-hospital cardiac arrest according to population density, a nationwide study. <i>Resuscitation Plus</i> , 2020 , 4, 100036	1.4	1
555	Association between biomarkers and COVID-19 severity and mortality: a nationwide Danish cohort study. <i>BMJ Open</i> , 2020 , 10, e041295	3	17
554	Incidence of acute myocardial infarction-related cardiogenic shock during corona virus disease 19 (COVID-19) pandemic. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100659	2.4	9
553	Incidence of Ischemic Stroke in Individuals With and Without Aortic Valve Stenosis: A Danish Retrospective Cohort Study. <i>Stroke</i> , 2020 , 51, 1364-1371	6.7	5
552	Sibling history is associated with heart failure after a first myocardial infarction. <i>Open Heart</i> , 2020 , 7, e001143	3	1
551	Endogenous Testosterone Levels Are Associated with Risk of Type 2 Diabetes in Women without Established Comorbidity. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa050	0.4	6

550	Risk factors and a 3-month risk score for predicting pacemaker implantation in patients with atrial fibrillations. <i>Open Heart</i> , 2020 , 7, e001125	3	1
549	Incidence of New-Onset and Worsening Heart Failure Before and After the COVID-19 Epidemic Lockdown in Denmark: A Nationwide Cohort Study. <i>Circulation: Heart Failure</i> , 2020 , 13, e007274	7.6	53
548	Rivaroxaban Versus Apixaban for Stroke Prevention in Atrial Fibrillation: An Instrumental Variable Analysis of a Nationwide Cohort. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006058	5.8	10
547	Flavonoid intake and its association with atrial fibrillation. <i>Clinical Nutrition</i> , 2020 , 39, 3821-3828	5.9	5
546	Socioeconomic differences in coronary procedures and survival after out-of-hospital cardiac arrest: A nationwide Danish study. <i>Resuscitation</i> , 2020 , 153, 10-19	4	2
545	Type 2 Diabetes Mellitus and Impact of Heart Failure on Prognosis Compared to Other Cardiovascular Diseases: A Nationwide Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006260	5.8	13
544	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 168-177	27.4	262
543	Improving bystander defibrillation in out-of-hospital cardiac arrests at home. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, S74-S81	4.3	6
542	Recurrent infective endocarditis versus first-time infective endocarditis after heart valve surgery. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1342-1351	6.1	5
541	Time trends and patient selection in the use of continuous electrocardiography for detecting atrial fibrillation after stroke: a nationwide cohort study. <i>European Journal of Neurology</i> , 2020 , 27, 2191-2201	6	
540	Smartphone Activation of Citizen Responders to Facilitate Defibrillation in Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 43-53	15.1	44
539	Reply to Aspirin as a painkiller in patients with a high cardiovascular risk profile. <i>Nature Reviews Cardiology</i> , 2020 , 17, 609-610	14.8	3
538	Add-on therapy in metformin-treated patients with type 2 diabetes at moderate cardiovascular risk: a nationwide study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 107	8.7	12
537	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020 , 41, 3072-3079	9.5	53
536	Prevalence of Infective Endocarditis in Streptococcal Bloodstream Infections Is Dependent on Streptococcal Species. <i>Circulation</i> , 2020 , 142, 720-730	16.7	21
535	Charlson Comorbidity Index Score and Risk of Severe Outcome and Death in Danish COVID-19 Patients. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2801-2803	4	52
534	Familial Clustering of Aortic Size, Aneurysms, and Dissections in the Community. <i>Circulation</i> , 2020 , 142, 920-928	16.7	14
533	Living settings and cognitive impairment are stronger predictors of nursing home admission after hip fracture surgery than physical comorbidities A nationwide Danish cohort study. <i>Injury</i> , 2020 , 51, 2289-2294	2.5	3

532	Gastrointestinal bleeding and the risk of colorectal cancer in anticoagulated patients with atrial fibrillation. <i>European Heart Journal</i> , 2020 ,	9.5	12
531	Cardiovascular complications in patients with total cavopulmonary connection: A nationwide cohort study. <i>International Journal of Cardiology</i> , 2020 , 305, 120-126	3.2	1
530	Coronary CT Angiography in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 453-463	15.1	60
529	Quality of life and the associated risk of all-cause mortality in nonischemic heart failure. <i>International Journal of Cardiology</i> , 2020 , 305, 92-98	3.2	4
528	Favorable five-year outcomes for heart failure diagnosed in younger patients without severe comorbidity. <i>International Journal of Cardiology</i> , 2020 , 305, 106-112	3.2	3
527	Early Systolic Lengthening in Patients With ST-Segment-Elevation Myocardial Infarction: A Novel Predictor of Cardiovascular Events. <i>Journal of the American Heart Association</i> , 2020 , 9, e013835	6	9
526	Regional variation in out-of-hospital cardiac arrest: Incidence and survival - A nationwide study of regions in Denmark. <i>Resuscitation</i> , 2020 , 148, 191-199	4	9
525	Association between regional longitudinal strain and left ventricular thrombus formation following acute myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1271-1281	2.5	2
524	Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020 , 22, 1777-1785	12.3	19
523	Risk of heart failure in type 2 diabetes complicated by incident ischaemic heart disease and end-stage renal disease. <i>European Journal of Heart Failure</i> , 2020 , 22, 813-820	12.3	2
522	Usefulness of left atrial speckle tracking echocardiography in predicting recurrence of atrial fibrillation after radiofrequency ablation: a systematic review and meta-analysis. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1293-1309	2.5	8
521	The clinical application of the ratio of transmitral early filling velocity to early diastolic strain rate: a systematic review and meta-analysis. <i>Journal of Echocardiography</i> , 2020 , 18, 94-104	1.6	4
520	The cardiac isovolumetric contraction time is an independent predictor of incident heart failure in the general population. <i>International Journal of Cardiology</i> , 2020 , 312, 81-86	3.2	1
519	Association between statin use and outcomes in patients with coronavirus disease 2019 (COVID-19): a nationwide cohort study. <i>BMJ Open</i> , 2020 , 10, e044421	3	35
518	Creatinine increase following initiation of antihypertensives is associated with cardiovascular risk: a nationwide cohort study. <i>Journal of Hypertension</i> , 2020 , 38, 2519-2526	1.9	1
517	Prevalence and incidence of various Cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2020 , 316, 209-213	3.2	4
516	Myocardial Impairment and Acute Respiratory Distress Syndrome in Hospitalized Patients With COVID-19: The ECHOVID-19 Study. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2474-2476	8.4	5
515	Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	6

514	Postsystolic shortening on echocardiography as a gateway to cardiac computed tomography in patients with suspected stable angina pectoris. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 309-316	2.5	4
513	Risk of atrial fibrillation after pacemaker implantation: A nationwide Danish registry-based follow-up study. <i>Journal of Electrocardiology</i> , 2020 , 63, 153-158	1.4	2
512	Sudden cardiac death among persons with diabetes aged 1-49 years: a 10-year nationwide study of 14 294 deaths in Denmark. <i>European Heart Journal</i> , 2020 , 41, 2699-2706	9.5	19
511	Does type 2 diabetes confer higher relative rates of cardiovascular events in women compared with men?. <i>European Heart Journal</i> , 2020 , 41, 1346-1353	9.5	21
510	Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. <i>Europace</i> , 2020 , 22, 716-723	3.9	
509	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. <i>European Heart Journal</i> , 2020 , 41, 1112-1119	9.5	9
508	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2020 , 7, 147-157	3.7	5
507	Amiodarone treatment in atrial fibrillation and the risk of incident cancers: A nationwide observational study. <i>Heart Rhythm</i> , 2020 , 17, 560-566	6.7	4
506	Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 292-300	6.4	11
505	Risk of diabetes among related and unrelated family members. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 107997	7.4	3
504	Out-of-hospital cardiac arrest: 30-day survival and 1-year risk of anoxic brain damage or nursing home admission according to consciousness status at hospital arrival. <i>Resuscitation</i> , 2020 , 148, 251-258	4	5
503	Long-term outcomes after in-hospital cardiac arrest: 30-day survival and 1-year follow-up of mortality, anoxic brain damage, nursing home admission and in-home care. <i>Resuscitation</i> , 2020 , 157, 23-31	4	2
502	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020 , 142, 2080-2082	16.7	66
501	Association Between Prescribed Ibuprofen and Severe COVID-19 Infection: A Nationwide Register-Based Cohort Study. <i>Clinical and Translational Science</i> , 2020 , 13, 1103-1107	4.9	17
500	Myocardial performance index is associated with cardiac computed tomography findings in patients with suspected coronary artery disease. <i>Echocardiography</i> , 2020 , 37, 1741-1748	1.5	
499	Ticagrelor and The Risk of Staphylococcus Aureus Bacteremia and Other Infections. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 ,	6.4	4
498	Influenza Vaccination Is Associated With Reduced Cardiovascular Mortality in Adults With Diabetes: A Nationwide Cohort Study. <i>Diabetes Care</i> , 2020 , 43, 2226-2233	14.6	9
497	One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020 , 9, e016010	6	7

496	Lipid-lowering therapy and low-density lipoprotein cholesterol goal attainment after acute coronary syndrome: a Danish population-based cohort study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 336	2.3	4
495	C-reactive protein after coronary artery bypass graft surgery and its relationship with postoperative atrial fibrillation. <i>Europace</i> , 2020 , 22, 1182-1188	3.9	8
494	Long-term risk of heart failure and mortality following mitral valve surgery in patients with and without right ventricular pacemaker. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 2598-2604	1.3	
493	The impact of cardiovascular risk factors on global longitudinal strain over a decade in the general population: the copenhagen city heart study. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1907-1916	2.5	8
492	Risk Factors for Morbidity and Mortality Following Hospitalization for Pericarditis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2623-2631	15.1	5
491	Usefulness of left atrial strain for predicting incident atrial fibrillation and ischaemic stroke in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 ,	4.1	8
490	Hypertension, cardiovascular disease and cause of death in Danish living kidney donors: matched cohort study. <i>BMJ Open</i> , 2020 , 10, e041122	3	2
489	Incidence of infective endocarditis during the coronavirus disease 2019 pandemic: A nationwide study. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100675	2.4	4
488	Long-Term Adverse Cardiac Outcomes in Patients With Sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 767-777	15.1	21
487	Association of beta-blockers and first-registered heart rhythm in out-of-hospital cardiac arrest: real-world data from population-based cohorts across two European countries. <i>Europace</i> , 2020 , 22, 1206-1215	3.9	12
486	Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers. <i>Clinical Epidemiology</i> , 2020 , 12, 589-594	5.9	7
485	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark: A Nationwide Cohort Study. <i>Circulation</i> , 2020 , 142, 1227-1229	16.7	19
484	Left atrial structure and function among different subtypes of atrial fibrillation: an echocardiographic substudy of the AMIO-CAT trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1386-1394	4.1	0
483	Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020 , 7, 4189	3.7	39
482	Trends in first-time hospitalization, management, and short-term mortality in acute myocardial infarction-related cardiogenic shock from 2005 to 2017: A nationwide cohort study. <i>American Heart Journal</i> , 2020 , 229, 127-137	4.9	10
481	Association Between Drug Use and Subsequent Diagnosis of Lupus Erythematosus. <i>JAMA Dermatology</i> , 2020 , 156, 1199-1207	5.1	4
480	Treatment of Older Patients with Atrial Fibrillation by Morbidity Burden. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 ,	4.6	4
479	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020 , 95, e2343-e2353	6.5	7

478	Impact of plasma potassium normalization on short-term mortality in patients with hypertension and hypokalemia or low normal potassium. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 386	2.3	7
477	Thromboembolic events related to atrial fibrillation during the COVID-19 epidemic in Denmark. <i>Thrombosis Research</i> , 2020 , 194, 220-221	8.2	1
476	Beta-blocker use and acute exacerbations of COPD following myocardial infarction: a Danish nationwide cohort study. <i>Thorax</i> , 2020 , 75, 928-933	7.3	4
475	Impact of Plasma Potassium Normalization on Short-Term Mortality in Patients With Hypertension and Hyperkalemia. <i>Journal of the American Heart Association</i> , 2020 , 9, e017087	6	5
474	Beta-blocker, aspirin, and statin usage after first-time myocardial infarction in patients with chronic obstructive pulmonary disease: a nationwide analysis from 1995 to 2015 in Denmark. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , 6, 23-31	4.6	6
473	Survival of patients with and without diabetes following out-of-hospital cardiac arrest: A nationwide Danish study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 599-607	4.3	3
472	Catheter ablation for atrial fibrillation is associated with lower incidence of heart failure and death. <i>Europace</i> , 2020 , 22, 74-83	3.9	6
471	Left Atrial Function Determined by Echocardiography Predicts Incident Heart Failure in Patients With STEMI treated by Primary Percutaneous Coronary Intervention. <i>Journal of Cardiac Failure</i> , 2020 , 26, 35-42	3.3	4
470	Chronic Paradoxes: A Systematic Review of Qualitative Family Perspectives on Living With Congenital Heart Defects. <i>Qualitative Health Research</i> , 2020 , 30, 119-132	3.9	2
469	Socioeconomic position and one-year mortality risk among patients with heart failure: A nationwide register-based cohort study. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 79-88	3.9	8
468	Myocardial performance index by tissue Doppler echocardiography predicts adverse events in patients with atrial fibrillation. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 560-566	4.1	3
467	Antithrombotic treatment and major adverse cardiac events after bleeding in patients with myocardial infarction: a retrospective analysis of nationwide registry data. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 14-21	6.4	2
466	Differential effects on out-of-hospital cardiac arrest of dihydropyridines: real-world data from population-based cohorts across two European countries. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 347-355	6.4	9
465	Cardiovascular effects and safety of (non-aspirin) NSAIDs. <i>Nature Reviews Cardiology</i> , 2020 , 17, 574-584	14.8	62
464	Cardiovascular Manifestations of Systemic Sclerosis: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e013405	6	27
463	Incidence of heart failure after pacemaker implantation: a nationwide Danish Registry-based follow-up study. <i>European Heart Journal</i> , 2019 , 40, 3641-3648	9.5	17
462	Symptomatic Venous Thromboembolism After Achilles Tendon Rupture: A Nationwide Danish Cohort Study of 28,546 Patients With Achilles Tendon Rupture. <i>American Journal of Sports Medicine</i> , 2019 , 47, 3229-3237	6.8	7
461	Out-of-Hospital Cardiac Arrest in Patients With and Without Psychiatric Disorders: Differences in Use of Coronary Angiography, Coronary Revascularization, and Implantable Cardioverter-Defibrillator and Survival. <i>Journal of the American Heart Association</i> , 2019 , 8, e012708	6	9

460	Automated external defibrillator accessibility is crucial for bystander defibrillation and survival: A registry-based study. <i>Resuscitation</i> , 2019 , 136, 30-37	4	40
459	Incidence of atrial fibrillation in conjunction with breast cancer. <i>Heart Rhythm</i> , 2019 , 16, 343-348	6.7	8
458	Clinical outcome in patients with implantable cardioverter-defibrillator and cancer: a nationwide study. <i>Europace</i> , 2019 , 21, 465-474	3.9	4
457	Outcomes associated with dual antiplatelet therapy after myocardial infarction in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2019 , 281, 140-145	3.2	2
456	Polygenic predisposition to breast cancer and the risk of coronary artery disease. <i>International Journal of Cardiology</i> , 2019 , 291, 145-151	3.2	0
455	Familial Clustering of Cardiac Conduction Defects and Pacemaker Insertion. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007150	6.4	6
454	Thyroid dysfunction and electrocardiographic changes in subjects without arrhythmias: a cross-sectional study of primary healthcare subjects from Copenhagen. <i>BMJ Open</i> , 2019 , 9, e023854	3	8
453	Rate and rhythm therapy in patients with atrial fibrillation and the risk of pacing and bradyarrhythmia. <i>Heart Rhythm</i> , 2019 , 16, 1348-1356	6.7	1
452	Acute myocardial infarction: Does survival depend on geographical location and social background?. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1828-1839	3.9	7
451	Heart failure and the prognostic impact and incidence of new-onset of diabetes mellitus: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 79	8.7	16
450	Clinical characteristics and lipid lowering treatment of patients initiated on proprotein convertase subtilisin-kexin type 9 inhibitors: a nationwide cohort study. <i>BMJ Open</i> , 2019 , 9, e022702	3	3
449	Long-term proarrhythmic pharmacotherapy among patients with congenital long QT syndrome and risk of arrhythmia and mortality. <i>European Heart Journal</i> , 2019 , 40, 3110-3117	9.5	16
448	Incidence of appropriate implantable cardioverter-defibrillator therapy and mortality after implantable cardioverter-defibrillator generator replacement: results from a real-world nationwide cohort. <i>Europace</i> , 2019 , 21, 1211-1219	3.9	8
447	Dose reduction of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: A Danish nationwide cohort study. <i>Thrombosis Research</i> , 2019 , 178, 101-109	8.2	10
446	Risk of stroke subsequent to infective endocarditis: A nationwide study. <i>American Heart Journal</i> , 2019 , 212, 144-151	4.9	4
445	Data concerning AED registration in the Danish AED Network, and cardiac arrest-related characteristics of OHCA, including AED coverage and AED accessibility. <i>Data in Brief</i> , 2019 , 24, 103960	1.2	3
444	Utility of left atrial strain for predicting atrial fibrillation following ischemic stroke. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 1605-1613	2.5	15
443	Mortality associated with cardiovascular drugs in patients with chronic obstructive pulmonary disease and right-sided heart failure - A danish nationwide registry-based study. <i>European Journal of Internal Medicine</i> , 2019 , 63, 56-61	3.9	12

442	Decline in incidence of sudden cardiac death in the young: a 10-year nationwide study of 8756 deaths in Denmark. <i>Europace</i> , 2019 , 21, 909-917	3.9	6
441	Geographical inequalities in acute myocardial infarction beyond neighbourhood-level and individual-level sociodemographic characteristics: a Danish 10-year nationwide population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e024207	3	8
440	Reduced risk of gastrointestinal bleeding associated with proton pump inhibitor therapy in patients treated with dual antiplatelet therapy after myocardial infarction. <i>European Heart Journal</i> , 2019 , 40, 1963-1970	9.5	35
439	Association of genetic variants previously implicated in coronary artery disease with age at onset of coronary artery disease requiring revascularizations. <i>PLoS ONE</i> , 2019 , 14, e0211690	3.7	2
438	Oral anticoagulation among atrial fibrillation patients with anaemia: an observational cohort study. <i>European Heart Journal</i> , 2019 , 40, 3782-3790	9.5	15
437	Association Between Topical Corticosteroid Use and Type 2 Diabetes in Two European Population-Based Adult Cohorts. <i>Diabetes Care</i> , 2019 , 42, 1095-1103	14.6	17
436	Long-Term Risk of Infective Endocarditis After Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 1646-1655	15.1	45
435	Long-Term Outcome in Patients With Heart Failure Treated With Levothyroxine: An Observational Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1725-1734	5.6	14
434	Long-Term Risk of Heart Failure in Breast Cancer Patients After Adjuvant Chemotherapy With or Without Trastuzumab. <i>JACC: Heart Failure</i> , 2019 , 7, 217-224	7.9	23
433	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. <i>Nature Communications</i> , 2019 , 10, 3651	17.4	96
432	ASSOCIATIONS OF OCCUPANT MOTOR VEHICLE CRASH WITH FUTURE HEART FAILURE AND ISCHEMIC STROKE IN OLDER ADULTS. <i>American Journal of Epidemiology</i> , 2019 , 188, 1400-1403	3.8	0
431	Association between Type D personality and outcomes in patients with non-ischemic heart failure. <i>Quality of Life Research</i> , 2019 , 28, 2901-2908	3.7	5
430	Out-of-hospital cardiac arrest in patients with psychiatric disorders - Characteristics and outcomes. <i>Resuscitation</i> , 2019 , 143, 180-188	4	5
429	Ratio of Transmitral Early Filling Velocity to Early Diastolic Strain Rate Predicts All-Cause Mortality in Heart Failure with Reduced Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2019 , 25, 877-885	3.3	5
428	Rate or Rhythm Control in Older Atrial Fibrillation Patients: Risk of Fall-Related Injuries and Syncope. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2023-2030	5.6	8
427	Atrial fibrillation and anticoagulation in patients with breast cancer. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 247-254	2	4
426	Pelvic organ prolapse surgery after native tissue vault suspension at hysterectomy-A prospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 144-150	2.4	1
425	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905	3	5

424	Burden and Causes of Hospital Admissions in Heart Failure During the Last Year of Life. <i>JACC: Heart Failure</i> , 2019 , 7, 561-570	7.9	11
423	Osteoporotic Fractures in Patients With Atrial Fibrillation Treated With Conventional Versus Direct Anticoagulants. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2150-2158	15.1	29
422	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Left-Sided Heart Valve Surgery. <i>JAMA Cardiology</i> , 2019 , 4, 1139-1147	16.2	9
421	Burden and causes for hospitalizations following coronary artery bypass grafting: a nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 893-902	3	5
420	Diabetes and risk of peripheral artery disease in patients undergoing first-time coronary angiography between 2000 and 2012 - a nationwide study. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 234	2.3	12
419	Non-vitamin K antagonist oral anticoagulants vs. vitamin-K antagonists in patients with atrial fibrillation and chronic kidney disease: a nationwide cohort study. <i>Thrombosis Journal</i> , 2019 , 17, 21	5.6	5
418	GARFIELD-AF model for prediction of stroke and major bleeding in atrial fibrillation: a Danish nationwide validation study. <i>BMJ Open</i> , 2019 , 9, e033283	3	8
417	The flu vaccine and mortality in hypertension. A Danish nationwide cohort study. <i>European Heart Journal</i> , 2019 , 40,	9.5	2
416	Increased risk of Staphylococcus aureus bacteremia in hemodialysis-A nationwide study. <i>Hemodialysis International</i> , 2019 , 23, 230-238	1.7	9
415	Association between parental autoimmune disease and atopic dermatitis in their offspring: a matched case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1143-1151	4.6	3
414	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant-Danish nationwide cohort study. <i>BMJ Open</i> , 2019 , 9, e028468	3	5
413	Long QT syndrome is associated with an increased burden of diabetes, psychiatric and neurological comorbidities: a nationwide cohort study. <i>Open Heart</i> , 2019 , 6, e001161	3	7
412	Incidence of atrial fibrillation in different major cancer subtypes: a Nationwide population-based 12 year follow up study. <i>BMC Cancer</i> , 2019 , 19, 1105	4.8	23
411	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. <i>Lancet Planetary Health</i> , 2019 , 3, e450-e459	9.8	18
410	Safety and Tolerability of the Chymase Inhibitor Fulacimstat in Patients With Left Ventricular Dysfunction After Myocardial Infarction-Results of the CHIARA MIA 1 Trial. <i>Clinical Pharmacology in Drug Development</i> , 2019 , 8, 942-951	2.3	10
409	Post-systolic shortening: normal values and association with validated echocardiographic and invasive measures of cardiac function. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 327-337	2.5	12
408	Incidence of infective endocarditis in patients considered at moderate risk. <i>European Heart Journal</i> , 2019 , 40, 1355-1361	9.5	22
407	Bystander cardiopulmonary resuscitation and long-term outcomes in out-of-hospital cardiac arrest according to location of arrest. <i>European Heart Journal</i> , 2019 , 40, 309-318	9.5	38

406	Exploring the association between parental psychiatric disease and childhood atopic dermatitis: a matched case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 725-734	4.6	4
405	Relationship between patient presentation and morphology of coronary atherosclerosis by quantitative multidetector computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 1221-1230	4.1	11
404	Influenza Vaccine in Heart Failure. <i>Circulation</i> , 2019 , 139, 575-586	16.7	67
403	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. <i>Europace</i> , 2019 , 21, 572-580	3.9	5
402	Differences in cardiovascular safety with non-steroidal anti-inflammatory drug therapy-A nationwide study in patients with osteoarthritis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 629-641	3.1	9
401	Pregnancy complications, treatment characteristics and birth outcomes in women with atopic dermatitis in Denmark. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 577-587	4.6	19
400	Duration and complications of diabetes mellitus and the associated risk of infective endocarditis. <i>International Journal of Cardiology</i> , 2019 , 278, 280-284	3.2	9
399	Time in therapeutic range and risk of thromboembolism and bleeding in patients with a mechanical heart valve prosthesis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 ,	1.5	8
398	Nursing Home Admission and Initiation of Domiciliary Care Following Infective Endocarditis. <i>Global Heart</i> , 2019 , 14, 41-46.e2	2.9	2
397	Cause-specific mortality in children and young adults with diabetes mellitus: A Danish nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2019 , 28, 159-165	3.9	12
396	Does macrolide use confer risk of out-of-hospital cardiac arrest compared with penicillin V? A Danish national case-crossover and case-time-control study. <i>BMJ Open</i> , 2018 , 8, e019997	3	0
395	CHADS-VASc score and risk of thromboembolism and bleeding in patients with atrial fibrillation and recent cancer. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 651-658	3.9	43
394	Long-term effect of epirubicin on incidence of heart failure in women with breast cancer: insight from a randomized clinical trial. <i>European Journal of Heart Failure</i> , 2018 , 20, 1447-1453	12.3	26
393	Association of Timing of Aortic Valve Replacement Surgery After Stroke With Risk of Recurrent Stroke and Mortality. <i>JAMA Cardiology</i> , 2018 , 3, 506-513	16.2	7
392	Incidence of pediatric atopic dermatitis following thymectomy: A Danish register study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 1741-1743	9.3	5
391	Long-term causes of death in patients with infective endocarditis who undergo medical therapy only or surgical treatment: a nationwide population-based study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 860-866	3	19
390	Low-Dose Aspirin in Heart Failure Not Complicated by Atrial Fibrillation: A Nationwide Propensity-Matched Study. <i>JACC: Heart Failure</i> , 2018 , 6, 156-167	7.9	7
389	Prevalence of Pulmonary Embolism in Patients With Syncope. <i>JAMA Internal Medicine</i> , 2018 , 178, 356-362	1.5	35

388	Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2018 , 39, 1698-1705a	9.5	21
387	Survival after out-of-hospital cardiac arrest in nursing homes - A nationwide study. <i>Resuscitation</i> , 2018 , 125, 90-98	4	24
386	Incident Heart Failure in Patients With Rheumatoid Arthritis: A Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	27
385	Out-of-hospital cardiac arrest: Probability of bystander defibrillation relative to distance to nearest automated external defibrillator. <i>Resuscitation</i> , 2018 , 124, 138-144	4	34
384	Determinants of occurrence and survival after sudden cardiac arrest-A European perspective: The ESCAPE-NET project. <i>Resuscitation</i> , 2018 , 124, 7-13	4	22
383	Incidence of infective endocarditis among patients considered at high risk. <i>European Heart Journal</i> , 2018 , 39, 623-629	9.5	60
382	Cardiac implantable electronic device and associated risk of infective endocarditis in patients undergoing aortic valve replacement. <i>Europace</i> , 2018 , 20, e164-e170	3.9	2
381	Incidence and factors associated with infective endocarditis in patients undergoing left-sided heart valve replacement. <i>European Heart Journal</i> , 2018 , 39, 2668-2675	9.5	29
380	Long-term Thromboembolic Risk in Patients With Postoperative Atrial Fibrillation After Coronary Artery Bypass Graft Surgery and Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Cardiology</i> , 2018 , 3, 417-424	16.2	43
379	Short- and long-term cause of death in patients undergoing isolated coronary artery bypass grafting: A nationwide cohort study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 156, 54-60.e4	1.5	6
378	Temporal trends in atrial fibrillation recurrence rates after ablation between 2005 and 2014: a nationwide Danish cohort study. <i>European Heart Journal</i> , 2018 , 39, 442-449	9.5	49
377	Coronary artery disease severity and long-term cardiovascular risk in patients with myocardial infarction: a Danish nationwide register-based cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 25-35	6.4	20
376	The use of guideline recommended beta-blocker therapy in primary prevention implantable cardioverter defibrillator patients: insight from Danish nationwide registers. <i>Europace</i> , 2018 , 20, 301-307	3.9	4
375	Temporal trends in acute myocardial infarction presentation and association with use of cardioprotective drugs: a nationwide registry-based study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 93-101	6.4	12
374	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. <i>Europace</i> , 2018 , 20, e78-e86	3.9	17
373	Return to the workforce following coronary artery bypass grafting: A Danish nationwide cohort study. <i>International Journal of Cardiology</i> , 2018 , 251, 15-21	3.2	11
372	Use of oral anticoagulants in combination with antiplatelet(s) in atrial fibrillation. <i>Heart</i> , 2018 , 104, 912-920	9.2	12
371	Increased Suicide Risk in Patients with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 52-57	4.3	84

370	Risk of uncommon cancers in patients with psoriasis: a Danish nationwide cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 601-605	4.6	4
369	Return to the workforce following infective endocarditis-A nationwide cohort study. <i>American Heart Journal</i> , 2018 , 195, 130-138	4.9	8
368	FP242MORTALITY AND RELATIVE CHANGES IN PLASMA CREATININE IN NON-HOSPITALIZED GENERAL POPULATIONS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i111-i112	4.3	
367	Sleep Apnea, the Risk of Developing Heart Failure, and Potential Benefits of Continuous Positive Airway Pressure (CPAP) Therapy. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	12
366	Initiation of domiciliary care and nursing home admission following first hospitalization of heart failure patients: a nationwide cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 917-930	5.9	4
365	Duration of Psoriatic Skin Disease as Risk Factor for Subsequent Onset of Psoriatic Arthritis. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 546-550	2.2	12
364	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. <i>American Heart Journal</i> , 2018 , 204, 43-51	4.9	4
363	Risk of incident atrial fibrillation in patients presenting with retinal artery or vein occlusion: a nationwide cohort study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 91	2.3	12
362	Localized Scleroderma, Systemic Sclerosis and Cardiovascular Risk: A Danish Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 361-365	2.2	9
361	Early Versus Standard Care Invasive Examination and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Circulation</i> , 2018 , 138, 2741-2750	16.7	82
360	Nursing home admission after myocardial infarction in the elderly: A nationwide cohort study. <i>PLoS ONE</i> , 2018 , 13, e0202177	3.7	5
359	Trends in warfarin use and its associations with thromboembolic and bleeding rates in a population with atrial fibrillation between 1996 and 2011. <i>PLoS ONE</i> , 2018 , 13, e0194295	3.7	8
358	Patients with atrial fibrillation and permanent pacemaker: Temporal changes in patient characteristics and pharmacotherapy. <i>PLoS ONE</i> , 2018 , 13, e0195175	3.7	5
357	Increased risk of depression in patients with cutaneous lupus erythematosus and systemic lupus erythematosus: a Danish nationwide cohort study. <i>British Journal of Dermatology</i> , 2018 , 179, 1095-1101	4	13
356	The association with cardiovascular disease and type 2 diabetes in adults with atopic dermatitis: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2018 , 178, 1272-1279	4	29
355	Evidence-Based Therapy and Its Association With Workforce Detachment After First Hospitalization for Heart Failure. <i>JACC: Heart Failure</i> , 2018 , 6, 41-48	7.9	1
354	Relationship between heart failure, concurrent chronic obstructive pulmonary disease and beta-blocker use: a Danish nationwide cohort study. <i>European Journal of Heart Failure</i> , 2018 , 20, 548-556 ^{12.3}		35
353	Employment status at time of first hospitalization for heart failure is associated with a higher risk of death and rehospitalization for heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 240-247	12.3	12

352	Driving following defibrillator implantation: development and pilot results from a nationwide questionnaire. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 212	2.3	2
351	Trends in incidence, mortality, and causes of death associated with systemic sclerosis in Denmark between 1995 and 2015: a nationwide cohort study. <i>BMC Rheumatology</i> , 2018 , 2, 36	2.9	21
350	518Risk of sudden infant death syndrome (SIDS) among siblings of SIDS victims: a Danish nationwide cohort study. <i>Europace</i> , 2018 , 20, i98-i98	3.9	
349	Risk of post-discharge fall-related injuries among adult patients with syncope: A nationwide cohort study. <i>PLoS ONE</i> , 2018 , 13, e0206936	3.7	7
348	Hypertension genetic risk score is associated with burden of coronary heart disease among patients referred for coronary angiography. <i>PLoS ONE</i> , 2018 , 13, e0208645	3.7	6
347	The impact of hemodialysis on mortality risk and cause of death in Staphylococcus aureus endocarditis. <i>BMC Nephrology</i> , 2018 , 19, 216	2.7	6
346	Combining Oral Anticoagulants With Platelet Inhibitors in Patients With Atrial Fibrillation and Coronary Disease. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1790-1800	15.1	30
345	Duration of psoriatic arthritis as a risk factor for myocardial infarction. <i>Rheumatology Advances in Practice</i> , 2018 , 2, rky011	1.1	2
344	Incidence of new onset cancer in patients with a myocardial infarction - a nationwide cohort study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 198	2.3	17
343	Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2027-2036	15.1	45
342	Outcomes Among Patients With Atrial Fibrillation and Appropriate Anticoagulation Control. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1357-1365	15.1	12
341	Reply: Aspirin and Prognosis in Heart Failure: A Question of Power. <i>JACC: Heart Failure</i> , 2018 , 6, 540	7.9	
340	Prestroke and Poststroke Antithrombotic Therapy in Patients With Atrial Fibrillation: Results From a Nationwide Cohort. <i>JAMA Network Open</i> , 2018 , 1, e180171	10.4	18
339	Safety and effectiveness of rivaroxaban and apixaban in patients with venous thromboembolism: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 220-227	6.4	10
338	Risk of Myocardial Infarction in Anticoagulated Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 17-26	15.1	34
337	Cutaneous lupus erythematosus and systemic lupus erythematosus are associated with clinically significant cardiovascular risk: a Danish nationwide cohort study. <i>Lupus</i> , 2017 , 26, 48-53	2.6	19
336	Erectile Dysfunction in Male Adults With Atopic Dermatitis and Psoriasis. <i>Journal of Sexual Medicine</i> , 2017 , 14, 380-386	1.1	9
335	Incidence and survival outcome according to heart rhythm during resuscitation attempt in out-of-hospital cardiac arrest patients with presumed cardiac etiology. <i>Resuscitation</i> , 2017 , 114, 157-163 ⁴		38

334	Prevalence and Risk of Inflammatory Bowel Disease in Patients with Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1060-1064	4.3	47
333	Rosacea and risk of cancer in Denmark. <i>Cancer Epidemiology</i> , 2017 , 47, 76-80	2.8	17
332	Major Bleeding Complications and Persistence With Oral Anticoagulation in Non-Valvular Atrial Fibrillation: Contemporary Findings in Real-Life Danish Patients. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	74
331	Filaggrin loss-of-function mutations, atopic dermatitis and risk of actinic keratosis: results from two cross-sectional studies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1038-1043 ¹⁰	4.6	10
330	Treatment history of patients receiving biologic therapy for psoriasis - a Danish nationwide study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e362-e363	4.6	7
329	Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012. <i>Circulation</i> , 2017 , 135, 1214-1223	16.7	114
328	Effect of Reduced Renal Function on Time in Therapeutic Range Among Anticoagulated Atrial Fibrillation Patients. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 752-753	15.1	14
327	Assessment of major comorbidities in adults with atopic dermatitis using the Charlson comorbidity index. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 1088-1092.e1	4.5	17
326	Sudden Cardiac Death: Pharmacotherapy and Proarrhythmic Drugs: A Nationwide Cohort Study in Denmark. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 473-481	4.6	10
325	Syncope and Its Impact on Occupational Accidents and Employment: A Danish Nationwide Retrospective Cohort Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	8
324	Birth Outcomes in Children Fathered by Men Treated with Immunosuppressant Drugs before Conception-A Danish Population-Based Cohort Study. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1790-1792	4.3	7
323	Hyperprolactinemia and the Association with All-Cause Mortality and Cardiovascular Mortality. <i>Hormone and Metabolic Research</i> , 2017 , 49, 411-417	3.1	13
322	Incidence and prevalence of psoriatic arthritis in Denmark: a nationwide register linkage study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1591-1597	2.4	33
321	Familial clustering of atrial fibrillation and comparative longitudinal outcomes of familial and non-familial atrial fibrillation. <i>Journal of Comparative Effectiveness Research</i> , 2017 ,	2.1	2
320	Bystander Efforts and 1-Year Outcomes in Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2017 , 376, 1737-1747	59.2	176
319	Beta-blocker subtype and risks of perioperative adverse events following non-cardiac surgery: a nationwide cohort study. <i>European Heart Journal</i> , 2017 , 38, 2421-2428	9.5	15
318	Cardiopulmonary Resuscitation Training in Schools Following 8 Years of Mandating Legislation in Denmark: A Nationwide Survey. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	26
317	The impact of co-morbidity burden on appropriate implantable cardioverter defibrillator therapy and all-cause mortality: insight from Danish nationwide clinical registers. <i>European Journal of Heart Failure</i> , 2017 , 19, 377-386	12.3	30

316	Cutaneous lupus erythematosus and the risk of deep venous thrombosis and pulmonary embolism: A Danish nationwide cohort study. <i>Lupus</i> , 2017 , 26, 1435-1439	2.6	19
315	Risks of Cardiovascular Adverse Events and Death in Patients with Previous Stroke Undergoing Emergency Noncardiac, Nonintracranial Surgery: The Importance of Operative Timing. <i>Anesthesiology</i> , 2017 , 127, 9-19	4.3	13
314	Antithrombotic Therapy and First Myocardial Infarction in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2901-2909	15.1	16
313	Functional Testing or Coronary Computed Tomography Angiography in Patients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1761-1770	15.1	59
312	Association between bystander cardiopulmonary resuscitation and redeemed prescriptions for antidepressants and anxiolytics in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2017 , 115, 32-38	4	4
311	Infective endocarditis and risk of death after cardiac implantable electronic device implantation: a nationwide cohort study. <i>Europace</i> , 2017 , 19, 1007-1014	3.9	20
310	Bystander Defibrillation for Out-of-Hospital Cardiac Arrest in Public vs Residential Locations. <i>JAMA Cardiology</i> , 2017 , 2, 507-514	16.2	76
309	Incidence and Prognosis of Psoriasis and Psoriatic Arthritis in Patients Undergoing Bariatric Surgery. <i>JAMA Surgery</i> , 2017 , 152, 344-349	5.4	51
308	Danish register-based study on the association between specific antipsychotic drugs and fractures in elderly individuals. <i>Age and Ageing</i> , 2017 , 46, 258-264	3	7
307	Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011-2016. <i>Thrombosis Research</i> , 2017 , 160, 19-26	8.2	2
306	Risk of Infective Endocarditis in Patients with End Stage Renal Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1814-1822	6.9	34
305	Gallstone Risk in Adult Patients with Atopic Dermatitis and Psoriasis: Possible Effect of Overweight and Obesity. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 627-631	2.2	7
304	Autoimmune Disease in Children and Adolescents with Psoriasis: A Cross-sectional Study in Denmark. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1225-1229	2.2	12
303	Cardiovascular Risk is not Increased in Patients with Chronic Urticaria: A Retrospective Population-based Cohort Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 261-262	2.2	9
302	Psoriatic Arthritis, but not Psoriasis, is Associated with Primary Adrenal Insufficiency. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 519-521	2.2	
301	Incidence and Prevalence of Psoriasis in Denmark. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 808-812	2.2	44
300	Risk of Myocardial Infarction in Patients with Psoriasis and Psoriatic Arthritis: A Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 819-824	2.2	22
299	Prevalence of Cancer in Adult Patients with Atopic Dermatitis: A Nationwide Study. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1127-1129	2.2	5

298	Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. <i>European Heart Journal</i> , 2017 , 38, 907-915	9.5	63
297	The relationship between duration of psoriasis, vascular inflammation, and cardiovascular events. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 650-656.e3	4.5	48
296	The Role of Psychiatric Diagnoses for Outcome After Hip and Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017 , 32, 3611-3615	4.4	10
295	Limited incremental effect of inflammatory bowel disease on risk of comorbidities in patients with psoriasis. <i>Journal of Dermatology</i> , 2017 , 44, 1176-1177	1.6	0
294	Return to Work and Risk of Subsequent Detachment From Employment After Myocardial Infarction: Insights From Danish Nationwide Registries. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	30
293	NSAIDs and cardiac arrest: Non-steroidal anti-inflammatory drug use is associated with increased risk of Out-of-hospital Cardiac Arrest: A nationwide Case-Time-Control study. <i>European Heart Journal</i> , 2017 , 38, 1788-1789	9.5	8
292	Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. <i>European Heart Journal</i> , 2017 , 38, 899-906	9.5	127
291	Incidence, prevalence, and risk of selected ocular disease in adults with atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 280-286.e1	4.5	66
290	Temporal trends in initiation of VKA, rivaroxaban, apixaban and dabigatran for the treatment of venous thromboembolism - A Danish nationwide cohort study. <i>Scientific Reports</i> , 2017 , 7, 3347	4.9	25
289	Beta-Blockers for Exams Identify Students at High Risk of Psychiatric Morbidity. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 266-273	2.9	10
288	Autoimmune diseases in adults with atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 274-280.e1	4.5	61
287	Adult atopic dermatitis and the risk of type 2 diabetes. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1057-1059	11.5	19
286	Ten-year mortality is increased after hospitalization for atopic dermatitis compared with the general population, but reduced compared with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 98-105	4.5	8
285	Prevalence and risk of migraine in patients with rosacea: A population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 454-458	4.5	24
284	Risk of periodontitis in patients with psoriasis and psoriatic arthritis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 288-293	4.6	35
283	Psychiatric comorbidities in children and adolescents with psoriasis: a population-based cohort study. <i>British Journal of Dermatology</i> , 2017 , 177, 551-553	4	13
282	Data Resource Profile: Danish Heart Statistics. <i>International Journal of Epidemiology</i> , 2017 , 46, 1368-1369	9.8	9
281	Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2291-2299	7	14

280	Comparative safety and effectiveness of rivaroxaban versus VKAs in patients with venous thromboembolism. A Danish nationwide registry-based study. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 1182-1191	7	29
279	Risk and benefit of dual antiplatelet treatment among non-revascularized myocardial infarction patients in different age groups. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 511-521	4.3	4
278	Non-steroidal anti-inflammatory drug use is associated with increased risk of out-of-hospital cardiac arrest: a nationwide case-time-control study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 100-107	6.4	39
277	Thiazolidinediones are associated with a decreased risk of atrial fibrillation compared with other antidiabetic treatment: a nationwide cohort study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 140-146	6.4	22
276	Short-term mortality risk of serum potassium levels in hypertension: a retrospective analysis of nationwide registry data. <i>European Heart Journal</i> , 2017 , 38, 104-112	9.5	76
275	The importance of β -agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 551-559	4.3	1
274	Psoriasis and Sleep Apnea: A Danish Nationwide Cohort Study. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 663-71	3.1	22
273	Long-Term Outcome in Levothyroxine Treated Patients With Subclinical Hypothyroidism and Concomitant Heart Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4170-4177	5.6	28
272	Metformin-associated risk of acute dialysis in patients with type 2 diabetes: A nationwide cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 1283-1287	6.7	10
271	Return to the Workforce After First Hospitalization for Heart Failure: A Danish Nationwide Cohort Study. <i>Circulation</i> , 2016 , 134, 999-1009	16.7	29
270	Association of Bystander Cardiopulmonary Resuscitation and Survival According to Ambulance Response Times After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016 , 134, 2095-2104	16.7	83
269	Use of digoxin and risk of death or readmission for heart failure and sinus rhythm: A nationwide propensity score matched study. <i>International Journal of Cardiology</i> , 2016 , 221, 944-50	3.2	10
268	Influence of age on perioperative major adverse cardiovascular events and mortality risks in elective non-cardiac surgery. <i>European Journal of Internal Medicine</i> , 2016 , 35, 55-59	3.9	13
267	Assessment of the risk of cardiovascular disease in patients with rosacea. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 336-9	4.5	34
266	The increasing incidence of infective endocarditis in Denmark, 1994-2011. <i>European Journal of Internal Medicine</i> , 2016 , 35, 95-99	3.9	41
265	Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011-2015 in Denmark. <i>Scientific Reports</i> , 2016 , 6, 31477	4.9	68
264	Patients with rosacea have increased risk of dementia. <i>Annals of Neurology</i> , 2016 , 79, 921-8	9.4	29
263	Neonatal risk factors of atopic dermatitis in Denmark - Results from a nationwide register-based study. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 368-74	4.2	25

262	Geographical clustering of incident acute myocardial infarction in Denmark: A spatial analysis approach. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016 , 19, 46-59	3.5	10
261	Risk of fracture in adults on renal replacement therapy: a Danish national cohort study. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1654-62	4.3	42
260	Temporal trends in survival after out-of-hospital cardiac arrest in patients with and without underlying chronic obstructive pulmonary disease. <i>Resuscitation</i> , 2016 , 104, 76-82	4	5
259	COMPARISON OF BLEEDING AND TREATMENT PERSISTENCE AMONG NEW USERS OF NOVEL ORAL ANTICOAGULANTS AND WARFARIN IN PATIENTS WITH NON-VALVULAR ATRIAL FIBRILLATION. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 887	15.1	3
258	Associations between metabolic disorders and risk of cancer in Danish men and women--a nationwide cohort study. <i>BMC Cancer</i> , 2016 , 16, 133	4.8	9
257	Family history predicts major adverse cardiovascular events (MACE) in young adults with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 340-6	4.5	13
256	Longevity and admission to nursing home according to age after isolated coronary artery bypass surgery: a nationwide cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 22, 792-8	1.8	5
255	Familial clustering and subsequent incidence of atrial fibrillation among first-degree relatives in Denmark. <i>Europace</i> , 2016 , 18, 658-64	3.9	13
254	Association of Rosacea With Risk for Glioma in a Danish Nationwide Cohort Study. <i>JAMA Dermatology</i> , 2016 , 152, 541-5	5.1	23
253	Age-dependent trends in postoperative mortality and preoperative comorbidity in isolated coronary artery bypass surgery: a nationwide study. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 49, 391-7	3	23
252	Exploring the Association Between Rosacea and Parkinson Disease: A Danish Nationwide Cohort Study. <i>JAMA Neurology</i> , 2016 , 73, 529-34	17.2	66
251	Risk of Major Adverse Cardiovascular Events and All-Cause Mortality in Patients With Hidradenitis Suppurativa. <i>JAMA Dermatology</i> , 2016 , 152, 429-34	5.1	123
250	Clustering of autoimmune diseases in patients with rosacea. <i>Journal of the American Academy of Dermatology</i> , 2016 , 74, 667-72.e1	4.5	48
249	Atrial fibrillation and risk of stroke: a nationwide cohort study. <i>Europace</i> , 2016 , 18, 1689-1697	3.9	33
248	Antidepressant use and risk for mortality in 121,252 heart failure patients with or without a diagnosis of clinical depression. <i>International Journal of Cardiology</i> , 2016 , 203, 867-73	3.2	30
247	Syncope and Motor Vehicle Crash Risk: A Danish Nationwide Study. <i>JAMA Internal Medicine</i> , 2016 , 176, 503-10	11.5	27
246	Patients with Rosacea Have Increased Risk of Depression and Anxiety Disorders: A Danish Nationwide Cohort Study. <i>Dermatology</i> , 2016 , 232, 208-13	4.4	51
245	Risk of death and stroke associated with anticoagulation therapy after mitral valve repair. <i>Heart</i> , 2016 , 102, 687-93	5.1	4

244	Risk of atrial fibrillation in diabetes mellitus: A nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 621-7	3.9	69
243	Risk of Multiple Sclerosis in Patients with Psoriasis: A Danish Nationwide Cohort Study. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 93-8	4.3	90
242	Trends in One-Year Outcomes of Dialysis-Requiring Acute Kidney Injury in Denmark 2005-2012: A Population-Based Nationwide Study. <i>PLoS ONE</i> , 2016 , 11, e0159944	3.7	13
241	Risk of Ischemic Stroke, Hemorrhagic Stroke, Bleeding, and Death in Patients Switching from Vitamin K Antagonist to Dabigatran after an Ablation. <i>PLoS ONE</i> , 2016 , 11, e0161768	3.7	2
240	Does access to invasive examination and treatment influence socioeconomic differences in case fatality for patients admitted for the first time with non-ST-elevation myocardial infarction or unstable angina?. <i>EuroIntervention</i> , 2016 , 11, 1495-502	3.1	4
239	The Danish Heart Registry. <i>Clinical Epidemiology</i> , 2016 , 8, 503-508	5.9	23
238	The Danish Cardiac Rehabilitation Database. <i>Clinical Epidemiology</i> , 2016 , 8, 451-456	5.9	28
237	Impact of Depression on Risk of Myocardial Infarction, Stroke and Cardiovascular Death in Patients with Psoriasis: A Danish Nationwide Study. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 218-21	2.2	26
236	Dialysis-Requiring Acute Kidney Injury in Denmark 2000-2012: Time Trends of Incidence and Prevalence of Risk Factors-A Nationwide Study. <i>PLoS ONE</i> , 2016 , 11, e0148809	3.7	23
235	Familial Clustering of Venous Thromboembolism - A Danish Nationwide Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0169055	3.7	1
234	Prognosis after Hospitalization for Erythroderma. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 959-962	2.2	3
233	Psoriasis and New-onset Depression: A Danish Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 39-42	2.2	39
232	Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction: a Danish nationwide population-based cohort study. <i>BMJ Open</i> , 2016 , 6, e010880	3	27
231	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	9
230	Identifying Drug-Drug Interactions by Data Mining: A Pilot Study of Warfarin-Associated Drug Interactions. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 621-628	5.8	17
229	Risk of myocardial infarction, ischemic stroke, and cardiovascular death in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 310-312.e3	11.5	73
228	Prolonged cardiopulmonary resuscitation and outcomes after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016 , 105, 45-51	4	23
227	Treatment with non-steroidal anti-inflammatory drugs in patients after myocardial infarction - a systematic review. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1387-94	4	3

226	Substantial differences in initiation of oral anticoagulant therapy and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings. <i>Europace</i> , 2016 , 18, 492-500	3.9	11
225	Nationwide Study on the Risk of Abdominal Aortic Aneurysms in Patients With Psoriasis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1043-8	9.4	15
224	Increased Risk of Autoimmune Hepatitis in Patients with Psoriasis: A Danish Nationwide Cohort Study. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1515-1517	4.3	13
223	Hyponatremia, all-cause mortality, and risk of cancer diagnoses in the primary care setting: A large population study. <i>European Journal of Internal Medicine</i> , 2016 , 36, 36-43	3.9	20
222	Geographical variation in a fatal outcome of acute myocardial infarction and association with contact to a general practitioner. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016 , 19, 60-69	3.5	8
221	Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation: An Observational Cohort Study. <i>Stroke</i> , 2016 , 47, 2707-2713	6.7	28
220	Nationwide Assessment of Cause-Specific Mortality in Patients with Rosacea: A Cohort Study in Denmark. <i>American Journal of Clinical Dermatology</i> , 2016 , 17, 673-679	7.1	17
219	The prevalence and prognostic importance of possible familial hypercholesterolemia in patients with myocardial infarction. <i>American Heart Journal</i> , 2016 , 181, 35-42	4.9	29
218	Incidence of cancer in patients with chronic heart failure: a long-term follow-up study. <i>European Journal of Heart Failure</i> , 2016 , 18, 260-6	12.3	73
217	Risk factors and causes of sudden noncardiac death: A nationwide cohort study in Denmark. <i>Heart Rhythm</i> , 2015 , 12, 968-74	6.7	20
216	Association of NSAID use with risk of bleeding and cardiovascular events in patients receiving antithrombotic therapy after myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 805-14	27.4	85
215	Age-specific performance of the revised cardiac risk index for predicting cardiovascular risk in elective noncardiac surgery. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 103-8	5.8	32
214	NSAIDs are associated with increased risk of atrial fibrillation in patients with prior myocardial infarction: a nationwide study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 107-14	6.4	10
213	Sulfonylurea in combination with insulin is associated with increased mortality compared with a combination of insulin and metformin in a retrospective Danish nationwide study. <i>Diabetologia</i> , 2015 , 58, 50-8	10.3	32
212	Survival After Out-of-Hospital Cardiac Arrest in Relation to Age and Early Identification of Patients With Minimal Chance of Long-Term Survival. <i>Circulation</i> , 2015 , 131, 1536-45	16.7	66
211	Peripheral artery disease is a coronary heart disease risk equivalent among both men and women: results from a nationwide study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 317-25	3.9	70
210	Nationwide population-based study of cause-specific death rates in patients with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1002-5	4.6	19
209	Increased risk of migraine in patients with psoriasis: A Danish nationwide cohort study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 829-35	4.5	22

208	β-Blocker-Associated Risks in Patients With Uncomplicated Hypertension Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2015 , 175, 1923-31	11.5	26
207	Impact of proton pump inhibitor treatment on gastrointestinal bleeding associated with non-steroidal anti-inflammatory drug use among post-myocardial infarction patients taking antithrombotics: nationwide study. <i>BMJ, The</i> , 2015 , 351, h5096	5.9	14
206	Association of Psoriatic Disease With Uveitis: A Danish Nationwide Cohort Study. <i>JAMA Dermatology</i> , 2015 , 151, 1200-5	5.1	40
205	Safety and efficacy of direct oral anticoagulants compared to warfarin for extended treatment of venous thromboembolism -a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2015 , 136, 732-8	8.2	16
204	Increased risk of aortic valve stenosis in patients with psoriasis: a nationwide cohort study. <i>European Heart Journal</i> , 2015 , 36, 2177-83	9.5	11
203	Opportunities for improvement: anticoagulation in patients undergoing total knee or hip replacement. <i>Journal of Orthopaedic Science</i> , 2015 , 20, 1036-45	1.6	1
202	Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. <i>Europace</i> , 2015 , 17, 18-23	3.9	87
201	Risk of thromboembolism and fatal stroke in patients with psoriasis and nonvalvular atrial fibrillation: a Danish nationwide cohort study. <i>Journal of Internal Medicine</i> , 2015 , 277, 447-55	10.8	22
200	Cardiovascular outcomes and systemic anti-inflammatory drugs in patients with severe psoriasis: 5-year follow-up of a Danish nationwide cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1128-34	4.6	127
199	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality--a retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, 104-12	7.4	13
198	Oral anticoagulation therapy after radiofrequency ablation of atrial fibrillation and the risk of thromboembolism and serious bleeding: long-term follow-up in nationwide cohort of Denmark. <i>European Heart Journal</i> , 2015 , 36, 307-14a	9.5	70
197	Danish trends in pharmacotherapy, comorbidities, and demographics in patients referred for coronary angiography: what changed during a decade?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 157-65	6.4	7
196	Time trend in Alzheimer diagnoses and the association between distance to an Alzheimer clinic and Alzheimer diagnosis. <i>European Journal of Public Health</i> , 2015 , 25, 522-7	2.1	6
195	Comparison of antiplatelet regimens in secondary stroke prevention: a nationwide cohort study. <i>BMC Neurology</i> , 2015 , 15, 225	3.1	5
194	Use of quinine and mortality-risk in patients with heart failure--a Danish nationwide observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 310-8	2.6	5
193	Thromboembolic risk stratification of patients hospitalized with heart failure in sinus rhythm: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2015 , 17, 828-36	12.3	28
192	Levothyroxine Substitution in Patients with Subclinical Hypothyroidism and the Risk of Myocardial Infarction and Mortality. <i>PLoS ONE</i> , 2015 , 10, e0129793	3.7	34
191	Cardioversion and Risk of Adverse Events with Dabigatran versus Warfarin-A Nationwide Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0141377	3.7	26

190	Do Invasive Treatment and Time Waited Influence Socioeconomic Differences in Mortality for Patients Admitted First Time with Non St-Elevation Myocardial Infarction?. <i>International Journal of Epidemiology</i> , 2015 , 44, i255-i255	7.8	
189	Return to Work in Out-of-Hospital Cardiac Arrest Survivors: A Nationwide Register-Based Follow-Up Study. <i>Circulation</i> , 2015 , 131, 1682-90	16.7	94
188	Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. <i>Europace</i> , 2015 , 17, 1215-22	3.9	27
187	Management and prognosis of atrial fibrillation in the diabetic patient. <i>Expert Review of Cardiovascular Therapy</i> , 2015 , 13, 643-51	2.5	16
186	Symptomatic venous thromboembolism following fractures distal to the knee: a nationwide Danish cohort study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015 , 97, 470-7	5.6	15
185	Incidence and outcome of first myocardial infarction according to gender and age in Denmark over a 35-year period (1978-2012). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2015 , 1, 72-78	4.6	19
184	Short-term mortality risk of serum potassium levels in acute heart failure following myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015 , 1, 245-51	6.4	57
183	Angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in patients with abdominal aortic aneurysms: nation-wide cohort study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 733-40	9.4	34
182	Danish register-based study on the association between specific cardiovascular drugs and fragility fractures. <i>BMJ Open</i> , 2015 , 5, e009522	3	28
181	Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2015 , 351, h5876	5.9	91
180	Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons. <i>Journal of the American Heart Association</i> , 2015 , 4, e001666	6	24
179	Out-of-hospital cardiac arrests in children and adolescents: incidences, outcomes, and household socioeconomic status. <i>Resuscitation</i> , 2015 , 88, 12-9	4	50
178	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naïve atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. <i>Europace</i> , 2015 , 17, 187-93	3.9	135
177	Incidence and influence of hospitalization for recurrent syncope and its effect on short- and long-term all-cause and cardiovascular mortality. <i>American Journal of Cardiology</i> , 2014 , 113, 1744-50	3	13
176	Antithrombotic treatment in patients with heart failure and associated atrial fibrillation and vascular disease: a nationwide cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2689-98	15.1	16
175	Antiplatelet therapy for stable coronary artery disease in atrial fibrillation patients taking an oral anticoagulant: a nationwide cohort study. <i>Circulation</i> , 2014 , 129, 1577-85	16.7	204
174	Cardiovascular aspects of psoriasis: an updated review. <i>International Journal of Dermatology</i> , 2014 , 53, e337	1.7	5
173	Prepregnancy obesity and associations with stroke and myocardial infarction in women in the years after childbirth: a nationwide cohort study. <i>Circulation</i> , 2014 , 129, 330-7	16.7	17

172	Statins reduce new-onset atrial fibrillation in a first-time myocardial infarction population: a nationwide propensity score-matched study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 330-8	3.9	15
171	Comparison of mortality in patients with acute myocardial infarction accidentally admitted to non-cardiology departments versus that in patients admitted to coronary care units. <i>American Journal of Cardiology</i> , 2014 , 114, 1151-7	3	8
170	Use of nonsteroidal anti-inflammatory drugs among healthy people and specific cerebrovascular safety. <i>International Journal of Stroke</i> , 2014 , 9, 943-5	6.3	8
169	Diurnal variations in incidence and outcome of out-of-hospital cardiac arrest including prior comorbidity and pharmacotherapy: a nationwide study in Denmark. <i>Resuscitation</i> , 2014 , 85, 1161-8	4	18
168	Survival after out-of-hospital cardiac arrest in relation to sex: a nationwide registry-based study. <i>Resuscitation</i> , 2014 , 85, 1212-8	4	69
167	Association of heart failure severity with risk of diabetes: a Danish nationwide cohort study. <i>Diabetologia</i> , 2014 , 57, 1595-600	10.3	33
166	Non-steroidal anti-inflammatory drugs and risk of cardiovascular disease in patients with rheumatoid arthritis: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1515-1521	2.4	68
165	Reply: A persisting dilemma for triple antithrombotic therapy: are we close to finding the correct answer?. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 231-2	15.1	
164	Cardiovascular safety of combination therapies with incretin-based drugs and metformin compared with a combination of metformin and sulphonylurea in type 2 diabetes mellitus--a retrospective nationwide study. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 1001-8	6.7	39
163	Noncardiac surgery in patients with aortic stenosis: a contemporary study on outcomes in a matched sample from the Danish health care system. <i>Clinical Cardiology</i> , 2014 , 37, 680-6	3.3	13
162	Dosage of angiotensin-II receptor blockers in heart failure patients following changes in Danish drug reimbursement policies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1281-7	2.6	
161	Sarcoidosis in patients with psoriasis: a population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e109632	3.7	16
160	Burden of sudden cardiac death in persons aged 1 to 49 years: nationwide study in Denmark. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 205-11	6.4	98
159	Falls and comorbidity: the pathway to fractures. <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 287-94	3	32
158	Body mass index and risk of perioperative cardiovascular adverse events and mortality in 34,744 Danish patients undergoing hip or knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 456-62	4.3	46
157	Temporal trends in coverage of historical cardiac arrests using a volunteer-based network of automated external defibrillators accessible to laypersons and emergency dispatch centers. <i>Circulation</i> , 2014 , 130, 1859-67	16.7	69
156	Effect of extended follow-up in a specialized heart failure clinic on adherence to guideline recommended therapy: NorthStar Adherence Study. <i>European Journal of Heart Failure</i> , 2014 , 16, 1249-55	12.3	18
155	A risk score for predicting 30-day mortality in heart failure patients undergoing non-cardiac surgery. <i>European Journal of Heart Failure</i> , 2014 , 16, 1310-6	12.3	3

154	Relation of nonsteroidal anti-inflammatory drugs to serious bleeding and thromboembolism risk in patients with atrial fibrillation receiving antithrombotic therapy: a nationwide cohort study. <i>Annals of Internal Medicine</i> , 2014 , 161, 690-8	8	58
153	Increased risk of atrial fibrillation and stroke during active stages of inflammatory bowel disease: a nationwide study. <i>Europace</i> , 2014 , 16, 477-84	3.9	69
152	Subclinical and overt thyroid dysfunction and risk of all-cause mortality and cardiovascular events: a large population study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2372-82	5.6	165
151	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997-2010: A Danish cohort study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 731-8	3.9	26
150	Psoriasis and risk of heart failure: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014 , 16, 743-8	12.3	50
149	Comparison of the clinical outcome of different beta-blockers in heart failure patients: a retrospective nationwide cohort study. <i>European Journal of Heart Failure</i> , 2014 , 16, 678-84	12.3	20
148	The impact of NSAID treatment on cardiovascular risk - insight from Danish observational data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 115, 179-84	3.1	17
147	Net clinical benefit of antithrombotic therapy in patients with atrial fibrillation and chronic kidney disease: a nationwide observational cohort study. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2471-82	15.1	205
146	Association of beta-blocker therapy with risks of adverse cardiovascular events and deaths in patients with ischemic heart disease undergoing noncardiac surgery: a Danish nationwide cohort study. <i>JAMA Internal Medicine</i> , 2014 , 174, 336-44	11.5	76
145	Associations between body mass index and development of metabolic disorders in fertile women--a nationwide cohort study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000672	6	15
144	Time since stroke and risk of adverse outcomes after surgery--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1930-1	27.4	5
143	Prognosis after first-time myocardial infarction in patients with inflammatory bowel disease according to disease activity: nationwide cohort study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 857-62	5.8	9
142	Time elapsed after ischemic stroke and risk of adverse cardiovascular events and mortality following elective noncardiac surgery. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 269-77	27.4	94
141	New-onset atrial fibrillation is associated with cardiovascular events leading to death in a first time myocardial infarction population of 89,703 patients with long-term follow-up: a nationwide study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000382	6	42
140	Inflammatory bowel disease is associated with an increased risk of hospitalization for heart failure: a Danish Nationwide Cohort study. <i>Circulation: Heart Failure</i> , 2014 , 7, 717-22	7.6	43
139	Use of secondary prevention pharmacotherapy after first myocardial infarction in patients with diabetes mellitus. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 4	2.3	12
138	Triple Therapy: Risky but Sometimes Necessary 2014 , 185-212		
137	Retinal vein and artery occlusions: a risk factor for stroke in atrial fibrillation. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 1485-92	15.4	30

136	Association of national initiatives to improve cardiac arrest management with rates of bystander intervention and patient survival after out-of-hospital cardiac arrest. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1377-84	27.4	674
135	Ongoing treatment with non-steroidal anti-inflammatory drugs at time of admission is associated with poorer prognosis in patients with first-time acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 168, 832-7	3.2	10
134	Prognosis among healthy individuals discharged with a primary diagnosis of syncope. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 325-32	15.1	59
133	Reply: To PMID 23246392. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2490	15.1	
132	The preventive effect of statin therapy on new-onset and recurrent atrial fibrillation in patients not undergoing invasive cardiac interventions: a systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 167, 624-30	3.2	22
131	Cardiovascular disease event rates in patients with severe psoriasis treated with systemic anti-inflammatory drugs: a Danish real-world cohort study. <i>Journal of Internal Medicine</i> , 2013 , 273, 197-204	10.8	126
130	Oral anticoagulation and antiplatelets in atrial fibrillation patients after myocardial infarction and coronary intervention. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 981-9	15.1	265
129	Comparison of incidence, predictors, and the impact of co-morbidity and polypharmacy on the risk of recurrent syncope in patients. <i>American Journal of Cardiology</i> , 2013 , 112, 1610-5	3	35
128	Automated external defibrillators inaccessible to more than half of nearby cardiac arrests in public locations during evening, nighttime, and weekends. <i>Circulation</i> , 2013 , 128, 2224-31	16.7	87
127	Use of analgesics and risk of death after discharge from elective hip or knee replacement - a nationwide cohort study. <i>European Heart Journal</i> , 2013 , 34, P4309-P4309	9.5	
126	Diabetes is associated with doubling in risk of atrial fibrillation compared to the background population: a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4079-P4079	9.5	
125	Substantial differences in initiation of antithrombotic treatment and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings: a nationwide cohort. <i>European Heart Journal</i> , 2013 , 34, P529-P529	9.5	
124	Temporal changes in patient characteristics and prophylactic pharmacotherapy among 156,496 patients referred for coronary angiography between 2000 and 2009 - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P5481-P5481	9.5	
123	Psoriasis is associated with increased risk of new-onset heart failure: a nationwide cohort study. <i>European Heart Journal</i> , 2013 , 34, P2740-P2740	9.5	
122	Cardiovascular and non-cardiovascular hospital admissions associated with atrial fibrillation: a Danish nationwide, retrospective cohort study. <i>BMJ Open</i> , 2013 , 3,	3	16
121	Statin treatment and risk of recurrent venous thromboembolism: a nationwide cohort study. <i>BMJ Open</i> , 2013 , 3, e003135	3	30
120	Familial clustering of myocardial infarction in first-degree relatives: a nationwide study. <i>European Heart Journal</i> , 2013 , 34, 1198-203	9.5	42
119	Accuracy of the ICD-10 discharge diagnosis for syncope. <i>Europace</i> , 2013 , 15, 595-600	3.9	54

118	Temporal changes in patient characteristics and prior pharmacotherapy in patients undergoing radiofrequency ablation of atrial fibrillation: a Danish nationwide cohort study. <i>Europace</i> , 2013 , 15, 669-75	3.9	7
117	Obesity is a risk factor for atrial fibrillation among fertile young women: a nationwide cohort study. <i>Europace</i> , 2013 , 15, 781-6	3.9	54
116	Dabigatran use in Danish atrial fibrillation patients in 2011: a nationwide study. <i>BMJ Open</i> , 2013 , 3,	3	130
115	Time-perspective in cardiovascular risk of NSAID use after first-time myocardial infarction. <i>Current Opinion in Cardiology</i> , 2013 , 28, 683-8	2.1	4
114	Psoriasis and new-onset diabetes: a Danish nationwide cohort study. <i>Diabetes Care</i> , 2013 , 36, 2402-7	14.6	57
113	Response to letter regarding article, "Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study". <i>Circulation</i> , 2013 , 127, e585	16.7	1
112	Incidence and predictors of end-stage renal disease in outpatients with systolic heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 1124-31	7.6	11
111	Patient adherence to evidence-based pharmacotherapy in systolic heart failure and the transition of follow-up from specialized heart failure outpatient clinics to primary care. <i>European Journal of Heart Failure</i> , 2013 , 15, 671-8	12.3	27
110	Risk factors for venous thromboembolism during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1283-91	2.6	13
109	Spousal depression, anxiety, and suicide after myocardial infarction. <i>European Heart Journal</i> , 2013 , 34, 649-56	9.5	17
108	Moderate overweight is beneficial and severe obesity detrimental for patients with documented atherosclerotic heart disease. <i>Heart</i> , 2013 , 99, 655-60	5.1	51
107	Evaluation of the CHADS2 risk score on short- and long-term all-cause and cardiovascular mortality after syncope. <i>Clinical Cardiology</i> , 2013 , 36, 262-8	3.3	21
106	Temporal trends in stroke admissions in Denmark 1997-2009. <i>BMC Neurology</i> , 2013 , 13, 156	3.1	16
105	Differences in mortality and cardiovascular risk associated with insulin in combination with individual insulin secretagogues or metformin - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4251-P4251	9.5	
104	Weight gain is associated with lower risk of death regardless of baseline BMI in women with angiographically documented coronary artery disease a nationwide study. <i>European Heart Journal</i> , 2013 , 34, 4354-4354	9.5	
103	Risk of stroke after radiofrequency ablation of atrial fibrillation: 10-year follow-up of Danish nationwide cohort. <i>European Heart Journal</i> , 2013 , 34, 1606-1606	9.5	
102	Missed opportunities: low use of evidence-based treatment with eplerenone after myocardial infarction - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, 809-809	9.5	44
101	Associations between being obese but metabolically healthy and risk of myocardial infarction, stroke and mortality - a nationwide study of fertile women. <i>European Heart Journal</i> , 2013 , 34, 2659-2659	9.5	

100	Prescription of angiotensin II receptor antagonists in a cohort of heart failure patients following changes in Danish drug reimbursement policies. <i>European Heart Journal</i> , 2013 , 34, P3309-P3309	9.5	
99	Safety in rate control medication in patients with atrial fibrillation: a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4114-P4114	9.5	2
98	DPP-4 inhibitors and GLP-1 agonists in type 2 diabetes - early assessment of cardiovascular safety in a nationwide setting. <i>European Heart Journal</i> , 2013 , 34, 5929-5929	9.5	
97	Primary prevention of ischemic stroke: implication of multiple risk factors in patients with and without atrial fibrillation. <i>European Heart Journal</i> , 2013 , 34, P553-P553	9.5	
96	Diabetes is an independent risk factor for peripheral vascular disease but does not influence risk when coronary artery disease is verified among patients undergoing CAG - a nationwide study. <i>European Heart Journal</i> , 2013 , 34, P4252-P4252	9.5	
95	Associations between obesity and cardiovascular risk factors requiring intervention in young women. <i>European Heart Journal</i> , 2013 , 34, 4353-4353	9.5	
94	Cause-specific cardiovascular risk associated with nonsteroidal anti-inflammatory drugs among myocardial infarction patients--a nationwide study. <i>PLoS ONE</i> , 2013 , 8, e54309	3.7	36
93	Disease activity in inflammatory bowel disease is associated with increased risk of myocardial infarction, stroke and cardiovascular death--a Danish nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e56944	3.7	128
92	New-onset atrial fibrillation is a predictor of subsequent hyperthyroidism: a nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e57893	3.7	17
91	Unexplained Syncope and Diagnostic Yield of Tests in Syncope According to the ICD-10 Discharge Diagnosis. <i>Journal of Clinical Medicine Research</i> , 2013 , 5, 441-50	2.9	7
90	Stroke and bleeding in atrial fibrillation with chronic kidney disease. <i>New England Journal of Medicine</i> , 2012 , 367, 625-35	59.2	624
89	Clopidogrel discontinuation after myocardial infarction and risk of thrombosis: a nationwide cohort study. <i>European Heart Journal</i> , 2012 , 33, 2527-34	9.5	13
88	Initiation and adherence to secondary prevention pharmacotherapy after myocardial infarction in patients with rheumatoid arthritis: a nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1496-501	2.4	35
87	Hospital admissions and pharmacotherapy before out-of-hospital cardiac arrest according to age. <i>Resuscitation</i> , 2012 , 83, 584-90	4	10
86	Association of clopidogrel treatment with risk of mortality and cardiovascular events following myocardial infarction in patients with and without diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 882-9	27.4	38
85	The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 30	2.3	4
84	Prognosis after percutaneous coronary intervention in patients with psoriasis: a cohort study using Danish nationwide registries. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 79	2.3	6
83	Comparative cardiovascular safety of dementia medications: a cross-national study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2283-9	5.6	16

82	Bleeding after initiation of multiple antithrombotic drugs, including triple therapy, in atrial fibrillation patients following myocardial infarction and coronary intervention: a nationwide cohort study. <i>Circulation</i> , 2012 , 126, 1185-93	16.7	317
81	The spectrum of thyroid disease and risk of new onset atrial fibrillation: a large population cohort study. <i>BMJ, The</i> , 2012 , 345, e7895	5.9	162
80	Relation of body mass index to risk of stent thrombosis after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 110, 1592-7	3	8
79	Vascular disease and stroke risk in atrial fibrillation: a nationwide cohort study. <i>American Journal of Medicine</i> , 2012 , 125, 826.e13-23	2.4	62
78	Striking disparities between out-of-hospital cardiac arrest occurrence and AED availability. <i>Resuscitation</i> , 2012 , 83, e120	4	
77	Hormone replacement therapy and risk of new-onset atrial fibrillation after myocardial infarction--a nationwide cohort study. <i>PLoS ONE</i> , 2012 , 7, e51580	3.7	18
76	Use of nonsteroidal anti-inflammatory drugs prior to chronic renal replacement therapy initiation: a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 428-34	2.6	14
75	Missed opportunities: despite improvement in use of cardioprotective medications among patients with lower-extremity peripheral artery disease, underuse remains. <i>Circulation</i> , 2012 , 126, 1345-54	16.7	114
74	Atrial fibrillation and vascular disease--a bad combination. <i>Clinical Cardiology</i> , 2012 , 35 Suppl 1, 15-20	3.3	21
73	Long-term cardiovascular risk of nonsteroidal anti-inflammatory drug use according to time passed after first-time myocardial infarction: a nationwide cohort study. <i>Circulation</i> , 2012 , 126, 1955-63	16.7	73
72	Risk of bleeding related to antithrombotic treatment in cardiovascular disease. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5362-78	3.3	5
71	Association of warfarin therapy duration after bioprosthetic aortic valve replacement with risk of mortality, thromboembolic complications, and bleeding. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 2118-25	27.4	148
70	Risk of atrial fibrillation and stroke in rheumatoid arthritis: Danish nationwide cohort study. <i>BMJ, The</i> , 2012 , 344, e1257	5.9	114
69	Discontinuation of hormone replacement therapy after myocardial infarction and short term risk of adverse cardiovascular events: nationwide cohort study. <i>BMJ, The</i> , 2012 , 344, e1802	5.9	8
68	Psoriasis and risk of atrial fibrillation and ischaemic stroke: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2012 , 33, 2054-64	9.5	161
67	The relation between age, sex, comorbidity, and pharmacotherapy and the risk of syncope: a Danish nationwide study. <i>Europace</i> , 2012 , 14, 1506-14	3.9	69
66	Risk of cancer in patients using glucose-lowering agents: a nationwide cohort study of 3.6 million people. <i>BMJ Open</i> , 2012 , 2,	3	31
65	Exposure to selective serotonin reuptake inhibitors and the risk of congenital malformations: a nationwide cohort study. <i>BMJ Open</i> , 2012 , 2,	3	91

64	Importance and inter-relationship of tissue Doppler variables for predicting adverse outcomes in high-risk patients: an analysis of 388 diabetic patients referred for coronary angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 643-9	4.1	9
63	Increased short-term risk of thrombo-embolism or death after interruption of warfarin treatment in patients with atrial fibrillation. <i>European Heart Journal</i> , 2012 , 33, 1886-92	9.5	56
62	Pharmacological undertreatment of coronary risk factors in patients with psoriasis: observational study of the Danish nationwide registries. <i>PLoS ONE</i> , 2012 , 7, e36342	3.7	30
61	Calcium-channel blockers do not alter the clinical efficacy of clopidogrel after myocardial infarction: a nationwide cohort study. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 409-17	15.1	41
60	Efficacy of post-operative clopidogrel treatment in patients revascularized with coronary artery bypass grafting after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1202-9	15.1	62
59	Validation of risk stratification schemes for predicting stroke and thromboembolism in patients with atrial fibrillation: nationwide cohort study. <i>BMJ, The</i> , 2011 , 342, d124	5.9	913
58	Risks of thromboembolism and bleeding with thromboprophylaxis in patients with atrial fibrillation: A net clinical benefit analysis using a Real world Nationwide cohort study. <i>Thrombosis and Haemostasis</i> , 2011 , 106, 739-49	7	332
57	Comparable long-term mortality risk associated with individual sulfonylureas in diabetes patients with heart failure. <i>Diabetes Research and Clinical Practice</i> , 2011 , 94, 119-25	7.4	18
56	Psoriasis carries an increased risk of venous thromboembolism: a Danish nationwide cohort study. <i>PLoS ONE</i> , 2011 , 6, e18125	3.7	76
55	Use and discontinuation of hormone replacement therapy in women with myocardial infarction: a nationwide study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 105-15	3.8	7
54	No association between metal allergy and cardiac in-stent restenosis in patients with dermatitis-results from a linkage study. <i>Contact Dermatitis</i> , 2011 , 64, 138-41	2.7	23
53	Renal function at the time of a myocardial infarction maintains prognostic value for more than 10 years. <i>BMC Cardiovascular Disorders</i> , 2011 , 11, 37	2.3	7
52	Temporal trends in the initiation of glucose-lowering medications after a first-time myocardial infarction - a nationwide study between 1997 and 2006. <i>Cardiovascular Diabetology</i> , 2011 , 10, 5	8.7	3
51	Valproate attenuates the risk of myocardial infarction in patients with epilepsy: a nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 146-53	2.6	73
50	Effects of epilepsy and selected antiepileptic drugs on risk of myocardial infarction, stroke, and death in patients with or without previous stroke: a nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 964-71	2.6	53
49	The risk of myocardial infarction in rheumatoid arthritis and diabetes mellitus: a Danish nationwide cohort study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 929-34	2.4	275
48	Long-term prognostic importance of diabetes after a myocardial infarction depends on left ventricular systolic function. <i>Diabetes Care</i> , 2011 , 34, 1788-90	14.6	6
47	Duration of treatment with nonsteroidal anti-inflammatory drugs and impact on risk of death and recurrent myocardial infarction in patients with prior myocardial infarction: a nationwide cohort study. <i>Circulation</i> , 2011 , 123, 2226-35	16.7	229

46	Proton pump inhibitor use and risk of adverse cardiovascular events in aspirin treated patients with first time myocardial infarction: nationwide propensity score matched study. <i>BMJ, The</i> , 2011 , 342, d2690 ^{5.9}	125
45	Mortality and cardiovascular risk associated with different insulin secretagogues compared with metformin in type 2 diabetes, with or without a previous myocardial infarction: a nationwide study. <i>European Heart Journal</i> , 2011 , 32, 1900-8	9.5 311
44	National Background is Associated with Disparities in Initiation and Persistence to Statin Treatment in Subjects with Diabetes in Denmark. <i>Frontiers in Pharmacology</i> , 2010 , 1, 142	5.6 3
43	Metformin is associated with improved left ventricular diastolic function measured by tissue Doppler imaging in patients with diabetes. <i>European Journal of Endocrinology</i> , 2010 , 163, 593-9	6.5 29
42	Aspirin and coronary artery disease. <i>Heart</i> , 2010 , 96, 1684-1684	5.1
41	Risk of bleeding with single, dual, or triple therapy with warfarin, aspirin, and clopidogrel in patients with atrial fibrillation. <i>Archives of Internal Medicine</i> , 2010 , 170, 1433-41	580
40	Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2010 , 12, 1333-8	12.3 54
39	Differences between out-of-hospital cardiac arrest in residential and public locations and implications for public-access defibrillation. <i>Circulation</i> , 2010 , 122, 623-30	16.7 112
38	Cause-specific cardiovascular risk associated with nonsteroidal antiinflammatory drugs among healthy individuals. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 395-405	5.8 107
37	Clarithromycin use and risk of death in patients with ischemic heart disease. <i>Cardiology</i> , 2010 , 116, 89-97 ^{1.6}	11
36	Increased mortality associated with low use of clopidogrel in patients with heart failure and acute myocardial infarction not undergoing percutaneous coronary intervention: a nationwide study. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1300-7	15.1 16
35	Cardiovascular safety of non-steroidal anti-inflammatory drugs among healthy individuals. <i>Expert Opinion on Drug Safety</i> , 2010 , 9, 893-903	4.1 39
34	Long-term prognostic importance of resting heart rate in patients with left ventricular dysfunction in connection with either heart failure or myocardial infarction: the DIAMOND study. <i>International Journal of Cardiology</i> , 2010 , 140, 279-86	3.2 45
33	Absence of metal allergy in patients with very late drug-eluting stent thrombosis: a pilot study. <i>International Journal of Cardiology</i> , 2010 , 145, 629-30	3.2 7
32	Persistence of the prognostic importance of left ventricular systolic function and heart failure after myocardial infarction: 17-year follow-up of the TRACE register. <i>European Journal of Heart Failure</i> , 2010 , 12, 805-11	12.3 14
31	Proton-pump inhibitors are associated with increased cardiovascular risk independent of clopidogrel use: a nationwide cohort study. <i>Annals of Internal Medicine</i> , 2010 , 153, 378-86	8 194
30	Duration of clopidogrel treatment and risk of mortality and recurrent myocardial infarction among 11 680 patients with myocardial infarction treated with percutaneous coronary intervention: a cohort study. <i>BMC Cardiovascular Disorders</i> , 2010 , 10, 6	2.3 4
29	Pharmacotherapy and hospital admissions before out-of-hospital cardiac arrest: a nationwide study. <i>Resuscitation</i> , 2010 , 81, 1657-63	4 9

28	Diabetes is an independent predictor of survival 17 years after myocardial infarction: follow-up of the TRACE registry. <i>Cardiovascular Diabetology</i> , 2010 , 9, 22	8.7	12
27	Diabetes is associated with impaired myocardial performance in patients without significant coronary artery disease. <i>Cardiovascular Diabetology</i> , 2010 , 9, 3	8.7	33
26	Effects of oral glucose-lowering drugs on long term outcomes in patients with diabetes mellitus following myocardial infarction not treated with emergent percutaneous coronary intervention--a retrospective nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2010 , 9, 54	8.7	50
25	Antiepileptic drugs and risk of suicide: a nationwide study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 518-24	2.6	72
24	Antiarrhythmic therapy and risk of death in patients with atrial fibrillation: a nationwide study. <i>Europace</i> , 2009 , 11, 886-91	3.9	26
23	Mortality and reinfarction among patients using different beta-blockers for secondary prevention after a myocardial infarction. <i>Cardiology</i> , 2009 , 112, 144-50	1.6	8
22	Prognosis in heart failure and the value of {beta}-blockers are altered by the use of antidepressants and depend on the type of antidepressants used. <i>Circulation: Heart Failure</i> , 2009 , 2, 582-90	7.6	51
21	Location of cardiac arrest in a city center: strategic placement of automated external defibrillators in public locations. <i>Circulation</i> , 2009 , 120, 510-7	16.7	149
20	Increased mortality and cardiovascular morbidity associated with use of nonsteroidal anti-inflammatory drugs in chronic heart failure. <i>Archives of Internal Medicine</i> , 2009 , 169, 141-9		187
19	Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. <i>Lancet, The</i> , 2009 , 374, 1967-74	40	422
18	NSAIDs in elderly patients with heart failure: stuck between a rock and a hard place?. <i>Aging Health</i> , 2009 , 5, 259-262		
17	Different angiotensin-converting enzyme inhibitors have similar clinical efficacy after myocardial infarction. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 217-23	3.8	24
16	Diabetes patients requiring glucose-lowering therapy and nondiabetics with a prior myocardial infarction carry the same cardiovascular risk: a population study of 3.3 million people. <i>Circulation</i> , 2008 , 117, 1945-54	16.7	402
15	Atrial fibrillation pharmacotherapy after hospital discharge between 1995 and 2004: a shift towards beta-blockers. <i>Europace</i> , 2008 , 10, 395-402	3.9	19
14	Accuracy of a heart failure diagnosis in administrative registers. <i>European Journal of Heart Failure</i> , 2008 , 10, 658-60	12.3	177
13	Use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs in high doses increases mortality and risk of reinfarction in patients with prior myocardial infarction. <i>Journal of Cardiovascular Nursing</i> , 2008 , 23, 14-9	2.1	8
12	Hospital variation in use of secondary preventive medicine after discharge for first acute myocardial infarction during 1995-2004. <i>Medical Care</i> , 2008 , 46, 70-7	3.1	7
11	The pattern of use of non-steroidal anti-inflammatory drugs (NSAIDs) from 1997 to 2005: a nationwide study on 4.6 million people. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 822-33	2.6	102

10	Persistent socio-economic differences in revascularization after acute myocardial infarction despite a universal health care system-a Danish study. <i>Cardiovascular Drugs and Therapy</i> , 2007 , 21, 449-57	3.9	28
9	Use of statins and beta-blockers after acute myocardial infarction according to income and education. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 1091-7	5.1	56
8	Persistent use of evidence-based pharmacotherapy in heart failure is associated with improved outcomes. <i>Circulation</i> , 2007 , 116, 737-44	16.7	129
7	Mortality after acute myocardial infarction according to income and education. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 351-6	5.1	72
6	Risk of death or reinfarction associated with the use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs after acute myocardial infarction. <i>Circulation</i> , 2006 , 113, 2906-13	16.7	333
5	Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction. <i>European Heart Journal</i> , 2006 , 27, 1153-8	9.5	232
4	Response to pneumococcal vaccine in chronic obstructive lung disease--the effect of ongoing, systemic steroid treatment. <i>Vaccine</i> , 2006 , 24, 1408-12	4.1	31
3	The reliability of echocardiographic left ventricular wall motion index to identify high-risk patients for multicenter studies. <i>Echocardiography</i> , 2006 , 23, 1-6	1.5	7
2	Nationwide trends in the prescription of beta-blockers and angiotensin-converting enzyme inhibitors after myocardial infarction in Denmark, 1995-2002. <i>Scandinavian Cardiovascular Journal</i> , 2005 , 39, 42-9	2	24
1	Statin use after acute myocardial infarction: a nationwide study in Denmark. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 150-8	3.8	30