

Mariko Carey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2657469/publications.pdf>

Version: 2024-02-01

173
papers

3,946
citations

136885

32
h-index

168321

53
g-index

175
all docs

175
docs citations

175
times ranked

5807
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and type of unmet needs experienced by carers of people living with dementia. <i>Aging and Mental Health</i> , 2023, 27, 904-910.	1.5	4
2	Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). <i>International Journal of Stroke</i> , 2022, 17, 236-241.	2.9	7
3	Effect of a financial incentive on responses by Australian general practitioners to a postal survey: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2022, , .	0.8	0
4	The Patientsâ€™ Perspective: Hematological Cancer Patientsâ€™ Experiences of Adverse Events as Part of Care. <i>Journal of Patient Safety</i> , 2021, 17, e387-e392.	0.7	9
5	Gaps in patient-centered follow-up cancer care: a cross sectional study. <i>Journal of Psychosocial Oncology</i> , 2021, 39, 161-172.	0.6	3
6	Exploring experiences and perceptions of Aboriginal and Torres Strait Islander peoples readmitted to hospital with chronic disease in New South Wales, Australia: a qualitative study. <i>Australian Health Review</i> , 2021, 45, 411-417.	0.5	3
7	Experiences of Patient-Centered Care Among Japanese and Australian Cancer Outpatients: Results of a Cross-Sectional Study. <i>Journal of Patient Experience</i> , 2021, 8, 237437352110076.	0.4	0
8	Resource allocation for depression management in general practice: A simple data-based filter model. <i>PLoS ONE</i> , 2021, 16, e0246728.	1.1	3
9	Effectiveness of information and communications technology interventions for stroke survivors and their support people: a systematic review. <i>Disability and Rehabilitation</i> , 2021, , 1-16.	0.9	6
10	Essential components of health assessment for older people in primary care: a cross-sectional survey of Australian general practitioners. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 506-511.	0.8	3
11	Frailty screening among older adults receiving home care packages: a study of feasibility and prevalence. <i>Australian Journal of Primary Health</i> , 2021, , .	0.4	1
12	Reducing falls among people living with dementia: A systematic review. <i>Dementia</i> , 2020, 19, 1621-1640.	1.0	19
13	Prevalence and Predictors of Symptoms of Depression Among Individuals Seeking Treatment from Australian Drug and Alcohol Outpatient Clinics. <i>Community Mental Health Journal</i> , 2020, 56, 107-115.	1.1	1
14	The System for Patient Assessment of Cancer Experiences (SPACE): a cross-sectional study examining feasibility and acceptability. <i>Supportive Care in Cancer</i> , 2020, 28, 1737-1745.	1.0	2
15	Frequent avoidable admissions amongst Aboriginal and non-Aboriginal people with chronic conditions in New South Wales, Australia: a historical cohort study. <i>BMC Health Services Research</i> , 2020, 20, 1082.	0.9	5
16	Second opinions in medical oncology. <i>BMC Palliative Care</i> , 2020, 19, 112.	0.8	12
17	Improving depression outcomes among Australian primary care patients: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e032057.	0.8	3
18	Characteristics associated with high levels of patient-reported adherence to self-management strategies prescribed by physiotherapists. <i>International Journal of Therapy and Rehabilitation</i> , 2020, 27, 1-15.	0.1	6

#	ARTICLE	IF	CITATIONS
19	Patient adherence to an exercise program for chronic low back pain measured by patient-report, physiotherapist-perception and observational data. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 1304-1313.	0.6	20
20	Testing the effectiveness of a general practice intervention to improve uptake of colorectal cancer screening: a randomised controlled trial. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 464-469.	0.8	13
21	Australian GPs'™ perceptions of barriers and enablers to best practice palliative care: a qualitative study. <i>BMC Palliative Care</i> , 2019, 18, 90.	0.8	16
22	Systematic review of barriers and enablers to the delivery of palliative care by primary care practitioners. <i>Palliative Medicine</i> , 2019, 33, 1131-1145.	1.3	66
23	How well do cancer survivor self-classifications of anxiety, depression and stress agree with a standardised tool? Results of a cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0222107.	1.1	4
24	Development and Validation of the MiPrep Survey: An Instrument Assessing Patients' Perceived Preparation for Medical Interventions Including Medical Imaging, Radiotherapy, and Surgery. <i>Value in Health</i> , 2019, 22, 704-711.	0.1	7
25	Interactional skills training in undergraduate medical education: ten principles for guiding future research. <i>BMC Medical Education</i> , 2019, 19, 144.	1.0	10
26	Costs and Cost-Effectiveness of Targeted, Personalized Risk Information to Increase Appropriate Screening by First-Degree Relatives of People With Colorectal Cancer. <i>Health Education and Behavior</i> , 2019, 46, 798-808.	1.3	4
27	Getting the right fit: Convergence between preferred and perceived involvement in treatment decision making among medical oncology outpatients. <i>Health Science Reports</i> , 2019, 2, e101.	0.6	5
28	Cross-sectional survey to inform the development of a telehealth support model: a feasibility study for women undergoing breast cancer surgery. <i>Pilot and Feasibility Studies</i> , 2019, 5, 46.	0.5	5
29	Radiation oncology outpatients'™ patterns of life expectancy discussions. <i>European Journal of Cancer Care</i> , 2019, 28, e13021.	0.7	1
30	The new challenge for improving psychosocial cancer care: shifting to a system-based approach. <i>Supportive Care in Cancer</i> , 2019, 27, 763-769.	1.0	7
31	Agreement between a single-item measure of anxiety and depression and the Hospital Anxiety and Depression Scale: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0210111.	1.1	52
32	The Patient Perspective on Errors in Cancer Care: Results of a Cross-Sectional Survey. <i>Journal of Patient Safety</i> , 2019, 15, 322-327.	0.7	13
33	General practitioners'™ perceptions of best practice care at the end of life: a qualitative study. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101660.	0.9	10
34	Raised Anxiety Levels Among Outpatients Preparing to Undergo a Medical Imaging Procedure: Prevalence and Correlates. <i>Journal of the American College of Radiology</i> , 2018, 15, 630-638.	0.9	26
35	Finding the optimal treatment model: A systematic review of treatment for co-occurring alcohol misuse and depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 737-750.	1.3	22
36	A national study of the unmet needs of support persons of haematological cancer survivors in rural and urban areas of Australia. <i>Supportive Care in Cancer</i> , 2018, 26, 1967-1977.	1.0	17

#	ARTICLE	IF	CITATIONS
37	Examining variation across treatment clinics in cancer patientsâ€™ psychological outcomes: results of a cross sectional survey. <i>Supportive Care in Cancer</i> , 2018, 26, 3201-3208.	1.0	5
38	A cross-sectional study of agreement between the Hospital Anxiety and Depression Scale and patient and radiation oncologist reported single-item assessment of depression and anxiety. <i>Psycho-Oncology</i> , 2018, 27, 1840-1846.	1.0	5
39	The timeliness of patients reporting the side effects of chemotherapy. <i>Supportive Care in Cancer</i> , 2018, 26, 3579-3586.	1.0	17
40	Unmet supportive care needs of haematological cancer survivors: rural versus urban residents. <i>Annals of Hematology</i> , 2018, 97, 1283-1292.	0.8	33
41	Prevalence of appropriate colorectal cancer screening and preferences for receiving screening advice among people attending outpatient clinics. <i>Australian and New Zealand Journal of Public Health</i> , 2018, 42, 334-339.	0.8	2
42	Co-occurring depression and alcohol misuse is under-identified in general practice: A cross-sectional study. <i>Journal of Health Psychology</i> , 2018, 23, 1085-1095.	1.3	8
43	Can models of self-management support be adapted across cancer types? A comparison of unmet self-management needs for patients with breast or colorectal cancer. <i>Supportive Care in Cancer</i> , 2018, 26, 823-831.	1.0	7
44	Unplanned readmission or death after discharge for Aboriginal and non-Aboriginal people with chronic disease in NSW Australia: a retrospective cohort study. <i>BMC Health Services Research</i> , 2018, 18, 893.	0.9	5
45	Quality of Patient-Centered Care Provided to Patients Attending Hematological Cancer Treatment Centers. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 549.	1.2	8
46	Exploring health literacy and preferences for risk communication among medical oncology patients. <i>PLoS ONE</i> , 2018, 13, e0203988.	1.1	11
47	Have we increased our efforts to identify strategies which encourage colorectal cancer screening in primary care patients? A review of research outputs over time. <i>Preventive Medicine Reports</i> , 2018, 11, 100-104.	0.8	3
48	Agreement between patients and radiation oncologists cancer diagnosis and prognosis perceptions: A cross sectional study in Japan. <i>PLoS ONE</i> , 2018, 13, e0198437.	1.1	9
49	The impact of telephone follow up on adverse events for Aboriginal people with chronic disease in new South Wales, Australia: a retrospective cohort study. <i>International Journal for Equity in Health</i> , 2018, 17, 60.	1.5	6
50	Patient-perceived barriers and enablers to adherence to physiotherapist prescribed self-management strategies. <i>New Zealand Journal of Physiotherapy</i> , 2018, 46, 105-112.	0.0	3
51	The first step in ensuring patient-centred quality of care: ask the patient. <i>European Journal of Cancer Care</i> , 2017, 26, e12435.	0.7	32
52	An observational study of Australian private practice physiotherapy consultations to explore the prescription of self-management strategies. <i>Musculoskeletal Care</i> , 2017, 15, 356-363.	0.6	6
53	Psychological morbidity among Australian rural and urban support persons of haematological cancer survivors: Results of a national study. <i>Psycho-Oncology</i> , 2017, 26, 1952-1958.	1.0	7
54	Improving adherence to colorectal cancer surveillance guidelines: results of a randomised controlled trial. <i>BMC Cancer</i> , 2017, 17, 106.	1.1	10

#	ARTICLE	IF	CITATIONS
55	The Validity of the Montgomery-Asberg Depression Rating Scale in an Inpatient Sample with Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1220-1227.	1.4	10
56	Who are the support persons of haematological cancer survivors and how is their performance perceived?. <i>Psycho-Oncology</i> , 2017, 26, 2201-2207.	1.0	4
57	Computer tablet or telephone? A randomised controlled trial exploring two methods of collecting data from drug and alcohol outpatients. <i>Addictive Behaviors</i> , 2017, 71, 111-117.	1.7	3
58	Clinician identification of elevated symptoms of depression among individuals seeking treatment for substance misuse. <i>Drug and Alcohol Dependence</i> , 2017, 181, 71-76.	1.6	1
59	Quality of patient-centred care: Medical oncology patients' perceptions and characteristics associated with quality of care. <i>Psycho-Oncology</i> , 2017, 26, 1998-2001.	1.0	5
60	Patients' Experiences of Preparation for Radiation Therapy: A Qualitative Study. <i>Oncology Nursing Forum</i> , 2017, 44, E1-E9.	0.5	10
61	Dyadic interdependence of psychosocial outcomes among haematological cancer survivors and their support persons. <i>Supportive Care in Cancer</i> , 2017, 25, 3339-3346.	1.0	8
62	Do rates of depression vary by level of alcohol misuse in Australian general practice?. <i>Australian Journal of Primary Health</i> , 2017, 23, 263.	0.4	7
63	Physiotherapists' perceptions of patient adherence to prescribed self-management strategies: a cross-sectional survey of Australian physiotherapists. <i>Disability and Rehabilitation</i> , 2017, 39, 1932-1938.	0.9	21
64	A systematic review of patient-practitioner communication interventions involving treatment decisions. <i>Patient Education and Counseling</i> , 2017, 100, 199-211.	1.0	13
65	Access to clinical trials among oncology patients: results of a cross sectional survey. <i>BMC Cancer</i> , 2017, 17, 653.	1.1	14
66	Knowledge of colorectal cancer risk factors and screening recommendations: a cross-sectional study of regional Australian general practice patients. <i>Public Health Research and Practice</i> , 2017, 27, .	0.7	5
67	Are Australian general practice patients appropriately screened for colorectal cancer? A cross-sectional study.. <i>Australasian Medical Journal</i> , 2017, 10, .	0.1	1
68	Testing the Effectiveness of a Primary Care Intervention to Improve Uptake of Colorectal Cancer Screening: A Randomized Controlled Trial Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e86.	0.5	1
69	Examining uptake of online education on obstructive sleep apnoea in general practitioners: a randomised trial. <i>BMC Research Notes</i> , 2016, 9, 350.	0.6	6
70	Can a print-based intervention increase screening for first degree relatives of people with colorectal cancer? A randomised controlled trial. <i>Australian and New Zealand Journal of Public Health</i> , 2016, 40, 582-587.	0.8	8
71	Aiding patient adherence to physiotherapist-prescribed self-management strategies: an evidence-based behavioural model in practice. <i>Physical Therapy Reviews</i> , 2016, 21, 124-130.	0.3	5
72	Preparing patients for medical interventions: A systematic review of the psychometric qualities of published instruments. <i>Patient Education and Counseling</i> , 2016, 99, 960-973.	1.0	11

#	ARTICLE	IF	CITATIONS
73	What is generated and what is used: a description of public health research output and citation: Table 1. <i>European Journal of Public Health</i> , 2016, 26, 523-525.	0.1	19
74	Experiences of colorectal cancer patients in the 2-years post-diagnosis and patient factors predicting poor outcome. <i>Supportive Care in Cancer</i> , 2016, 24, 4921-4928.	1.0	3
75	Prevalence and associates of psychological distress in haematological cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 4413-4422.	1.0	35
76	Effectiveness of interventions utilising telephone follow up in reducing hospital readmission within 30 days for individuals with chronic disease: a systematic review. <i>BMC Health Services Research</i> , 2016, 16, 403.	0.9	59
77	Improving self-management of cancer risk factors, underscreening for cancer and depression among general practice patients: study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e014782.	0.8	1
78	Does screening for physical and psychosocial symptoms vary between medical oncology treatment centres?. <i>Psycho-Oncology</i> , 2016, 25, 521-528.	1.0	8
79	Validation of the PHQ-2 against the PHQ-9 for detecting depression in a large sample of Australian general practice patients. <i>Australian Journal of Primary Health</i> , 2016, 22, 262.	0.4	41
80	Interventions to aid patient adherence to physiotherapist prescribed self-management strategies: a systematic review. <i>Physiotherapy</i> , 2016, 102, 127-135.	0.2	104
81	Acceptability of a Touch Screen Tablet Psychosocial Survey Administered to Radiation Therapy Patients in Japan. <i>International Journal of Behavioral Medicine</i> , 2016, 23, 485-491.	0.8	13
82	The impact of loss of income and medicine costs on the financial burden for cancer patients in Australia. <i>Journal of Community and Supportive Oncology</i> , 2016, 14, 307-313.	0.1	12
83	Prevalence of FOB testing in eastern Australian general practice patients: what has a national bowel cancer screening program delivered?. <i>Health Promotion Journal of Australia</i> , 2015, 26, 39-44.	0.6	4
84	Patients' experiences of the management of lower back pain in general practice: use of diagnostic imaging, medication and provision of self-management advice. <i>Australian Journal of Primary Health</i> , 2015, 21, 342.	0.4	10
85	Development and psychometric evaluation of the quality of patient-entered cancer care measure with haematological cancer survivors. <i>Cancer</i> , 2015, 121, 2383-2392.	2.0	15
86	The quality of patient-centred care: haematological cancer survivors' perceptions. <i>Psycho-Oncology</i> , 2015, 24, 796-803.	1.0	14
87	A cross-sectional study of radiation oncology outpatients' concern about, preferences for, and perceived barriers to discussing anxiety and depression. <i>Psycho-Oncology</i> , 2015, 24, 1392-1397.	1.0	9
88	Life expectancy discussions in a multisite sample of Australian medical oncology outpatients. <i>Medical Journal of Australia</i> , 2015, 203, 405-405.	0.8	7
89	Patient adherence to physiotherapist prescribed self-management strategies: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2015, 22, 535-543.	0.1	11
90	Prevalence and correlates of current smoking among medical oncology outpatients. <i>Psycho-Oncology</i> , 2015, 24, 1258-1264.	1.0	5

#	ARTICLE	IF	CITATIONS
91	GP detection of health risk factors among general practice patients at risk of primary and secondary stroke. <i>Family Practice</i> , 2015, 32, 336-342.	0.8	5
92	Is identification of smoking, risky alcohol consumption and overweight and obesity by General Practitioner's improving? A comparison over time. <i>Family Practice</i> , 2015, 32, cmv078.	0.8	5
93	Does a Retrospective Seven-day Alcohol Diary Reflect Usual Alcohol Intake for a Predominantly Disadvantaged Australian Aboriginal Population?. <i>Substance Use and Misuse</i> , 2015, 50, 308-319.	0.7	11
94	Missed opportunities: general practitioner identification of their patients'smoking status. <i>BMC Family Practice</i> , 2015, 16, 8.	2.9	12
95	A randomised trial assessing the acceptability and effectiveness of providing generic versus tailored feedback about health risks for a high need primary care sample. <i>BMC Family Practice</i> , 2015, 16, 95.	2.9	11
96	Protocol of a multi-centre randomised controlled trial of a web-based information intervention with nurse-delivered telephone support for haematological cancer patients and their support persons. <i>BMC Cancer</i> , 2015, 15, 295.	1.1	17
97	Agreement with evidence for tissue Plasminogen Activator use among emergency physicians: a cross-sectional survey. <i>BMC Research Notes</i> , 2015, 8, 267.	0.6	8
98	Unassisted detection of depression by GPs: who is most likely to be misclassified?. <i>Family Practice</i> , 2015, 32, 282-287.	0.8	10
99	Preparatory education for cancer patients undergoing surgery: A systematic review of volume and quality of research output over time. <i>Patient Education and Counseling</i> , 2015, 98, 1540-1549.	1.0	70
100	Patient-reported areas for quality improvement in general practice: a cross-sectional survey. <i>British Journal of General Practice</i> , 2015, 65, e312-e318.	0.7	4
101	Medical Oncology Patients: Are They Offered Help and Does ItProvide Relief?. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 436-444.	0.6	17
102	The Role of eHealth in Optimizing Preventive Care in the Primary Care Setting. <i>Journal of Medical Internet Research</i> , 2015, 17, e126.	2.1	41
103	Optimizing Patient Preparation and Surgical Experience Using eHealth Technology. <i>JMIR Medical Informatics</i> , 2015, 3, e29.	1.3	32
104	Enablers of the Implementation of Tissue Plasminogen Activator in Acute Stroke Care: A Cross-Sectional Survey. <i>PLoS ONE</i> , 2014, 9, e114778.	1.1	7
105	Japanese Cancer Patients' Preferences for Discussing Life Expectancy with Their Radiation Oncologist. <i>Annals of Oncology</i> , 2014, 25, v52.	0.6	0
106	Accuracy of general practitioner unassisted detection of depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 571-578.	1.3	57
107	Measuring the unmet supportive care needs of cancer support persons: the development of the Support Person's Unmet Needs Survey - short form. <i>European Journal of Cancer Care</i> , 2014, 23, 255-262.	0.7	16
108	Agreement between HADS classifications and single-item screening questions for anxiety and depression: a cross-sectional survey of cancer patients. <i>Annals of Oncology</i> , 2014, 25, 889-895.	0.6	23

#	ARTICLE	IF	CITATIONS
109	Recruitment of healthcare specialists. <i>EMA - Emergency Medicine Australasia</i> , 2014, 26, 516-517.	0.5	1
110	Comparison of a single self-assessment item with the PHQ-9 for detecting depression in general practice. <i>Family Practice</i> , 2014, 31, 483-489.	0.8	23
111	Assessing awareness of appropriate responses to symptoms of stroke. <i>Patient Education and Counseling</i> , 2014, 95, 400-405.	1.0	4
112	Are we missing the Institute of Medicine's mark? A systematic review of patient-reported outcome measures assessing quality of patient-centred cancer care. <i>BMC Cancer</i> , 2014, 14, 41.	1.1	45
113	A Cross-Sectional Study Examining Australian General Practitioners' Identification of Overweight and Obese Patients. <i>Journal of General Internal Medicine</i> , 2014, 29, 328-334.	1.3	24
114	Patient-centred care: making cancer treatment centres accountable. <i>Supportive Care in Cancer</i> , 2014, 22, 1989-1997.	1.0	34
115	A randomized controlled trial of the effectiveness of a pre-recruitment primer letter to increase participation in a study of colorectal screening and surveillance. <i>BMC Medical Research Methodology</i> , 2014, 14, 44.	1.4	8
116	Under the radar: a cross-sectional study of the challenge of identifying at-risk alcohol consumption in the general practice setting. <i>BMC Family Practice</i> , 2014, 15, 74.	2.9	18
117	A cross-sectional survey assessing the acceptability and feasibility of self-report electronic data collection about health risks from patients attending an Aboriginal Community Controlled Health Service. <i>BMC Medical Informatics and Decision Making</i> , 2014, 14, 34.	1.5	20
118	Examining and addressing evidence-practice gaps in cancer care: a systematic review. <i>Implementation Science</i> , 2014, 9, 37.	2.5	33
119	Anxiety and depression among haematological cancer patients attending treatment centres: Prevalence and predictors. <i>Journal of Affective Disorders</i> , 2014, 165, 176-181.	2.0	43
120	Assessment of family history of colorectal cancer in primary care: Perceptions of first degree relatives of people with colorectal cancer. <i>Patient Education and Counseling</i> , 2014, 94, 427-431.	1.0	9
121	Evaluation of Systems-Oriented Public Health Interventions: Alternative Research Designs. <i>Annual Review of Public Health</i> , 2014, 35, 9-27.	7.6	122
122	Prevalence of comorbid depression and obesity in general practice: a cross-sectional survey. <i>British Journal of General Practice</i> , 2014, 64, e122-e127.	0.7	133
123	Diabetes in rural towns: effectiveness of continuing education and feedback for healthcare providers in altering diabetes outcomes at a population level: protocol for a cluster randomised controlled trial. <i>Implementation Science</i> , 2013, 8, 30.	2.5	16
124	Agreement between self-reported and measured weight and height collected in general practice patients: a prospective study. <i>BMC Medical Research Methodology</i> , 2013, 13, 38.	1.4	71
125	Individual- and provider-level factors associated with colorectal cancer screening in accordance with guideline recommendation: a community-level perspective across varying levels of risk. <i>BMC Public Health</i> , 2013, 13, 248.	1.2	14
126	Psychological distress in cancer patients undergoing radiation therapy treatment. <i>Supportive Care in Cancer</i> , 2013, 21, 1043-1051.	1.0	30

#	ARTICLE	IF	CITATIONS
127	Prostate specific antigen testing in family practice: a cross sectional survey of self-reported rates of and reasons for testing participation and risk disclosure. BMC Family Practice, 2013, 14, 186.	2.9	5
128	A cross-sectional study assessing Australian general practice patients'™ intention, reasons and preferences for assistance with losing weight. BMC Family Practice, 2013, 14, 187.	2.9	8
129	How does the Distress Thermometer compare to the Hospital Anxiety and Depression Scale for detecting possible cases of psychological morbidity among cancer survivors?. Supportive Care in Cancer, 2013, 21, 119-127.	1.0	43
130	A population-based cross-sectional study of colorectal cancer screening practices of first-degree relatives of colorectal cancer patients. BMC Cancer, 2013, 13, 13.	1.1	54
131	Radiation oncology outpatient perceptions of patient-centred care: a cross-sectional survey. BMJ Open, 2013, 3, e001265.	0.8	16
132	Prevalence and Predictors of the Short-Term Trajectory of Anxiety and Depression in the First Year After a Cancer Diagnosis: A Population-Based Longitudinal Study. Journal of Clinical Oncology, 2013, 31, 2724-2729.	0.8	103
133	The impact of web-based approaches on psychosocial health in chronic physical and mental health conditions. Health Education Research, 2013, 28, 450-471.	1.0	46
134	A systematic review of behavioural weight-loss interventions involving primary-care physicians in overweight and obese primary-care patients (1999-2011). Public Health Nutrition, 2013, 16, 2083-2099.	1.1	26
135	Access to Care and Impacts of Cancer on Daily Life: Do They Differ for Metropolitan Versus Regional Hematological Cancer Survivors?. Journal of Rural Health, 2013, 29, s43-50.	1.6	33
136	Do we get it right? Radiation oncology outpatients' perceptions of the patient centredness of life expectancy disclosure. Psycho-Oncology, 2013, 22, 2720-2728.	1.0	9
137	A tailored, supportive care intervention using systematic assessment designed for people with inoperable lung cancer: a randomised controlled trial. Psycho-Oncology, 2013, 22, 2445-2453.	1.0	33
138	Unmet needs of Australian and Canadian haematological cancer survivors: a cross-sectional international comparative study. Psycho-Oncology, 2013, 22, 2032-2038.	1.0	47
139	Prevalence and correlates of overweight and obesity in adult Australian general practice patients. Australian and New Zealand Journal of Public Health, 2013, 37, 586.	0.8	0
140	Measuring psychosocial outcomes: is the consumer or the professional the best judge?. European Journal of Cancer Care, 2013, 22, 281-288.	0.7	10
141	Access to chronic disease care in general practice: the acceptability of implementing systematic waiting-room screening using computer-based patient-reported risk status. British Journal of General Practice, 2013, 63, e620-e626.	0.7	23
142	The unmet needs of partners and caregivers of adults diagnosed with cancer: a systematic review. BMJ Supportive and Palliative Care, 2012, 2, 224-230.	0.8	175
143	Touch screen computer health assessment in Australian general practice patients: a cross-sectional study protocol. BMJ Open, 2012, 2, e001405.	0.8	25
144	Cancer patients'™ willingness to answer survey questions about life expectancy. Supportive Care in Cancer, 2012, 20, 3335-3341.	1.0	5

#	ARTICLE	IF	CITATIONS
145	A cross-sectional study assessing the self-reported weight loss strategies used by adult Australian general practice patients. <i>BMC Family Practice</i> , 2012, 13, 48.	2.9	27
146	Colorectal cancer screening in Australia: a community-level perspective. <i>Medical Journal of Australia</i> , 2012, 196, 516-520.	0.8	19
147	Cancer Treatment Survey (CaTS): development and validation of a new instrument to measure patients' preparation for chemotherapy and radiotherapy. <i>Psycho-Oncology</i> , 2012, 21, 307-315.	1.0	21
148	Identifying psychological morbidity among people with cancer using the Hospital Anxiety and Depression Scale: time to revisit first principles?. <i>Psycho-Oncology</i> , 2012, 21, 229-238.	1.0	47
149	Development of cancer needs questionnaire for parents and carers of adolescents and young adults with cancer. <i>Supportive Care in Cancer</i> , 2012, 20, 991-1010.	1.0	13
150	How well are we meeting haematological cancer survivors' preferences for involvement in treatment decision making?. <i>Patient Education and Counseling</i> , 2012, 88, 87-92.	1.0	26
151	Do cancer patients' psychosocial outcomes and perceptions of quality of care vary across radiation oncology treatment centres?. <i>European Journal of Cancer Care</i> , 2012, 21, 384-389.	0.7	7
152	Financial and social impact of supporting a haematological cancer survivor. <i>European Journal of Cancer Care</i> , 2012, 21, 169-176.	0.7	27
153	Cancer patients' concerns regarding access to cancer care: perceived impact of waiting times along the diagnosis and treatment journey. <i>European Journal of Cancer Care</i> , 2012, 21, 321-329.	0.7	52
154	Colorectal cancer risk assessment and screening recommendation: a community survey of healthcare providers' practice from a patient perspective. <i>BMC Family Practice</i> , 2012, 13, 17.	2.9	7
155	Improving adherence to surveillance and screening recommendations for people with colorectal cancer and their first degree relatives: a randomized controlled trial. <i>BMC Cancer</i> , 2012, 12, 62.	1.1	13
156	Preliminary development and psychometric evaluation of an unmet needs measure for adolescents and young adults with cancer: the Cancer Needs Questionnaire - Young People (CNQ-YP). <i>Health and Quality of Life Outcomes</i> , 2012, 10, 13.	1.0	37
157	The unfulfilled promise: a systematic review of interventions to reduce the unmet supportive care needs of cancer patients. <i>Supportive Care in Cancer</i> , 2012, 20, 207-219.	1.0	129
158	Patient expectations and preferences for follow-up after treatment for lung cancer: A pilot study. <i>European Journal of Oncology Nursing</i> , 2011, 15, 221-225.	0.9	9
159	Patient or treatment centre? Where are efforts invested to improve cancer patients' psychosocial outcomes?. <i>European Journal of Cancer Care</i> , 2011, 20, 152-162.	0.7	7
160	Recruitment of representative samples for low incidence cancer populations: Do registries deliver?. <i>BMC Medical Research Methodology</i> , 2011, 11, 5.	1.4	19
161	Improving Access to Information and Support for Patients With Less Common Cancers: Hematologic Cancer Patients' Views About Web-Based Approaches. <i>Journal of Medical Internet Research</i> , 2011, 13, e112.	2.1	21
162	Measuring the psychosocial health of adolescent and young adult (AYA) cancer survivors: a critical review. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 25.	1.0	59

#	ARTICLE	IF	CITATIONS
163	Multidisciplinary care in cancer: do the current research outputs help?. <i>European Journal of Cancer Care</i> , 2010, 19, 434-441.	0.7	12
164	The cycle of change: implementing best-evidence clinical practice. <i>International Journal for Quality in Health Care</i> , 2009, 21, 37-43.	0.9	29
165	Reducing inequities in cancer care. <i>Cancer</i> , 2009, 115, 3597-3605.	2.0	17
166	Survivorship issues following treatment completion—results from focus groups with Australian cancer survivors and health professionals. <i>Journal of Cancer Survivorship</i> , 2008, 2, 20-32.	1.5	121
167	Preparing patients for threatening medical treatments: effects of a chemotherapy educational DVD on anxiety, unmet needs, and self-efficacy. <i>Supportive Care in Cancer</i> , 2008, 16, 37-45.	1.0	67
168	Nonpharmacologic Strategies for Managing Common Chemotherapy Adverse Effects: A Systematic Review. <i>Journal of Clinical Oncology</i> , 2008, 26, 5618-5629.	0.8	147
169	Lung cancer: Challenges and solutions for supportive care intervention research. <i>Palliative and Supportive Care</i> , 2008, 6, 281-287.	0.6	62
170	The development of audio-visual materials to prepare patients for medical procedures: an oncology application. <i>European Journal of Cancer Care</i> , 2007, 16, 417-423.	0.7	19
171	Barriers to the provision of evidence-based psychosocial care in oncology. <i>Psycho-Oncology</i> , 2006, 15, 863-872.	1.0	81
172	Development and evaluation of an audiovisual information resource to promote self-management of chemotherapy side-effects. <i>Supportive Care in Cancer</i> , 2006, 14, 361-368.	1.0	8
173	“Would you like to talk about your future treatment options?” discussing the transition from curative cancer treatment to palliative care. <i>Palliative Medicine</i> , 2006, 20, 397-406.	1.3	122