

Dong Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2658736/publications.pdf>

Version: 2024-02-01

47
papers

3,624
citations

236925

25
h-index

214800

47
g-index

47
all docs

47
docs citations

47
times ranked

3159
citing authors

#	ARTICLE	IF	CITATIONS
1	24-Epibrassinolide and nitric oxide combined to improve the drought tolerance in kiwifruit seedlings by proline pathway and nitrogen metabolism. <i>Scientia Horticulturae</i> , 2022, 297, 110929.	3.6	12
2	Identification of Suitable Reference Genes for qRT-PCR Normalization in Kiwifruit. <i>Horticulturae</i> , 2022, 8, 170.	2.8	7
3	Genome-Wide Identification of MYB Transcription Factors and Screening of Members Involved in Stress Response in Actinidia. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2323.	4.1	4
4	Characterization and functional validation of β -carotene hydroxylase <i>AcBCH</i> genes in <i>Actinidia chinensis</i> . <i>Horticulture Research</i> , 2022, 9, .	6.3	15
5	Comparative analysis of flavonoids in white and red table grape cultivars during ripening by widely targeted metabolome and transcript levels. <i>Journal of Food Science</i> , 2022, 87, 1650-1661.	3.1	2
6	Dynamic Changes in Ascorbic Acid Content during Fruit Development and Ripening of <i>Actinidia latifolia</i> (an Ascorbate-Rich Fruit Crop) and the Associated Molecular Mechanisms. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5808.	4.1	7
7	Effects of intercropping with different <i>Solanum</i> plants on the physiological characteristics and cadmium accumulation of <i>Solanum nigrum</i> . <i>International Journal of Environmental Analytical Chemistry</i> , 2021, 101, 2835-2847.	3.3	14
8	Melatonin improves heat tolerance in <i>Actinidia deliciosa</i> via carotenoid biosynthesis and heat shock proteins expression. <i>Physiologia Plantarum</i> , 2021, 172, 1582-1593.	5.2	26
9	Biochemical and molecular factors governing flesh-color development in two yellow-fleshed kiwifruit cultivars. <i>Scientia Horticulturae</i> , 2021, 280, 109929.	3.6	10
10	Genome-wide identification and expression profiling of the dehydrin gene family in <i>Actinidia chinensis</i> . <i>Scientia Horticulturae</i> , 2021, 280, 109930.	3.6	2
11	Melatonin application improves berry coloration, sucrose synthesis, and nutrient absorption in "Summer Black" grape. <i>Food Chemistry</i> , 2021, 356, 129713.	8.2	35
12	Comparison of the Fruit Volatile Profiles of Five Muscadine Grape Cultivars (<i>Vitis rotundifolia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Science, 2021, 12, 728891.	3.6	11
13	Methylation of <i>MYBA1</i> is Associated with the Coloration in "Manicule Finger" Grape Skin. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 15649-15659.	5.2	14
14	PacCOP1 negatively regulates anthocyanin biosynthesis in sweet cherry (<i>Prunus avium</i> L.). <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020, 203, 111779.	3.8	14
15	Apple ALMT9 Requires a Conserved C-Terminal Domain for Malate Transport Underlying Fruit Acidity. <i>Plant Physiology</i> , 2020, 182, 992-1006.	4.8	41
16	Dynamic Changes of Phenolic Compounds and Their Associated Gene Expression Profiles Occurring during Fruit Development and Ripening of the Donghong Kiwifruit. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 11421-11433.	5.2	12
17	Lignin and Quercetin Synthesis Underlies Berry Russetting in "Sunshine Muscat" Grape. <i>Biomolecules</i> , 2020, 10, 690.	4.0	15
18	Changes in the carotenoids profile of two yellow-fleshed kiwifruit cultivars during storage. <i>Postharvest Biology and Technology</i> , 2020, 164, 111162.	6.0	25

#	ARTICLE	IF	CITATIONS
19	Melatonin Accumulation in Sweet Cherry and Its Influence on Fruit Quality and Antioxidant Properties. <i>Molecules</i> , 2020, 25, 753.	3.8	49
20	Melatonin Alleviates Drought Stress by a Non-Enzymatic and Enzymatic Antioxidative System in Kiwifruit Seedlings. <i>International Journal of Molecular Sciences</i> , 2020, 21, 852.	4.1	64
21	SUNRED, a natural extract-based biostimulant, application stimulates anthocyanin production in the skins of grapes. <i>Scientific Reports</i> , 2019, 9, 2590.	3.3	23
22	Hydrogen cyanamide induces grape bud endodormancy release through carbohydrate metabolism and plant hormone signaling. <i>BMC Genomics</i> , 2019, 20, 1034.	2.8	28
23	Exogenous melatonin promotes biomass accumulation and photosynthesis of kiwifruit seedlings under drought stress. <i>Scientia Horticulturae</i> , 2019, 246, 34-43.	3.6	195
24	Exogenous Melatonin Application Delays Senescence of Kiwifruit Leaves by Regulating the Antioxidant Capacity and Biosynthesis of Flavonoids. <i>Frontiers in Plant Science</i> , 2018, 9, 426.	3.6	151
25	Melatonin Improves Heat Tolerance in Kiwifruit Seedlings through Promoting Antioxidant Enzymatic Activity and Glutathione S-Transferase Transcription. <i>Molecules</i> , 2018, 23, 584.	3.8	92
26	Melatonin mediates the regulation of ABA metabolism, free-radical scavenging, and stomatal behaviour in two <i>Malus</i> species under drought stress. <i>Journal of Experimental Botany</i> , 2015, 66, 669-680.	4.8	371
27	Transcriptome analysis of an apple (<i>Malus domestica</i>) yellow fruit somatic mutation identifies a gene network module highly associated with anthocyanin and epigenetic regulation. <i>Journal of Experimental Botany</i> , 2015, 66, 7359-7376.	4.8	253
28	Enhancement of in vitro shoot regeneration from leaf explants of apple rootstock G.41. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2014, 50, 263-270.	2.1	7
29	Genome-wide identification and expression profiling of the cystatin gene family in apple (<i>Malus domestica</i> Borkh.). <i>Plant Physiology and Biochemistry</i> , 2014, 79, 88-97.	5.8	25
30	Genome-wide identification of members in the YTH domain-containing RNA-binding protein family in apple and expression analysis of their responsiveness to senescence and abiotic stresses. <i>Gene</i> , 2014, 538, 292-305.	2.2	38
31	Leaf micromorphology and sugar may contribute to differences in drought tolerance for two apple cultivars. <i>Plant Physiology and Biochemistry</i> , 2014, 80, 249-258.	5.8	19
32	Aquaporin expression in response to water-deficit stress in two <i>Malus</i> species: relationship with physiological status and drought tolerance. <i>Plant Growth Regulation</i> , 2013, 70, 187-197.	3.4	33
33	Long-term exogenous application of melatonin delays drought-induced leaf senescence in apple. <i>Journal of Pineal Research</i> , 2013, 54, 292-302.	7.4	409
34	Evaluation of <i>Malus</i> germplasm resistance to marssonina apple blotch. <i>European Journal of Plant Pathology</i> , 2013, 136, 597-602.	1.7	23
35	Phenolic responses of resistant and susceptible <i>Malus</i> plants induced by <i>Diplocarpon mali</i> . <i>Scientia Horticulturae</i> , 2013, 164, 17-23.	3.6	21
36	Exogenous melatonin improves <i>Malus</i> resistance to marssonina apple blotch. <i>Journal of Pineal Research</i> , 2013, 54, 426-434.	7.4	272

#	ARTICLE	IF	CITATIONS
37	Genome-wide identification and expression profiling of dehydrin gene family in <i>Malus domestica</i> . <i>Molecular Biology Reports</i> , 2012, 39, 10759-10768.	2.3	52
38	Influence of rootstock on antioxidant system in leaves and roots of young apple trees in response to drought stress. <i>Plant Growth Regulation</i> , 2012, 67, 247-256.	3.4	38
39	Genomic Structure, Sub-Cellular Localization, and Promoter Analysis of the Gene Encoding Sorbitol-6-Phosphate Dehydrogenase from Apple. <i>Plant Molecular Biology Reporter</i> , 2012, 30, 904-914.	1.8	16
40	The mitigation effects of exogenous melatonin on salinity-induced stress in <i>Malus hupehensis</i> . <i>Journal of Pineal Research</i> , 2012, 53, 298-306.	7.4	444
41	Growth, biomass allocation, and water use efficiency of 31 apple cultivars grown under two water regimes. <i>Agroforestry Systems</i> , 2012, 84, 117-129.	2.0	33
42	Physiological responses of kiwifruit plants to exogenous ABA under drought conditions. <i>Plant Growth Regulation</i> , 2011, 64, 63-74.	3.4	54
43	Isolation and Characterization of a Novel Drought Responsive Gene Encoding a Glycine-rich RNA-binding Protein in <i>Malus prunifolia</i> (Willd.) Borkh.. <i>Plant Molecular Biology Reporter</i> , 2011, 29, 125-134.	1.8	35
44	Overexpression of a <i>Malus</i> vacuolar Na ⁺ /H ⁺ antiporter gene (MdNHX1) in apple rootstock M.26 and its influence on salt tolerance. <i>Plant Cell, Tissue and Organ Culture</i> , 2010, 102, 337-345.	2.3	71
45	Nucleotide diversity patterns of local adaptation at drought-related candidate genes in wild tomatoes. <i>Molecular Ecology</i> , 2010, 19, 4144-4154.	3.9	46
46	Ascorbate Biosynthesis during Early Fruit Development Is the Main Reason for Its Accumulation in Kiwi. <i>PLoS ONE</i> , 2010, 5, e14281.	2.5	99
47	Antioxidant capacity and the relationship with polyphenol and Vitamin C in <i>Actinidia</i> fruits. <i>Food Chemistry</i> , 2009, 113, 557-562.	8.2	397