
Giulio Perugi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/265958/publications.pdf Version: 2024-02-01



CILLIO PERLICI

#	Article	IF	CITATIONS
1	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	7.2	579
2	Prevalence and Characteristics of Undiagnosed Bipolar Disorders in Patients With a Major Depressive Episode. Archives of General Psychiatry, 2011, 68, 791.	12.3	359
3	Agitated "unipolar―depression re-conceptualized as a depressive mixed state: implications for the antidepressant-suicide controversy. Journal of Affective Disorders, 2005, 85, 245-258.	4.1	290
4	The high prevalence of "Soft―bipolar (II) features in atypical depression. Comprehensive Psychiatry, 1998, 39, 63-71.	3.1	267
5	Proposed subtypes of bipolar II and related disorders: With hypomanic episodes (or cyclothymia) and with hyperthymic temperament. Journal of Affective Disorders, 1992, 26, 127-140.	4.1	256
6	Clinical subtypes of bipolar mixed states:. Journal of Affective Disorders, 1997, 43, 169-180.	4.1	224
7	The role of cyclothymia in atypical depression: toward a data-based reconceptualization of the borderline–bipolar II connection. Journal of Affective Disorders, 2003, 73, 87-98.	4.1	197
8	The soft bipolar spectrum redefined: focus on the cyclothymic, anxious-sensitive, impulse-dyscontrol, and binge-eating connection in bipolar II and related conditions. Psychiatric Clinics of North America, 2002, 25, 713-737.	1.3	191
9	Polarity of the first episode, clinical characteristics, and course of manic depressive illness: A systematic retrospective investigation of 320 bipolar I patients. Comprehensive Psychiatry, 2000, 41, 13-18.	3.1	176
10	The clinical impact of bipolar and unipolar affective comorbidity on obsessive–compulsive disorder. Journal of Affective Disorders, 1997, 46, 15-23.	4.1	168
11	Antiepileptic drugs: indications other than epilepsy. Epileptic Disorders, 2004, 6, 57-75.	1.3	167
12	Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. American Journal of Psychiatry, 2013, 170, 31-42.	7.2	162
13	Stratified medicine for mental disorders. European Neuropsychopharmacology, 2014, 24, 5-50.	0.7	152
14	Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration. Journal of Affective Disorders, 2001, 67, 105-114.	4.1	145
15	Reboxetine, a Selective Norepinephrine Reuptake Inhibitor, Is an Effective and Well-Tolerated Treatment for Panic Disorder. Journal of Clinical Psychiatry, 2002, 63, 31-37.	2.2	145
16	Psychopathology, Temperament, and Past Course in Primary Major Depressions. Psychopathology, 1989, 22, 278-288.	1.5	138
17	Mixed Features in Patients With a Major Depressive Episode. Journal of Clinical Psychiatry, 2015, 76, e351-e358.	2.2	136
18	Depressive comorbidity of panic, social phobic, and obsessive–compulsive disorders re-examined: is there a bipolar ii connection?. Journal of Psychiatric Research, 1999, 33, 53-61.	3.1	132

#	Article	lF	CITATIONS
19	Obsessive-compulsive bipolar comorbidity: focus on children and adolescents. Journal of Affective Disorders, 2004, 78, 175-183.	4.1	131
20	Substance use and quality of life over 12 months among buprenorphine maintenance-treated and methadone maintenance-treated heroin-addicted patients. Journal of Substance Abuse Treatment, 2007, 33, 91-98.	2.8	126
21	Gender-Related Differences in Body Dysmorphic Disorder (Dysmorphophobia). Journal of Nervous and Mental Disease, 1997, 185, 578-582.	1.0	126
22	Gender-Mediated Clinical Features of Depressive Illness the Importance of Temperamental Differences. British Journal of Psychiatry, 1990, 157, 835-841.	2.8	125
23	Adjunctive Dopamine Agonists in Treatment-Resistant Bipolar II Depression: an Open Case Series. Pharmacopsychiatry, 2001, 34, 137-141.	3.3	123
24	Electroconvulsive therapy in catatonic patients: Efficacy and predictors of response. World Journal of Psychiatry, 2015, 5, 182.	2.7	122
25	Cyclothymic OCD: a distinct form?. Journal of Affective Disorders, 2003, 75, 1-10.	4.1	115
26	Obsessive-Compulsive–Bipolar Comorbidity. Journal of Clinical Psychiatry, 2002, 63, 1129-1134.	2.2	110
27	Attention-deficit hyperactivity disorder – bipolar comorbidity in children and adolescents. Bipolar Disorders, 2006, 8, 373-381.	1.9	108
28	The Role of Electroconvulsive Therapy (ECT) in Bipolar Disorder: Effectiveness in 522 Patients with Bipolar Depression, Mixed-state, Mania and Catatonic Features. Current Neuropharmacology, 2017, 15, 359-371.	2.9	108
29	Long-Term use of Benzodiazepines: Tolerance, Dependence and Clinical Problems in Anxiety and Mood Disorders. Pharmacopsychiatry, 2007, 29, 127-134.	3.3	106
30	Affective comorbidity in panic disorder: Is there a bipolar connection?. Journal of Affective Disorders, 1993, 28, 155-163.	4.1	104
31	Toward a unitary perspective on the bipolar spectrum and substance abuse: Opiate addiction as a paradigm. Journal of Affective Disorders, 2006, 93, 1-12.	4.1	103
32	A Systematic, Updated Review on the Antidepressant Agomelatine Focusing on its Melatonergic Modulation. Current Neuropharmacology, 2010, 8, 287-304.	2.9	103
33	Valproate for the treatment of acute bipolar depression: Systematic review and meta-analysis. Journal of Affective Disorders, 2010, 122, 1-9.	4.1	102
34	QTc Interval Prolongation in Patients on Long-Term Methadone Maintenance Therapy. European Addiction Research, 2005, 11, 44-49.	2.4	101
35	Response to ECT in bipolar I, bipolar II and unipolar depression. Journal of Affective Disorders, 2009, 118, 55-59.	4.1	100
36	The influence of affective temperaments and psychopathological traits on the definition of bipolar disorder subtypes: A study on Bipolar I Italian National sample. Journal of Affective Disorders, 2012, 136, e41-e49.	4.1	98

#	Article	IF	CITATIONS
37	Obsessive–compulsive disorder and body dysmorphic disorder: a comparison of clinical features. European Psychiatry, 2004, 19, 292-298.	0.2	97
38	Alcohol and Cocaine Use and Abuse Among Opioid Addicts Engaged in a Methadone Maintenance Treatment Program. Journal of Addictive Diseases, 2007, 26, 61-70.	1.3	97
39	Are atypical depression, borderline personality disorder and bipolar II disorder overlapping manifestations of a common cyclothymic diathesis?. World Psychiatry, 2011, 10, 45-51.	10.4	97
40	Fluvoxamine in the treatment of body dysmorphic disorder (dysmorphophobia). International Clinical Psychopharmacology, 1996, 11, 247-254.	1.7	94
41	Validating affective temperaments in their subaffective and socially positive attributes: psychometric, clinical and familial data from a French national study. Journal of Affective Disorders, 2005, 85, 29-36.	4.1	93
42	Suicide attempts in major depressive episode: evidence from the <scp>BRIDGE</scp> â€ <scp>II</scp> â€Mix study. Bipolar Disorders, 2015, 17, 795-803.	1.9	91
43	Prevalence of Psychiatric Disorders in Thyroid Diseased Patients. Neuropsychobiology, 1998, 38, 222-225.	1.9	90
44	Psychopathology, Temperament, and Past Course in Primary Major Depressions. Psychopathology, 1989, 22, 268-277.	1.5	88
45	Anxiety Disorders in Children and Adolescents with Bipolar Disorder: A Neglected Comorbidity. Canadian Journal of Psychiatry, 2001, 46, 797-802.	1.9	86
46	Relationship of suicide rates to economic variables in Europe: 2000–2011. British Journal of Psychiatry, 2014, 205, 486-496.	2.8	86
47	The relationship of Kraepelian affective temperaments (as measured by TEMPS-I) to the tridimensional personality questionnaire (TPQ). Journal of Affective Disorders, 2005, 85, 17-27.	4.1	82
48	Depression Before and After Age 65. British Journal of Psychiatry, 1989, 155, 330-336.	2.8	81
49	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: A prospective follow-up study. Journal of Affective Disorders, 2013, 150, 216-222.	4.1	81
50	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. International Journal of Bipolar Disorders, 2017, 5, 27.	2.2	81
51	ANXIOUS–BIPOLAR COMORBIDITY. Psychiatric Clinics of North America, 1999, 22, 565-583.	1.3	80
52	Cyclothymic–depressive–anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. Journal of Affective Disorders, 2012, 136, 405-411.	4.1	79
53	Derealization and panic attacks: A clinical evaluation on 150 patients with Panic Disorder/agoraphobia. Comprehensive Psychiatry, 1989, 30, 5-12.	3.1	78
54	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. Comprehensive Psychiatry, 2012, 53, 280-285.	3.1	78

#	Article	IF	CITATIONS
55	Clinical features, developmental course, and psychiatric comorbidity of adult autism spectrum disorders. CNS Spectrums, 2014, 19, 157-164.	1.2	78
56	Impairment of work and leisure in depressed outpatients. Journal of Affective Disorders, 1986, 10, 79-84.	4.1	77
57	Diagnostic criteria for bipolarity based on an international sample of 5,635 patients with DSM-IV major depressive episodes. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 3-11.	3.2	74
58	General medical conditions in 347 bipolar disorder patients: Clinical correlates of metabolic and autoimmune-allergic diseases. Journal of Affective Disorders, 2015, 170, 95-103.	4.1	74
59	Episodic course in obsessive-compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 240-244.	3.2	71
60	A Naturalistic Exploratory Study of the Impact of Demographic, Phenotypic and Comorbid Features in Pediatric Obsessive-Compulsive Disorder. Psychopathology, 2010, 43, 69-78.	1.5	70
61	Clomipramine for panic disorder: I. the first 10 weeks of a long-term comparison with imipramine. Journal of Affective Disorders, 1988, 14, 123-127.	4.1	69
62	Identifying features of bipolarity in patients with first-episode postpartum depression: Findings from the international BRIDGE study. Journal of Affective Disorders, 2012, 136, 710-715.	4.1	69
63	Evidence-based definitions of bipolar-I and bipolar-II disorders among 5,635 patients with major depressive episodes in the Bridge Study: validity and comorbidity. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 663-673.	3.2	66
64	Bipolar disorder in adults with Asperger׳s Syndrome: A systematic review. Journal of Affective Disorders, 2014, 168, 151-160.	4.1	66
65	The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessive–compulsive patients with comorbid bipolar disorder. Journal of Affective Disorders, 2001, 67, 199-206.	4.1	62
66	The contrasting influence of depressive and hyperthymic temperaments on psychometrically derived manic subtypes. Psychiatry Research, 2001, 101, 249-258.	3.3	61
67	Prevalence, phenomenology and comorbidity of body dysmorphic disorder (dysmorphophobia) in a clinical population. International Journal of Psychiatry in Clinical Practice, 1997, 1, 77-82.	2.4	59
68	Affective temperaments in heroin addiction. Journal of Affective Disorders, 2009, 117, 186-192.	4.1	57
69	Bulimia nervosa in atypical depression: The mediating role of cyclothymic temperament. Journal of Affective Disorders, 2006, 92, 91-97.	4.1	54
70	Thyroid autoimmunity in bipolar disorder: A systematic review. Journal of Affective Disorders, 2017, 221, 97-106.	4.1	54
71	Affective temperament traits measured by TEMPS-I and emotional-behavioral problems in clinically-well children, adolescents, and young adults. Journal of Affective Disorders, 2005, 85, 169-180.	4.1	53
72	Catatonia in 26 patients with bipolar disorder: clinical features and response to electroconvulsive therapy. Bipolar Disorders, 2015, 17, 892-901.	1.9	51

#	Article	IF	CITATIONS
73	Psychosensorial and related phenomena in panic disorder and in temporal lobe epilepsy. Comprehensive Psychiatry, 1996, 37, 125-133.	3.1	50
74	Alcohol abuse in social phobic patients: is there a bipolar connection?. Journal of Affective Disorders, 2002, 68, 33-39.	4.1	50
75	Chronic mania. British Journal of Psychiatry, 1998, 173, 514-518.	2.8	49
76	Lifetime co-morbidity with different subtypes of eating disorders in 148 females with bipolar disorders. Journal of Affective Disorders, 2010, 121, 147-151.	4.1	48
77	Dopamine agonists and delusional jealousy in Parkinson's disease: A crossâ€sectional prevalence study. Movement Disorders, 2012, 27, 1679-1682.	3.9	48
78	Relationship of suicide rates with climate and economic variables in Europe during 2000–2012. Annals of General Psychiatry, 2016, 15, 19.	2.7	48
79	Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. Clinical Drug Investigation, 2017, 37, 713-727.	2.2	48
80	Bipolar II and anxious reactive "comorbidity― Toward better phenotypic characterization suitable for genotyping. Journal of Affective Disorders, 2006, 96, 239-247.	4.1	47
81	Antidepressant-induced hypomania/mania in patients with major depression: Evidence from the BRIDGE-II-MIX study. Journal of Affective Disorders, 2017, 219, 187-192.	4.1	47
82	Affective temperaments are associated with specific clusters of symptoms and psychopathology: A cross-sectional study on bipolar disorder inpatients in acute manic, mixed, or depressive relapse. Journal of Affective Disorders, 2013, 151, 540-550.	4.1	46
83	The importance of measures of affective temperaments in genetic studies of mood disorders. Journal of Psychiatric Research, 1992, 26, 257-268.	3.1	45
84	Clinical Experience Using Adjunctive Gabapentin in Treatment-Resistant Bipolar Mixed States. Pharmacopsychiatry, 1999, 32, 136-141.	3.3	45
85	Insomnia symptoms predict emotional dysregulation, impulsivity and suicidality in depressive bipolar II patients with mixed features. Comprehensive Psychiatry, 2019, 89, 46-51.	3.1	45
86	Developmental Differences According to Age at Onset in Juvenile Bipolar Disorder. Journal of Child and Adolescent Psychopharmacology, 2006, 16, 679-685.	1.3	44
87	Long-Term Outcomes of Treatment-Resistant Heroin Addicts with and without DSM-IV Axis 1 Psychiatric Comorbidity (Dual Diagnosis). European Addiction Research, 2008, 14, 134-142.	2.4	44
88	Attention Deficit/Hyperactivity Disorder symptoms in Italian bipolar adult patients: A preliminary report. Journal of Affective Disorders, 2013, 149, 430-434.	4.1	44
89	Effectiveness of Adjunctive Gabapentin in Resistant Bipolar Disorder: Is It Due to Anxious-Alcohol Abuse Comorbidity?. Journal of Clinical Psychopharmacology, 2002, 22, 584-591.	1.4	43
90	The Clinical Phenotypes of Juvenile Bipolar Disorder: Toward a Validation of the Episodic-Chronic-Distinction. Biological Psychiatry, 2006, 59, 603-610.	1.3	43

#	Article	IF	CITATIONS
91	Diagnosis and Treatment of Cyclothymia: The "Primacy―of Temperament. Current Neuropharmacology, 2017, 15, 372-379.	2.9	43
92	Temperament in adolescents with anxiety and depressive disorders and in their families. Child Psychiatry and Human Development, 2003, 33, 245-259.	1.9	42
93	Pharmacotherapy in Paediatric Obsessive-Compulsive Disorder. CNS Drugs, 2009, 23, 241-252.	5.9	42
94	Different measures of impulsivity in patients with anxiety disorders: A case control study. Psychiatry Research, 2012, 197, 231-236.	3.3	42
95	Lifetime mood symptoms and adult separation anxiety in patients with complicated grief and/or post-traumatic stress disorder: A preliminary report. Psychiatry Research, 2012, 198, 436-440.	3.3	42
96	Cyclothymia reloaded: A reappraisal of the most misconceived affective disorder. Journal of Affective Disorders, 2015, 183, 119-133.	4.1	42
97	Maternal–foetal attachment independently predicts the quality of maternal–infant bonding and post-partum psychopathology. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 3153-3159.	1.5	42
98	Cognitive tolerability following successful long term treatment of major depression and anxiety disorders with SSRi antidepressants. Journal of Affective Disorders, 2015, 173, 211-215.	4.1	41
99	Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. European Neuropsychopharmacology, 2019, 29, 825-834.	0.7	41
100	Externalizing disorders in consecutively referred children and adolescents with bipolar disorder. Comprehensive Psychiatry, 2003, 44, 184-189.	3.1	40
101	The Mood-Stabilizing Effects of Electroconvulsive Therapy. Journal of ECT, 2014, 30, 275-282.	0.6	40
102	A Proposed New Approach to the Clinical Subclassification of Depressive Illness. Pharmacopsychiatry, 1988, 21, 19-23.	3.3	39
103	Cocaine abuse and the bipolar spectrum in 1090 heroin addicts: Clinical observations and a proposed pathophysiologic model. Journal of Affective Disorders, 2008, 106, 55-61.	4.1	39
104	Subtyping patients with heroin addiction at treatment entry: factor derived from the Self-Report Symptom Inventory (SCL-90). Annals of General Psychiatry, 2010, 9, 15.	2.7	39
105	Treatment adherence towards prescribed medications in bipolar-II acute depressed patients: Relationship with cyclothymic temperament and "therapeutic sensation seeking―in response towards subjective intolerance to pain. Journal of Affective Disorders, 2013, 151, 596-604.	4.1	39
106	Comparative Response to Electroconvulsive Therapy in Medication-Resistant Bipolar I Patients With Depression and Mixed State. Journal of ECT, 2010, 26, 82-86.	0.6	38
107	Spirituality and Religiosity in the Aftermath of a Natural Catastrophe in Italy. Journal of Religion and Health, 2013, 52, 1029-1037.	1.7	38
108	A Prospective Naturalistic Study of 326 Panic-Agoraphobic Patients Treated with Antidepressants. Pharmacopsychiatry, 2000, 33, 121-131.	3.3	37

#	Article	IF	CITATIONS
109	Paroxetine in Child and Adolescent Outpatients with Panic Disorder. Journal of Child and Adolescent Psychopharmacology, 2001, 11, 151-157.	1.3	37
110	Bipolar II and unipolar comorbidity in 153 outpatients with social phobia. Comprehensive Psychiatry, 2001, 42, 375-381.	3.1	36
111	Increase in IL-6 levels among major depressive disorder patients after a 6-week treatment with duloxetine 60 mg/day: a preliminary observation. Neuropsychiatric Disease and Treatment, 2011, 7, 51.	2.2	36
112	Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: Results of a survey in bipolar disorder from eight European countries. Journal of Affective Disorders, 2012, 143, 125-130.	4.1	36
113	Is comorbid borderline personality disorder in patients with major depressive episode and bipolarity a developmental subtype? Findings from the international BRIDGE study. Journal of Affective Disorders, 2013, 144, 72-78.	4.1	36
114	Psychiatric Aspects of Obesity: A Narrative Review of Pathophysiology and Psychopathology. Journal of Clinical Medicine, 2020, 9, 2344.	2.4	35
115	Obsessive-compulsive-bipolar comorbidity: a systematic exploration of clinical features and treatment outcome. Journal of Clinical Psychiatry, 2002, 63, 1129-34.	2.2	35
116	Abnormal temperament in patients with morbid obesity seeking surgical treatment. Journal of Affective Disorders, 2009, 118, 155-160.	4.1	34
117	Pharmacological response in juvenile bipolar disorder subtypes: A naturalistic retrospective examination. Psychiatry Research, 2010, 177, 192-198.	3.3	34
118	Episode length and mixed features as predictors of ECT nonresponse in patients with medication-resistant major depression. Brain Stimulation, 2012, 5, 18-24.	1.6	34
119	The bipolar-borderline personality disorders connection in major depressive patients. Acta Psychiatrica Scandinavica, 2013, 128, 376-383.	4.5	34
120	Obesity in patients with major depression is related to bipolarity and mixed features: evidence from the <scp>BRIDGE</scp> â€ <scp>II</scp> â€ <scp>Mix</scp> study. Bipolar Disorders, 2017, 19, 458-464.	1.9	34
121	Real-world evidence from a European cohort study of patients with treatment resistant depression: Treatment patterns and clinical outcomes. Journal of Affective Disorders, 2021, 290, 334-344.	4.1	34
122	Primary and secondary social phobia: Psychopathologic and familial differentiations. Comprehensive Psychiatry, 1990, 31, 245-252.	3.1	33
123	Diagnostic and Symptomatological Features in Chronic Psychotic Patients According to Cannabis Use Status. Journal of Psychoactive Drugs, 2004, 36, 235-241.	1.7	33
124	Putative clinical subtypes of social phobia:a factor-analytical study. Acta Psychiatrica Scandinavica, 2001, 104, 280-288.	4.5	33
125	Differential changes in areas of social adjustment from depressive episodes through recovery. Journal of Affective Disorders, 1988, 15, 39-43.	4.1	32
126	Delineating a putative phobic-anxious temperament in 126 panic-agoraphobic patients: toward a rapprochement of European and US views. Journal of Affective Disorders, 1998, 47, 11-23.	4.1	32

#	Article	IF	CITATIONS
127	Dual Diagnosis and Chronology of Illness in Treatment-Seeking Italian Patients Dependent on Heroin. Journal of Addictive Diseases, 2011, 30, 123-135.	1.3	32
128	Does obesity predict bipolarity in major depressive patients?. Journal of Affective Disorders, 2014, 155, 118-122.	4.1	32
129	Use of Stimulants in Bipolar Disorder. Current Psychiatry Reports, 2017, 19, 7.	4.5	32
130	Clinical Implications of DSM-IV Subtyping of Bipolar Disorders in Referred Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2007, 46, 1299-1306.	0.5	31
131	Impulsivity in anxiety disorder patients: Is it related to comorbid cyclothymia?. Journal of Affective Disorders, 2011, 133, 600-606.	4.1	31
132	Clinical subtypes of severe bipolar mixed states. Journal of Affective Disorders, 2013, 151, 1076-1082.	4.1	31
133	Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. Acta Psychiatrica Scandinavica, 2017, 136, 362-372.	4.5	31
134	Electroconvulsive therapy and age: Age-related clinical features and effectiveness in treatment resistant major depressive episode. Journal of Affective Disorders, 2018, 227, 627-632.	4.1	31
135	Relationships between panic disorder and separation anxiety with school phobia. Comprehensive Psychiatry, 1988, 29, 98-107.	3.1	30
136	Comparison between Heroin and Heroin-Cocaine Polyabusers: A Psychopathological Study. Annals of the New York Academy of Sciences, 2006, 1074, 438-445.	3.8	30
137	Clinical and research implications of panic-bipolar comorbidity in children and adolescents. Psychiatry Research, 2007, 153, 47-54.	3.3	30
138	Transcultural validity of the Hypomania Checklist–32 (<scp>HCL</scp> â€32) in patients with major depressive episodes. Bipolar Disorders, 2013, 15, 701-712.	1.9	30
139	Are bipolar disorders underdiagnosed in patients with depressive episodes? Results of the multicenter BRIDGE screening study in Germany. Journal of Affective Disorders, 2012, 142, 45-52.	4.1	29
140	Validation of the brief TEMPS-M temperament questionnaire in a clinical Italian sample of bipolar and cyclothymic patients. Journal of Affective Disorders, 2020, 260, 458-462.	4.1	29
141	Bipolar Co-morbidity in Pediatric Obsessive-Compulsive Disorder: Clinical and Treatment Implications. Journal of Child and Adolescent Psychopharmacology, 2007, 17, 475-486.	1.3	28
142	Is unipolar mania a distinct subtype?. Comprehensive Psychiatry, 2007, 48, 213-217.	3.1	28
143	The impact of premenstrual dysphoric disorder among 92 bipolar patients. European Psychiatry, 2010, 25, 450-454.	0.2	28
144	ls recurrence in major depressive disorder related to bipolarity and mixed features? Results from the BRIDGE-II-Mix study. Journal of Affective Disorders, 2018, 229, 164-170.	4.1	28

#	Article	IF	CITATIONS
145	Chronobiological dis-rhythmicity is related to emotion dysregulation and suicidality in depressive bipolar II disorder with mixed features. Psychiatry Research, 2019, 271, 272-278.	3.3	28
146	High-affinity 3H-imipramine binding sites: A possible state-dependent marker for major depression. Psychiatry Research, 1988, 23, 229-237.	3.3	27
147	The nature of depression presenting concomitantly with panic disorder. Comprehensive Psychiatry, 1989, 30, 473-482.	3.1	27
148	Impact of patient selection and study characteristics on signal detection in placebo-controlled trials with antidepressants. Journal of Psychiatric Research, 2014, 51, 21-29.	3.1	27
149	Relationships between mixed features and borderline personality disorder in 2811 patients with major depressive episode. Acta Psychiatrica Scandinavica, 2016, 133, 133-143.	4.5	27
150	The role of overlapping excitatory symptoms in major depression: are they relevant for the diagnosis of mixed state?. Journal of Psychiatric Research, 2019, 115, 151-157.	3.1	27
151	Electroconvulsive Therapy in 197 Patients With a Severe, Drug-Resistant Bipolar Mixed State. Journal of Clinical Psychiatry, 2015, 76, 1168-1173.	2.2	27
152	Is mood-incongruent manic psychosis a distinct subtype?. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 12-17.	3.2	26
153	Electroretinographic assessment in major depressed patients receiving duloxetine: Might differences between responders and non-responders indicate a differential biological background?. Journal of Affective Disorders, 2011, 135, 154-159.	4.1	26
154	The use of stimulants and atomoxetine in adults with comorbid ADHD and bipolar disorder. Expert Opinion on Pharmacotherapy, 2015, 16, 2193-2204.	1.8	26
155	Mixed Features in Depression. Psychiatric Clinics of North America, 2020, 43, 59-68.	1.3	26
156	Unexplained Somatic Symptoms during Major Depression: Prevalence and Clinical Impact in a National Sample of Italian Psychiatric Outpatients. Psychopathology, 2011, 44, 116-124.	1.5	25
157	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. Journal of Affective Disorders, 2015, 170, 161-165.	4.1	25
158	Insomnia, sleep loss, and circadian sleep disturbances in mood disorders: a pathway toward neurodegeneration and neuroprogression? A theoretical review. CNS Spectrums, 2022, 27, 298-308.	1.2	25
159	Relationship between affective temperaments and aggression in euthymic patients with bipolar mood disorder and major depressive disorder. Journal of Affective Disorders, 2015, 174, 13-18.	4.1	24
160	The implications of hypersomnia in the context of major depression: Results from a large, international, observational study. European Neuropsychopharmacology, 2019, 29, 471-481.	0.7	24
161	Pharmacotherapeutic strategies for the treatment of attention-deficit hyperactivity (ADHD) disorder with comorbid substance-use disorder (SUD). Expert Opinion on Pharmacotherapy, 2019, 20, 343-355.	1.8	24
162	Developmental Pathways for Different Subtypes of Early-Onset Bipolarity in Youths. Journal of Clinical Psychiatry, 2012, 73, 1335-1341.	2.2	24

#	Article	IF	CITATIONS
163	A case of social phobia with avoidant personality disorder treated with MAOI. Comprehensive Psychiatry, 1986, 27, 255-258.	3.1	23
164	Phenomenological subtypes of severe bipolar mixed states: a factor analytic study. Comprehensive Psychiatry, 2014, 55, 799-806.	3.1	23
165	Further Evidence of a Specific Psychopathology of Addiction. Differentiation from Other Psychiatric Psychopathological Dimensions (Such as Obesity). International Journal of Environmental Research and Public Health, 2017, 14, 943.	2.6	23
166	Development of bipolar disorder in patients with attention-deficit/hyperactivity disorder: A systematic review and meta-analysis of prospective studies. Journal of Affective Disorders, 2021, 293, 186-196.	4.1	23
167	Is the Bipolar Spectrum the Psychopathological Substrate of Suicidality in Heroin Addicts?. Psychopathology, 2007, 40, 269-277.	1.5	22
168	Adjunctive valproate in panic disorder patients with comorbid bipolar disorder or otherwise resistant to standard antidepressants: a 3-year "open―follow-up study. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 553-560.	3.2	22
169	Avoidant personality in social phobia and panic–agoraphobic disorder: a comparison. Journal of Affective Disorders, 1999, 54, 277-282.	4.1	21
170	Diagnosis and Treatment of Agoraphobia with Panic Disorder. CNS Drugs, 2007, 21, 741-764.	5.9	21
171	Mood Stabilizers in the Treatment of Substance Use Disorders. CNS Spectrums, 2010, 15, 95-109.	1.2	21
172	Reactivity, Intensity, Polarity and Stability questionnaire (RIPoSt-40) assessing emotional dysregulation: Development, reliability and validity. Journal of Affective Disorders, 2019, 257, 187-194.	4.1	21
173	Hypochondriasis and illness phobia in panic-agoraphobic patients. Comprehensive Psychiatry, 1997, 38, 124-131.	3.1	20
174	Open-Label Evaluation of Venlafaxine Sustained Release in Outpatients with Generalized Anxiety Disorder with Comorbid Major Depression or Dysthymia: Effectiveness, Tolerability and Predictors of Response. Neuropsychobiology, 2002, 46, 145-149.	1.9	20
175	Spontaneous treatment discontinuation in panic disorder patients treated with antidepressants. Acta Psychiatrica Scandinavica, 2004, 110, 130-137.	4.5	20
176	Correlations Between Awareness of Illness (Insight) and History of Addiction in Heroin-Addicted Patients. Frontiers in Psychiatry, 2012, 3, 61.	2.6	20
177	The Significance of Mixed States in Depression and Mania. Current Psychiatry Reports, 2014, 16, 486.	4.5	20
178	Opposed effects of hyperthymic and cyclothymic temperament in substance use disorder (heroin- or) Tj ETQq0 0	0 ₁₉ BT /O	verlock 10 Tf
179	Real-world evidence from a European cohort study of patients with treatment resistant depression: Baseline patient characteristics. Journal of Affective Disorders, 2021, 283, 115-122.	4.1	20

#	Article	IF	CITATIONS
181	Obsessive-compulsive Disorder with Comorbid Bipolar Disorders: Clinical Features and Treatment Implications. Current Medicinal Chemistry, 2019, 25, 5722-5730.	2.4	19
182	Panic Disorder: Review of the Empirical and Rational Basis of Pharmacological Treatment. Pharmacopsychiatry, 1988, 21, 157-165.	3.3	18
183	Chronic recurrent stress due to panic disorder does not precipitate Graves' disease. Journal of Endocrinological Investigation, 1998, 21, 758-764.	3.3	18
184	Use of Street Methadone in Italian Heroin Addicts Presenting for Opioid Agonist Treatment. Journal of Addictive Diseases, 2009, 28, 382-388.	1.3	18
185	Aripiprazole in Acute Mania and Long-Term Treatment of Bipolar Disorder. Clinical Drug Investigation, 2010, 30, 827-841.	2.2	18
186	Discriminant and convergent validity of TEMPS-A[P] correlation with MMPI and the emotional-affective state following a stressful situation. Journal of Affective Disorders, 2011, 129, 27-33.	4.1	18
187	Discriminative Hypomania Checklist-32 Factors in Unipolar and Bipolar Major Depressive Patients. Psychopathology, 2012, 45, 390-398.	1.5	18
188	Combination of aripiprazole with mood stabilizers for the treatment of bipolar disorder: from acute mania to long-term maintenance. Expert Opinion on Pharmacotherapy, 2012, 13, 2027-2036.	1.8	18
189	Symptom networks in acute depression across bipolar and major depressive disorders: A network analysis on a large, international, observational study. European Neuropsychopharmacology, 2020, 35, 49-60.	0.7	18
190	Single episode of major depressive disorder. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 373-380.	3.2	17
191	Are "social drugs―(tobacco, coffee and chocolate) related to the bipolar spectrum?. Journal of Affective Disorders, 2011, 133, 227-233.	4.1	17
192	Could the underestimation of bipolarity obstruct the search for novel antidepressant drugs?. Expert Opinion on Pharmacotherapy, 2011, 12, 2817-2831.	1.8	17
193	A case of deep venous thrombosis following protracted catatonic immobility recovered with electroconvulsive therapy: the relevance for an early intervention. General Hospital Psychiatry, 2012, 34, 209.e5-209.e7.	2.4	17
194	Adult separation anxiety differentiates patients with complicated grief and/or major depression and is related to lifetime mood spectrum symptoms. Comprehensive Psychiatry, 2015, 58, 45-49.	3.1	17
195	Remarkable Reduction of Cocaine Use in Dual Disorder (Adult Attention Deficit Hyperactive) Tj ETQq1 1 C Environmental Research and Public Health, 2019, 16, 3911.	.784314 rgBT , 2.6	Overlock 10 17
196	Personalized and precision medicine as informants for treatment management of bipolar disorder. International Clinical Psychopharmacology, 2019, 34, 189-205.	1.7	17
197	The impact of affective temperaments on clinical and functional outcome of Bipolar I patients that initiated or changed pharmacological treatment for mania. Psychiatry Research, 2018, 261, 473-480.	3.3	16
198	Current and emerging pharmacotherapy for the treatment of adult attention deficit hyperactivity disorder (ADHD). Expert Opinion on Pharmacotherapy, 2019, 20, 1457-1470.	1.8	16

#	Article	IF	CITATIONS
199	Comorbidity in Panic Disorder. Psychiatric Annals, 1990, 20, 517-521.	0.1	16
200	The clinical-familial correlates and naturalistic outcome of panic-disorder-agoraphobia with and without lifetime bipolar II comorbidity. Annals of General Psychiatry, 2008, 7, 23.	2.7	15
201	Pediatric Social Anxiety Disorder: Predictors of Response to Pharmacological Treatment. Journal of Child and Adolescent Psychopharmacology, 2012, 22, 410-414.	1.3	15
202	Impulsivity in patients with panic disorder-agoraphobia: The role of cyclothymia. Comprehensive Psychiatry, 2013, 54, 1090-1097.	3.1	15
203	Predictors of Remission in 208 Drug-Resistant Depressive Patients Treated With Electroconvulsive Therapy. Journal of ECT, 2014, 30, 292-297.	0.6	15
204	Mood disorders comorbidity in obese bariatric patients: the role of the emotional dysregulation. Journal of Affective Disorders, 2021, 279, 46-52.	4.1	15
205	Prevalence of mood, panic and eating disorders in obese patients referred to bariatric surgery: patterns of comorbidity and relationship with body mass index. Eating and Weight Disorders, 2022, 27, 1021-1027.	2.5	15
206	Treatment of social phobia with fluoxetine. Anxiety, 1994, 1, 282-286.	0.4	14
207	Diagnosis, assessment and management of delusional jealousy in Parkinson's disease with and without dementia. Neurological Sciences, 2013, 34, 1537-1541.	1.9	14
208	The relationship between attention deficit hyperactivity disorder, bipolarity and mixed features in major depressive patients: Evidence from the BRIDGE-II-Mix Study. Journal of Affective Disorders, 2019, 246, 346-354.	4.1	14
209	Possible new ways in the pharmacological treatment of bipolar disorder and comorbid alcoholism. Neuropsychiatric Disease and Treatment, 2010, 6, 37.	2.2	13
210	Anti-AMPA-Receptor Encephalitis Presenting as a Rapid-Cycling Bipolar Disorder in a Young Woman with Turner Syndrome. Case Reports in Psychiatry, 2015, 2015, 1-5.	0.5	13
211	The long-term outcome of patients with heroin use disorder/dual disorder (chronic psychosis) after admission to enhanced methadone maintenance. Annals of General Psychiatry, 2018, 17, 14.	2.7	13
212	Factors associated with single versus multiple suicide attempts in depressive disorders. Journal of Affective Disorders, 2020, 277, 306-312.	4.1	13
213	Adult attention-deficit hyperactivity disorder and clinical correlates of delayed sleep phase disorder. Psychiatry Research, 2020, 291, 113162.	3.3	13
214	Addiction and the Bipolar Spectrum. Addictive Disorders and Their Treatment, 2004, 3, 156-164.	0.5	12
215	Cost-Effectiveness of Asenapine in the Treatment of Patients with Bipolar I Disorder with Mixed Episodes in an Italian Context. Advances in Therapy, 2014, 31, 873-890.	2.9	12
216	The Role of Electroconvulsive Therapy in the Treatment of Severe Bipolar Mixed State. Psychiatric Clinics of North America, 2020, 43, 187-197.	1.3	12

#	Article	IF	CITATIONS
217	Exploring the Role of Caffeine Use in Adult-ADHD Symptom Severity of US Army Soldiers. Journal of Clinical Medicine, 2020, 9, 3788.	2.4	12
218	Sultans of Swing. Journal of Clinical Psychiatry, 2019, 80, .	2.2	12
219	Relationships between recurrence and polarity in major depressive disorders: Pooled analysis of the BRIDGE and BRIDGE-II-MIX cohorts. Journal of Affective Disorders, 2019, 256, 250-258.	4.1	11
220	"Do depressive and manic symptoms differentially impact on functioning in acute depression? Results from a large, cross-sectional study― Journal of Affective Disorders, 2020, 261, 30-39.	4.1	11
221	Substance Use Disorder in Adult-Attention Deficit Hyperactive Disorder Patients: Patterns of Use and Related Clinical Features. International Journal of Environmental Research and Public Health, 2020, 17, 3509.	2.6	11
222	Prevalence and diagnostic distribution of medically unexplained painful somatic symptoms across 571 major depressed outpatients. Neuropsychiatric Disease and Treatment, 2011, 7, 217.	2.2	10
223	Towards a psychopathology specific to Substance Use Disorder: Should emotional responses to life events be included?. Comprehensive Psychiatry, 2018, 80, 132-139.	3.1	10
224	Psychopathology of addiction: Can the SCL90-based five-dimensional structure differentiate Heroin Use Disorder from a non-substance-related addictive disorder such as Gambling Disorder?. Annals of General Psychiatry, 2018, 17, 3.	2.7	10
225	Temperamental traits of women applying for a type of job that has been characterized historically by male identity. Journal of Affective Disorders, 2011, 130, 275-279.	4.1	9
226	Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. Translational Psychiatry, 2020, 10, 241.	4.8	9
227	Treatment adherence and tolerability of immediate- and prolonged-release lithium formulations in a sample of bipolar patients: a prospective naturalistic study. International Clinical Psychopharmacology, 2021, 36, 230-237.	1.7	9
228	The importance of separation anxiety in the differentiation of panic disorder from agoraphobia. Psychiatric Developments, 1986, 4, 227-36.	0.2	9
229	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. European Neuropsychopharmacology, 2022, 60, 91-99.	0.7	9
230	Imipramine Binding in Platelets of Patients with Panic Disorder. Pharmacopsychiatry, 1988, 21, 47-49.	3.3	8
231	Social Adjustment in Panic-Agoraphobic Patients Reconsidered. British Journal of Psychiatry, 1994, 164, 88-93.	2.8	8
232	Putative clinical subtypes of social phobia:a factorâ€analytical study. Acta Psychiatrica Scandinavica, 2001, 104, 280-288.	4.5	8
233	Should cyclothymia be considered as a specific and distinct bipolar disorder?. Neuropsychiatry, 2012, 2, 407-414.	0.4	8
234	Naturalistic follow-up in bipolar patients after successful electroconvulsive therapy. Journal of Affective Disorders, 2020, 271, 152-159.	4.1	8

#	Article	IF	CITATIONS
235	Does Cannabis, Cocaine and Alcohol Use Impact Differently on Adult Attention Deficit/Hyperactivity Disorder Clinical Picture?. Journal of Clinical Medicine, 2021, 10, 1481.	2.4	8
236	Comparison of Emotional Dysregulation Features in Cyclothymia and Adult ADHD. Medicina (Lithuania), 2021, 57, 489.	2.0	8
237	Prevalence and Clinical Correlates of Comorbid Anxiety and Panic Disorders in Patients with Parkinson's Disease. Journal of Clinical Medicine, 2021, 10, 2302.	2.4	8
238	The role of different patterns of psychomotor symptoms in major depressive episode: Pooled analysis of the BRIDGE and BRIDGEâ€IIâ€MIX cohorts. Bipolar Disorders, 2019, 21, 785-793.	1.9	7
239	ICDâ€11 mixed episode: Nothing new despite the evidence. Bipolar Disorders, 2019, 21, 376-377.	1.9	7
240	Characterization of rapid cycling bipolar patients presenting with major depressive episode within the BRIDGEâ€IIâ€MIX study. Bipolar Disorders, 2021, 23, 391-399.	1.9	7
241	The use of agomelatine in OCD: effects on the motivational aspects and dysregulated circadian rhythms. Expert Opinion on Investigational Drugs, 2015, 24, 705-713.	4.1	6
242	Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers. International Clinical Psychopharmacology, 2018, 33, 131-139.	1.7	6
243	Association of treatment facets, severity of manic symptoms, psychomotor disturbances and psychotic features with response to electroconvulsive therapy in bipolar depression. World Journal of Biological Psychiatry, 2021, 22, 194-202.	2.6	6
244	Symptomatological Variants and Related Clinical Features in Adult Attention Deficit Hyperactive Disorder. International Journal of Environmental Research and Public Health, 2021, 18, 922.	2.6	6
245	Bipolar Spectrum disorders in Parkinson's disease: a systematic evaluation. CNS Spectrums, 2022, 27, 355-361.	1.2	6
246	Bipolar Disorder and Manic-Like Symptoms in Alzheimer's, Vascular and Frontotemporal Dementia: A Systematic Review. Current Neuropharmacology, 2023, 21, 2516-2542.	2.9	6
247	Affective temperaments and emotional traits are associated with a positive screening for premenstrual dysphoric disorder. Comprehensive Psychiatry, 2016, 71, 33-38.	3.1	5
248	Clinical features and predictors of non-response in severe catatonic patients treated with electroconvulsive therapy. International Journal of Psychiatry in Clinical Practice, 2021, 25, 299-306.	2.4	5
249	BINDING OF IMIPRAMINE TO PLATELET MEMBRANES IS REDUCED IN PANIC ATTACKS. Fundamental and Clinical Pharmacology, 1988, 2, 69-75.	1.9	4
250	Concurrent Abuse of Cannabis Is Associated with a Shorter Duration of Hospitalization in Treatment-Resistant Psychotic Bipolar Inpatients Treated with Clozapine. Addictive Disorders and Their Treatment, 2006, 5, 1-7.	0.5	4
251	Relationships Among Delayed Sleep Phase Disorder, Emotional Dysregulation, and Affective Temperaments in Adults With Attention Deficit Hyperactivity Disorder and Cyclothymia. Journal of Nervous and Mental Disease, 2020, 208, 857-862.	1.0	4
252	There are no patients without comorbidity. European Neuropsychopharmacology, 2021, 50, 104-106.	0.7	4

#	Article	IF	CITATIONS
253	Predictors of Depressive Switch in Patients With Bipolar I Disorder Who Initiated or Changed Pharmacologic Treatment for Mania or Mixed-Mania. Journal of Clinical Psychiatry, 2020, 81, .	2.2	4
254	α-synuclein as an emerging pathophysiological biomarker of Alzheimer's disease. Expert Review of Molecular Diagnostics, 2022, 22, 411-425.	3.1	4
255	Neurological Deficits After Lithium Intoxication in a Bipolar Woman With Catatonia Treated With ECT. Journal of Clinical Psychopharmacology, 2018, 38, 405-407.	1.4	3
256	Clinical Features and Outcomes of 124 Italian Patients With Treatment Resistant Depression: A Real-World, Prospective Study. Frontiers in Psychiatry, 2021, 12, 769693.	2.6	3
257	Mild Behavioral Impairment: presentation of the diagnostic criteria and the Italian version of the MBI-Checklist. Rivista Di Psichiatria, 2019, 54, 59-66.	0.6	3
258	A ³ H-Flunitrazepam Binding Inhibitor is Present in Psychiatric Patients' Sera. Neuropsychobiology, 1987, 18, 74-76.	1.9	2
259	Late-Onset Mania in a Patient with Movement Disorder and Basal Ganglia Calcifications: A Challenge for Diagnosis and Treatment. Case Reports in Psychiatry, 2016, 2016, 1-5.	0.5	2
260	Commentary letter on "Revitalizing monoamine oxidase inhibitors: a call for action― CNS Spectrums, 2020, 25, 458-459.	1.2	2
261	Influence of Substance Use Disorder on Treatment Retention of Adult-Attention-Deficit/Hyperactive Disorder Patients. A 5-Year Follow-Up Study. Journal of Clinical Medicine, 2021, 10, 1984.	2.4	2
262	High exposure to pharmacological treatments is associated with limited efficacy of electroconvulsive therapy in bipolar depression. Psychiatry Research, 2021, 304, 114169.	3.3	2
263	Prevalence and psychiatric comorbidities of night-eating behavior in obese bariatric patients: preliminary evidence for a connection between night-eating and bipolar spectrum disorders. Eating and Weight Disorders, 2022, 27, 1695-1704.	2.5	2
264	Adult-Attention Deficit Hyperactive Disorder Symptoms Seem Not to Influence the Outcome of an Enhanced Agonist Opioid Treatment: A 30-Year Follow-Up. International Journal of Environmental Research and Public Health, 2021, 18, 10997.	2.6	2
265	Psychotic and nonpsychotic mood disorders in autoimmune encephalitis: diagnostic issues and research implications. Neuroimmunology and Neuroinflammation, 2015, 2, 228.	1.4	2
266	Survey on centres and procedures for the diagnosis and treatment of adult ADHD in public services in Italy. Rivista Di Psichiatria, 2020, 55, 355-365.	0.6	2
267	Commentary on chronic mood instability: Bipolar, borderline or both?. Bipolar Disorders, 2019, 21, 460-461.	1.9	1
268	P.612 Symptom network structure differences in acute depression between bipolar disorder and major depressive disorder: A network analysis European Neuropsychopharmacology, 2019, 29, S419-S420.	0.7	1
269	Diagnostic and Clinical Management Approaches to Bipolar Depression, Bipolar II and Their Comorbidities. , 2006, , 193-234.		0
270	Adult separation anxiety in patients with complicated grief: relationship with post traumatic stress versus mood spectrum symptomatology. European Psychiatry, 2011, 26, 142-142.	0.2	0

#	Article	IF	CITATIONS
271	Mood spectrum symptoms and adult separation anxiety in patients with post-traumatic stress disorder and/or Complicated Grief. European Psychiatry, 2011, 26, 1064-1064.	0.2	0
272	ICP abstracts. International Clinical Psychopharmacology, 2012, 28, e1.	1.7	0
273	Burden of metabolic diseases in patients with bipolar disorder. International Clinical Psychopharmacology, 2012, 28, e61-e62.	1.7	0
274	Bipolar disorder and disreactive disorders. International Clinical Psychopharmacology, 2012, 28, e34.	1.7	0
275	Clinical features of borderline personality disorder. International Clinical Psychopharmacology, 2012, 28, e58.	1.7	0
276	Pediatric Generalized Anxiety Disorder. Journal of Clinical Psychopharmacology, 2013, 33, 577-579.	1.4	0
277	P.048 Alterations of emotional regulation in patients with attention deficit hyperactivity disorder and cyclothymia: differential characteristics and clinical implications. European Neuropsychopharmacology, 2020, 40, S32-S33.	0.7	0
278	P.049 Relationships among delayed sleep phase disorder, emotional dysregulation and affective temperaments in adults with attention deficit hyperactivity disorder and cyclothymia. European Neuropsychopharmacology, 2020, 40, S33-S34.	0.7	0
279	P.343 Comparison between immediate-release lithium carbonate and prolonged-release lithium sulphate: preliminary results. European Neuropsychopharmacology, 2020, 40, S198-S199.	0.7	0
280	Transitions: Hagop Souren Akiskal. Journal of Affective Disorders, 2021, 284, 201-202.	4.1	0
281	P.0630 Treatment complications with antidepressant pharmacotherapy in patients with attention-deficit/hyperactivity disorder and/or cyclothymia: a retrospective study. European Neuropsychopharmacology, 2021, 53, S463-S464.	0.7	0
282	Adult Attention-Deficit Hyperactivity Disorder/Substance Use Disorder Dual Disorder Patients: A Dual Disorder Unit Point of View. Current Topics in Behavioral Neurosciences, 2022, , .	1.7	0