Philip Korthuis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/266043/publications.pdf

Version: 2024-02-01

177 papers

8,679 citations

57758 44 h-index 86 g-index

178 all docs

178 docs citations

178 times ranked

10845 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Stigma as a barrier to integrated substance use and HIV care in Vietnam: A qualitative examination of patient and provider perspectives. Journal of Ethnicity in Substance Abuse, 2024, 23, 182-197. | 0.9 | О |
| 2 | The process and challenges of language translation and cultural adaptation of study instruments: a case study from the NIDA CTN CHOICES-2 trial. Journal of Ethnicity in Substance Abuse, 2023, 22, 417-432. | 0.9 | 3 |
| 3 | Contraception and Healthcare Utilization by Reproductive-Age Women Who Use Drugs in Rural Communities: a Cross-Sectional Survey. Journal of General Internal Medicine, 2023, 38, 98-106. | 2.6 | 2 |
| 4 | Patient outcomes after opioid dose reduction among patients with chronic opioid therapy. Pain, 2022, 163, 83-90. | 4.2 | 33 |
| 5 | Incarceration and compulsory rehabilitation impede use of medication for opioid use disorder and HIV care engagement in Vietnam. Journal of Substance Abuse Treatment, 2022, 134, 108451. | 2.8 | 5 |
| 6 | Exploring how Hospitalization Can Alter Hepatitis C Virus Treatment Prioritization and Trajectories in People who Use Drugs: A Qualitative Analysis. Substance Abuse, 2022, 43, 245-252. | 2.3 | 1 |
| 7 | Characteristics and health care events of patients admitted to treatment for both heroin and methamphetamine compared to patients admitted for heroin only. Journal of Substance Abuse Treatment, 2022, 132, 108615. | 2.8 | 5 |
| 8 | Causes of Death in the 12 Months After Hospital Discharge Among Patients With Opioid Use Disorder. Journal of Addiction Medicine, 2022, 16, 466-469. | 2.6 | 13 |
| 9 | Recruitment into a Clinical Trial of People Living with Uncontrolled HIV Infection Who Inject Drugs: a Site Case Report from the CTN 67 CHOICES Study. Journal of Behavioral Health Services and Research, 2022, 49, 240-251. | 1.4 | 2 |
| 10 | Twelve-Month Retention in Opioid Agonist Treatment for Opioid Use Disorder Among Patients With and Without HIV. AIDS and Behavior, 2022, 26, 975-985. | 2.7 | 8 |
| 11 | Impact of intensity of behavioral treatment, with or without medication treatment, for opioid use disorder on HIV outcomes in persons with HIV. Journal of Substance Abuse Treatment, 2022, 132, 108509. | 2.8 | 1 |
| 12 | COVID-19-Related Policy Changes for Methadone Take-Home Dosing: A Multistate Survey of Opioid Treatment Program Leadership. Substance Abuse, 2022, 43, 633-639. | 2.3 | 23 |
| 13 | Correlates of days of medication for opioid use disorder exposure among people living with HIV in Northern Vietnam. International Journal of Drug Policy, 2022, 100, 103503. | 3.3 | 0 |
| 14 | Simulating the impact of Addiction Consult Services in the context of drug supply contamination, hospitalizations, and drug-related mortality. International Journal of Drug Policy, 2022, 100, 103525. | 3.3 | 3 |
| 15 | Evaluation of a Medicaid performance improvement project to reduce high-dose opioid prescriptions. BMC Health Services Research, 2022, 22, 68. | 2.2 | 0 |
| 16 | HIV clinicâ€based extendedâ€release naltrexone versus treatment as usual for people with HIV and opioid use disorder: a nonâ€blinded, randomized nonâ€inferiority trial. Addiction, 2022, 117, 1961-1971. | 3.3 | 10 |
| 17 | Familial Support in Integrated Treatment with Antiretroviral Therapy and Medications for Opioid use Disorder in Vietnam: A Qualitative Study. Substance Abuse, 2022, 43, 1004-1010. | 2.3 | 2 |
| 18 | Treatment retention, return to use, and recovery support following COVID-19 relaxation of methadone take-home dosing in two rural opioid treatment programs: A mixed methods analysis. Journal of Substance Abuse Treatment, 2022, 141, 108801. | 2.8 | 26 |

| # | Article | IF | CITATIONS |
|----|--|---------------------|-----------|
| 19 | A Taxonomy of Hospital-Based Addiction Care Models: a Scoping Review and Key Informant Interviews. Journal of General Internal Medicine, 2022, 37, 2821-2833. | 2.6 | 39 |
| 20 | COVID-19 Vaccination Status and Concerns Among People Who Use Drugs in Oregon. Journal of Addiction Medicine, 2022, 16, 695-701. | 2.6 | 3 |
| 21 | "lt wasn't here, and now it is. It's everywhere": fentanyl's rising presence in Oregon's drug sup Harm Reduction Journal, 2022, 19, . | pply _{3.2} | 7 |
| 22 | Identifying opioid dose reductions and discontinuation among patients with chronic opioid therapy. Pharmacoepidemiology and Drug Safety, 2021, 30, 395-399. | 1.9 | 5 |
| 23 | Provider Perspectives on Integration of Substance Use Disorder and HIV Care in Vietnam: A Qualitative Study. Journal of Behavioral Health Services and Research, 2021, 48, 274-286. | 1.4 | 5 |
| 24 | Harm Reduction and Adaptations Among PWUD in Rural Oregon During COVID-19. AIDS and Behavior, 2021, 25, 1331-1339. | 2.7 | 21 |
| 25 | HIV clinic-based buprenorphine plus naloxone versus referral for methadone maintenance therapy for treatment of opioid use disorder in HIV clinics in Vietnam (BRAVO): an open-label, randomised, non-inferiority trial. Lancet HIV,the, 2021, 8, e67-e76. | 4.7 | 17 |
| 26 | Drug and Alcohol Dependence response to KK-21-1460 "Considering rationales for use in defining subgroups for the treatment of stimulant use disorder― Drug and Alcohol Dependence, 2021, 221, 108571. | 3.2 | 0 |
| 27 | Utilising an access to care integrated framework to explore the perceptions of hepatitis C treatment of hospital-based interventions among people who use drugs. International Journal of Drug Policy, 2021, 96, 103356. | 3.3 | 2 |
| 28 | "Sobriety equals getting rid of hepatitis Câ€: A qualitative study exploring the interplay of substance use disorder and hepatitis C among hospitalized adults. Journal of Substance Abuse Treatment, 2021, 127, 108337. | 2.8 | 6 |
| 29 | Designing and validating a Markov model for hospital-based addiction consult service impact on 12-month drug and non-drug related mortality. PLoS ONE, 2021, 16, e0256793. | 2.5 | 7 |
| 30 | Use of methamphetamine and alcohol among people with opioid use disorder and HIV in Vietnam: a qualitative study. BMC Public Health, 2021, 21, 1718. | 2.9 | 4 |
| 31 | Predictors of having naloxone in urban and rural Oregon findings from NHBS and the OR-HOPE study. Drug and Alcohol Dependence, 2021, 227, 108912. | 3.2 | 11 |
| 32 | Adjunct interventions to standard medical management of buprenorphine in outpatient settings: A systematic review of the evidence. Drug and Alcohol Dependence, 2021, 228, 108923. | 3.2 | 17 |
| 33 | Associations between fentanyl use and initiation, persistence, and retention on medications for opioid use disorder among people living with uncontrolled HIV disease. Drug and Alcohol Dependence, 2021, 228, 109077. | 3.2 | 10 |
| 34 | "Like Yin and Yang― Perceptions of Methamphetamine Benefits and Consequences Among People Who Use Opioids in Rural Communities. Journal of Addiction Medicine, 2021, 15, 34-39. | 2.6 | 35 |
| 35 | Patterns of Prescription Opioid Use Prior to Self-reported Heroin Initiation. Journal of Addiction Medicine, 2021, 15, 130-133. | 2.6 | 3 |
| 36 | Retention Strategies for Medications for Opioid Use Disorder in Adults: A Rapid Evidence Review. Journal of Addiction Medicine, 2021, 15, 74-84. | 2.6 | 27 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Perspectives on extended-release naltrexone induction among patients living with HIV and opioid use disorder: a qualitative analysis. Addiction Science & Emp; Clinical Practice, 2021, 16, 67. | 2.6 | 3 |
| 38 | Rural opioid treatment program patient perspectives on take-home methadone policy changes during COVID-19: a qualitative thematic analysis. Addiction Science & Practice, 2021, 16, 72. | 2.6 | 26 |
| 39 | A cross-sectional survey of potential factors, motivations, and barriers influencing research participation and retention among people who use drugs in the rural USA. Trials, 2021, 22, 948. | 1.6 | 5 |
| 40 | Predictors of initiation of and retention on medications for alcohol use disorder among people living with and without HIV. Journal of Substance Abuse Treatment, 2020, 109, 14-22. | 2.8 | 16 |
| 41 | Prescription Opioid Dispensing Patterns Prior to Heroin Overdose in a State Medicaid Program: a Case-Control Study. Journal of General Internal Medicine, 2020, 35, 3188-3196. | 2.6 | 11 |
| 42 | A systematic review and meta-analysis of medications for stimulant use disorders in patients with co-occurring opioid use disorders. Drug and Alcohol Dependence, 2020, 216, 108193. | 3.2 | 36 |
| 43 | HIV care continuum characteristics among people with opioid use disorder and HIV in Vietnam: baseline results from the BRAVO study. BMC Public Health, 2020, 20, 421. | 2.9 | 8 |
| 44 | Are clinicians' self-reported empathic concern and perspective-taking traits associated with their response to patient emotions?. Patient Education and Counseling, 2020, 103, 1745-1751. | 2.2 | 6 |
| 45 | Reducing overdose after release from incarceration (ROAR): study protocol for an intervention to reduce risk of fatal and non-fatal opioid overdose among women after release from prison. Health and Justice, 2020, 8, 18. | 2.1 | 15 |
| 46 | Predictors of Opioid and Alcohol Pharmacotherapy Initiation at Hospital Discharge Among Patients Seen by an Inpatient Addiction Consult Service. Journal of Addiction Medicine, 2020, 14, 415-422. | 2.6 | 39 |
| 47 | Impact of behavioral and medication treatment for alcohol use disorder on changes in HIV-related outcomes among patients with HIV: A longitudinal analysis. Drug and Alcohol Dependence, 2020, 217, 108272. | 3.2 | 8 |
| 48 | Patterns of substance use before and after hospitalization among patients seen by an inpatient addiction consult service: A latent transition analysis. Journal of Substance Abuse Treatment, 2020, 118, 108121. | 2.8 | 28 |
| 49 | Racial disparities in clinician responses to patient emotions. Patient Education and Counseling, 2020, 103, 1736-1744. | 2.2 | 19 |
| 50 | Addressing Missing Data in Substance Use Research: A Review and Data Justice-based Approach. Journal of Addiction Medicine, 2020, 14, 454-456. | 2.6 | 10 |
| 51 | Population-based trends in hospitalizations due to injection drug use-related serious bacterial infections, Oregon, 2008 to 2018. PLoS ONE, 2020, 15, e0242165. | 2.5 | 40 |
| 52 | Title is missing!. , 2020, 15, e0242165. | | 0 |
| 53 | Title is missing!. , 2020, 15, e0242165. | | 0 |
| 54 | Title is missing!. , 2020, 15, e0242165. | | 0 |

| # | Article | IF | Citations |
|----|---|------------|-----------|
| 55 | Title is missing!. , 2020, 15, e0242165. | | O |
| 56 | Combined estimation of disease progression and retention on antiretroviral therapy among treated individuals with HIV in the USA: a modelling study. Lancet HIV,the, 2019, 6, e531-e539. | 4.7 | 18 |
| 57 | Inpatient Addiction Medicine Consultation and Post-Hospital Substance Use Disorder Treatment Engagement: a Propensity-Matched Analysis. Journal of General Internal Medicine, 2019, 34, 2796-2803. | 2.6 | 132 |
| 58 | Effects of Naltrexone on Large-Scale Network Interactions in Methamphetamine Use Disorder. Frontiers in Psychiatry, 2019, 10, 603. | 2.6 | 13 |
| 59 | Medications for Treatment of Opioid Use Disorder among Persons Living with HIV. Current HIV/AIDS Reports, 2019, 16, 1-6. | 3.1 | 48 |
| 60 | Low levels of initiation, engagement, and retention in substance use disorder treatment including pharmacotherapy among HIV-infected and uninfected veterans. Journal of Substance Abuse Treatment, 2019, 103, 23-32. | 2.8 | 16 |
| 61 | Preexposure Prophylaxis for the Prevention of HIV Infection. JAMA - Journal of the American Medical Association, 2019, 321, 2214. | 7.4 | 172 |
| 62 | Emotional Communication in HIV Care: An Observational Study of Patients' Expressed Emotions and Clinician Response. AIDS and Behavior, 2019, 23, 2816-2828. | 2.7 | 11 |
| 63 | Predictors of timely opioid agonist treatment initiation among veterans with and without HIV. Drug and Alcohol Dependence, 2019, 198, 70-75. | 3.2 | 29 |
| 64 | Buprenorphine Coverage in the Medicare Part D Program for 2007 to 2018. JAMA - Journal of the American Medical Association, 2019, 321, 607. | 7.4 | 26 |
| 65 | Actions to Integrate Treatment of Opioid and Infectious Disease Epidemics. Annals of Internal Medicine, 2019, 170, 509. | 3.9 | 2 |
| 66 | Barriers and facilitators to recruitment and enrollment of HIV-infected individuals with opioid use disorder in a clinical trial. BMC Health Services Research, 2019, 19, 862. | 2.2 | 26 |
| 67 | Uptake and virological outcomes of single―versus multiâ€ŧablet antiretroviral regimens among treatmentâ€naìve youth in the <scp>HIV</scp> Research Network. HIV Medicine, 2019, 20, 169-174. | 2.2 | 9 |
| 68 | Use of single IRBs for multi-site studies: A case report and commentary from a National Drug Abuse Treatment Clinical Trials Network study. Contemporary Clinical Trials Communications, 2019, 14, 100319. | 1.1 | 12 |
| 69 | Treatment and Prevention of Opioid Use Disorder: Challenges and Opportunities. Annual Review of Public Health, 2018, 39, 525-541. | 17.4 | 57 |
| 70 | A statewide effort to reduce high-dose opioid prescribing through coordinated care organizations. Addictive Behaviors, 2018, 86, 32-39. | 3.0 | 6 |
| 71 | The SUMMIT ambulatory-ICU primary care model for medically and socially complex patients in an urban federally qualified health center: study design and rationale. Addiction Science & Emp; Clinical Practice, 2018, 13, 27. | 2.6 | 12 |
| 72 | A preliminary randomized clinical trial of naltrexone reduces striatal resting state functional connectivity in people with methamphetamine use disorder. Drug and Alcohol Dependence, 2018, 192, 186-192. | 3.2 | 22 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Racial/ethnic differences in the association between alcohol use and mortality among men living with HIV. Addiction Science & Emp; Clinical Practice, 2018, 13, 2. | 2.6 | 11 |
| 74 | Substance use and the HIV care continuum: important advances. Addiction Science & Eamp; Clinical Practice, 2018, 13, 13. | 2.6 | 27 |
| 75 | Lessons Learned from the Implementation of a Medically Enhanced Residential Treatment (MERT) Model Integrating Intravenous Antibiotics and Residential Addiction Treatment. Substance Abuse, 2018, 39, 225-232. | 2.3 | 23 |
| 76 | Implementing Treatment of Opioid-Use Disorder in Rural Settings: a Focus on HIV and Hepatitis C Prevention and Treatment. Current HIV/AIDS Reports, 2018, 15, 315-323. | 3.1 | 25 |
| 77 | Three integrated elements of empowerment: HIV prevention with sub-Saharan African adolescent females involved in transactional sex Clinical Practice in Pediatric Psychology, 2018, 6, 355-363. | 0.3 | 3 |
| 78 | Integrating Treatment at the Intersection of Opioid Use Disorder and Infectious Disease Epidemics in Medical Settings: A Call for Action After a National Academies of Sciences, Engineering, and Medicine Workshop. Annals of Internal Medicine, 2018, 169, 335-336. | 3.9 | 53 |
| 79 | Feasibility and safety of extendedâ€release naltrexone treatment of opioid and alcohol use disorder in HIV clinics: a pilot/feasibility randomized trial. Addiction, 2017, 112, 1036-1044. | 3.3 | 51 |
| 80 | "lt's been an Experience, a Life Learning Experience†A Qualitative Study of Hospitalized Patients with Substance Use Disorders. Journal of General Internal Medicine, 2017, 32, 296-303. | 2.6 | 109 |
| 81 | Primary Care–Based Models for the Treatment of Opioid Use Disorder. Annals of Internal Medicine, 2017, 166, 268. | 3.9 | 224 |
| 82 | How does decision complexity affect shared decision making? An analysis of patient-provider antiretroviral initiation dialogue. Patient Education and Counseling, 2017, 100, 919-926. | 2.2 | 4 |
| 83 | Gonorrhea and Chlamydia Case Detection Increased When Testing Increased in a Multisite US HIV Cohort, 2004–2014. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 76, 409-416. | 2.1 | 18 |
| 84 | Integrase strand transfer inhibitor-associated diabetes mellitus: A case report. International Journal of STD and AIDS, 2017, 28, 626-628. | 1.1 | 37 |
| 85 | Management of Suspected Opioid Overdose With Naloxone in Out-of-Hospital Settings. Annals of Internal Medicine, 2017, 167, 867. | 3.9 | 51 |
| 86 | Planning and Designing the Improving Addiction Care Team (IMPACT) for Hospitalized Adults with Substance Use Disorder. Journal of Hospital Medicine, 2017, 12, 339-342. | 1.4 | 123 |
| 87 | BuprenorphineÂ+Ânaloxone plus naltrexone for the treatment of cocaine dependence: the Cocaine Use Reduction with Buprenorphine (CURB) study. Addiction, 2016, 111, 1416-1427. | 3.3 | 53 |
| 88 | Assessing Problematic Substance Use in HIV Care: Which Questions Elicit Accurate Patient Disclosures?. Journal of General Internal Medicine, 2016, 31, 1141-1147. | 2.6 | 7 |
| 89 | A Delayed Injection-Site Reaction in a Patient Receiving Extended-Release Naltrexone. Substance Abuse, 2016, 37, 278-280. | 2.3 | 4 |
| 90 | HIV Patients' Preference for Integrated Models of Addiction and HIV Treatment in Vietnam. Journal of Substance Abuse Treatment, 2016, 69, 57-63. | 2.8 | 15 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Which Clinician Questions Elicit Accurate Disclosure of Antiretroviral Non-adherence When Talking to Patients?. AIDS and Behavior, 2016, 20, 1108-1115. | 2.7 | 10 |
| 92 | Healthcare Coverage for HIV Provider Visits Before and After Implementation of the Affordable Care Act. Clinical Infectious Diseases, 2016, 63, 387-395. | 5.8 | 20 |
| 93 | Clinician empathy is associated with differences in patient–clinician communication behaviors and higher medication self-efficacy in HIV care. Patient Education and Counseling, 2016, 99, 220-226. | 2.2 | 89 |
| 94 | Quality of HIV Care and Mortality Rates in HIV-Infected Patients. Clinical Infectious Diseases, 2016, 62, 233-239. | 5.8 | 22 |
| 95 | Respecting patients is associated with more patient-centered communication behaviors in clinical encounters. Patient Education and Counseling, 2016, 99, 250-255. | 2.2 | 33 |
| 96 | Cumulative Incidence of Cancer Among Persons With HIV in North America. Annals of Internal Medicine, 2015, 163, 507-518. | 3.9 | 271 |
| 97 | Factors associated with willingness to take extended release naltrexone among injection drug users. Addiction Science & Dinical Practice, 2015, 10, 12. | 2.6 | 27 |
| 98 | Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 275-279. | 2.1 | 17 |
| 99 | A mixed methods study of patient–provider communication about opioid analgesics. Patient Education and Counseling, 2015, 98, 453-461. | 2.2 | 33 |
| 100 | Impact of a brief patient and provider intervention to improve the quality of communication about medication adherence among HIV patients. Patient Education and Counseling, 2015, 98, 1078-1083. | 2.2 | 49 |
| 101 | Hospitalization Rates and Reasons Among HIV Elite Controllers and Persons With Medically Controlled HIV Infection. Journal of Infectious Diseases, 2015, 211, 1692-1702. | 4.0 | 105 |
| 102 | Hepatitis C Virus Testing in Adults Living with HIV: A Need for Improved Screening Efforts. PLoS ONE, 2014, 9, e102766. | 2.5 | 16 |
| 103 | Authors' Reply. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, e142-e143. | 2.1 | 0 |
| 104 | Trends in Hospitalizations Among Children and Young Adults with Perinatally Acquired HIV. Pediatric Infectious Disease Journal, 2014, 33, 488-494. | 2.0 | 17 |
| 105 | HIV Risk Reduction With Buprenorphine–Naloxone or Methadone. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 288-293. | 2.1 | 77 |
| 106 | Does This Adult Patient Have Early HIV Infection?. JAMA - Journal of the American Medical Association, 2014, 312, 278. | 7.4 | 26 |
| 107 | Provider–Patient Communication About Adherence to Anti-retroviral Regimens Differs by Patient Race and Ethnicity. AIDS and Behavior, 2014, 18, 1279-1287. | 2.7 | 22 |
| 108 | Incidence and risk factors of HPV-related and HPV-unrelated Head and Neck Squamous Cell Carcinoma in HIV-infected individuals. Oral Oncology, 2014, 50, 1169-1176. | 1.5 | 77 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Retention in Care Is More Strongly Associated With Viral Suppression in HIV-Infected Patients With Lower Versus Higher CD4 Counts. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 333-339. | 2.1 | 63 |
| 110 | Primary Care Provider Cultural Competence and Racial Disparities in HIV Care and Outcomes. Journal of General Internal Medicine, 2013, 28, 622-629. | 2.6 | 79 |
| 111 | Patient Activation and Improved Outcomes in HIV-Infected Patients. Journal of General Internal Medicine, 2013, 28, 668-674. | 2.6 | 90 |
| 112 | Effect of Risk-Reduction Counseling With Rapid HIV Testing on Risk of Acquiring Sexually Transmitted Infections. JAMA - Journal of the American Medical Association, 2013, 310, 1701. | 7.4 | 111 |
| 113 | Counseling to Reduce High-Risk Sexual Behavior in HIV Care: A Multi-Center, Direct Observation Study. AIDS Patient Care and STDs, 2013, 27, 416-424. | 2.5 | 17 |
| 114 | The impact of depressive symptoms on patient–provider communication in HIV care. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1185-1192. | 1.2 | 16 |
| 115 | Provider-patient Adherence Dialogue in HIV Care: Results of a Multisite Study. AIDS and Behavior, 2013, 17, 148-159. | 2.7 | 40 |
| 116 | Motivational interviewing by HIV care providers is associated with patient intentions to reduce unsafe sexual behavior. Patient Education and Counseling, 2013, 93, 122-129. | 2.2 | 15 |
| 117 | HIV rapid testing in drug treatment: comparison across treatment modalities. Journal of Substance Abuse Treatment, 2013, 44, 369-374. | 2.8 | 10 |
| 118 | Trends and Disparities in Antiretroviral Therapy Initiation and Virologic Suppression Among Newly Treatment-Eligible HIV-Infected Individuals in North America, 2001–2009. Clinical Infectious Diseases, 2013, 56, 1174-1182. | 5.8 | 90 |
| 119 | Race, Relationships, and Trust in Providers among Black Patients with HIV/AIDS. Social Work Research, 2013, 37, 219-226. | 0.6 | 43 |
| 120 | Changes in Advanced Immunosuppression and Detectable HIV Viremia Among Perinatally HIV-Infected Youth in the Multisite United States HIV Research Network. Journal of the Pediatric Infectious Diseases Society, 2013, 2, 215-223. | 1.3 | 24 |
| 121 | A Multicenter Study of Physician Mindfulness and Health Care Quality. Annals of Family Medicine, 2013, 11, 421-428. | 1.9 | 186 |
| 122 | Conformity of Pediatric/Adolescent HIV Clinics to the Patient-Centered Medical Home Care Model. AIDS Patient Care and STDs, 2013, 27, 272-279. | 2.5 | 13 |
| 123 | Correlates of HIV Risk Behaviors among Homeless and Unstably Housed Young Adults. Public Health Reports, 2013, 128, 153-160. | 2.5 | 17 |
| 124 | Thirty-day hospital readmission rate among adults living with HIV. Aids, 2013, 27, 2059-2068. | 2.2 | 27 |
| 125 | Association between U.S. State AIDS Drug Assistance Program (ADAP) Features and HIV Antiretroviral Therapy Initiation, 2001–2009. PLoS ONE, 2013, 8, e78952. | 2.5 | 9 |
| 126 | Closing the Gap: Increases in Life Expectancy among Treated HIV-Positive Individuals in the United States and Canada. PLoS ONE, 2013, 8, e81355. | 2.5 | 1,111 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Patient and provider comfort discussing substance use. Family Medicine, 2013, 45, 109-17. | 0.5 | 20 |
| 128 | HIV Providers' Perceptions of and Attitudes Toward Female Versus Male Patients. AIDS Patient Care and STDs, 2012, 26, 582-588. | 2.5 | 14 |
| 129 | Establishment, Retention, and Loss to Follow-Up in Outpatient HIV Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 249-259. | 2.1 | 144 |
| 130 | Comparing different measures of retention in outpatient HIV care. Aids, 2012, 26, 1131-1139. | 2.2 | 101 |
| 131 | Implementing Rapid HIV Testing With or Without Risk-Reduction Counseling in Drug Treatment Centers: Results of a Randomized Trial. American Journal of Public Health, 2012, 102, 1160-1167. | 2.7 | 86 |
| 132 | Unhealthy Alcohol and Illicit Drug Use Are Associated With Decreased Quality of HIV Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, 171-178. | 2.1 | 51 |
| 133 | Injection behaviors among injection drug users in treatment: The role of hepatitis C awareness. Addictive Behaviors, 2012, 37, 552-555. | 3.0 | 17 |
| 134 | Predictors of Highly Active Antiretroviral Therapy Utilization for Behaviorally HIV-1–Infected Youth: Impact of Adult Versus Pediatric Clinical Care Site. Journal of Adolescent Health, 2012, 50, 471-477. | 2.5 | 26 |
| 135 | Providing support to patients in emotional encounters: A new perspective on missed empathic opportunities. Patient Education and Counseling, 2012, 88, 436-442. | 2.2 | 42 |
| 136 | Clinician Stress and Patient–Clinician Communication in HIV Care. Journal of General Internal Medicine, 2012, 27, 1635-1642. | 2.6 | 13 |
| 137 | Screening for HIV: Systematic Review to Update the 2005 U.S. Preventive Services Task Force Recommendation. Annals of Internal Medicine, 2012, 157, 706. | 3.9 | 32 |
| 138 | Factors Affecting Clinician Educator Encouragement of Routine HIV Testing Among Trainees. Journal of General Internal Medicine, 2012, 27, 839-844. | 2.6 | 19 |
| 139 | NIDA's Clinical Trials Network: An Opportunity for HIV Research in Community Substance Abuse Treatment Programs. American Journal of Drug and Alcohol Abuse, 2011, 37, 283-293. | 2.1 | 5 |
| 140 | The Cost of Integrated HIV Care and Buprenorphine/Naloxone Treatment: Results of a Cross-Site Evaluation. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, S76-S82. | 2.1 | 18 |
| 141 | Improving Adherence to HIV Quality of Care Indicators in Persons With Opioid Dependence: The Role of Buprenorphine. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, S83-S90. | 2.1 | 45 |
| 142 | Improved Quality of Life for Opioid-Dependent Patients Receiving Buprenorphine Treatment in HIV Clinics. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, S39-S45. | 2.1 | 60 |
| 143 | Incidence of and risk factors for community acquired pneumonia in US HIV-infected children, 2000–2005. Aids, 2011, 25, 717-720. | 2.2 | 14 |
| 144 | Pregnancy Incidence and Outcomes in Vertically and Behaviorally HIV-Infected Youth. JAMA - Journal of the American Medical Association, 2011, 305, 468. | 7.4 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | The role of cultural distance between patient and provider in explaining racial/ethnic disparities in HIV care. Patient Education and Counseling, 2011, 85, e278-e284. | 2.2 | 47 |
| 146 | Patientâ€"Provider Communication Differs for Black Compared to White HIV-Infected Patients. AIDS and Behavior, 2011, 15, 805-811. | 2.7 | 98 |
| 147 | Substance Use and the Quality of Patient-Provider Communication in HIV Clinics. AIDS and Behavior, 2011, 15, 832-841. | 2.7 | 36 |
| 148 | Provider and Practice Characteristics Associated with Use of Rapid HIV Testing by General Internists. Journal of General Internal Medicine, 2011, 26, 1258-64. | 2.6 | 6 |
| 149 | Internet Health Information Seeking Behavior and Antiretroviral Adherence in Persons Living with HIV/AIDS. AIDS Patient Care and STDs, 2011, 25, 445-449. | 2.5 | 68 |
| 150 | The Source of Methadone in Overdose Deaths in Western Virginia in 2004. Journal of Addiction Medicine, 2011, 5, 188-202. | 2.6 | 41 |
| 151 | HIV Treatment Outcomes Among HIV-Infected, Opioid-Dependent Patients Receiving Buprenorphine/Naloxone Treatment within HIV Clinical Care Settings: Results From a Multisite Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 56, S22-S32. | 2.1 | 223 |
| 152 | Disparities in Antiretroviral Treatment: A Comparison of Behaviorally HIV-Infected Youth and Adults in the HIV Research Network. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 58, 100-107. | 2.1 | 29 |
| 153 | General Internists' Beliefs, Behaviors, and Perceived Barriers to Routine HIV Screening in Primary Care. AIDS Education and Prevention, 2011, 23, 70-83. | 1.1 | 50 |
| 154 | Extended-release naltrexone for alcohol dependence: persistence and healthcare costs and utilization. American Journal of Managed Care, 2011, 17 Suppl 8, S222-34. | 1.1 | 13 |
| 155 | Patients' Reasons for Choosing Office-Based Buprenorphine: Preference for Patient-Centered Care. Journal of Addiction Medicine, 2010, 4, 204-210. | 2.6 | 56 |
| 156 | "We'll Do this Together― The Role of the First Person Plural in Fostering Partnership in Patient-physician Relationships. Journal of General Internal Medicine, 2010, 25, 186-193. | 2.6 | 15 |
| 157 | Decision-Making Role Preferences Among Patients with HIV: Associations with Patient and Provider Characteristics and Communication Behaviors. Journal of General Internal Medicine, 2010, 25, 517-523. | 2.6 | 30 |
| 158 | Differences in Patient–Provider Communication for Hispanic Compared to Non-Hispanic White Patients in HIV Care. Journal of General Internal Medicine, 2010, 25, 682-687. | 2.6 | 78 |
| 159 | Emergency department utilization among HIVâ€infected patients in a multisite multistate study [*] . HIV Medicine, 2010, 11, 74-84. | 2.2 | 35 |
| 160 | The Major Genetic Determinants of HIV-1 Control Affect HLA Class I Peptide Presentation. Science, 2010, 330, 1551-1557. | 12.6 | 1,054 |
| 161 | Use of outpatient mental health services and psychotropic medications among HIV-infected patients in a multisite, multistate study. General Hospital Psychiatry, 2009, 31, 538-545. | 2.4 | 19 |
| 162 | The Impact of Integrated HIV Care on Patient Health Outcomes. Medical Care, 2009, 47, 560-567. | 2.4 | 59 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Impact of Patient Race on Patient Experiences of Access and Communication in HIV Care. Journal of General Internal Medicine, 2008, 23, 2046-2052. | 2.6 | 14 |
| 164 | Alcohol use among HIVâ€infected persons in care: results of a multiâ€site survey [*] . HIV Medicine, 2008, 9, 196-202. | 2.2 | 82 |
| 165 | Substance abuse treatment in human immunodeficiency virus: The role of patient–provider discussions. Journal of Substance Abuse Treatment, 2008, 35, 294-303. | 2.8 | 37 |
| 166 | Health-Related Quality of Life in HIV-Infected Patients: The Role of Substance Use. AIDS Patient Care and STDs, 2008, 22, 859-867. | 2.5 | 90 |
| 167 | Structures of Care in the Clinics of the HIV Research Network. AIDS Patient Care and STDs, 2008, 22, 1007-1013. | 2.5 | 43 |
| 168 | The impact of illicit drug use and substance abuse treatment on adherence to HAART. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 1134-1140. | 1.2 | 65 |
| 169 | Associations between Outpatient and Inpatient Service Use among Persons with HIV Infection: A Positive or Negative Relationship?. Health Services Research, 2007, 43, 76-95. | 2.0 | 19 |
| 170 | Initial highly-active antiretroviral therapy with a protease inhibitor versus a non-nucleoside reverse transcriptase inhibitor: discrepancies between direct and indirect meta-analyses. Lancet, The, 2006, 368, 1503-1515. | 13.7 | 92 |
| 171 | Hospital and Outpatient Health Services Utilization Among HIV-Infected Adults in Care 2000–2002. Medical Care, 2005, 43, III-40. | 2.4 | 137 |
| 172 | Racial and Gender Disparities in Receipt of Highly Active Antiretroviral Therapy Persist in a Multistate Sample of HIV Patients in 2001. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 38, 96-103. | 2.1 | 252 |
| 173 | Prenatal Screening for HIV: A Review of the Evidence for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2005, 143, 38. | 3.9 | 54 |
| 174 | Screening for HIV: A Review of the Evidence for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2005, 143, 55. | 3.9 | 114 |
| 175 | Lipid Screening in HIV-Infected Veterans. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 35, 253-260. | 2.1 | 10 |
| 176 | Measuring Medication. Medical Care, 2002, 40, 1270-1282. | 2.4 | 23 |
| 177 | Implementation of a cross-cultural evidence-based medicine curriculum. Medical Teacher, 2002, 24, 444-446. | 1.8 | 5 |