
Ulrika Pettersson-Kymmer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2661754/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. Nature Genetics, 2012, 44, 491-501.	9.4	1,100
2	Wholeâ€genome sequencing identifies EN1 as a determinant of bone density and fracture. Nature, 2015, 526, 112-117.	13.7	483
3	WNT16 Influences Bone Mineral Density, Cortical Bone Thickness, Bone Strength, and Osteoporotic Fracture Risk. PLoS Genetics, 2012, 8, e1002745.	1.5	240
4	Burden of hip fracture using disability-adjusted life-years: a pooled analysis of prospective cohorts in the CHANCES consortium. Lancet Public Health, The, 2017, 2, e239-e246.	4.7	169
5	Defining the genetic susceptibility to cervical neoplasia—A genome-wide association study. PLoS Genetics, 2017, 13, e1006866.	1.5	105
6	Fruit and Vegetable Intake and Hip Fracture Incidence in Older Men and Women: The CHANCES Project. Journal of Bone and Mineral Research, 2016, 31, 1743-1752.	3.1	49
7	Identification of Novel Loci Associated With Hip Shape: A Meta-Analysis of Genomewide Association Studies. Journal of Bone and Mineral Research, 2019, 34, 241-251.	3.1	47
8	Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. European Journal of Epidemiology, 2016, 31, 311-323.	2.5	42
9	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. Journal of Medical Genetics, 2014, 51, 122-131.	1.5	36
10	Adequate vitamin D levels in a Swedish population living above latitude 63°N: The 2009 Northern Sweden MONICA study. International Journal of Circumpolar Health, 2015, 74, 27963.	0.5	34
11	Meta-analysis of genome-wide studies identifies <i>MEF2C</i> SNPs associated with bone mineral density at forearm. Journal of Medical Genetics, 2013, 50, 473-478.	1.5	22
12	Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. Journal of the National Cancer Institute, 2016, 108, djw127.	3.0	22
13	HLAandKIRAssociations of Cervical Neoplasia. Journal of Infectious Diseases, 2018, 218, 2006-2015.	1.9	22
14	Hip Fracture Risk and Cadmium in Erythrocytes: A Nested Case–Control Study with Prospectively Collected Samples. Calcified Tissue International, 2014, 94, 183-190.	1.5	16
15	BMD-Related Genetic Risk Scores Predict Site-Specific Fractures as Well as Trabecular and Cortical Bone Microstructure. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1344-e1357.	1.8	16
16	Genome-wide association study of monoclonal gammopathy of unknown significance (MGUS): comparison with multiple myeloma. Leukemia, 2019, 33, 1817-1821.	3.3	14
17	Eight novel loci implicate shared genetic etiology in multiple myeloma, AL amyloidosis, and monoclonal gammopathy of unknown significance. Leukemia, 2020, 34, 1187-1191.	3.3	13
18	Germline genetics of cancer of unknown primary (CUP) and its specific subtypes. Oncotarget, 2016, 7, 22140-22149.	0.8	12

#	Article	IF	CITATIONS
19	The influence of adult hip shape genetic variants on adolescent hip shape: Findings from a population-based DXA study. Bone, 2021, 143, 115792.	1.4	5
20	Genome-wide meta-analysis of monoclonal gammopathy of undetermined significance (MGUS) identifies risk loci impacting IRF-6. Blood Cancer Journal, 2022, 12, 60.	2.8	2
21	Genome-wide association study meta-analysis identifies the SOAT1/AXDND1 locus to be associated with hip and forearm fracture risk. Bone Abstracts, 0, , .	0.0	1