

JosÃ© Carlos MenÃ©ndez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2663132/publications.pdf>

Version: 2024-02-01

269
papers

8,626
citations

66343

42
h-index

58581

82
g-index

354
all docs

354
docs citations

354
times ranked

8544
citing authors

#	ARTICLE	IF	CITATIONS
1	Advances in the Chemistry of Tetrahydroquinolines. <i>Chemical Reviews</i> , 2011, 111, 7157-7259.	47.7	887
2	Multicomponent reactions for the synthesis of pyrroles. <i>Chemical Society Reviews</i> , 2010, 39, 4402.	38.1	664
3	Recent advances in the synthesis of pyrroles by multicomponent reactions. <i>Chemical Society Reviews</i> , 2014, 43, 4633-4657.	38.1	602
4	Progress in the Chemistry of Tetrahydroquinolines. <i>Chemical Reviews</i> , 2019, 119, 5057-5191.	47.7	294
5	Cerium(IV) Ammonium Nitrate as a Catalyst in Organic Synthesis. <i>Chemical Reviews</i> , 2010, 110, 3805-3849.	47.7	247
6	Multicomponent mechanochemical synthesis. <i>Chemical Science</i> , 2018, 9, 2042-2064.	7.4	204
7	Domino reactions for the synthesis of bridged bicyclic frameworks: fast access to bicyclo[n.3.1]alkanes. <i>Chemical Society Reviews</i> , 2011, 40, 3445.	38.1	155
8	Imaging of β -amyloid plaques by near infrared fluorescent tracers: a new frontier for chemical neuroscience. <i>Chemical Society Reviews</i> , 2015, 44, 1807-1819.	38.1	151
9	Inhibitors of Multidrug Resistance to Antitumor Agents (MDR). <i>Current Medicinal Chemistry</i> , 2002, 9, 159-193.	2.4	140
10	New synthetic applications of aryllead triacetates. N-arylation of azoles.. <i>Journal of Organic Chemistry</i> , 1995, 60, 5678-5682.	3.2	133
11	Three-component access to pyrroles promoted by the CAN O silver nitrate system under high-speed vibration milling conditions: a generalization of the Hantzsch pyrrole synthesis. <i>Chemical Communications</i> , 2013, 49, 591-593.	4.1	130
12	Antimycobacterial activity of spirooxindolo-pyrrolidine, pyrrolizine and pyrrolothiazole hybrids obtained by a three-component regio- and stereoselective 1,3-dipolar cycloaddition. <i>MedChemComm</i> , 2011, 2, 626.	3.4	126
13	Total synthesis of the ionophore antibiotic CP-61,405 (routienocin). <i>Tetrahedron</i> , 1992, 48, 7899-7938.	1.9	100
14	A new three-component domino synthesis of 1,4-dihydropyridines. <i>Tetrahedron</i> , 2007, 63, 4407-4413.	1.9	96
15	l-Proline-catalysed sequential four-component H_2O protocol for the synthesis of structurally complex heterocyclic ortho-quinones. <i>Green Chemistry</i> , 2011, 13, 3248.	9.0	92
16	Cerium(IV) Ammonium Nitrate Is an Excellent, General Catalyst for the Friedländer and Friedländer-Borsche Quinoline Syntheses: Very Efficient Access to the Antitumor Alkaloid Luotonin A. <i>Journal of Organic Chemistry</i> , 2009, 74, 5715-5718.	3.2	91
17	Two-Step Stereocontrolled Synthesis of Densely Functionalized Cyclic β -Aminoesters Containing Four Stereocenters, Based on a New Cerium(IV) Ammonium Nitrate Catalyzed Sequential Three-Component Reaction. <i>Organic Letters</i> , 2008, 10, 4303-4306.	4.6	86
18	Proline and its Derivatives as Organocatalysts for Multi-Component Reactions in Aqueous Media: Synergic Pathways to the Green Synthesis of Heterocycles. <i>Advanced Synthesis and Catalysis</i> , 2020, 362, 87-110.	4.3	82

#	ARTICLE	IF	CITATIONS
19	Acid-Free Synthesis of Carbazoles and Carbazolequinones by Intramolecular Pd-Catalyzed, Microwave-Assisted Oxidative Biaryl Coupling Reactions – Efficient Syntheses of Murrayafoline A, 2-Methoxy-3-methylcarbazole, and Glycozolidine. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 4614-4621.	2.4	76
20	Chemodivergent, multicomponent domino reactions in aqueous media: l-proline-catalyzed assembly of densely functionalized 4H-pyrano[2,3-c]pyrazoles and bispyrazolyl propanoates from simple, acyclic starting materials. <i>Green Chemistry</i> , 2013, 15, 1292.	9.0	71
21	The Hantzsch Pyrrole Synthesis: Non-conventional Variations and Applications of a Neglected Classical Reaction. <i>Synthesis</i> , 2019, 51, 816-828.	2.3	68
22	CAN-catalyzed three-component reaction between anilines and alkyl vinyl ethers: stereoselective synthesis of 2-methyl-1,2,3,4-tetrahydroquinolines and studies on their aromatization. <i>Tetrahedron</i> , 2007, 63, 673-681.	1.9	61
23	New four-component reactions in water: a convergent approach to the metal-free synthesis of spiro[indoline/acenaphthylene-3,4 ² -pyrazolo[3,4-b]pyridine derivatives. <i>Tetrahedron</i> , 2011, 67, 3201-3208.	1.9	61
24	Brief Total Synthesis of the Cell Cycle Inhibitor Tryprostatin B and Related Preparation of Its Alanine Analogue. <i>Journal of Organic Chemistry</i> , 2003, 68, 6944-6951.	3.2	59
25	A Very Efficient Cerium(IV) Ammonium Nitrate Catalyzed, Four-Component Synthesis of Tetrahydropyridines and Its Application in the Concise Generation of Functionalized Homoquinoline Frameworks. <i>Chemistry - A European Journal</i> , 2009, 15, 4565-4572.	3.3	59
26	Discovery of the first dual GSK3 ^β inhibitor/Nrf2 inducer. A new multitarget therapeutic strategy for Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 45701.	3.3	59
27	Facile ionic liquid-mediated, three-component sequential reactions for the green, regio- and diastereoselective synthesis of furocoumarins. <i>Tetrahedron</i> , 2012, 68, 5631-5636.	1.9	57
28	The first aza Diels-Alder reaction involving an $\hat{1},\hat{1}^2$ -unsaturated hydrazone as the dienophile: stereoselective synthesis of C-4 functionalized 1,2,3,4-tetrahydroquinolines containing a quaternary stereocenter. <i>Organic and Biomolecular Chemistry</i> , 2007, 5, 1351-1353.	2.8	56
29	Mild and General Synthesis of Pyrrolo[2,1- <i>a</i>]isoquinolines and Related Polyheterocyclic Frameworks from Pyrrole Precursors Derived from a Mechanochemical Multicomponent Reaction. <i>Journal of Organic Chemistry</i> , 2017, 82, 2570-2578.	3.2	56
30	Ultrasound assisted Diels-Alder reactions of 1-azadienes with \hat{a} -normal \hat{a} -electronic demand.. <i>Tetrahedron</i> , 1994, 50, 10047-10054.	1.9	55
31	Privileged scaffolds in synthesis: 2,5-piperazinediones as templates for the preparation of structurally diverse heterocycles. <i>Chemical Society Reviews</i> , 2012, 41, 6902.	38.1	55
32	A facile, three-component domino protocol for the microwave-assisted synthesis of functionalized naphtho[2,3-b]furan-4,9-diones in water. <i>Green Chemistry</i> , 2011, 13, 2123.	9.0	54
33	New Synthetic Applications of Aryllead Triacetates.N-Arylation of Amides. <i>Journal of Organic Chemistry</i> , 1996, 61, 5865-5870.	3.2	51
34	Antimycobacterial activity of novel 1,2,4-oxadiazole-pyranopyridine/chromene hybrids generated by chemoselective 1,3-dipolar cycloadditions of nitrile oxides. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 3444-3450.	3.0	51
35	Domino reactions in water: diastereoselective synthesis of densely functionalized indolyldihydrofuran derivatives. <i>Green Chemistry</i> , 2012, 14, 750.	9.0	51
36	NRF2 Regulation Processes as a Source of Potential Drug Targets against Neurodegenerative Diseases. <i>Biomolecules</i> , 2020, 10, 904.	4.0	50

#	ARTICLE	IF	CITATIONS
37	Synthetic Studies on N-Methylwelwitindolinone C Isothiocyanate (Welwistatin) and Related Substructures. <i>Current Organic Synthesis</i> , 2004, 1, 65-82.	1.3	49
38	I-Proline-Catalyzed Three-Component Domino [3+2+1] Annulation for the Regio- and Diastereoselective Synthesis of Highly Substituted Thienothiopyrans Containing Three or Four Stereocenters. <i>Journal of Organic Chemistry</i> , 2010, 75, 472-475.	3.2	48
39	Expedient, one-pot preparation of fused indoles via CAN-catalyzed three-component domino sequences and their transformation into polyheterocyclic compounds containing pyrrolo[1,2-a]azepine fragments. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3426.	2.8	48
40	A Fluorescent Styrylquinoline with Combined Therapeutic and Diagnostic Activities against Alzheimer's and Prion Diseases. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 225-229.	2.8	48
41	N-arylation of azoles and their benzo derivatives by p-tolyllead triacetate. <i>Tetrahedron Letters</i> , 1992, 33, 659-662.	1.4	45
42	Regio- and diastereoselective synthesis of anticancer spirooxindoles derived from tryptophan and histidine via three-component 1,3-dipolar cycloadditions in an ionic liquid. <i>Tetrahedron</i> , 2018, 74, 5358-5366.	1.9	44
43	New 5-Unsubstituted Dihydropyridines with Improved Ca ^v 1.3 Selectivity as Potential Neuroprotective Agents against Ischemic Injury. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 4313-4323.	6.4	43
44	Synthesis of 5,6-Dihydrodibenzo[<i>b,h</i>][1,6]naphthyridines via Copper Bromide Catalyzed Intramolecular [4 + 2] Hetero-Diels-Alder Reactions. <i>Journal of Organic Chemistry</i> , 2016, 81, 1116-1124.	3.2	42
45	Tacripyrimidines, the first tacrine-dihydropyrimidine hybrids, as multi-target-directed ligands for Alzheimer's disease. <i>European Journal of Medicinal Chemistry</i> , 2018, 155, 839-846.	5.5	41
46	Efficient Synthesis of N-Prenylpyrroloindoline and N-Prenylindole Alkaloids Based on a New Four-Reaction Anionic Domino Process. <i>Organic Letters</i> , 2006, 8, 4303-4306.	4.6	39
47	Efficient Generation of Highly Functionalized Fused Oxazepine Frameworks Based on a CAN-Catalyzed Four-Component Tetrahydropyridine Synthesis/Ring-Closing Metathesis Sequence. <i>Journal of Organic Chemistry</i> , 2009, 74, 9365-9371.	3.2	39
48	Discovery of a Class of Diketopiperazines as Antiprion Compounds. <i>ChemMedChem</i> , 2010, 5, 1324-1334.	3.2	39
49	Efficient synthesis of 2-acylquinolines based on an aza-vinylogous Povarov reaction. <i>Organic Chemistry Frontiers</i> , 2016, 3, 412-422.	4.5	39
50	Synthesis of a Library of 5,6-Unsubstituted 1,4-Dihydropyridines Based on a One-Pot 4CR/Elimination Process and Their Application to the Generation of Structurally Diverse Fused Nitrogen Heterocycles. <i>ACS Combinatorial Science</i> , 2010, 12, 713-722.	3.3	38
51	Convenient, two-step synthesis of 2-styrylquinolines: an application of the CAN-catalyzed vinylogous type-II Povarov reaction. <i>Tetrahedron</i> , 2009, 65, 2087-2096.	1.9	36
52	New Types of Reactivity of α,β -Unsaturated α,α -Dimethylhydrazones: Chemodivergent Diastereoselective Synthesis of Functionalized Tetrahydroquinolines and Hexahydropyrrolo[3,2- <i>b</i>]indoles. <i>Chemistry - A European Journal</i> , 2012, 18, 5056-5063.	3.3	36
53	Highly efficient regioselective synthesis of pyrroles via a tandem enamine formation-Michael addition-cyclization sequence under catalyst- and solvent-free conditions. <i>Green Chemistry</i> , 2015, 17, 3415-3423.	9.0	36
54	Design, synthesis and antiproliferative activity of decarbonyl luotonin analogues. <i>European Journal of Medicinal Chemistry</i> , 2017, 138, 932-941.	5.5	36

#	ARTICLE	IF	CITATIONS
55	One-Pot Access to a Library of Structurally Diverse Nicotinamide Derivatives via a Three-Component Formal Aza [3 + 3] Cycloaddition. <i>ACS Combinatorial Science</i> , 2012, 14, 551-557.	3.8	35
56	A β -Enaminone-Initiated Multicomponent Domino Reaction for the Synthesis of Indoloquinolizines and Benzoquinolizines from Acyclic Precursors. <i>Chemistry - A European Journal</i> , 2013, 19, 13207-13215.	3.3	34
57	Amide N-arylation with p-tolyllead triacetate. <i>Tetrahedron Letters</i> , 1992, 33, 6875-6878.	1.4	33
58	Montmorillonite Clay-Promoted, Solvent-Free Cross-Aldol Condensations under Focused Microwave Irradiation. <i>Molecules</i> , 2014, 19, 7317-7326.	3.8	33
59	Microwave-assisted, sequential four-component synthesis of polysubstituted 5,6-dihydroquinazolinones from acyclic precursors and a mild, halogenation-initiated method for their aromatization under focused microwave irradiation. <i>Green Chemistry</i> , 2013, 15, 511.	9.0	32
60	Three-Component Synthesis of Pyrrole-Related Nitrogen Heterocycles by a Hantzsch-Type Process: Comparison between Conventional and High-Speed Vibration Milling Conditions. <i>Asian Journal of Organic Chemistry</i> , 2016, 5, 652-662.	2.7	32
61	1-Acyamino-1-azadienes as an alternative to 1-dimethylamino-1-azadienes in the preparation of 1,8-diazaanthracene-2,9,10-triones. <i>Tetrahedron</i> , 1995, 51, 6573-6586.	1.9	31
62	Analytical applications of retinoid-cyclodextrin inclusion complexes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1996, 14, 909-915.	2.8	31
63	Concise and very efficient synthesis of the N-methylwelwistatin tetracyclic core based on an anionic domino process. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 4521.	2.8	31
64	Differentiating geometrical isomers of retinoids and controlling their photo-isomerization by complexation with cyclodextrins. <i>Analytica Chimica Acta</i> , 2002, 468, 161-170.	5.4	30
65	Unique Michael Addition-Initiated Domino Reaction for the Stereoselective Synthesis of Functionalized Macrolactones from β -Nitroketones in Water. <i>Organic Letters</i> , 2005, 7, 2197-2200.	4.6	30
66	CAN-promoted, diastereoselective synthesis of fused 2,3-dihydrofurans and their transformation into tetrahydroindoles. <i>Tetrahedron</i> , 2010, 66, 9512-9518.	1.9	30
67	Synthesis, anticonvulsant and antihypertensive activity of diastereomeric 9,10-dimethoxy-1,3,4,6,7,11b-hexahydrospiro-[benzo[a]quinolizin-2,4-imidazolidine]-2,5-diones. <i>European Journal of Medicinal Chemistry</i> , 1992, 27, 61-66.		29
68	Comparative study of synthetic approaches to 1-arylmethylenepyrazino[2,1-b]quinazoline-3,6-diones. <i>Tetrahedron</i> , 1998, 54, 12349-12360.	1.9	29
69	Tetrahydroisoquinoline-Derived Urea and 2,5-Diketopiperazine Derivatives as Selective Antagonists of the Transient Receptor Potential Melastatin 8 (TRPM8) Channel Receptor and Antiprostata Cancer Agents. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 5661-5683.	6.4	29
70	4TM-TRPM8 channels are new gatekeepers of the ER-mitochondria Ca ²⁺ transfer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 981-994.	4.1	29
71	Eco-friendly liquid chromatographic separations based on the use of cyclodextrins as mobile phase additives. <i>Green Chemistry</i> , 2011, 13, 115-126.	9.0	28
72	A heavy metal- and oxidant-free, one-pot synthesis of pyridines and fused pyridines based on a Lewis acid-catalyzed multicomponent reaction. <i>Chemical Communications</i> , 2014, 50, 12270-12272.	4.1	28

#	ARTICLE	IF	CITATIONS
73	Efficient, one-pot transformation of indoles into functionalized oxindole and spirooxindole systems under Swern conditions. <i>Tetrahedron</i> , 2009, 65, 1660-1672.	1.9	27
74	l-Proline-catalysed three-component domino reactions for the diastereoselective synthesis of 5,6-disubstituted 3-thiomorpholinones. <i>Tetrahedron</i> , 2011, 67, 7101-7105.	1.9	27
75	Concise synthesis of atorvastatin lactone under high-speed vibration milling conditions. <i>Organic Chemistry Frontiers</i> , 2014, 1, 458-463.	4.5	26
76	Spirooxindole-pyrrolidine heterocyclic hybrids promotes apoptosis through activation of caspase-3. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 2487-2498.	3.0	26
77	A New Route toward 4-Substituted Pyrazino[2,1-b]quinazoline-3,6-dione Systems. Total Synthesis of Gyantrypine. <i>Journal of Organic Chemistry</i> , 2000, 65, 1743-1749.	3.2	25
78	A facile three-component [3+2]-cycloaddition/annulation domino protocol for the regio- and diastereoselective synthesis of novel penta- and hexacyclic cage systems, involving the generation of two heterocyclic rings and five contiguous stereocenters. <i>Tetrahedron</i> , 2011, 67, 3132-3139.	1.9	25
79	Axial Chirality of 4-Arylpyrazolo[3,4-b]pyridines. Conformational Analysis and Absolute Configuration. <i>Journal of Organic Chemistry</i> , 2014, 79, 11039-11050.	3.2	25
80	Regioselectivity of the Diels-Alder reactions of 2,5,8(1H)-quinolinetriones. <i>Tetrahedron</i> , 1994, 50, 7923-7932.	1.9	24
81	Palladium(η^2)-catalyzed intramolecular carboxypalladation-olefin insertion cascade: direct access to indeno[1,2-b]furan-2-ones. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 5175-5181.	2.8	24
82	Three-component access to 2-pyrrolin-5-ones and their use in target-oriented and diversity-oriented synthesis. <i>RSC Advances</i> , 2016, 6, 39433-39443.	3.6	24
83	Approaches to the Potential Therapy of COVID-19: A General Overview from the Medicinal Chemistry Perspective. <i>Molecules</i> , 2022, 27, 658.	3.8	24
84	Solvent effects on the fluorescent emission of some new benzimidazole derivatives. <i>Analytica Chimica Acta</i> , 1995, 303, 73-78.	5.4	23
85	Stereochemical issues related to the synthesis and reactivity of pyrazino[2,5,1]pyrrolo[2,3-b]indole-1,4-diones. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 967-981.	1.8	23
86	One-Pot Synthesis of Functionalized Carbazoles via a CAN-Catalyzed Multicomponent Process Comprising a C-H Activation Step. <i>Journal of Organic Chemistry</i> , 2017, 82, 7492-7502.	3.2	23
87	The application of ultrasound to the strecker synthesis on 9,10-dimethoxy-1,3,4,6,7,11b-hexahydrobenzo[a]quinolizin-2-one. <i>Tetrahedron Letters</i> , 1986, 27, 3285-3288.	1.4	22
88	EFFICIENT, MULTIGRAM-SCALE SYNTHESIS OF THREE 2,5-DIHALOBENZOQUINONES. <i>Synthetic Communications</i> , 2002, 32, 3233-3239.	2.1	22
89	Detection and characterization of cyclodextrin complexes with β -carboline derivatives by spectroscopic techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003, 32, 991-1001.	2.8	22
90	Identification of 4,6-diaryl-1,4-dihydropyridines as a new class of neuroprotective agents. <i>MedChemComm</i> , 2013, 4, 590.	3.4	22

#	ARTICLE	IF	CITATIONS
91	Lewis Acid-Catalyzed Generation of C-C and C-N Bonds on Deficient Heterocyclic Substrates. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 185-195.	4.3	22
92	New findings in hetero Diels-Alder reactions of quinolinetrienes. <i>Tetrahedron</i> , 1996, 52, 5933-5944.	1.9	21
93	Hetero Diels-Alder Reactions of 1-Acetylamino- and 1-Dimethylamino-1-azadienes with Benzoquinones. <i>Tetrahedron</i> , 2000, 56, 1561-1567.	1.9	21
94	Diastereoselective, multicomponent access to trans-2-aryl-4-arylamino-1,2,3,4-tetrahydroquinolines via an AA ² BC sequential four-component reaction and their application to 2-arylquinoline synthesis. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 569-579.	2.8	21
95	Fully Diastereoselective Synthesis of Polysubstituted, Functionalized Piperidines and Decahydroquinolines Based on Multicomponent Reactions Catalyzed by Cerium(IV) Ammonium Nitrate. <i>Chemistry - A European Journal</i> , 2014, 20, 8791-8799.	3.3	21
96	Mechanochemical Synthesis of Primary Amides. <i>Journal of Organic Chemistry</i> , 2021, 86, 14232-14237.	3.2	21
97	B-Ring-Aryl Substituted Luotonin A Analogues with a New Binding Mode to the Topoisomerase 1-DNA Complex Show Enhanced Cytotoxic Activity. <i>PLoS ONE</i> , 2014, 9, e95998.	2.5	21
98	A C-Ring Regioisomer of the Marine Alkaloid Meridine Exhibits Selective In Vitro Cytotoxicity for Solid Tumours. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1807-1814.	3.0	20
99	Stereoselective Synthesis of Bicyclo[4.2.1]nonane Skeletons by Ring-Closing Metathesis: A New Versatile Methodology for the Efficient Assembly of Functionalized Cyclooctanoids. <i>Organic Letters</i> , 2004, 6, 3075-3078.	4.6	20
100	Chemistry of the Welwitindolinones. , 2007, , 63-101.		20
101	A three-component domino protocol for the facile synthesis of highly functionalized tetrahydroisoquinolines by creation of their benzene ring. <i>Tetrahedron</i> , 2011, 67, 1432-1437.	1.9	20
102	Straightforward synthesis of pyrrolo[3,4-b]quinolines through intramolecular Povarov reactions. <i>Tetrahedron Letters</i> , 2015, 56, 6900-6903.	1.4	20
103	ITH14001, a CGP37157-Nimodipine Hybrid Designed to Regulate Calcium Homeostasis and Oxidative Stress, Exerts Neuroprotection in Cerebral Ischemia. <i>ACS Chemical Neuroscience</i> , 2017, 8, 67-81.	3.5	20
104	L-Proline Catalysed Domino Reactions for the Synthesis of Heterocycles. <i>Current Organic Chemistry</i> , 2013, 17, 2038-2064.	1.6	20
105	Synthesis of 6,12-Epiminodibenzo[<i>b,f</i>][1,5]diazocines via an Ytterbium Triflate-Catalyzed, AB ₂ Three-Component Reaction. <i>Journal of Organic Chemistry</i> , 2016, 81, 9687-9694.	3.2	19
106	Heterogeneous Amberlyst-15-catalyzed synthesis of complex hybrid heterocycles containing [1,6]-naphthyridine under metal-free green conditions. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 6872-6879.	2.8	19
107	Enantioselective catalytic Povarov reactions. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 1550-1581.	2.8	19
108	A General Synthesis of Quinoline-2,5,8(1H)-triones via Acylation of 2,5-Dimethoxyaniline with S-tert-Butyl Thioacetates by Application of the Knorr Cyclization. <i>Synthesis</i> , 1998, 1998, 186-194.	2.3	18

#	ARTICLE	IF	CITATIONS
109	Quantitative determination of dimethicone in commercial tablets and capsules by Fourier transform infrared spectroscopy and antifoaming activity test. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1999, 19, 285-292.	2.8	18
110	Regioselective Diels-Alder reactions of 3-indolylquinones. <i>Tetrahedron</i> , 2003, 59, 2821-2830.	1.9	18
111	Environmental effects on the fluorescence behaviour of carbazole derivatization reagents. <i>Luminescence</i> , 2005, 20, 162-169.	2.9	18
112	Multicomponent Reactions. <i>Synthesis</i> , 2006, 2006, 2624-2624.	2.3	18
113	An Expedient Regio- and Diastereoselective Synthesis of Hybrid Frameworks with Embedded Spiro[9,10]dihydroanthracene [9,3 ²]-pyrrolidine and Spiro[oxindole-3,2 ² -pyrrolidine] Motifs via an Ionic Liquid-Mediated Multicomponent Reaction. <i>Molecules</i> , 2015, 20, 16142-16153.	3.8	18
114	Dipolar Cycloaddition-Based Multicomponent Reactions in Ionic Liquids: A Green, Fully Stereoselective Synthesis of Novel Polycyclic Cage Systems with the Generation of Two New Azaheterocyclic Rings. <i>Synthesis</i> , 2015, 47, 2721-2730.	2.3	18
115	One-Pot Access to a Library of Dispiro Oxindole-pyrrolidine/pyrrolothiazole-thiochromane Hybrids via Three-Component 1,3-Dipolar Cycloaddition Reactions. <i>ACS Combinatorial Science</i> , 2016, 18, 337-342.	3.8	18
116	Highly functionalized pyrrolidine analogues: stereoselective synthesis and caspase-dependent apoptotic activity. <i>RSC Advances</i> , 2018, 8, 41226-41236.	3.6	18
117	Antioxidant, Anti-inflammatory and Neuroprotective Profiles of Novel 1,4-Dihydropyridine Derivatives for the Treatment of Alzheimer's Disease. <i>Antioxidants</i> , 2020, 9, 650.	5.1	18
118	Total synthesis of diazaquinomycin A. <i>Tetrahedron Letters</i> , 1998, 39, 673-676.	1.4	17
119	Chemistry of Pyrazino[2,1-b]quinazoline-3,6-diones. <i>Current Organic Chemistry</i> , 2003, 7, 149-173.	1.6	17
120	DNA Alkylating Agents. , 2008, , 139-176.		17
121	DNA Intercalators and Topoisomerase Inhibitors. , 2008, , 199-228.		17
122	Trends in the Design and Application of Optical Chemosensors in Pharmaceutical and Biomedical Analysis. <i>Current Pharmaceutical Analysis</i> , 2008, 4, 106-117.	0.6	17
123	Stereoselective Synthesis of Bicyclo[4.2.1]nonanes – a Temporary Bridge Approach to Cyclooctanoids. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 4988-4998.	2.4	16
124	Vinylation of Nitro-Substituted Indoles, Quinolinones, and Anilides with Grignard Reagents. <i>Chemistry - A European Journal</i> , 2009, 15, 10930-10939.	3.3	16
125	A General, Diastereoselective Synthesis of Highly Functionalized Bicyclo[3.1]alkane Systems Based on an Anionic Domino Reaction of β -Nitrocycloalkanones. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 2101-2110.	2.4	16
126	Solvent- and chromatography-free amination of β -deficient nitrogen heterocycles under microwave irradiation. A fast, efficient and green route to 9-aminoacridines, 4-aminoquinolines and 4-aminoquinazolines and its application to the synthesis of the drugs amsacrine and bistacrine. <i>Tetrahedron</i> , 2013, 69, 1024-1030.	1.9	16

#	ARTICLE	IF	CITATIONS
127	An efficient synthesis of N-substituted 3-nitrothiophen-2-amines. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 1707-1712.	2.2	16
128	Silica gel-supported hetero Diels-Alder reactions of quinolinetriones. <i>Tetrahedron Letters</i> , 1996, 37, 6955-6958.	1.4	15
129	A very efficient synthesis of 1,8-diazaanthraquinones. <i>Tetrahedron Letters</i> , 1997, 38, 4717-4720.	1.4	15
130	Concise synthesis of tetrahydro derivatives of the pyrido[2,3-b]acridine and pyrido[3,2-b]acridine ring systems. <i>Tetrahedron</i> , 1999, 55, 12637-12646.	1.9	15
131	Concise Preparation of 1,8-Diazaanthracene-2,7,9,10-Tetraones. Two Alternative Syntheses of the Natural Antifolate Diazaquinomycin A. <i>Tetrahedron</i> , 2000, 56, 4575-4583.	1.9	15
132	Anticancer Drugs Acting via Radical Species, Photosensitizers and Photodynamic Therapy of Cancer. , 2008, , 93-138.		15
133	Brief, efficient and highly diastereoselective synthesis of (±)-pumiliotoxin C based on the generation of an octahydroquinoline precursor via a four-component reaction. <i>Chemical Communications</i> , 2011, 47, 10554.	4.1	15
134	Aryl Grignard Reagents in Chemodivergent <i>N</i> - and <i>C</i> -Arylations: Concise Access to Two Families of Tetracyclic Fused Carbazoles from 6-Nitroquinolines. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 2375-2385.	2.4	15
135	Regio and stereoselective synthesis of anticancer spirooxindolopyrrolidine embedded piperidone heterocyclic hybrids derived from one-pot cascade protocol. <i>Chemistry Central Journal</i> , 2018, 12, 95.	2.6	15
136	Enhanced Stability and Bioactivity of Natural Anticancer Topoisomerase I Inhibitors through Cyclodextrin Complexation. <i>Pharmaceutics</i> , 2021, 13, 1609.	4.5	15
137	1,2-Dihydroquinolin-2-one (carbostyrl) anions as bidentate nucleophiles in their reactions with aryllead triacetates: synthesis of 1-aryl- and 3-aryl-tetrahydroquinoline-2,5,8-triones. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997, , 229-234.	0.9	14
138	Synthesis of 1,2,3,4-tetrahydroascididemin. <i>Tetrahedron Letters</i> , 1999, 40, 4097-4098.	1.4	14
139	Improvements in the Hetero Diels-Alder Reactions of 1-Dimethylamino-1-azadienes in the Presence of an Electrophilic Scavenger Resin. <i>Synlett</i> , 2000, 2000, 205-208.	1.8	14
140	Antimetabolites. , 2008, , 9-52.		14
141	Expedient, catalyst-free, three-component synthesis of fused tetrahydropyridines in water. <i>RSC Advances</i> , 2015, 5, 81881-81888.	3.6	14
142	Total Synthesis of the Carboxylic Acid Ionophore Antibiotic CP-61,405 (Routiennocin): Preparation of the Inherent Spiroketal Unit via a Reverse Coupling Process. <i>Synlett</i> , 1992, 1992, 399-401.	1.8	13
143	Synthesis of benzo- and naphtho-fused bicyclo[n.3.1]alkane frameworks with a bridgehead nitrogen function by palladium-catalyzed intramolecular I^{\pm} -arylation of I^{\pm} -nitroketones. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 2722.	2.8	13
144	Michael Additions in Aqueous Media: O^{\pm} -Water and N^{\pm} -Water Processes from I^{\pm} -Nitro Ketones and Their Anions. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 1327-1336.	2.4	13

#	ARTICLE	IF	CITATIONS
145	High-speed vibration-milling-promoted synthesis of symmetrical frameworks containing two or three pyrrole units. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 1957-1962.	2.2	13
146	Structure-activity relationships and mechanistic studies of novel mitochondria-targeted, leishmanicidal derivatives of the 4-aminostyrylquinoline scaffold. <i>European Journal of Medicinal Chemistry</i> , 2019, 171, 38-53.	5.5	13
147	Diversity-Oriented Synthesis of Complex Pyrrole-Based Architectures from Very Simple Starting Materials. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 2054-2074.	4.3	13
148	Bisavenathramide Analogues as Nrf2 Inductors and Neuroprotectors in In Vitro Models of Oxidative Stress and Hyperphosphorylation. <i>Antioxidants</i> , 2021, 10, 941.	5.1	13
149	Synthesis and structure-activity relationships of 1,5-diazaanthraquinones as antitumour compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 3929-3932.	2.2	12
150	Three-Component Synthesis of a Library of m-Terphenyl Derivatives with Embedded β^2 -Aminoester Moieties. <i>ACS Combinatorial Science</i> , 2018, 20, 722-731.	3.8	12
151	Multicomponent Domino Synthesis, Anticancer Activity and Molecular Modeling Simulation of Complex Dispirooxindolopyrrolidines. <i>Molecules</i> , 2018, 23, 1094.	3.8	12
152	Multicomponent domino protocol for the stereoselective synthesis of novel pyrrolo[3,2-c]quinolinone hybrid heterocycles. <i>Tetrahedron Letters</i> , 2019, 60, 602-605.	1.4	12
153	Study of the Reaction Between Cyanohydrins and Chlorosulfonyl Isocyanate. A New, Efficient Method for the One-Pot Synthesis of 2,4-Oxazolidinediones. <i>Synthesis</i> , 1991, 1991, 697-698.	2.3	11
154	On the fate of the tryptophan stereocenter during the synthesis of hexacyclic analogues of N-acetylardeemin. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 3025-3038.	1.8	11
155	Steric and stereochemical effects on the free-radical bromination of tetracyclic and hexacyclic fragments of the MDR inhibitor N-acetylardeemin. <i>Tetrahedron</i> , 1999, 55, 14185-14198.	1.9	11
156	Versatile synthesis of malonamic acid derivatives from a β^2 -keto thioester. <i>Tetrahedron Letters</i> , 2001, 42, 4479-4482.	1.4	11
157	Two chemodivergent anionic domino processes from cyclic β^2 -nitroketones and aromatic aldehydes. <i>Tetrahedron</i> , 2011, 67, 5582-5589.	1.9	11
158	A systematic study of two complementary protocols allowing the general, mild and efficient deprotection of N-pivaloylindoles. <i>Tetrahedron</i> , 2012, 68, 705-710.	1.9	11
159	One-Pot β^2 -Amidosulfone-Mediated Variation of the Pictet-Spengler Tetrahydroisoquinoline Synthesis, Suitable for Amide-Type Substrates. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 5720-5727.	2.4	11
160	One-Pot Mechanochemical Synthesis of Mono- and Bis-Indolylquinones via Solvent-Free Multiple Bond-Forming Processes. <i>ChemSusChem</i> , 2021, 14, 4764-4775.	6.8	11
161	Modulation of Prion by Small Molecules: From Monovalent to Bivalent and Multivalent Ligands. <i>Current Topics in Medicinal Chemistry</i> , 2013, 13, 2491-2503.	2.1	11
162	Multitarget Hybrid Fasudil Derivatives as a New Approach to the Potential Treatment of Amyotrophic Lateral Sclerosis. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 1867-1882.	6.4	11

#	ARTICLE	IF	CITATIONS
163	New findings on the Vilsmeier-Haack approach to quinoline derivatives. <i>Tetrahedron</i> , 1993, 49, 10997-11008.	1.9	10
164	One-pot assembly of large heterocyclic quinones through three-component reactions. <i>Tetrahedron Letters</i> , 2001, 42, 7971-7974.	1.4	10
165	Synthesis and biological evaluation of new 1,5-diazaanthraquinones with cytotoxic activity. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 6505-6515.	3.0	10
166	1,3-Dipolar cycloadditions from tricyclic hemiaminals. Synthesis of the quinocarcin core through catalyst-free generation of azomethine ylides. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 6271.	2.8	10
167	Hetero Diels-Alder reactions of 4,5,8(1H)-quinolinetriones. <i>Tetrahedron</i> , 1997, 53, 11465-11480.	1.9	9
168	Efficient synthesis of the pyrido[2,3,4-kl]acridin-4-one system common to several cytotoxic marine alkaloids. <i>Tetrahedron Letters</i> , 2003, 44, 6003-6005.	1.4	9
169	Peptidomimetics in cancer chemotherapy. <i>Clinical and Translational Oncology</i> , 2007, 9, 563-570.	2.4	9
170	Drugs That Inhibit Signalling Pathways for Tumor Cell Growth and Proliferation. , 2008, , 251-305.		9
171	New Findings on the Cerium(IV) Ammonium Nitrate Catalyzed Povarov Reaction: Stereoselective Synthesis of 4-Alkoxy-2-aryl-1,2,3,4-tetrahydroquinoline Derivatives. <i>Synthesis</i> , 2008, 2008, 1039-1044.	2.3	9
172	Anticancer Drugs That Interact with the DNA Minor Groove. , 2015, , 243-271.		9
173	Fluorescence properties of the anti-tumour alkaloid luotonin A and new synthetic analogues: pH modulation as an approach to their fluorimetric quantitation in biological samples. <i>Journal of Luminescence</i> , 2012, 132, 2468-2475.	3.1	8
174	A new CAN-catalyzed domino process related to the Nenitzescu reaction: very concise access to fused ortho-indolequinones from simple precursors. <i>Tetrahedron</i> , 2013, 69, 5401-5406.	1.9	8
175	Editorial (Hot Topic: Multibond Forming Reactions: A New Frontier in the Synthesis of Heterocycles). <i>Current Organic Chemistry</i> , 2013, 17, 1919-1919.	1.6	8
176	Design and synthesis of A- and D ring-modified analogues of luotonin A with reduced planarity. <i>Tetrahedron Letters</i> , 2019, 60, 1514-1517.	1.4	8
177	Synthesis and Biological Evaluation of Tetrahydropyrimidine and Dihydropyridine Derivatives Against <i>Leishmania Major</i> . <i>Acta Parasitologica</i> , 2022, 67, 255-266.	1.1	8
178	Microwave-Assisted, Solvent-Free Bischler Indole Synthesis. <i>Synlett</i> , 2006, 2006, 0091-0095.	1.8	7
179	MDR Reversal by Deprenylated Tetracyclic and Hexacyclic Analogues of N-Acetylardeemin: Confirmation of the Ardeemin Pharmacophore. <i>Letters in Drug Design and Discovery</i> , 2006, 3, 369-377.	0.7	7
180	Mild and High-Yielding Synthesis of \hat{I}^2 -Keto Esters and \hat{I}^2 -Ketoamides. <i>Synthesis</i> , 2010, 2010, 1053-1057.	2.3	7

#	ARTICLE	IF	CITATIONS
181	A one-pot sequence for the efficient synthesis of highly functionalized macrocarbocycles or bridged 2,8-dioxabicyclo[3.2.1]octanes from 1-nitrobicyclic compounds. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 5131.	2.8	7
182	Convenient Synthesis of Highly Functionalized, 3,4-Disubstituted Indole Building Blocks. <i>Open Organic Chemistry Journal</i> , 2007, 1, 1-12.	0.9	7
183	An Improved Multigram-Scale Preparation of <i>S-Tert</i> -Butyl Acetothioacetate. <i>Synthetic Communications</i> , 1992, 22, 2329-2333.	2.1	6
184	Bicyclic 6-6 Systems with One Ring Junction Nitrogen Atom: No Extra Heteroatom. , 1996, , 507-562.		6
185	Synthesis of Oxygenated Carbazoles by Palladium-Mediated Oxidative Double C-H Activation of Diarylamines Assisted by Microwave Irradiation. <i>Synlett</i> , 2006, 2006, 2375-2378.	1.8	6
186	Synthesis of Polysubstituted, Functionalized Quinolines through a Metal-Free Domino Process Involving a C4 \rightleftharpoons C3 Functional Group Rearrangement. <i>Organic Letters</i> , 2012, 14, 1402-1404.	4.6	6
187	Anticancer Drugs Acting via Radical Species. , 2015, , 133-195.		6
188	DNA Alkylating Agents. , 2015, , 197-241.		6
189	Oxidant-free, three-component synthesis of 7-amino-6 <i>H</i> -benzo[<i>c</i>]chromen-6-ones under green conditions. <i>RSC Advances</i> , 2019, 9, 32946-32953.	3.6	6
190	Discovery of 7-aminophenanthridin-6-one as a new scaffold for matrix metalloproteinase inhibitors with multitarget neuroprotective activity. <i>European Journal of Medicinal Chemistry</i> , 2021, 210, 113061.	5.5	6
191	Neuroprotective Action of Multitarget 7-Aminophenanthridin-6(<i>5H</i>)-one Derivatives against Metal-Induced Cell Death and Oxidative Stress in SN56 Cells. <i>ACS Chemical Neuroscience</i> , 2021, 12, 3358-3372.	3.5	6
192	Regioselective Diels-Alder Reactions of 3-Vinylindoles with Quinones. <i>Letters in Organic Chemistry</i> , 2004, 1, 20-22.	0.5	5
193	Microwave-Assisted Synthesis of 2,5-Piperazinediones under Solvent-Free Conditions. <i>Synthesis</i> , 2005, 2005, 3412-3422.	2.3	5
194	Anticancer Drugs Targeting Tubulin and Microtubules. , 2008, , 229-249.		5
195	A Mild Protocol for the Efficient Synthesis of 5,6-Unsubstituted 1,4-Dihydropyridines. <i>Synlett</i> , 2009, 2009, 2249-2252.	1.8	5
196	Synthesis of a D Ring α -Functionalized Derivative of the Epiwewistatin Tetracyclic Core. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 2802-2812.	2.4	5
197	A catalyst-free multicomponent domino sequence for the diastereoselective synthesis of (<i>E</i>)-3-[2-arylcarbonyl-3-(arylamino)allyl]chromen-4-ones. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 459-465.	2.2	5
198	Drugs That Inhibit Signaling Pathways for Tumor Cell Growth and Proliferation. , 2015, , 391-491.		5

#	ARTICLE	IF	CITATIONS
199	General Aspects of Cancer Chemotherapy. , 2015, , 1-22.		5
200	Anticancer Drugs Targeting Tubulin and Microtubules. , 2015, , 359-390.		5
201	D-Ring-Modified Analogues of Luotonin A with Reduced Planarity: Design, Synthesis, and Evaluation of Their Topoisomerase Inhibition-Associated Cytotoxicity. BioMed Research International, 2019, 2019, 1-12.	1.9	5
202	Ionic liquid mediated synthesis and <i>in vitro</i> mechanistic exploration of polycyclic cage-like heterocyclic hybrid. Journal of Heterocyclic Chemistry, 2021, 58, 580-588.	2.6	5
203	Mechanochemical Aza-Vinylogous Povarov Reactions for the Synthesis of Highly Functionalized 1,2,3,4-Tetrahydroquinolines and 1,2,3,4-Tetrahydro-1,5-Naphthyridines. Molecules, 2021, 26, 1330.	3.8	5
204	Synthesis of a Seco Analogue of Ardeemin. Heterocycles, 2000, 53, 1765.	0.7	5
205	Re-examination of the Synthesis of 3,5-Dimethoxy-2-nitrobenzaldehyde. Synthetic Communications, 1993, 23, 1351-1356.	2.1	4
206	General, Mild and Efficient Synthesis of β^2 -Enaminones Catalyzed by Ceric Ammonium Nitrate. Synlett, 2007, 2007, 0881-0884.	1.8	4
207	Changes in the reactivity of the fluorescent reagents carbazole-9-carbonyl chloride and 9-carbazolylacetic acid in the presence of cyclodextrins. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 57, 553-559.	1.6	4
208	Drug Targeting in Anticancer Chemotherapy. , 2008, , 351-385.		4
209	Half-Wave Potentials of 1,8-Diazaanthraquinones. Bulletin Des Sociétés Chimiques Belges, 1995, 104, 683-690.	0.0	4
210	A General Protocol for the Solvent- and Catalyst-Free Synthesis of 2-Styrylquinolines under Focused Microwave Irradiation. Synlett, 2011, 2011, 2577-2579.	1.8	4
211	Synthesis of Heterocycles Through Multicomponent Reactions in Water. , 2014, , 1-35.		4
212	Antimetabolites That Interfere with Nucleic Acid Biosynthesis. , 2015, , 23-79.		4
213	Anticancer Drugs That Modulate Hormone Action. , 2015, , 81-131.		4
214	From Simple Cyclic 1,3-Ketoamides to Complex Spirolactams by Supported Heterogeneous Organocatalysis with PS-BEMP. Synthesis, 2016, 48, 3217-3231.	2.3	4
215	Rearrangement Reactions in Aza-Vinylogous Povarov Products: Metal-Free Synthesis of C ³ -Functionalized Quinolines and Studies on their Synthetic Application. European Journal of Organic Chemistry, 2019, 2019, 6452-6464.	2.4	4
216	Aza-CGP371571-like hybrids designed as novel Nrf2 inducers and antioxidants exert neuroprotection against oxidative stress and show neuroinflammation inhibitory properties. Drug Development Research, 2020, 81, 283-294.	2.9	4

#	ARTICLE	IF	CITATIONS
217	Synthesis of 1,4-Diazepanes and Benzo[b][1,4]diazepines by a Domino Process Involving the In Situ Generation of an Aza-Nazarov Reagent. <i>Journal of Organic Chemistry</i> , 2020, 85, 11924-11933.	3.2	4
218	Curcumin-Piperlongumine Hybrids with a Multitarget Profile Elicit Neuroprotection in In Vitro Models of Oxidative Stress and Hyperphosphorylation. <i>Antioxidants</i> , 2022, 11, 28.	5.1	4
219	Synthesis of 1- <i>ε</i> -substituted and 1,3- <i>ε</i> -disubstituted (1 <i>R</i> ,1 <i>b</i> S)-9,10-dimethoxy-1,3,4,6,7,11 <i>b</i> -hexahydrospiro[benzo[<i>a</i>]quinolin-2,5- <i>ε</i> -imidazolidine]-2,4-diones. <i>Journal of Heterocyclic Chemistry</i> , 1991, 28, 923-931.		3
220	CAN-Catalyzed Vinylogous Povarov Reactions: The First Three-Component Synthesis of 2-Functionalized Tetrahydroquinolines from Anilines, <i>c</i> -Cinnamaldehyde and Vinyl Ethers. <i>Synlett</i> , 2007, 2007, 1079-1082.	1.8	3
221	Anticancer Drugs That Inhibit Hormone Action. , 2008, , 53-91.		3
222	Drugs That Modulate Resistance to Antitumor Agents. , 2015, , 655-700.		3
223	Three-component synthesis of highly functionalized aziridines containing a peptide side chain and their one-step transformation into β^2 -functionalized β^2 -ketoamides. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 1772-1777.	2.2	3
224	Antioxidants as Molecular Probes: Structurally Novel Dihydro- <i>m</i> -Terphenyls as Turn-On Fluorescence Chemodosimeters for Biologically Relevant Oxidants. <i>Antioxidants</i> , 2020, 9, 605.	5.1	3
225	Fluorescence Sensors Based on Hydroxycarbazole for the Determination of Neurodegeneration-Related Halide Anions. <i>Biosensors</i> , 2022, 12, 175.	4.7	3
226	The Directed Lithiation Route to 2-Amino-3-alkylquinones: Highly Regioselective Introduction of Electrophiles at the C-7 Position of 2(1 <i>H</i>)-Quinolinones. <i>Synlett</i> , 2007, 2007, 2805-2808.	1.8	2
227	Alkylating and Non-Alkylating Compounds Interacting with the DNA Minor Groove. , 2008, , 177-198.		2
228	Drugs That Modulate Resistance to Antitumor Agents. , 2008, , 387-416.		2
229	Cancer Chemoprevention. , 2008, , 417-429.		2
230	Drug Targeting in Anticancer Chemotherapy. , 2015, , 595-653.		2
231	Epigenetic Therapy of Cancer. , 2015, , 325-358.		2
232	A Sustainable Approach to the Stereoselective Synthesis of Diazaheptacyclic Cage Systems Based on a Multicomponent Strategy in an Ionic Liquid. <i>Molecules</i> , 2016, 21, 165.	3.8	2
233	Addition to α - $\text{CaV}2.2$, a CGP37157-Nimodipine Hybrid Designed to Regulate Calcium Homeostasis and Oxidative Stress, Exerts Neuroprotection in Cerebral Ischemia. <i>ACS Chemical Neuroscience</i> , 2017, 8, 210-210.	3.5	2
234	ELECTROCHEMICAL EVIDENCE FOR OXO-ENOL TAUTOMERISM OF AZAANTHRACENE-4,9,10-TRIONES. <i>Heterocyclic Communications</i> , 2000, 6, .	1.2	1

#	ARTICLE	IF	CITATIONS
235	Solvent-Free Cyclocondensation of Lactim Ethers with Anthranilic Acid under Microwave Irradiation. Synlett, 2004, 2004, 0803-0806.	1.8	1
236	An Efficient Procedure for the Deprotection of N-Pivaloylindoles, Carbazoles and Î²-Carbolines with LDA. Synlett, 2005, 2005, 107-110.	1.8	1
237	Solvent-Free, Efficient Synthesis of 2,5-Piperazinediones from Boc-Protected Dipeptide Esters under Microwave Irradiation. Synlett, 2005, 2005, 1158-1160.	1.8	1
238	Synthesis of Pyrido[3,2-b]carbazolequinones Involving N-Arylation of 5,8-Dimethoxy-6-nitroquinolines by Aryl Grignard Reagents and a New One-Pot, Palladium-Promoted Oxidative Coupling-Oxidative Demethylation Sequence. Synlett, 2008, 2008, 1371.	1.8	1
239	Three-Component, Diastereoselective Synthesis of Highly Functionalized Indane Derivatives Based on an Anionic Domino Sequence from Î±-Nitroketones. Synlett, 2010, 2010, 2465-2467.	1.8	1
240	Other Nonbiological Approaches to Targeted Cancer Chemotherapy. , 2015, , 493-560.		1
241	Other Anticancer Drugs Targeting DNA and DNA-Associated Enzymes. , 2015, , 273-323.		1
242	(E)-3-((2-Fluorophenyl)(hydroxy)methylene)imidazo[1,2-a]pyridin-2(3H)-one. MolBank, 2021, 2021, M1212.	0.5	1
243	(2S*,4S*)-4-[(E)-(2,2-Dimethylhydrazono)methyl]-6-methoxy-4-methyl-2-[(E)-styryl]-1,2,3,4-tetrahydroquinoline. MolBank, 2021, 2021, M1220.	0.5	1
244	Synthesis of Pyrido[3,2- <i>b</i>]carbazolequinones Involving N-Arylation of 5,8-Dimethoxy-6-nitroquinolines by Aryl Grignard Reagents and a New One-Pot, Palladium-Promoted Oxidative Coupling-Oxidative Demethylation Sequence. Synlett, 2008, 2008, 1371-1375.	1.8	1
245	Aldol condensations in pyrazino[2,1- <i>b</i>]quinazolines. Fast access to seco-ardeemin derivatives. Arkivoc, 2011, 2011, 72-98.	0.5	1
246	Synthesis of Fused Quinoline Derivatives from Easily Accessible N-(2-aminobenzylidene)-4-methylanilines under Catalyst-Free Conditions in Water. ChemistrySelect, 2021, 6, 10436-10439.	1.5	1
247	Enantioselective Synthesis and Pharmacological Evaluation of Aza-CGP37157-Lipoic Acid Hybrids for the Treatment of Alzheimer's Disease. Antioxidants, 2022, 11, 112.	5.1	1
248	Neuroprotective mechanisms of multitarget 7-aminophenanthridin-6(5H)-one derivatives against metal-induced amyloid proteins generation and aggregation. Food and Chemical Toxicology, 2022, 167, 113264.	3.6	1
249	Efficient, Multigram-Scale Synthesis of Three 2,5-Dihalobenzoquinones. ChemInform, 2003, 34, no-no.	0.0	0
250	Chemistry of Pyrazino[2,1- <i>b</i>]quinazoline-3,6-diones. ChemInform, 2003, 34, no.	0.0	0
251	Regioselective Diels-Alder Reactions of 3-Indolylquinones.. ChemInform, 2003, 34, no.	0.0	0
252	Efficient Synthesis of the Pyrido[2,3,4- <i>kl</i>]acridin-4-one System Common to Several Cytotoxic Marine Alkaloids.. ChemInform, 2003, 34, no.	0.0	0

#	ARTICLE	IF	CITATIONS
253	Practical and User-Friendly Procedure for Michael Reactions of β -Nitroketones in Water. <i>Synlett</i> , 2003, 2003, 2159-2162.	1.8	0
254	Practical and User-Friendly Procedure for Michael Reactions of β -Nitroketones in Water.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
255	Synthesis and Structure-Activity Relationships of 1,5-Diazaanthraquinones as Antitumor Compounds.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
256	Stereoselective Synthesis of Bicyclo[4.2.1]nonane Skeletons by Ring-Closing Metathesis: A New Versatile Methodology for the Efficient Assembly of Functionalized Cyclooctanoids.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
257	Synthetic Studies on N-Methylwelwitindolinone C Isothiocyanate (Welwistatin) and Related Substructures. <i>ChemInform</i> , 2004, 35, no.	0.0	0
258	An Efficient Procedure for the Deprotection of N-Pivaloylindoles, Carbazoles and β -Carbolines with LDA.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
259	Solvent-Free, Efficient Synthesis of 2,5-Piperazinediones from Boc-Protected Dipeptide Esters under Microwave Irradiation.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
260	One-Pot Synthesis of Highly Functionalized Oxindoles under Swern Oxidation Conditions. <i>Synlett</i> , 2007, 2007, 2792-2796.	1.8	0
261	Microwave-Assisted, Solvent-Free Synthesis of Several Quinazoline Alkaloid Frameworks. <i>Synthesis</i> , 2007, 2007, 3390-3398.	2.3	0
262	Other Approaches to Targeted Therapy. , 2008, , 307-349.		0
263	Ethyl 4,4''-Dibromo-5'-(butylamino)-2',6'-dinitro-[1,1':3',1''-terphenyl]-4'-carboxylate. <i>MolBank</i> , 2015, 2015, M848.	0.5	0
264	Biological Therapy of Cancer. , 2015, , 561-593.		0
265	Cancer Chemoprevention. , 2015, , 701-723.		0
266	A systematic ¹ H- and ¹³ C-NMR spectral analysis of bicyclo[n.3.1]alkanone systems: Determination of the relative configuration of the stereogenic centres and conformation of the six-membered ring. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 1044-1051.	1.9	0
267	Sustainable Access to Acridin-9-(10H)ones with an Embedded m-Terphenyl Moiety Based on a Three-Component Reaction. <i>Molecules</i> , 2020, 25, 5565.	3.8	0
268	Solid-State Green Organic Reactions. <i>Materials Horizons</i> , 2021, , 85-109.	0.6	0
269	Efficient synthesis of a highly functionalized dihydrobenzothiophene derivative: A ring-contracted analogue of the anti-inflammatory drug propoxicam. <i>Synlett</i> , 0, , .	1.8	0