## Jean-Louis Hilbert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2663501/publications.pdf

Version: 2024-02-01

68 2,936 25
papers citations h-index

70 70 70 3244
all docs docs citations times ranked citing authors

52

g-index

#	Article	IF	CITATIONS
1	Endogenous trans-Acting siRNAs Regulate the Accumulation of Arabidopsis mRNAs. Molecular Cell, 2004, 16, 69-79.	9.7	742
2	An improved ergosterol assay to estimate fungal biomass in ectomycorrhizas. Mycological Research, 1990, 94, 1059-1064.	2.5	170
3	Review: Correlations between oxygen affinity and sequence classifications of plant hemoglobins. Biopolymers, 2009, 91, 1083-1096.	2.4	120
4	Ectomycorrhizin Synthesis and Polypeptide Changes during the Early Stage of Eucalypt Mycorrhiza Development. Plant Physiology, 1991, 97, 977-984.	4.8	114
5	Regulation of gene expression in ectomycorrhizas. I. Protein changes and the presence of ectomycorrhiza-specific polypeptides in the Pisolithus-Eucalyptus symbiosis. New Phytologist, 1988, 110, 339-346.	7.3	96
6	Arabinogalactan-proteins in Cichorium somatic embryogenesis: effect of $\hat{l}^2$ -glucosyl Yariv reagent and epitope localisation during embryo development. Planta, 2000, 211, 305-314.	3.2	96
7	Phenolic profiles and antioxidative effects of hawthorn cell suspensions, fresh fruits, and medicinal dried parts. Food Chemistry, 2009, 115, 897-903.	8.2	79
8	Slow Ligand Binding Kinetics Dominate Ferrous Hexacoordinate Hemoglobin Reactivities and Reveal Differences between Plants and Other Speciesâ€. Biochemistry, 2006, 45, 561-570.	2.5	78
9	Three major somatic embryogenesis related proteins in Cichorium identified as PR proteins. Journal of Experimental Botany, 2000, 51, 1189-1200.	4.8	77
10	Morphological, biochemical and molecular changes during ectomycorrhiza development. Experientia, 1991, 47, 321-331.	1.2	75
11	A proteomic approach to decipher chilling response from cold acclimation in pea (Pisum sativum L.). Plant Science, 2011, 180, 86-98.	3.6	75
12	Humulus lupulus L., a very popular beer ingredient and medicinal plant: overview of its phytochemistry, its bioactivity, and its biotechnology. Phytochemistry Reviews, 2018, 17, 1047-1090.	6.5	72
13	Association of sugar content QTL and PQL with physiological traits relevant to frost damage resistance in pea under field and controlled conditions. Theoretical and Applied Genetics, 2009, 118, 1561-1571.	3.6	68
14	Development of SSR markers and construction of a consensus genetic map for chicory (Cichorium) Tj ETQq0 0 0	) rgBT /Ove	erlock 10 Tf 50
15	Antifungal activity of hop extracts and compounds against the wheat pathogen Zymoseptoria tritici. Industrial Crops and Products, 2018, 122, 290-297.	5.2	52
16	Identification and Characterization of Five BAHD Acyltransferases Involved in Hydroxycinnamoyl Ester Metabolism in Chicory. Frontiers in Plant Science, 2016, 7, 741.	3.6	50
17	Selection and validation of reference genes for quantitative real-time PCR analysis of gene expression in Cichorium intybus. Frontiers in Plant Science, 2015, 6, 651.	3.6	49
18	Efficient Genome Editing Using CRISPR/Cas9 Technology in Chicory. International Journal of Molecular Sciences, 2019, 20, 1155.	4.1	47

#	Article	IF	CITATIONS
19	Extracellular $\hat{l}^2$ -1,3-glucanases are induced during early somatic embryogenesis in Cichorium. Planta, 1998, 205, 56-63.	3.2	44
20	A glutathione S-transferase cDNA identified by mRNA differential display is upregulated during somatic embryogenesis in Cichorium. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2001, 1522, 212-216.	2.4	39
21	Characterization of expressed sequence tags obtained by SSH during somatic embryogenesis in Cichorium intybus L. BMC Plant Biology, 2007, 7, 27.	3.6	36
22	A nonsymbiotic hemoglobin gene is expressed during somatic embryogenesis in Cichorium. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1998, 1443, 193-197.	2.4	31
23	Effects of variety, agronomic factors, and drying on the amount of free asparagine and crude protein in chicory. Correlation with the acrylamide formation during roasting. Food Research International, 2014, 63, 299-305.	6.2	29
24	Genome-wide association study identifies favorable SNP alleles and candidate genes for frost tolerance in pea. BMC Genomics, 2020, 21, 536.	2.8	28
25	Inhibition of direct somatic embryogenesis by ?-difluoromethylarginine in a Cichorium hybrid: effects on polyamine content and protein patterns. Planta, 1995, 196, 571.	3.2	27
26	Phenolic Composition and Antioxidant and Antimicrobial Activities of Extracts Obtained from Crataegus azarolus L. var. aronia (Willd.) Batt. Ovaries Calli. Journal of Botany, 2014, 2014, 1-11.	1.2	27
27	QTL mapping and successful introgression of the spring wheat-derived QTL Fhb1 for Fusarium head blight resistance in three European triticale populations. Theoretical and Applied Genetics, 2020, 133, 457-477.	3.6	27
28	Cloning of beta-1,3-glucanases expressed during Cichorium somatic embryogenesis. Plant Molecular Biology, 2000, 42, 377-386.	3.9	26
29	A Method for the Simultaneous Determination of Chlorogenic Acid and Sesquiterpene Lactone Content in Industrial Chicory Root Foodstuffs. Scientific World Journal, The, 2014, 2014, 1-11.	2.1	26
30	Embryogenesis-related protein synthesis and accumulation during early acquisition of somatic embryogenesis competence in Cichorium. Plant Science, 1993, 93, 41-53.	3.6	25
31	Removal of the fibrillar network surrounding Cichorium somatic embryos using cytoskeleton inhibitors: analysis of proteic components. Plant Science, 2000, 150, 103-114.	3.6	22
32	Cell wall differentiation during early somatic embryogenesis in plants. II. Ultrastructural study and pectin immunolocalization on chicory embryos. Canadian Journal of Botany, 2000, 78, 824-831.	1.1	22
33	Immunolocalization of Non-Symbiotic Hemoglobins During Somatic Embryogenesis in Chicory. Plant Signaling and Behavior, 2007, 2, 43-49.	2.4	21
34	Identification of novel genes potentially involved in somatic embryogenesis in chicory (Cichorium) Tj ETQq0 0 0	rgBT/Ove	erlock 10 Tf 50
35	Stress proteins n the polychaete annelid Nereis diversicolor induced by heat shock or cadmium exposure. Biochimie, 1994, 76, 423-427.	2.6	20
36	Callogenesis and rhizogenesis in date palm leaf segments: are there similarities between the two auxin-induced pathways?. Plant Cell, Tissue and Organ Culture, 2009, 98, 47-58.	2.3	20

#	Article	IF	CITATIONS
37	A "Novel―Protocol for the Analysis of Hydroxycinnamic Acids in Leaf Tissue of Chicory ( <i>Cichorium) Tj ETC</i>	Qq1.1 0.78	4314 rgBT
38	Cell wall differentiation during early somatic embryogenesis in plants. II. Ultrastructural study and pectin immunolocalization on chicory embryos. Canadian Journal of Botany, 2000, 78, 824-831.	1.1	18
39	Cell wall differentiation during early somatic embryogenesis in plants. I. Scanning and transmission electron microscopy study on embryos originating from direct, indirect, and adventitious pathways. Canadian Journal of Botany, 2000, 78, 816-823.	1.1	18
40	A method for genotyping elite breeding stocks of leaf chicory (Cichorium intybus L.) by assaying mapped microsatellite marker loci. BMC Research Notes, 2015, 8, 831.	1.4	17
41	Chicory Roots for Prebiotics and Appetite Regulation: A Pilot Study in Mice. Journal of Agricultural and Food Chemistry, 2018, 66, 6439-6449.	<b>5.</b> 2	17
42	Chicory: Understanding the Effects and Effectors of This Functional Food. Nutrients, 2022, 14, 957.	4.1	14
43	Polypeptides associated with the induction of direct somatic embryogenesis in Camellia japonica leaves I. Identification of embryo-specific polypeptides. Journal of Experimental Botany, 1995, 46, 1579-1584.	4.8	13
44	Changes in lipid composition during somatic embryogenesis in leaves of Cichorium. Plant Science, 2000, 157, 165-172.	3.6	13
45	Glycerol effects both carbohydrate metabolism and cytoskeletal rearrangements during the induction of somatic embryogenesis in chicory leaf tissues. Plant Physiology and Biochemistry, 2001, 39, 503-511.	<b>5.</b> 8	13
46	Co-Localization of $\tilde{\text{A}}\ddot{\text{Y}}$ -1,3-Glucanases and Callose During Somatic Embryogenesis in Cichorium. Plant Signaling and Behavior, 2007, 2, 455-461.	2.4	13
47	Genetic Structure of <i>Zymoseptoria tritici</i> in Northern France at Region, Field, Plant, and Leaf Layer Scales. Phytopathology, 2018, 108, 1114-1123.	2.2	13
48	Sexual reproduction of Zymoseptoria tritici on durum wheat in Tunisia revealed by presence of airborne inoculum, fruiting bodies and high levels of genetic diversity. Fungal Biology, 2019, 123, 763-772.	2.5	13
49	Quantification of chicory root bitterness by an ELISA for $11\hat{l}^2$ ,13-dihydrolactucin. Food Chemistry, 2007, 105, 742-748.	8.2	12
50	A BAHD neofunctionalization promotes tetrahydroxycinnamoyl spermine accumulation in the pollen coats of the Asteraceae family. Journal of Experimental Botany, 2018, 69, 5355-5371.	4.8	12
51	Pretreatments, conditioned medium and co-culture increase the incidence of somatic embryogenesis of different Cichorium species. Plant Signaling and Behavior, 2012, 7, 121-131.	2.4	11
52	A Laminarin-Based Formulation Protects Wheat Against <i>Zymoseptoria tritici</i> via Direct Antifungal Activity and Elicitation of Host Defense-Related Genes. Plant Disease, 2022, 106, 1408-1418.	1.4	11
53	9-kDa acidic and basic nsLTP-like proteins are secreted in the culture-medium conditioned by somatic embryogenesis in Cichorium. Plant Physiology and Biochemistry, 2002, 40, 339-345.	5.8	10
54	Glutathione-S-transferase is Detected During Somatic Embryogenesis in Chicory. Plant Signaling and Behavior, 2007, 2, 343-348.	2.4	10

#	Article	IF	CITATIONS
55	Regeneration and molecular characterization of a male sterile interspecific somatic hybrid between Cichorium intybus and C. endivia. Plant Science, 2007, 172, 596-603.	3.6	9
56	Effects of Nuclear Genomes on Anther Development in Cytoplasmic Male Sterile Chicories (Cichorium) Tj ETQq0	0 0 rgBT 2.f	/Overlock 10
57	Chicory root flour – A functional food with potential multiple health benefits evaluated in a mice model. Journal of Functional Foods, 2020, 74, 104174.	3.4	9
58	Impact of Variety and Agronomic Factors on Crude Protein and Total Lysine in Chicory; <i>N</i> <sup>ε</sup> -Carboxymethyl-lysine-Forming Potential during Drying and Roasting. Journal of Agricultural and Food Chemistry, 2015, 63, 10295-10302.	5.2	8
59	MeJA Elicitation of Chicory Hairy Roots Promotes Efficient Increase of 3,5-diCQA Accumulation, a Potent Antioxidant and Antibacterial Molecule. Antibiotics, 2020, 9, 659.	3.7	8
60	A GDSL lipase-like from Ipomoea batatas catalyzes efficient production of 3,5-diCQA when expressed in Pichia pastoris. Communications Biology, 2020, 3, 673.	4.4	8
61	Characterisation of cDNAs homologous to Rab5-GTP binding protein expressed during early somatic embryogenesis in chicory. Plant Science, 2002, 162, 413-422.	3.6	7
62	Whitened kernel surface: A fast and reliable method for assessing Fusarium severity on cereal grains by digital picture analysis. Plant Breeding, 2019, 138, 69-81.	1.9	7
63	Cell wall differentiation during early somatic embryogenesis in plants. I. Scanning and transmission electron microscopy study on embryos originating from direct, indirect, and adventitious pathways. Canadian Journal of Botany, 2000, 78, 816-823.	1.1	6
64	Protein changes and the presence of ectomycorrhiza-specific polypeptides in the Pisolithus-Eucalyptus symbiosis. Agriculture, Ecosystems and Environment, 1990, 28, 181-184.	5.3	3
65	Sesamolâ€based terpenoids as promising bioâ€sourced crop protection compounds against the wheat pathogen Zymoseptoria tritici. Pest Management Science, 2021, 77, 2403-2414.	3.4	3
66	Changes in the pattern of protein synthesis during differentiation of the Ascomycete Sphaerostilbe repens. Physiologia Plantarum, 1986, 68, 403-409.	5.2	2
67	γâ€Lactamâ€Based Antifungal Compounds against the Wheat Pathogen Zymoseptoria tritici. Chemistry and Biodiversity, 2021, 18, e2100224.	2.1	1
68	Trends in natural product research: PSE young scientists' meeting Lille 2017. Phytochemistry Reviews, 2018, 17, 947-949.	6.5	O