

Bryan L Roth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2663504/publications.pdf>

Version: 2024-02-01

464
papers

62,650
citations

1172

114
h-index

1333

229
g-index

572
all docs

572
docs citations

572
times ranked

61784
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular insights into psychedelic drug action. <i>Journal of Neurochemistry</i> , 2022, 162, 24-38.	2.1	24
2	Synthon-based ligand discovery in virtual libraries of over 11 billion compounds. <i>Nature</i> , 2022, 601, 452-459.	13.7	153
3	Subversion of Serotonin Receptor Signaling in Osteoblasts by Kynurenine Drives Acute Myeloid Leukemia. <i>Cancer Discovery</i> , 2022, 12, 1106-1127.	7.7	12
4	Community guidelines for GPCR ligand bias: IUPHAR review 32. <i>British Journal of Pharmacology</i> , 2022, 179, 3651-3674.	2.7	84
5	Structure-Based Design of a Chemical Probe Set for the 5-HT _{5A} Serotonin Receptor. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 4201-4217.	2.9	17
6	The promises and perils of psychedelic pharmacology for psychiatry. <i>Nature Reviews Drug Discovery</i> , 2022, 21, 463-473.	21.5	82
7	Agonist and antagonist TRUPATH assays for G protein-coupled receptors. <i>STAR Protocols</i> , 2022, 3, 101259.	0.5	6
8	TRUPATH: An Open-Source Biosensor Platform for Interrogating the GPCR Transducerome. <i>Methods in Molecular Biology</i> , 2022, , 185-195.	0.4	6
9	Inactive and active state structures template selective tools for the human 5-HT _{5A} receptor. <i>Nature Structural and Molecular Biology</i> , 2022, 29, 677-687.	3.6	18
10	Controlling opioid receptor functional selectivity by targeting distinct subpockets of the orthosteric site. <i>ELife</i> , 2021, 10, .	2.8	40
11	Structural insights into the human D1 and D2 dopamine receptor signaling complexes. <i>Cell</i> , 2021, 184, 931-942.e18.	13.5	140
12	Mechanism of dopamine binding and allosteric modulation of the human D1 dopamine receptor. <i>Cell Research</i> , 2021, 31, 593-596.	5.7	48
13	Structures of the human dopamine D3 receptor-Gi complexes. <i>Molecular Cell</i> , 2021, 81, 1147-1159.e4.	4.5	51
14	COVID-19: Famotidine, Histamine, Mast Cells, and Mechanisms. <i>Frontiers in Pharmacology</i> , 2021, 12, 633680.	1.6	64
15	Biased ligands at opioid receptors: Current status and future directions. <i>Science Signaling</i> , 2021, 14, .	1.6	58
16	Introduction to the Biochemistry of Pain Special Issue. <i>Biochemistry</i> , 2021, 60, 1379-1380.	1.2	0
17	G-Protein Peptidomimetics Stabilize GPCR Active State Conformations. <i>Trends in Pharmacological Sciences</i> , 2021, 42, 429-430.	4.0	4
18	Structural Insights Accelerate the Discovery of Opioid Alternatives. <i>Annual Review of Biochemistry</i> , 2021, 90, 739-761.	5.0	33

#	ARTICLE	IF	CITATIONS
19	The cranial windows of perception. <i>Neuron</i> , 2021, 109, 2499-2501.	3.8	1
20	A promising chemical series of positive allosteric modulators of the μ -opioid receptor that enhance the antinociceptive efficacy of opioids but not their adverse effects. <i>Neuropharmacology</i> , 2021, 195, 108673.	2.0	16
21	A Novel Mitragynine Analog with Low-Efficacy Mu Opioid Receptor Agonism Displays Antinociception with Attenuated Adverse Effects. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 13873-13892.	2.9	33
22	LSD-stimulated behaviors in mice require β -arrestin 2 but not β -arrestin 1. <i>Scientific Reports</i> , 2021, 11, 17690.	1.6	47
23	International Union of Basic and Clinical Pharmacology. CX. Classification of Receptors for 5-hydroxytryptamine; Pharmacology and Function. <i>Pharmacological Reviews</i> , 2021, 73, 310-520.	7.1	127
24	Structure, function and pharmacology of human itch GPCRs. <i>Nature</i> , 2021, 600, 170-175.	13.7	101
25	Structures of the μ 2 receptor enable docking for bioactive ligand discovery. <i>Nature</i> , 2021, 600, 759-764.	13.7	113
26	The activities of drug inactive ingredients on biological targets. <i>Science</i> , 2020, 369, 403-413.	6.0	61
27	Differential Roles of Extracellular Histidine Residues of GPR68 for Proton-Sensing and Allosteric Modulation by Divalent Metal Ions. <i>Biochemistry</i> , 2020, 59, 3594-3614.	1.2	11
28	Structure of a Hallucinogen-Activated Gq-Coupled 5-HT2A Serotonin Receptor. <i>Cell</i> , 2020, 182, 1574-1588.e19.	13.5	270
29	TRUPATH, an open-source biosensor platform for interrogating the GPCR transducerome. <i>Nature Chemical Biology</i> , 2020, 16, 841-849.	3.9	281
30	Virtual discovery of melatonin receptor ligands to modulate circadian rhythms. <i>Nature</i> , 2020, 579, 609-614.	13.7	184
31	Nanobody-enabled monitoring of kappa opioid receptor states. <i>Nature Communications</i> , 2020, 11, 1145.	5.8	93
32	A SARS-CoV-2 protein interaction map reveals targets for drug repurposing. <i>Nature</i> , 2020, 583, 459-468.	13.7	3,542
33	Deschloroclozapine, a potent and selective chemogenetic actuator enables rapid neuronal and behavioral modulations in mice and monkeys. <i>Nature Neuroscience</i> , 2020, 23, 1157-1167.	7.1	187
34	A self-activating orphan receptor. <i>Nature</i> , 2020, 579, 35-36.	13.7	2
35	A Structural Understanding of Class B GPCR Selectivity and Activation Revealed. <i>Structure</i> , 2020, 28, 277-279.	1.6	15
36	Design of first in class bitopic ligands targeting the sodium binding pocket in opioid receptors. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Structure-based discovery of potent and selective melatonin receptor agonists. <i>ELife</i> , 2020, 9, .	2.8	28
38	In vivo Efficacy of Novel Type Preferring MT 1 Melatonin Receptor Inverse Agonists in C3H/HeN Mouse Models of Chronobiological Behavior. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
39	β -Fluorofentanyls Are pH-Sensitive Mu Opioid Receptor Agonists. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 1353-1356.	1.3	18
40	Molecular pharmacology of metabotropic receptors targeted by neuropsychiatric drugs. <i>Nature Structural and Molecular Biology</i> , 2019, 26, 535-544.	3.6	45
41	VEGAS as a Platform for Facile Directed Evolution in Mammalian Cells. <i>Cell</i> , 2019, 178, 748-761.e17.	13.5	68
42	Discovery of Human Signaling Systems: Pairing Peptides to G Protein-Coupled Receptors. <i>Cell</i> , 2019, 179, 895-908.e21.	13.5	157
43	Design of fluorinated cyclopropane derivatives of 2-phenylcyclopropylmethylamine leading to identification of a selective serotonin 2C (5-HT _{2C}) receptor agonist without 5-HT _{2B} agonism. <i>European Journal of Medicinal Chemistry</i> , 2019, 182, 111626.	2.6	3
44	Harnessing Ion-Binding Sites for GPCR Pharmacology. <i>Pharmacological Reviews</i> , 2019, 71, 571-595.	7.1	87
45	Structural basis of ligand recognition at the human MT1 melatonin receptor. <i>Nature</i> , 2019, 569, 284-288.	13.7	140
46	XFEL structures of the human MT2 melatonin receptor reveal the basis of subtype selectivity. <i>Nature</i> , 2019, 569, 289-292.	13.7	106
47	Defining Structure-Functional Selectivity Relationships (SFSR) for a Class of Non-Catechol Dopamine D ₁ Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3753-3772.	2.9	15
48	D ₂ Dopamine Receptor G Protein-Biased Partial Agonists Based on Cariprazine. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 4755-4771.	2.9	15
49	Ultra-large library docking for discovering new chemotypes. <i>Nature</i> , 2019, 566, 224-229.	13.7	595
50	An African-specific haplotype in MRGPRX4 is associated with menthol cigarette smoking. <i>PLoS Genetics</i> , 2019, 15, e1007916.	1.5	23
51	How structure informs and transforms chemogenetics. <i>Current Opinion in Structural Biology</i> , 2019, 57, 9-16.	2.6	14
52	Discrepancies in Kappa Opioid Agonist Binding Revealed through PET Imaging. <i>ACS Chemical Neuroscience</i> , 2019, 10, 384-395.	1.7	22
53	Intra-islet glucagon signaling is critical for maintaining glucose homeostasis. <i>JCI Insight</i> , 2019, 4, .	2.3	102
54	High-throughput identification of G protein-coupled receptor modulators through affinity mass spectrometry screening. <i>Chemical Science</i> , 2018, 9, 3192-3199.	3.7	33

#	ARTICLE	IF	CITATIONS
55	Unexplored therapeutic opportunities in the human genome. <i>Nature Reviews Drug Discovery</i> , 2018, 17, 317-332.	21.5	263
56	5-HT _{2C} Receptor Structures Reveal the Structural Basis of GPCR Polypharmacology. <i>Cell</i> , 2018, 172, 719-730.e14.	13.5	185
57	Structure of the D ₂ dopamine receptor bound to the atypical antipsychotic drug risperidone. <i>Nature</i> , 2018, 555, 269-273.	13.7	341
58	Structure of the Nanobody-Stabilized Active State of the Kappa Opioid Receptor. <i>Cell</i> , 2018, 172, 55-67.e15.	13.5	299
59	Biased signaling of the proton-sensing receptor OGR1 by benzodiazepines. <i>FASEB Journal</i> , 2018, 32, 862-874.	0.2	36
60	Structure-inspired design of β^2 -arrestin-biased ligands for aminergic GPCRs. <i>Nature Chemical Biology</i> , 2018, 14, 126-134.	3.9	141
61	Pharmacological characterization of novel synthetic opioids (NSO) found in the recreational drug marketplace. <i>Neuropharmacology</i> , 2018, 134, 101-107.	2.0	78
62	Far away from the lamppost. <i>PLoS Biology</i> , 2018, 16, e3000067.	2.6	10
63	Phosphoproteomics Illuminates Opioid Actions. <i>Biochemistry</i> , 2018, 57, 5505-5506.	1.2	4
64	Donated chemical probes for open science. <i>ELife</i> , 2018, 7, .	2.8	80
65	DREADD Agonist 21 Is an Effective Agonist for Muscarinic-Based DREADDs <i>in Vitro</i> and <i>in Vivo</i> . <i>ACS Pharmacology and Translational Science</i> , 2018, 1, 61-72.	2.5	143
66	Activation mechanisms for a universal signalling protein. <i>Nature</i> , 2018, 557, 318-319.	13.7	1
67	Selectivity Challenges in Docking Screens for GPCR Targets and Antitargets. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 6830-6845.	2.9	31
68	Structural determinants of 5-HT _{2B} receptor activation and biased agonism. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 787-796.	3.6	116
69	How high resolution x-ray crystal structures of D ₂ -like dopamine receptors can guide the development of novel subtype-selective drugs. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY20-4.	0.0	0
70	Illuminating the druggable GPCR-ome. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY27-4.	0.0	0
71	A molecular understanding of drug actions at G protein coupled receptors. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, IAL.	0.0	0
72	Crystal Structure of an LSD-Bound Human Serotonin Receptor. <i>Cell</i> , 2017, 168, 377-389.e12.	13.5	340

#	ARTICLE	IF	CITATIONS
73	Protamine is an antagonist of apelin receptor, and its activity is reversed by heparin. <i>FASEB Journal</i> , 2017, 31, 2507-2519.	0.2	26
74	Structure-Based Discovery of New Antagonist and Biased Agonist Chemotypes for the Kappa Opioid Receptor. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 3070-3081.	2.9	42
75	In silico design of novel probes for the atypical opioid receptor MRGPRX2. <i>Nature Chemical Biology</i> , 2017, 13, 529-536.	3.9	230
76	5-HT _{2C} Agonists Modulate Schizophrenia-Like Behaviors in Mice. <i>Neuropsychopharmacology</i> , 2017, 42, 2163-2177.	2.8	42
77	Targeting the histone methyltransferase G9a activates imprinted genes and improves survival of a mouse model of Prader-Willi syndrome. <i>Nature Medicine</i> , 2017, 23, 213-222.	15.2	94
78	Discovery of new GPCR ligands to illuminate new biology. <i>Nature Chemical Biology</i> , 2017, 13, 1143-1151.	3.9	80
79	D ₄ dopamine receptor high-resolution structures enable the discovery of selective agonists. <i>Science</i> , 2017, 358, 381-386.	6.0	176
80	A Simple Representation of Three-Dimensional Molecular Structure. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7393-7409.	2.9	72
81	How Ligands Illuminate GPCR Molecular Pharmacology. <i>Cell</i> , 2017, 170, 414-427.	13.5	419
82	Structural insights into the extracellular recognition of the human serotonin 2B receptor by an antibody. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 8223-8228.	3.3	54
83	The anthelmintic praziquantel is a human serotonergic G-protein-coupled receptor ligand. <i>Nature Communications</i> , 2017, 8, 1910.	5.8	66
84	Discovery of <i>N</i> -Substituted (2-Phenylcyclopropyl)methylamines as Functionally Selective Serotonin 2C Receptor Agonists for Potential Use as Antipsychotic Medications. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 6273-6288.	2.9	19
85	Fentanyl-related designer drugs W-18 and W-15 lack appreciable opioid activity in vitro and in vivo. <i>JCI Insight</i> , 2017, 2, .	2.3	14
86	In Vitro and In Vivo Characterization of the Alkaloid Nuciferine. <i>PLoS ONE</i> , 2016, 11, e0150602.	1.1	28
87	A Miniaturized Screen of a <i>Schistosoma mansoni</i> Serotonergic G Protein-Coupled Receptor Identifies Novel Classes of Parasite-Selective Inhibitors. <i>PLoS Pathogens</i> , 2016, 12, e1005651.	2.1	30
88	Cre-dependent DREADD (Designer Receptors Exclusively Activated by Designer Drugs) mice. <i>Genesis</i> , 2016, 54, 439-446.	0.8	158
89	Psilocybin for depression and anxiety associated with life-threatening illnesses. <i>Journal of Psychopharmacology</i> , 2016, 30, 1209-1210.	2.0	14
90	Distinct cortical and striatal actions of a β^2 -arrestin-biased dopamine D ₂ receptor ligand reveal unique antipsychotic-like properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E8178-E8186.	3.3	117

#	ARTICLE	IF	CITATIONS
91	An alerting structure: human orexin receptor 1. <i>Nature Structural and Molecular Biology</i> , 2016, 23, 265-266.	3.6	4
92	Design and synthesis of dual 5-HT _{1A} and 5-HT ₇ receptor ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3464-3471.	1.4	19
93	Structure-based discovery of opioid analgesics with reduced side effects. <i>Nature</i> , 2016, 537, 185-190.	13.7	744
94	Design and Discovery of Functionally Selective Serotonin 2C (5-HT _{2C}) Receptor Agonists. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 9866-9880.	2.9	28
95	Translating genome-wide association findings into new therapeutics for psychiatry. <i>Nature Neuroscience</i> , 2016, 19, 1392-1396.	7.1	115
96	Discovery of G Protein-Biased D ₂ Dopamine Receptor Partial Agonists. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 10601-10618.	2.9	49
97	Discovery and Characterization of Novel GPR39 Agonists Allosterically Modulated by Zinc. <i>Molecular Pharmacology</i> , 2016, 90, 726-737.	1.0	48
98	Ƴ ₁ receptor ligands control a switch between passive and active threat responses. <i>Nature Chemical Biology</i> , 2016, 12, 552-558.	3.9	37
99	Zebrafish behavioral profiling identifies multitarget antipsychotic-like compounds. <i>Nature Chemical Biology</i> , 2016, 12, 559-566.	3.9	124
100	Morphine paradoxically prolongs neuropathic pain in rats by amplifying spinal NLRP3 inflammasome activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3441-50.	3.3	292
101	Development of CNS multi-receptor ligands: Modification of known D ₂ pharmacophores. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3671-3679.	1.4	3
102	Behavioral and Physiological Effects of a Novel Kappa-Opioid Receptor-Based DREADD in Rats. <i>Neuropsychopharmacology</i> , 2016, 41, 402-409.	2.8	56
103	DREADDs for Neuroscientists. <i>Neuron</i> , 2016, 89, 683-694.	3.8	1,210
104	New Technologies for Elucidating Opioid Receptor Function. <i>Trends in Pharmacological Sciences</i> , 2016, 37, 279-289.	4.0	61
105	A cellular chemical probe targeting the chromodomains of Polycomb repressive complex 1. <i>Nature Chemical Biology</i> , 2016, 12, 180-187.	3.9	133
106	Further Advances in Optimizing (2-Phenylcyclopropyl)methylamines as Novel Serotonin 2C Agonists: Effects on Hyperlocomotion, Prepulse Inhibition, and Cognition Models. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 578-591.	2.9	26
107	Elucidation of The Behavioral Program and Neuronal Network Encoded by Dorsal Raphe Serotonergic Neurons. <i>Neuropsychopharmacology</i> , 2016, 41, 1404-1415.	2.8	118
108	Comprehensive characterization of the Published Kinase Inhibitor Set. <i>Nature Biotechnology</i> , 2016, 34, 95-103.	9.4	289

#	ARTICLE	IF	CITATIONS
109	Salvinorin A analogues PR ³⁷ and PR ³⁸ attenuate compound 48/80-induced itch responses in mice. <i>British Journal of Pharmacology</i> , 2015, 172, 4331-4341.	2.7	16
110	Optimization of 2-Phenylcyclopropylmethylamines as Selective Serotonin 2C Receptor Agonists and Their Evaluation as Potential Antipsychotic Agents. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 1992-2002.	2.9	31
111	Structural basis for bifunctional peptide recognition at human μ -opioid receptor. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 265-268.	3.6	151
112	Structure and function of serotonin G protein-coupled receptors. , 2015, 150, 129-142.		275
113	The G Protein-Biased μ -Opioid Receptor Agonist RB-64 Is Analgesic with a Unique Spectrum of Activities In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 352, 98-109.	1.3	153
114	DREADD: A Chemogenetic GPCR Signaling Platform. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu007-pyu007.	1.0	78
115	The First Structure-Activity Relationship Studies for Designer Receptors Exclusively Activated by Designer Drugs. <i>ACS Chemical Neuroscience</i> , 2015, 6, 476-484.	1.7	128
116	A Potent, Selective and Cell-Active Allosteric Inhibitor of Protein Arginine Methyltransferase...3 (PRMT3). <i>Angewandte Chemie - International Edition</i> , 2015, 54, 5166-5170.	7.2	95
117	Single Amino Acid Variation Underlies Species-Specific Sensitivity to Amphibian Skin-Derived Opioid-like Peptides. <i>Chemistry and Biology</i> , 2015, 22, 764-775.	6.2	14
118	The promise and peril of chemical probes. <i>Nature Chemical Biology</i> , 2015, 11, 536-541.	3.9	698
119	Integrated Approaches for Genome-wide Interrogation of the Druggable Non-olfactory G Protein-coupled Receptor Superfamily. <i>Journal of Biological Chemistry</i> , 2015, 290, 19471-19477.	1.6	76
120	A New DREADD Facilitates the Multiplexed Chemogenetic Interrogation of Behavior. <i>Neuron</i> , 2015, 86, 936-946.	3.8	320
121	Design and synthesis of (2-(5-chloro-2,2-dimethyl-2,3-dihydrobenzofuran-7-yl)cyclopropyl)methanamine as a selective serotonin 2C agonist. <i>Tetrahedron Letters</i> , 2015, 56, 3420-3422.	0.7	15
122	PRESTO-Tango as an open-source resource for interrogation of the druggable human GPCRome. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 362-369.	3.6	535
123	Serotonin-2C and -2a receptor co-expression on cells in the rat medial prefrontal cortex. <i>Neuroscience</i> , 2015, 297, 22-37.	1.1	61
124	Chemogenetics: A Transformational and Translational Platform. <i>JAMA Neurology</i> , 2015, 72, 1361.	4.5	34
125	Receptor Reserve Moderates Mesolimbic Responses to Opioids in a Humanized Mouse Model of the OPRM1 A118G Polymorphism. <i>Neuropsychopharmacology</i> , 2015, 40, 2614-2622.	2.8	29
126	Re-exploring the N-phenylpicolinamide derivatives to develop mGlu4 ligands with improved affinity and in vitro microsomal stability. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 3956-3960.	1.0	7

#	ARTICLE	IF	CITATIONS
127	NMR structure and dynamics of the agonist dynorphin peptide bound to the human kappa opioid receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11852-11857.	3.3	80
128	Allosteric ligands for the pharmacologically dark receptors GPR68 and GPR65. <i>Nature</i> , 2015, 527, 477-483.	13.7	214
129	Molecular interactions between general anesthetics and the 5HT _{2B} receptor. <i>Journal of Biomolecular Structure and Dynamics</i> , 2015, 33, 211-218.	2.0	10
130	DREADDs (Designer Receptors Exclusively Activated by Designer Drugs): Chemogenetic Tools with Therapeutic Utility. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 399-417.	4.2	539
131	The TLQP-21 Peptide Activates the G-Protein-Coupled Receptor C3aR1 via a Folding-upon-Binding Mechanism. <i>Structure</i> , 2014, 22, 1744-1753.	1.6	59
132	Michael acceptor approach to the design of new salvinorin A-based high affinity ligands for the kappa-opioid receptor. <i>European Journal of Medicinal Chemistry</i> , 2014, 85, 818-829.	2.6	21
133	HTS navigator: freely accessible cheminformatics software for analyzing high-throughput screening data. <i>Bioinformatics</i> , 2014, 30, 588-589.	1.8	16
134	Sh-I-048A, an in vitro non-selective super-agonist at the benzodiazepine site of GABAA receptors: The approximated activation of receptor subtypes may explain behavioral effects. <i>Brain Research</i> , 2014, 1554, 36-48.	1.1	17
135	Chemogenetic Inactivation of Ventral Hippocampal Glutamatergic Neurons Disrupts Consolidation of Contextual Fear Memory. <i>Neuropsychopharmacology</i> , 2014, 39, 1880-1892.	2.8	135
136	Allosteric sodium in class A GPCR signaling. <i>Trends in Biochemical Sciences</i> , 2014, 39, 233-244.	3.7	417
137	Identification of a new selective dopamine D4 receptor ligand. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 3105-3114.	1.4	24
138	Synthesis, Pharmacological Characterization, and Structure-Activity Relationship Studies of Small Molecular Agonists for the Orphan GPR88 Receptor. <i>ACS Chemical Neuroscience</i> , 2014, 5, 576-587.	1.7	41
139	Molecular control of μ -opioid receptor signalling. <i>Nature</i> , 2014, 506, 191-196.	13.7	432
140	Identification of Novel Functionally Selective μ -Opioid Receptor Scaffolds. <i>Molecular Pharmacology</i> , 2014, 85, 83-90.	1.0	117
141	Structural basis for Smoothed receptor modulation and chemoresistance to anticancer drugs. <i>Nature Communications</i> , 2014, 5, 4355.	5.8	208
142	Further evaluation of the tropane analogs of haloperidol. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4294-4297.	1.0	13
143	Chemogenetic Tools to Interrogate Brain Functions. <i>Annual Review of Neuroscience</i> , 2014, 37, 387-407.	5.0	412
144	DREADDs: novel tools for drug discovery and development. <i>Drug Discovery Today</i> , 2014, 19, 469-473.	3.2	75

#	ARTICLE	IF	CITATIONS
145	Application of Quantitative Structure-Activity Relationship Models of 5-HT _{1A} Receptor Binding to Virtual Screening Identifies Novel and Potent 5-HT _{1A} Ligands. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 634-647.	2.5	26
146	Tuning up the right signal: chemical and genetic approaches to study GPCR functions. <i>Current Opinion in Cell Biology</i> , 2014, 27, 51-55.	2.6	23
147	Silencing Synapses with DREADDs. <i>Neuron</i> , 2014, 82, 723-725.	3.8	66
148	Novel Molecular Targets of Dezocine and Their Clinical Implications. <i>Anesthesiology</i> , 2014, 120, 714-723.	1.3	77
149	Functional Evolution of Opioid Family G Protein-Coupled Receptors. <i>Methods in Pharmacology and Toxicology</i> , 2014, , 85-104.	0.1	1
150	Chemotype-selective Modes of Action of μ -Opioid Receptor Agonists. <i>Journal of Biological Chemistry</i> , 2013, 288, 34470-34483.	1.6	55
151	Direct-Pathway Striatal Neurons Regulate the Retention of Decision-Making Strategies. <i>Journal of Neuroscience</i> , 2013, 33, 11668-11676.	1.7	77
152	4 β -Methyl-5-(3-hydroxyphenyl)morphan Opioid Agonist and Partial Agonist Derived from a 4 β -Methyl-5-(3-hydroxyphenyl)morphan Pure Antagonist. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8826-8833.	2.9	6
153	Discovery of an in Vivo Chemical Probe of the Lysine Methyltransferases G9a and GLP. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8931-8942.	2.9	220
154	Pharmacosynthetics: Reimagining the pharmacogenetic approach. <i>Brain Research</i> , 2013, 1511, 6-20.	1.1	92
155	Discovery of β 2 Adrenergic Receptor Ligands Using Biosensor Fragment Screening of Tagged Wild-Type Receptor. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 1005-1010.	1.3	65
156	Aryl Biphenyl-3-ylmethylpiperazines as 5-HT ₇ Receptor Antagonists. <i>ChemMedChem</i> , 2013, 8, 1855-1864.	1.6	12
157	Search for β 2/ β 2 subtype selective ligands that are stable on human liver microsomes. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 93-101.	1.4	17
158	Neurochemical profiles of some novel psychoactive substances. <i>European Journal of Pharmacology</i> , 2013, 700, 147-151.	1.7	150
159	A pharmacological organization of G protein-coupled receptors. <i>Nature Methods</i> , 2013, 10, 140-146.	9.0	89
160	Conformational Ensembles in GPCR Activation. <i>Cell</i> , 2013, 152, 385-386.	13.5	25
161	DREADDs in Drosophila: A Pharmacogenetic Approach for Controlling Behavior, Neuronal Signaling, and Physiology in the Fly. <i>Cell Reports</i> , 2013, 4, 1049-1059.	2.9	40
162	Intestinal Epithelial Cell-Derived μ -Opioid Signaling Protects against Ischemia Reperfusion Injury through PI3K Signaling. <i>American Journal of Pathology</i> , 2013, 182, 776-785.	1.9	34

#	ARTICLE	IF	CITATIONS
163	Discovery of aryl-biphenyl-2-ylmethylpiperazines as novel scaffolds for 5-HT7 ligands and role of the aromatic substituents in binding to the target receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 2568-2576.	1.4	12
164	Photochemical activation of TRPA1 channels in neurons and animals. <i>Nature Chemical Biology</i> , 2013, 9, 257-263.	3.9	97
165	Conformation Guides Molecular Efficacy in Docking Screens of Activated β -2 Adrenergic G Protein Coupled Receptor. <i>ACS Chemical Biology</i> , 2013, 8, 1018-1026.	1.6	101
166	Inhibition of Mediodorsal Thalamus Disrupts Thalamofrontal Connectivity and Cognition. <i>Neuron</i> , 2013, 77, 1151-1162.	3.8	318
167	Structural Features for Functional Selectivity at Serotonin Receptors. <i>Science</i> , 2013, 340, 615-619.	6.0	600
168	Structural Basis for Molecular Recognition at Serotonin Receptors. <i>Science</i> , 2013, 340, 610-614.	6.0	454
169	Colloidal Aggregation Causes Inhibition of G Protein-Coupled Receptors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 2406-2414.	2.9	91
170	Kappa-opioid receptor-selective dicarboxylic ester-derived salvinorin A ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 2860-2862.	1.0	13
171	Impossible or Merely Difficult? Two Grand Challenges from a Biologist's Perspective. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 316-318.	1.3	7
172	A β -DREADD Mouse for Selective Modulation of cAMP Production in Striatopallidal Neurons. <i>Neuropsychopharmacology</i> , 2013, 38, 854-862.	2.8	116
173	An analysis of the synthetic tryptamines AMT and 5-MeO-DALT: Emerging "Novel Psychoactive Drugs". <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3411-3415.	1.0	36
174	Structure of the human smoothed receptor bound to an antitumour agent. <i>Nature</i> , 2013, 497, 338-343.	13.7	415
175	An Orally Bioavailable Chemical Probe of the Lysine Methyltransferases EZH2 and EZH1. <i>ACS Chemical Biology</i> , 2013, 8, 1324-1334.	1.6	399
176	Modulation of the autonomic nervous system and behaviour by acute glial cell G _q protein-coupled receptor activation <i>in vivo</i> . <i>Journal of Physiology</i> , 2013, 591, 5599-5609.	1.3	129
177	In Silico Molecular Comparisons of <i>C. elegans</i> and Mammalian Pharmacology Identify Distinct Targets That Regulate Feeding. <i>PLoS Biology</i> , 2013, 11, e1001712.	2.6	18
178	Synthesis and Evaluation of ¹⁸ F-FE-PEO in Rodents: An ¹⁸ F-Labeled Full Agonist for Opioid Receptor Imaging. <i>Journal of Nuclear Medicine</i> , 2013, 54, 299-305.	2.8	19
179	Lorcaserin and pimavanserin: emerging selectivity of serotonin receptor subtype-targeted drugs. <i>Journal of Clinical Investigation</i> , 2013, 123, 4986-4991.	3.9	100
180	The Ketamine Analogue Methoxetamine and 3- and 4-Methoxy Analogues of Phencyclidine Are High Affinity and Selective Ligands for the Glutamate NMDA Receptor. <i>PLoS ONE</i> , 2013, 8, e59334.	1.1	132

#	ARTICLE	IF	CITATIONS
181	Selective μ Opioid Antagonists nor-BNI, GNTI and JD1c Have Low Affinities for Non-Opioid Receptors and Transporters. PLoS ONE, 2013, 8, e70701.	1.1	27
182	Automated design of ligands to polypharmacological profiles. Nature, 2012, 492, 215-220.	13.7	698
183	Studies of a ubiquitous receptor family. Nature, 2012, 492, 57-57.	13.7	18
184	Psychotomimetic Effects of Kappa Opioid Receptor Agonists. Biological Psychiatry, 2012, 72, 797-798.	0.7	11
185	Marine Algal Toxin Azaspiracid Is an Open-State Blocker of hERG Potassium Channels. Chemical Research in Toxicology, 2012, 25, 1975-1984.	1.7	72
186	Identifying mechanism-of-action targets for drugs and probes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 11178-11183.	3.3	156
187	Topoisomerase inhibitors unsilence the dormant allele of Ube3a in neurons. Nature, 2012, 481, 185-189.	13.7	318
188	Structure-Function Relationship Studies of μ -Arrestin-Biased Dopamine D ₂ Receptor Agonists. Journal of Medicinal Chemistry, 2012, 55, 7141-7153.	2.9	118
189	Quantitative Analysis of Focused A-To-I RNA Editing Sites by Ultra-High-Throughput Sequencing in Psychiatric Disorders. PLoS ONE, 2012, 7, e43227.	1.1	39
190	Generation of a Synthetic Memory Trace. Science, 2012, 335, 1513-1516.	6.0	335
191	Structure of the nociceptin/orphanin FQ receptor in complex with a peptide mimetic. Nature, 2012, 485, 395-399.	13.7	430
192	Structure of the human μ -opioid receptor in complex with JD1c. Nature, 2012, 485, 327-332.	13.7	797
193	Chemocentric Informatics Approach to Drug Discovery: Identification and Experimental Validation of Selective Estrogen Receptor Modulators as Ligands of 5-Hydroxytryptamine-6 Receptors and as Potential Cognition Enhancers. Journal of Medicinal Chemistry, 2012, 55, 5704-5719.	2.9	42
194	Hallucinogen actions on human brain revealed. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 1820-1821.	3.3	72
195	Chemical informatics and target identification in a zebrafish phenotypic screen. Nature Chemical Biology, 2012, 8, 144-146.	3.9	113
196	Life Beyond Kinases: Structure-Based Discovery of Sorafenib as Nanomolar Antagonist of 5-HT Receptors. Journal of Medicinal Chemistry, 2012, 55, 5749-5759.	2.9	68
197	Bis-spirolabdane Diterpenoids from <i>Leonotis nepetaefolia</i> . Journal of Natural Products, 2012, 75, 728-734.	1.5	25
198	Benzothiazoles as probes for the 5HT1A receptor and the serotonin transporter (SERT): A search for new dual-acting agents as potential antidepressants. European Journal of Medicinal Chemistry, 2012, 53, 124-132.	2.6	23

#	ARTICLE	IF	CITATIONS
199	4-Aminoethylpiperazinyl aryl ketones with 5-HT _{1A} /5-HT ₇ selectivity. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 1139-1148.	1.4	10
200	Multi-receptor drug design: Haloperidol as a scaffold for the design and synthesis of atypical antipsychotic agents. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 1291-1297.	1.4	32
201	Structure-activity relationship studies of SYA 013, a homopiperazine analog of haloperidol. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 1671-1678.	1.4	23
202	The Presynaptic Component of the Serotonergic System is Required for Clozapine's Efficacy. <i>Neuropsychopharmacology</i> , 2011, 36, 638-651.	2.8	63
203	Ligand discovery from a dopamine D ₃ receptor homology model and crystal structure. <i>Nature Chemical Biology</i> , 2011, 7, 769-778.	3.9	285
204	Endocrine Regulation of Male Fertility by the Skeleton. <i>Cell</i> , 2011, 144, 796-809.	13.5	542
205	Receptor screening technologies in the evaluation of Amazonian ethnomedicines with potential applications to cognitive deficits. <i>Journal of Ethnopharmacology</i> , 2011, 134, 475-492.	2.0	11
206	Irving Page Lecture: 5-HT _{2A} serotonin receptor biology: Interacting proteins, kinases and paradoxical regulation. <i>Neuropharmacology</i> , 2011, 61, 348-354.	2.0	51
207	Design, Synthesis, and Validation of a β^2 -Turn Mimetic Library Targeting Protein-Protein and Peptide-Receptor Interactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 10184-10194.	6.6	74
208	Transient neuronal inhibition reveals opposing roles of indirect and direct pathways in sensitization. <i>Nature Neuroscience</i> , 2011, 14, 22-24.	7.1	377
209	A chemical probe selectively inhibits G α 9 and GLP methyltransferase activity in cells. <i>Nature Chemical Biology</i> , 2011, 7, 566-574.	3.9	465
210	Securinine, a Myeloid Differentiation Agent with Therapeutic Potential for AML. <i>PLoS ONE</i> , 2011, 6, e21203.	1.1	50
211	Serotonin receptors and heart valve disease "It was meant 2B. , 2011, 132, 146-157.		175
212	Rational Drug Design Leading to the Identification of a Potent 5-HT _{2C} Agonist Lacking 5-HT _{2B} Activity. <i>ACS Medicinal Chemistry Letters</i> , 2011, 2, 929-932.	1.3	15
213	Strategies to Discover Unexpected Targets for Drugs Active at G Protein-Coupled Receptors. <i>Annual Review of Pharmacology and Toxicology</i> , 2011, 51, 117-144.	4.2	189
214	Synthesis and biological evaluation of new salvinorin A analogues incorporating natural amino acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 160-163.	1.0	10
215	Synthesis and receptor profiling of <i>Stemona</i> alkaloid analogues reveal a potent class of sigma ligands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6727-6732.	3.3	30
216	Remote Control of Neuronal Signaling. <i>Pharmacological Reviews</i> , 2011, 63, 291-315.	7.1	293

#	ARTICLE	IF	CITATIONS
217	Discovery of $\hat{1}^2$ -Arrestin $\hat{1}$ Biased Dopamine D ₂ Ligands for Probing Signal Transduction Pathways Essential for Antipsychotic Efficacy. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 18488-18493.	3.3	312
218	Antagonist Functional Selectivity: 5-HT _{2A} Serotonin Receptor Antagonists Differentially Regulate 5-HT _{2A} Receptor Protein Level In Vivo. Journal of Pharmacology and Experimental Therapeutics, 2011, 339, 99-105.	1.3	71
219	Functional SNPs in Genes Encoding the 5-HT _{2A} Receptor Modify the Affinity and Potency of Several Atypical Antipsychotic Drugs. Biological Research for Nursing, 2011, 13, 55-60.	1.0	12
220	Vision and olfaction say UNC-1e to G proteins. Nature Neuroscience, 2011, 14, 805-806.	7.1	0
221	Schizophrenia risk gene CAV1 is both pro-psychotic and required for atypical antipsychotic drug actions in vivo. Translational Psychiatry, 2011, 1, e33-e33.	2.4	32
222	Rapid, reversible activation of AgRP neurons drives feeding behavior in mice. Journal of Clinical Investigation, 2011, 121, 1424-1428.	3.9	1,184
223	Pharmacogenetic Modulation of Orexin Neurons Alters Sleep/Wakefulness States in Mice. PLoS ONE, 2011, 6, e20360.	1.1	216
224	Antagonism of the 5-HT _{2B} receptor prevents TGF $\hat{1}$ beta1 effects in aortic valve fibroblasts. FASEB Journal, 2011, 25, 177.5.	0.2	2
225	Chemical Modifications on 4-Arylpiperazine-Ethyl Carboxamide Derivatives Differentially Modulate Affinity for 5-HT _{1A} , D _{4.2} , and $\hat{1}^2$ A Receptors: Synthesis and In Vitro Radioligand Binding Studies. Australian Journal of Chemistry, 2010, 63, 56.	0.5	10
226	Deorphanization of Novel Peptides and Their Receptors. AAPS Journal, 2010, 12, 378-384.	2.2	29
227	Role of kappa-opioid receptors in the effects of salvinorin A and ketamine on attention in rats. Psychopharmacology, 2010, 210, 263-274.	1.5	80
228	CoMFA analyses of C-2 position Salvinorin A analogs at the kappa-opioid receptor provides insights into epimer selectivity. Journal of Molecular Graphics and Modelling, 2010, 28, 612-625.	1.3	12
229	Mice with altered serotonin 2C receptor RNA editing display characteristics of Prader-Willi syndrome. Neurobiology of Disease, 2010, 39, 169-180.	2.1	121
230	HTS and Rational Drug Design to Generate a Class of 5-HT _{2C} Selective Ligands for Possible Use in Schizophrenia.. ChemMedChem, 2010, 5, 1221-1225.	1.6	24
231	9-Aminomethyl-9,10-dihydroanthracene (AMDA) analogs as structural probes for steric tolerance in 5-HT _{2A} and H ₁ receptor binding sites. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 935-938.	1.0	7
232	N-Tetrahydrothiochromenoisoxazole-1-carboxamides as selective antagonists of cloned human 5-HT _{2B} . Bioorganic and Medicinal Chemistry Letters, 2010, 20, 5488-5490.	1.0	8
233	CRF receptor 1 regulates anxiety behavior via sensitization of 5-HT ₂ receptor signaling. Nature Neuroscience, 2010, 13, 622-629.	7.1	176
234	Directed molecular evolution of DREADDs: a generic approach to creating next-generation RASSLs. Nature Protocols, 2010, 5, 561-573.	5.5	131

#	ARTICLE	IF	CITATIONS
235	Genetic Deletion of p90 Ribosomal S6 Kinase 2 Alters Patterns of 5-Hydroxytryptamine _{2A} Serotonin Receptor Functional Selectivity. <i>Molecular Pharmacology</i> , 2010, 77, 327-338.	1.0	33
236	Identification of Human <i>Ether-Å-go-go</i> Related Gene Modulators by Three Screening Platforms in an Academic Drug-Discovery Setting. <i>Assay and Drug Development Technologies</i> , 2010, 8, 727-742.	0.6	67
237	Allosteric Antipsychotics: M4 Muscarinic Potentiators as Novel Treatments for Schizophrenia. <i>Neuropsychopharmacology</i> , 2010, 35, 851-852.	2.8	16
238	RNA interference screen for RGS protein specificity at muscarinic and protease-activated receptors reveals bidirectional modulation of signaling. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C654-C664.	2.1	14
239	Assessing serotonin receptor mRNA editing frequency by a novel ultra high-throughput sequencing method. <i>Nucleic Acids Research</i> , 2010, 38, e118-e118.	6.5	37
240	The Medicinal Chemistry of 5-HT ₆ Receptor Ligands with a Focus on Arylsulfonyltryptamine Analogs. <i>Current Topics in Medicinal Chemistry</i> , 2010, 10, 579-595.	1.0	34
241	A chemical-genetic approach for precise spatio-temporal control of cellular signaling. <i>Molecular BioSystems</i> , 2010, 6, 1376.	2.9	50
242	Development, Validation, and Use of Quantitative Structure-Activity Relationship Models of 5-Hydroxytryptamine (2B) Receptor Ligands to Identify Novel Receptor Binders and Putative Valvulopathic Compounds among Common Drugs. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 7573-7586.	2.9	38
243	<i>N</i> -Alkyl-octahydroisoquinolin-1-one-8-carboxamides: Selective and Nonbasic μ -Opioid Receptor Ligands. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 189-193.	1.3	22
244	Generation of Designer Receptors Exclusively Activated by Designer Drugs (DREADDs) Using Directed Molecular Evolution. <i>Current Protocols in Neuroscience</i> , 2010, 50, Unit 4.33.	2.6	18
245	Novel positive allosteric modulators of GABA _A receptors: Do subtle differences in activity at $\alpha 1$ plus $\alpha 5$ versus $\alpha 2$ plus $\alpha 3$ subunits account for dissimilarities in behavioral effects in rats?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 376-386.	2.5	43
246	Anxiolytic-like effects of 8-acetylene imidazobenzodiazepines in a rhesus monkey conflict procedure. <i>Neuropharmacology</i> , 2010, 59, 612-618.	2.0	55
247	p90 Ribosomal S6 Kinase 2, a Novel GPCR Kinase, Is Required for Growth Factor-Mediated Attenuation of GPCR Signaling. <i>Biochemistry</i> , 2010, 49, 2657-2671.	1.2	20
248	Engineered G-protein coupled receptors are powerful tools to investigate biological processes and behaviors. <i>Frontiers in Molecular Neuroscience</i> , 2009, 2, 16.	1.4	59
249	Evidence for the Involvement of Dopamine Transporters in Behavioral Stimulant Effects of Modafinil. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 738-746.	1.3	169
250	Structural Determinants of G-protein α Subunit Selectivity by Regulator of G-protein Signaling 2 (RGS2). <i>Journal of Biological Chemistry</i> , 2009, 284, 19402-19411.	1.6	62
251	Rapid modulation of spine morphology by the 5-HT _{2A} serotonin receptor through kalirin-7 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19575-19580.	3.3	174
252	Ribosomal S6 Kinase 2 Directly Phosphorylates the 5-Hydroxytryptamine 2A (5-HT _{2A}) Serotonin Receptor, Thereby Modulating 5-HT _{2A} Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 5557-5573.	1.6	37

#	ARTICLE	IF	CITATIONS
253	A chemical-genetic approach to study G protein regulation of \hat{I}^2 cell function in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19197-19202.	3.3	287
254	PSD-95 Is Essential for Hallucinogen and Atypical Antipsychotic Drug Actions at Serotonin Receptors. Journal of Neuroscience, 2009, 29, 7124-7136.	1.7	118
255	Parallel Functional Activity Profiling Reveals Valvulopathogens Are Potent 5-Hydroxytryptamine $\langle \text{sub} \rangle 2B \langle / \text{sub} \rangle$ Receptor Agonists: Implications for Drug Safety Assessment. Molecular Pharmacology, 2009, 76, 710-722.	1.0	125
256	Caveolin-1 and Lipid Microdomains Regulate G $\langle \text{sub} \rangle s \langle / \text{sub} \rangle$ Trafficking and Attenuate G $\langle \text{sub} \rangle s \langle / \text{sub} \rangle$ Adenylyl Cyclase Signaling. Molecular Pharmacology, 2009, 76, 1082-1093.	1.0	75
257	Amisulpride is a potent 5-HT7 antagonist: relevance for antidepressant actions in vivo. Psychopharmacology, 2009, 205, 119-128.	1.5	240
258	Predicting new molecular targets for known drugs. Nature, 2009, 462, 175-181.	13.7	1,474
259	Synthesis and evaluation of ligands for D2-like receptors: The role of common pharmacophoric groups. Bioorganic and Medicinal Chemistry, 2009, 17, 1716-1723.	1.4	13
260	Synthesis, structure- \hat{a} ffinity relationships, and modeling of AMDA analogs at 5-HT2A and H1 receptors: Structural factors contributing to selectivity. Bioorganic and Medicinal Chemistry, 2009, 17, 6496-6504.	1.4	22
261	Antiseizure Activity of Novel \hat{I}^3 -Aminobutyric Acid (A) Receptor Subtype-Selective Benzodiazepine Analogues in Mice and Rat Models. Journal of Medicinal Chemistry, 2009, 52, 1795-1798.	2.9	60
262	Improvement of Pharmacological Properties of Irreversible Thyroid Receptor Coactivator Binding Inhibitors. Journal of Medicinal Chemistry, 2009, 52, 3892-3901.	2.9	51
263	Remote Control of Neuronal Activity in Transgenic Mice Expressing Evolved G Protein-Coupled Receptors. Neuron, 2009, 63, 27-39.	3.8	809
264	Historical Overview of the Concept of Functional Selectivity. , 2009, , 3-7.		1
265	The Expanded Biology of Serotonin. Annual Review of Medicine, 2009, 60, 355-366.	5.0	1,451
266	Selective 5-Hydroxytryptamine 2C Receptor Agonists Derived from the Lead Compound Tranylcypromine: Identification of Drugs with Antidepressant-Like Action. Journal of Medicinal Chemistry, 2009, 52, 1885-1902.	2.9	54
267	Structure-Based Design, Synthesis, and Biochemical and Pharmacological Characterization of Novel Salvinorin A Analogues as Active State Probes of the \hat{I}^{β} -Opioid Receptor. Biochemistry, 2009, 48, 6898-6908.	1.2	65
268	Novel Inhibitors of Human Histone Deacetylase (HDAC) Identified by QSAR Modeling of Known Inhibitors, Virtual Screening, and Experimental Validation. Journal of Chemical Information and Modeling, 2009, 49, 461-476.	2.5	99
269	Structure and Function of the Third Intracellular Loop of the 5-Hydroxytryptamine2A Receptor: The Third Intracellular Loop Is \hat{I}^{\pm} -Helical and Binds Purified Arrestins. Journal of Neurochemistry, 2008, 72, 2206-2214.	2.1	89
270	Identification of a butyrophenone analog as a potential atypical antipsychotic agent: 4-[4-(4-Chlorophenyl)-1,4-diazepan-1-yl]-1-(4-fluorophenyl)butan-1-one. Bioorganic and Medicinal Chemistry, 2008, 16, 7291-7301.	1.4	44

#	ARTICLE	IF	CITATIONS
271	Methoxy-substituted 9-aminomethyl-9,10-dihydroanthracene (AMDA) derivatives exhibit differential binding affinities at the 5-HT _{2A} receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5268-5271.	1.0	9
272	Short synthesis of a novel class of salvinorin A analogs with hemiacetalic structure. <i>Tetrahedron Letters</i> , 2008, 49, 937-940.	0.7	10
273	Engineering GPCR signaling pathways with RASSLs. <i>Nature Methods</i> , 2008, 5, 673-678.	9.0	223
274	Electrifying cell receptors. <i>Nature Nanotechnology</i> , 2008, 3, 587-588.	15.6	2
275	Pimavanserin tartrate: a 5-HT _{2A} inverse agonist with potential for treating various neuropsychiatric disorders. <i>Expert Opinion on Pharmacotherapy</i> , 2008, 9, 3251-3259.	0.9	74
276	Ontogeny of serotonin and serotonin _{2A} receptors in rat auditory cortex. <i>Hearing Research</i> , 2008, 244, 45-50.	0.9	20
277	Insights into the regulation of 5-HT _{2A} serotonin receptors by scaffolding proteins and kinases. <i>Neuropharmacology</i> , 2008, 55, 961-968.	2.0	45
278	Binding of Serotonin and N1-Benzenesulfonyltryptamine-Related Analogs at Human 5-HT ₆ Serotonin Receptors: Receptor Modeling Studies. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 603-611.	2.9	36
279	Potential Modes of Interaction of 9-Aminomethyl-9,10-dihydroanthracene (AMDA) Derivatives with the 5-HT _{2A} Receptor: A Ligand Structure-Affinity Relationship, Receptor Mutagenesis and Receptor Modeling Investigation. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6808-6828.	2.9	34
280	New Insights into the Function of M ₄ Muscarinic Acetylcholine Receptors Gained Using a Novel Allosteric Modulator and a DREADD (Designer Receptor Exclusively Activated by a Designer) <i>Trends in Biochemical Sciences</i> , 2008, 33, 100-105.	0.0	0
281	Cl ⁻ -Subunits Differentially Alter the Conformation and Agonist Affinity of μ -Opioid Receptors. <i>Biochemistry</i> , 2008, 47, 1567-1578.	1.2	49
282	<i>N</i> -Methylacetamide Analog of Salvinorin A: A Highly Potent and Selective μ -Opioid Receptor Agonist with Oral Efficacy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 188-195.	1.3	42
283	Identification of 6-Benzylthioinosine as a Myeloid Leukemia Differentiation-Inducing Compound. <i>Cancer Research</i> , 2008, 68, 4369-4376.	0.4	20
284	Opportunities and Challenges of Psychiatric Drug Discovery: Roles for Scientists in Academic, Industry, and Government Settings. <i>Neuropsychopharmacology</i> , 2008, 33, 2048-2060.	2.8	80
285	N-Desalkylquetiapine, a Potent Norepinephrine Reuptake Inhibitor and Partial 5-HT _{1A} Agonist, as a Putative Mediator of Quetiapine's Antidepressant Activity. <i>Neuropsychopharmacology</i> , 2008, 33, 2303-2312.	2.8	282
286	Arresting serotonin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 831-832.	3.3	33
287	Engineered GPCRs as Tools to Modulate Signal Transduction. <i>Physiology</i> , 2008, 23, 313-321.	1.6	68
288	Massively Parallel Screening of the Receptorome. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 420-426.	0.6	53

#	ARTICLE	IF	CITATIONS
289	High-Dose Olanzapine for Treatment-Resistant Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 176-177.	1.1	4
290	Novel Mechanisms of Drug Treatment in Psychiatry. , 2008, , 519-534.		0
291	Differential Helical Orientations among Related G Protein-coupled Receptors Provide a Novel Mechanism for Selectivity. <i>Journal of Biological Chemistry</i> , 2007, 282, 3146-3156.	1.6	31
292	Evolving the lock to fit the key to create a family of G protein-coupled receptors potently activated by an inert ligand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 5163-5168.	3.3	1,683
293	Molecular Targets for Treating Cognitive Dysfunction in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 1100-1119.	2.3	205
294	Functional Selectivity and Classical Concepts of Quantitative Pharmacology. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 320, 1-13.	1.3	997
295	Drugs and Valvular Heart Disease. <i>New England Journal of Medicine</i> , 2007, 356, 6-9.	13.9	450
296	Novel oxotremorine-related heterocyclic derivatives: Synthesis and in vitro pharmacology at the muscarinic receptor subtypes. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 7626-7637.	1.4	8
297	Further studies on the binding of N1-substituted tryptamines at h5-HT6 receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1691-1694.	1.0	13
298	Synthesis and in vitro binding studies of substituted piperidine naphthamides. Part I: Influence of the substitution on the basic nitrogen and the position of the amide on the affinity for D2L, D4.2, and 5-HT2A receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1565-1569.	1.0	8
299	Synthesis and in vitro binding studies of substituted piperidine naphthamides. Part II: Influence of the substitution on the benzyl moiety on the affinity for D2L, D4.2, and 5-HT2A receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1570-1574.	1.0	6
300	Convenient synthesis and in vitro pharmacological activity of 2-thioanalogs of salvinorins A and B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 2229-2232.	1.0	27
301	Relating protein pharmacology by ligand chemistry. <i>Nature Biotechnology</i> , 2007, 25, 197-206.	9.4	1,722
302	The pipeline and future of drug development in schizophrenia. <i>Molecular Psychiatry</i> , 2007, 12, 904-922.	4.1	173
303	Involvement of AMPA receptor phosphorylation in antidepressant actions with special reference to tianeptine. <i>European Journal of Neuroscience</i> , 2007, 26, 3509-3517.	1.2	116
304	Antinociceptive and Hypothermic Effects of Salvinorin A Are Abolished in a Novel Strain of μ -Opioid Receptor-1 Knockout Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 318, 641-648.	1.3	80
305	Developing selectively nonselective drugs for treating CNS disorders. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006, 3, 413-419.	0.5	4
306	Binding of Sulfonyl-Containing Arylalkylamines at Human 5-HT6 Serotonin Receptors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5217-5225.	2.9	29

#	ARTICLE	IF	CITATIONS
307	Evaluation of the eutomer of 4-[3-(4-chlorophenyl)-3-hydroxypyrrolidin-1-yl]-1-(4-fluorophenyl)butan-1-one, {(+)-SYA 09}, a pyrrolidine analog of haloperidol. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3219-3223.	1.0	6
308	Binding of methoxy-substituted N1-benzenesulfonylindole analogs at human 5-HT ₆ serotonin receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3793-3796.	1.0	12
309	Interaction of N1-unsubstituted and N1-benzenesulfonyltryptamines at h5-HT ₆ receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5832-5835.	1.0	14
310	Convergent Synthesis of Complex Diketopiperazines Derived from Pipecolic Acid Scaffolds and Parallel Screening against GPCR Targets. <i>Journal of Organic Chemistry</i> , 2006, 71, 8934-8945.	1.7	31
311	Synthesis and Structure-Activity Relationships of 3-[(2-Methyl-1,3-thiazol-4-yl)ethynyl]pyridine Analogues as Potent, Noncompetitive Metabotropic Glutamate Receptor Subtype 5 Antagonists; Search for Cocaine Medications. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 1080-1100.	2.9	88
312	WAY-100635 is a potent dopamine D ₄ receptor agonist. <i>Psychopharmacology</i> , 2006, 188, 244-251.	1.5	133
313	Screening the receptorome: an efficient approach for drug discovery and target validation. <i>Drug Discovery Today</i> , 2006, 11, 708-716.	3.2	67
314	Bioisosteric Modification of Salvinorin A, a Potent and Selective Kappa-Opioid Receptor Agonist. <i>Arzneimittelforschung</i> , 2006, 56, 269-275.	0.5	12
315	Evidence for the Preferential Involvement of 5-HT _{2A} Serotonin Receptors in Stress- and Drug-Induced Dopamine Release in the Rat Medial Prefrontal Cortex. <i>Neuropsychopharmacology</i> , 2006, 31, 265-277.	2.8	165
316	Screening the Receptorome Yields Validated Molecular Targets for Drug Discovery. <i>Current Pharmaceutical Design</i> , 2006, 12, 1785-1795.	0.9	15
317	Screening the receptorome. <i>Journal of Psychopharmacology</i> , 2006, 20, 41-46.	2.0	2
318	p90 ribosomal S6 kinase 2 exerts a tonic brake on G protein-coupled receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4717-4722.	3.3	48
319	Molecular Determinants in the Second Intracellular Loop of the 5-Hydroxytryptamine-1A Receptor for G-Protein Coupling. <i>Molecular Pharmacology</i> , 2006, 69, 1518-1526.	1.0	28
320	Molecular Biology and Genomic Organization of G Protein-Coupled Serotonin Receptors. , 2006, , 1-38.		8
321	Structure and Function Reveal Insights in the Pharmacology of 5-HT Receptor Subtypes. , 2006, , 39-58.		3
322	Polymorphic and Posttranscriptional Modifications of 5-HT Receptor Structure. <i>Receptors</i> , 2006, , 59-90.	0.2	3
323	Salvinorin A: From Natural Product to Human Therapeutics. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2006, 6, 257-265.	3.4	77
324	Contributions of molecular biology to antipsychotic drug discovery: promises fulfilled or unfulfilled?. <i>Dialogues in Clinical Neuroscience</i> , 2006, 8, 303-309.	1.8	13

#	ARTICLE	IF	CITATIONS
325	5-HT Receptor-Associated Proteins (FRAPs). <i>Receptors</i> , 2006, , 257-276.	0.2	0
326	Agonist induced internalization of G alpha s regulates adenylyl cyclase. <i>FASEB Journal</i> , 2006, 20, A694.	0.2	0
327	Synthesis and receptor assay of aromatic ethynyl aromatic derivatives with potent mGluR5 antagonist activity. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 197-209.	1.4	38
328	Functionalization at position 3 of the phenyl ring of the potent mGluR5 noncompetitive antagonists MPEP. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 945-949.	1.0	31
329	1-(1-Naphthyl)piperazine as a novel template for 5-HT6 serotonin receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1707-1711.	1.0	26
330	Synthesis of potent and selective serotonin 5-HT1B receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 4786-4789.	1.0	11
331	Binding of amine-substituted N1-benzenesulfonylindoles at human 5-HT6 serotonin receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 5298-5302.	1.0	25
332	Finding New Tricks For Old Drugs: An Efficient Route For Public-Sector Drug Discovery. <i>Nature Reviews Drug Discovery</i> , 2005, 4, 1005-1014.	21.5	196
333	Receptor systems: Will mining the receptorome yield novel targets for pharmacotherapy?. , 2005, 108, 59-64.		9
334	Functionalization at Position 3 of the Phenyl Ring of the Potent mGluR5 Noncompetitive Antagonists MPEP.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
335	1-(1-Naphthyl)piperazine as a Novel Template for 5-HT6 Serotonin Receptor Ligands.. <i>ChemInform</i> , 2005, 36, no.	0.1	0
336	The highly efficacious actions of N-desmethylozapine at muscarinic receptors are unique and not a common property of either typical or atypical antipsychotic drugs: is M1 agonism a pre-requisite for mimicking clozapine's actions?. <i>Psychopharmacology</i> , 2005, 178, 451-460.	1.5	111
337	5-ZATRYPTAMINE ANALOGS AS h5-HT6 SEROTONIN RECEPTOR LIGANDS. <i>Medicinal Chemistry Research</i> , 2005, 14, 1-18.	1.1	7
338	Binding of isotryptamines and indenes at h5-HT6 serotonin receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1987-1991.	1.0	43
339	Interaction of chiral MS-245 analogs at h5-HT6 receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 3510-3513.	1.0	20
340	SAR of psilocybin analogs: Discovery of a selective 5-HT2C agonist. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 4555-4559.	1.0	59
341	Development of a Rationally Designed, Low Abuse Potential, Biogenic Amine Releaser That Suppresses Cocaine Self-Administration. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 313, 1361-1369.	1.3	83
342	Molecular Determinants for the Interaction of the Valvulopathic Anorexigen Norfenfluramine with the 5-HT2B Receptor. <i>Molecular Pharmacology</i> , 2005, 68, 20-33.	1.0	73

#	ARTICLE	IF	CITATIONS
343	Mining the Receptorome. <i>Journal of Biological Chemistry</i> , 2005, 280, 5129-5132.	1.6	68
344	Fluorinated Diaryl Sulfides as Serotonin Transporter Ligands: A Synthesis, Structure-Activity Relationship Study, and in Vivo Evaluation of Fluorine-18-Labeled Compounds as PET Imaging Agents. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 2559-2570.	2.9	59
345	Screening the receptorome reveals molecular targets responsible for drug-induced side effects: focus on "fenphen". <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2005, 1, 377-387.	1.5	39
346	Studies toward the Pharmacophore of Salvinorin A, a Potent μ Opioid Receptor Agonist. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 345-348.	2.9	110
347	Autoxidation of Salvinorin A under Basic Conditions. <i>Journal of Organic Chemistry</i> , 2005, 70, 10057-10061.	1.7	15
348	Synthesis of a Library of Complex Macrolides Employing Cyclodimerization of Hydroxy Esters. <i>ACS Combinatorial Science</i> , 2005, 7, 673-681.	3.3	42
349	Screening the receptorome for plant-based psychoactive compounds. <i>Life Sciences</i> , 2005, 78, 506-511.	2.0	18
350	Nigrostriatal Dopaminergic Deficits and Hypokinesia Caused by Inactivation of the Familial Parkinsonism-Linked Gene DJ-1. <i>Neuron</i> , 2005, 45, 489-496.	3.8	485
351	Synthesis and binding studies of 2-aryl pomorphines. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 4077.	1.5	29
352	Identification of the Molecular Mechanisms by Which the Diterpenoid Salvinorin A Binds to μ -Opioid Receptors. <i>Biochemistry</i> , 2005, 44, 8643-8651.	1.2	84
353	Fast dissociation rates predict neither efficacy nor lack of side-effects. <i>Nature Reviews Drug Discovery</i> , 2004, 3, 894-894.	21.5	0
354	Molecular and Cellular Mechanisms for the Polarized Sorting of Serotonin Receptors: Relevance for Genesis and Treatment of Psychosis. <i>Critical Reviews in Neurobiology</i> , 2004, 16, 229-236.	3.3	23
355	The Neurotensin Agonist PD149163 Increases Fos Expression in the Prefrontal Cortex of the Rat. <i>Neuropsychopharmacology</i> , 2004, 29, 1878-1888.	2.8	43
356	Caveolin-1 Interacts with 5-HT _{2A} Serotonin Receptors and Profoundly Modulates the Signaling of Selected G _i -coupled Protein Receptors. <i>Journal of Biological Chemistry</i> , 2004, 279, 34614-34623.	1.6	155
357	Low nNOS protein in the locus coeruleus in major depression. <i>Journal of Neurochemistry</i> , 2004, 91, 1057-1066.	2.1	74
358	Magic shotguns versus magic bullets: selectively non-selective drugs for mood disorders and schizophrenia. <i>Nature Reviews Drug Discovery</i> , 2004, 3, 353-359.	21.5	1,044
359	Screening the receptorome to discover the molecular targets for plant-derived psychoactive compounds: a novel approach for CNS drug discovery. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 99-110.		92
360	SK&F 83822 distinguishes adenylyl cyclase from phospholipase C-coupled dopamine D1-like receptors: behavioural topography. <i>European Journal of Pharmacology</i> , 2004, 486, 273-280.	1.7	39

#	ARTICLE	IF	CITATIONS
361	Serotonin receptors represent highly favorable molecular targets for cognitive enhancement in schizophrenia and other disorders. <i>Psychopharmacology</i> , 2004, 174, 17-24.	1.5	215
362	1,2,3,4-Tetrahydrocarbazoles as 5-HT ₆ Serotonin Receptor Ligands.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
363	Structural Determinants for High 5-HT _{2A} Receptor Affinity of Spiro[9,10-dihydroanthracene]-9,3- π^2 -pyrrolidine (SpAMDA).. <i>ChemInform</i> , 2004, 35, no.	0.1	0
364	1,2,3,4-Tetrahydrocarbazoles as 5-HT ₆ serotonin receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 1961-1964.	1.0	46
365	Structural determinants for high 5-HT 2A receptor affinity of spiro[9,10-dihydroanthracene]-9,3 π^2 -pyrrolidine (SpAMDA). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 2279-2283.	1.0	26
366	Haloperidol: towards further understanding of the structural contributions of its pharmacophoric elements at D ₂ -like receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 5739-5742.	1.0	22
367	Salvinorin A, an Active Component of the Hallucinogenic Sage <i>Salvia divinorum</i> Is a Highly Efficacious μ -Opioid Receptor Agonist: Structural and Functional Considerations. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 308, 1197-1203.	1.3	194
368	The Human Polyomavirus, JCV, Uses Serotonin Receptors to Infect Cells. <i>Science</i> , 2004, 306, 1380-1383.	6.0	417
369	Salvinorin A: A novel and highly selective μ -opioid receptor agonist. <i>Life Sciences</i> , 2004, 75, 2615-2619.	2.0	54
370	Aripiprazole: A Novel Atypical Antipsychotic Drug With a Uniquely Robust Pharmacology. <i>CNS Neuroscience & Therapeutics</i> , 2004, 10, 317-336.	4.0	133
371	In Vitro Characterization of Ephedrine-Related Stereoisomers at Biogenic Amine Transporters and the Receptorome Reveals Selective Actions as Norepinephrine Transporter Substrates. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 138-145.	1.3	167
372	l-Homocysteine Sulfinic Acid and l-Homocysteic Acid Stimulate Phosphoinositide Hydrolysis in Rat Cortical Neurons. <i>Annals of the New York Academy of Sciences</i> , 2003, 1003, 461-463.	1.8	1
373	IRAS Splice Variants. <i>Annals of the New York Academy of Sciences</i> , 2003, 1009, 419-426.	1.8	9
374	Atypical antipsychotic drug actions: unitary or multiple mechanisms for α -atypicality α ™?. <i>Clinical Neuroscience Research</i> , 2003, 3, 108-117.	0.8	73
375	Spiro[9,10-dihydroanthracene]-9,3- π^2 -pyrrolidine π^2 a structurally unique tetracyclic 5-HT _{2A} receptor antagonist. <i>European Journal of Pharmacology</i> , 2003, 482, 335-337.	1.7	6
376	Synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands. <i>Il Farmaco</i> , 2003, 58, 739-748.	0.9	9
377	Ring substituted analogues of 5-aminomethyl-10,11-dihydro-dibenzo[a,d]cycloheptene (AMDH): potential modes of binding to the 5-HT _{2A} receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 2565-2568.	1.0	2
378	N1-Benzenesulfonylgramine and N1-benzenesulfonylskatole: novel 5-HT ₆ receptor ligand templates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 3355-3359.	1.0	31

#	ARTICLE	IF	CITATIONS
379	Novel Diketopiperazine Enhances Motor and Cognitive Recovery after Traumatic Brain Injury in Rats and Shows Neuroprotection <i>In Vitro</i> and <i>In Vivo</i> . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 342-354.	2.4	72
380	3,4-Methylenedioxyamphetamine (MDMA, "Ecstasy") Induces Fenfluramine-Like Proliferative Actions on Human Cardiac Valvular Interstitial Cells <i>In Vitro</i> . <i>Molecular Pharmacology</i> , 2003, 63, 1223-1229.	1.0	263
381	H1-Histamine Receptor Affinity Predicts Short-Term Weight Gain for Typical and Atypical Antipsychotic Drugs. <i>Neuropsychopharmacology</i> , 2003, 28, 519-526.	2.8	694
382	The PDZ-binding domain is essential for the dendritic targeting of 5-HT _{2A} serotonin receptors in cortical pyramidal neurons <i>in vitro</i> . <i>Neuroscience</i> , 2003, 122, 907-920.	1.1	71
383	Salvinorin A: the "magic mint"™ hallucinogen finds a molecular target in the kappa opioid receptor. <i>Trends in Pharmacological Sciences</i> , 2003, 24, 107-109.	4.0	142
384	Identification of Two Serine Residues Essential for Agonist-Induced 5-HT _{2A} Receptor Desensitization. <i>Biochemistry</i> , 2003, 42, 10853-10862.	1.2	39
385	L-Homocysteine Sulfinic Acid and Other Acidic Homocysteine Derivatives Are Potent and Selective Metabotropic Glutamate Receptor Agonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 305, 131-142.	1.3	101
386	Why Mice Are Neither Miniature Humans nor Small Rats: A Cautionary Tale Involving 5-Hydroxytryptamine-6 Serotonin Receptor Species Variants: Fig. 1.. <i>Molecular Pharmacology</i> , 2003, 64, 1277-1278.	1.0	35
387	Parkin-deficient Mice Exhibit Nigrostriatal Deficits but Not Loss of Dopaminergic Neurons. <i>Journal of Biological Chemistry</i> , 2003, 278, 43628-43635.	1.6	784
388	G-protein-coupled receptors at a glance. <i>Journal of Cell Science</i> , 2003, 116, 4867-4869.	1.2	282
389	The Interaction of a Constitutively Active Arrestin with the Arrestin-Insensitive 5-HT _{2A} Receptor Induces Agonist-Independent Internalization. <i>Molecular Pharmacology</i> , 2003, 63, 961-972.	1.0	55
390	Aripiprazole, A Novel Atypical Antipsychotic Drug with a Unique and Robust Pharmacology. <i>Neuropsychopharmacology</i> , 2003, 28, 1400-1411.	2.8	848
391	A Direct Interaction of PSD-95 with 5-HT _{2A} Serotonin Receptors Regulates Receptor Trafficking and Signal Transduction. <i>Journal of Biological Chemistry</i> , 2003, 278, 21901-21908.	1.6	152
392	Reply: H1-histamine Receptor Affinity Predicts Short-term Weight Gain for Typical and Atypical Antipsychotic Drugs. <i>Neuropsychopharmacology</i> , 2003, 28, 2210-2211.	2.8	5
393	Molecular Biology of Serotonin Receptors - Structure and Function at the Molecular Level. <i>Current Topics in Medicinal Chemistry</i> , 2002, 2, 507-528.	1.0	243
394	CELL BIOLOGY: A Last GASP for GPCRs?. <i>Science</i> , 2002, 297, 529-531.	6.0	32
395	Evidence for a Model of Agonist-induced Activation of 5-Hydroxytryptamine 2A Serotonin Receptors That Involves the Disruption of a Strong Ionic Interaction between Helices 3 and 6. <i>Journal of Biological Chemistry</i> , 2002, 277, 11441-11449.	1.6	161
396	Geometry-Affinity Relationships of the Selective Serotonin Receptor Ligand 9-(Aminomethyl)-9,10-dihydroanthracene. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 1656-1664.	2.9	16

#	ARTICLE	IF	CITATIONS
397	Salvinorin A: A potent naturally occurring nonnitrogenous \hat{A} opioid selective agonist. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 11934-11939.	3.3	712
398	Localization of 5-HT _{2A} receptors on dopamine cells in subnuclei of the midbrain A10 cell group. Neuroscience, 2002, 111, 163-176.	1.1	154
399	In vitro receptor screening of pure constituents of St. John's wort reveals novel interactions with a number of GPCRs. Psychopharmacology, 2002, 162, 193-202.	1.5	98
400	Evidence for a model of agonist-induced activation of 5-hydroxytryptamine 2A serotonin receptors that involves the disruption of a strong ionic interaction between helices 3 and 6. Journal of Biological Chemistry, 2002, 277, 18244.	1.6	2
401	Paradoxical trafficking and regulation of 5-HT _{2A} receptors by agonists and antagonists. Brain Research Bulletin, 2001, 56, 441-451.	1.4	262
402	Insights into the structure and function of 5-HT ₂ family serotonin receptors reveal novel strategies for therapeutic target development. Expert Opinion on Therapeutic Targets, 2001, 5, 685-695.	1.5	33
403	Discovery of a Novel Member of the Histamine Receptor Family. Molecular Pharmacology, 2001, 59, 427-433.	1.0	346
404	Cell-Type Specific Effects of Endocytosis Inhibitors on 5-Hydroxytryptamine _{2A} Receptor Desensitization and Resensitization Reveal an Arrestin-, GRK2-, and GRK5-Independent Mode of Regulation in Human Embryonic Kidney 293 Cells. Molecular Pharmacology, 2001, 60, 1020-1030.	1.0	88
405	Control of Serotonergic Function in Medial Prefrontal Cortex by Serotonin-2A Receptors through a Glutamate-Dependent Mechanism. Journal of Neuroscience, 2001, 21, 9856-9866.	1.7	292
406	The in vitro pharmacology of the \hat{I}^2 -adrenergic receptor pet ligand (s)-fluorocarazolol reveals high affinity for cloned \hat{I}^2 -adrenergic receptors and moderate affinity for the human 5-HT 1A receptor. Psychopharmacology, 2001, 157, 111-114.	1.5	12
407	Exploring the relationship between binding modes of 9-(aminomethyl)-9,10-dihydroanthracene and cyproheptadine analogues at the 5-HT _{2A} serotonin receptor. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 563-566.	1.0	15
408	Influence of chain length and N-alkylation on the selective serotonin receptor ligand 9-(aminomethyl)-9,10-dihydroanthracene. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 655-658.	1.0	19
409	Rational design, synthesis, and biological evaluation of rigid pyrrolidone analogues as potential inhibitors of prostate cancer cell growth. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 955-959.	1.0	33
410	Synthesis of potent and selective dopamine D ₄ antagonists as candidate radioligands. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 1375-1377.	1.0	10
411	Distribution of serotonin 5-HT _{2A} receptors in afferents of the rat striatum. Synapse, 2001, 39, 297-304.	0.6	62
412	The Dynamin-dependent, Arrestin-independent Internalization of 5-Hydroxytryptamine 2A (5-HT _{2A}) Serotonin Receptors Reveals Differential Sorting of Arrestins and 5-HT _{2A} Receptors during Endocytosis. Journal of Biological Chemistry, 2001, 276, 8269-8277.	1.6	144
413	Agonist high and low affinity state ratios predict drug intrinsic activity and a revised Ternary complex mechanism at serotonin 5-HT _{2A} and 5-HT _{2C} receptors. Synapse, 2000, 35, 144-150.	0.6	71
414	N1-(Benzenesulfonyl)tryptamines as novel 5-HT ₆ antagonists. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 2295-2299.	1.0	98

#	ARTICLE	IF	CITATIONS
415	Differential Modes of Agonist Binding to 5-Hydroxytryptamine_{2A} Serotonin Receptors Revealed by Mutation and Molecular Modeling of Conserved Residues in Transmembrane Region 5. <i>Molecular Pharmacology</i> , 2000, 58, 877-886.	1.0	104
416	Evidence for Possible Involvement of 5-HT _{2B} Receptors in the Cardiac Valvulopathy Associated With Fenfluramine and Other Serotonergic Medications. <i>Circulation</i> , 2000, 102, 2836-2841.	1.6	659
417	The Multiplicity of Serotonin Receptors: Uselessly Diverse Molecules or an Embarrassment of Riches?. <i>Neuroscientist</i> , 2000, 6, 252-262.	2.6	303
418	2-Substituted Tryptamines: Agents with Selectivity for 5-HT ₆ Serotonin Receptors. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 1011-1018.	2.9	149
419	Engineering a region of bulk tolerance in the 5-HT _{2A} receptor. <i>European Journal of Medicinal Chemistry</i> , 1999, 34, 441-447.	2.6	20
420	9-(Aminomethyl)-9,10-dihydroanthracene is a novel and unlikely 5-HT _{2A} receptor antagonist. <i>European Journal of Pharmacology</i> , 1999, 380, R5-R7.	1.7	13
421	What's All the RAVE about Receptor Internalization?. <i>Neuron</i> , 1999, 23, 629-631.	3.8	17
422	Morphometric evidence for neuronal and glial prefrontal cell pathology in major depression—See accompanying Editorial, in this issue.. <i>Biological Psychiatry</i> , 1999, 45, 1085-1098.	0.7	1,395
423	G protein-coupled receptor (GPCR) trafficking in the central nervous system: relevance for drugs of abuse. <i>Drug and Alcohol Dependence</i> , 1998, 51, 73-85.	1.6	55
424	Serotonin 5-HT _{2A} Receptors: Molecular Biology and Mechanisms of Regulation. <i>Critical Reviews in Neurobiology</i> , 1998, 12, 319-338.	3.3	96
425	Binding of Typical and Atypical Antipsychotic Drugs to Multiple Neurotransmitter Receptors. <i>Advances in Pharmacology</i> , 1997, 42, 482-485.	1.2	34
426	Regulation of the internalization of the 5HT _{2A} receptor in vitro. <i>Schizophrenia Research</i> , 1997, 24, 90.	1.1	0
427	Serotonin 5-HT _{2A} receptors are expressed on pyramidal cells and interneurons in the rat cortex. , 1997, 27, 79-82.		295
428	Serotonin 5-HT _{2A} receptors are expressed on pyramidal cells and interneurons in the rat cortex. , 1997, 27, 79.		1
429	Interactions of selective serotonin reuptake inhibitors with the serotonin 5-HT _{2C} receptor. <i>Psychopharmacology</i> , 1996, 126, 234-240.	1.5	185
430	Cloning, Characterization, and Chromosomal Localization of a Human 5-HT₆ Serotonin Receptor. <i>Journal of Neurochemistry</i> , 1996, 66, 47-56.	2.1	329
431	Atypical Antipsychotic Drugs: Clinical and Preclinical Studies. <i>Handbook of Experimental Pharmacology</i> , 1996, , 77-115.	0.9	7
432	1-(2,5-Dimethoxy-4-(trifluoromethyl)phenyl)-2-aminopropane: A Potent Serotonin 5-HT _{2A/2C} Agonist. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 4346-4351.	2.9	64

#	ARTICLE	IF	CITATIONS
433	Effect of the R(α) and S(+) isomers of MDA and MDMA on phosphatidylinositol turnover in cultured cells expressing 5-HT _{2A} or 5-HT _{2C} receptors. <i>Neuroscience Letters</i> , 1994, 177, 111-115.	1.0	63
434	Multiple Serotonin Receptors: Clinical and Experimental Aspects. <i>Annals of Clinical Psychiatry</i> , 1994, 6, 67-78.	0.6	190
435	Production and characterization of a specific 5-HT ₂ receptor antibody. <i>Brain Research</i> , 1993, 615, 113-120.	1.1	32
436	Developmental regulation of 5-HT ₂ and 5-HT _{1C} mRNA and receptor levels. <i>Developmental Brain Research</i> , 1991, 58, 51-58.	2.1	110
437	Chronic mianserin treatment decreases 5-HT ₂ receptor binding without altering 5-HT ₂ receptor mRNA levels. <i>European Journal of Pharmacology</i> , 1991, 207, 169-172.	2.7	66
438	A structure-affinity study of the binding of 4-substituted analogs of 1-(2,5-dimethoxyphenyl)-2-aminopropane at 5-HT ₂ serotonin receptors. <i>Journal of Medicinal Chemistry</i> , 1990, 33, 1032-1036.	2.9	52
439	Role of Phosphoinositide Hydrolysis and Protein Kinase C Activation in 5HT ₂ Receptor Function in Smooth Muscle. , 1990, , 33-37.		0
440	Rat Brain Protein Kinase C: Purification, Antibody Production, and Quantification in Discrete Regions of Hippocampus. <i>Journal of Neurochemistry</i> , 1989, 52, 215-221.	2.1	48
441	Immunohistochemical distribution of β -protein kinase C in rat hippocampus determined with an antibody against a synthetic peptide sequence. <i>Brain Research Bulletin</i> , 1989, 22, 893-897.	1.4	6
442	NOREPINEPHRINE INCREASES PRODUCTION OF A NUCLEAR MESSAGE IN VASCULAR TISSUE. <i>Critical Care Medicine</i> , 1988, 16, 402.	0.4	0
443	A BIOCHEMICAL MECHANISM FOR VASODILATION IN SEPTIC SHOCK. <i>Critical Care Medicine</i> , 1987, 15, 440.	0.4	7
444	Elevation of arterial pressure in rats by two new vertebrate peptides FLF QPQRF-NH ₂ and AGE GLSSPFWSLAAPQRF-NH ₂ which are immunoreactive to FMRF-NH ₂ antiserum. <i>Neuropeptides</i> , 1987, 10, 37-42.	0.9	104
445	Prostaglandins activate phosphoinositide metabolism in rat aorta. <i>European Journal of Pharmacology</i> , 1987, 136, 325-332.	1.7	32
446	Effects of a phorbol ester on rat aortic contraction and calcium influx in the presence and absence of BAY k 8644. <i>European Journal of Pharmacology</i> , 1987, 144, 185-191.	1.7	36
447	Modulation of phosphatidylinositol-4, 5-bisphosphate hydrolysis in rat aorta by guanine nucleotides, calcium and magnesium. <i>Life Sciences</i> , 1987, 41, 629-634.	2.0	25
448	Multiple mechanisms of serotonergic signal transduction. <i>Life Sciences</i> , 1987, 41, 1051-1064.	2.0	120
449	Characterization of Two [³ H]Ketanserin Recognition Sites in Rat Striatum. <i>Journal of Neurochemistry</i> , 1987, 49, 1833-1838.	2.1	67
450	BAY k 8644, a calcium channel agonist, reverses hypotension in endotoxin-shocked rats. <i>European Journal of Pharmacology</i> , 1986, 130, 169-175.	1.7	14

#	ARTICLE	IF	CITATIONS
451	Phorbol esters inhibit alpha1-adrenergic receptor-stimulated phosphoinositide hydrolysis and contraction in rat aorta: Evidence for a link between vascular contraction and phosphoinositide turnover. <i>Biochemical and Biophysical Research Communications</i> , 1986, 134, 970-974.	1.0	53
452	5-Hydroxytryptamine Uptake and Imipramine Binding Sites in Neurotumor NCB-20 Cells. <i>Journal of Neurochemistry</i> , 1985, 45, 920-925.	2.1	9
453	Stereospecific opiate-binding sites occur in coated vesicles. <i>Journal of Neuroscience</i> , 1985, 5, 3010-3015.	1.7	36
454	The postnatal development of VIP binding sites in rat forebrain and hindbrain. <i>Peptides</i> , 1985, 6, 27-30.	1.2	27
455	Microsomal Opiate Receptors: Characterization of Smooth Microsomal and Synaptic Membrane Opiate Receptors. <i>Journal of Neurochemistry</i> , 1984, 42, 1677-1684.	2.1	30
456	Aortic recognition sites for serotonin (5HT) are coupled to phospholipase C and modulate phosphatidylinositol turnover. <i>Neuropharmacology</i> , 1984, 23, 1223-1225.	2.0	135
457	A Slowly Dissociating form of Bovine Hippocampal Synaptic Membrane Opiate Receptors. , 1984, , 489-492.		0
458	Ontogeny of benzomorphan-selective (δ) sites: A computerized analysis. <i>Life Sciences</i> , 1983, 33, 235-238.	2.0	13
459	Differential postnatal development of mu and delta opiate receptors. <i>Developmental Brain Research</i> , 1982, 3, 679-684.	2.1	122
460	Microsomal opiate receptors differ from synaptic membrane receptors in proteolytic sensitivity. <i>Brain Research</i> , 1982, 250, 101-109.	1.1	16
461	Demonstration of a slowly dissociating form of bovine hippocampal synaptic membrane opiate receptors. <i>European Journal of Pharmacology</i> , 1982, 83, 47-53.	1.7	14
462	The effects of tetrahydroisoquinolinecarboxylic acids on tyrosine 3-monoxygenase. <i>Archives of Biochemistry and Biophysics</i> , 1981, 209, 620-627.	1.4	9
463	The effects of morphine on catecholamine metabolism during postnatal development. <i>Brain Research</i> , 1980, 197, 561-564.	1.1	21
464	5-Hydroxytryptamine receptor 2A. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	0