

Tian-Sheuan Chang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2663605/publications.pdf>

Version: 2024-02-01

134
papers

2,072
citations

393982

19
h-index

329751

37
g-index

135
all docs

135
docs citations

135
times ranked

1304
citing authors

#	ARTICLE	IF	CITATIONS
1	On the data reuse and memory bandwidth analysis for full-search block-matching VLSI architecture. IEEE Transactions on Circuits and Systems for Video Technology, 2002, 12, 61-72.	5.6	246
2	Fast SIFT Design for Real-Time Visual Feature Extraction. IEEE Transactions on Image Processing, 2013, 22, 3158-3167.	6.0	150
3	Algorithm and Architecture of Disparity Estimation With Mini-Census Adaptive Support Weight. IEEE Transactions on Circuits and Systems for Video Technology, 2010, 20, 792-805.	5.6	105
4	Mitigating Asymmetric Nonlinear Weight Update Effects in Hardware Neural Network Based on Analog Resistive Synapse. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2018, 8, 116-124.	2.7	87
5	A new RSA cryptosystem hardware design based on Montgomery's algorithm. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 1998, 45, 908-913.	2.3	77
6	A simple processor core design for DCT/IDCT. IEEE Transactions on Circuits and Systems for Video Technology, 2000, 10, 439-447.	5.6	66
7	Real-time high-definition stereo matching on FPGA. , 2011, , .		62
8	Fast Three Step Intra Prediction Algorithm for 4x4 blocks in H.264. , 0, , .		58
9	A Hardware-Efficient H.264/AVC Motion-Estimation Design for High-Definition Video. IEEE Transactions on Circuits and Systems I: Regular Papers, 2008, 55, 1526-1535.	3.5	54
10	Fast Motion Estimation Algorithm and Design for Real Time QFHD High Efficiency Video Coding. IEEE Transactions on Circuits and Systems for Video Technology, 2015, 25, 1533-1544.	5.6	54
11	A Fast Algorithm and Its VLSI Architecture for Fractional Motion Estimation for H.264/MPEG-4 AVC Video Coding. IEEE Transactions on Circuits and Systems for Video Technology, 2007, 17, 578-583.	5.6	52
12	A 140-MHz 94 K Gates HD1080p 30-Frames/s Intra-Only Profile H.264 Encoder. IEEE Transactions on Circuits and Systems for Video Technology, 2009, 19, 432-436.	5.6	52
13	An in-place architecture for the deblocking filter in H.264/AVC. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2006, 53, 530-534.	2.3	46
14	Data and Hardware Efficient Design for Convolutional Neural Network. IEEE Transactions on Circuits and Systems I: Regular Papers, 2018, 65, 1642-1651.	3.5	45
15	A memory-efficient realization of cyclic convolution and its application to discrete cosine transform. IEEE Transactions on Circuits and Systems for Video Technology, 2005, 15, 445-453.	5.6	39
16	Sub-nA Low-Current HZO Ferroelectric Tunnel Junction for High-Performance and Accurate Deep Learning Acceleration. , 2019, , .		34
17	VWA: Hardware Efficient Vectorwise Accelerator for Convolutional Neural Network. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 145-154.	3.5	31
18	RangeSeg: Range-Aware Real Time Segmentation of 3D LiDAR Point Clouds. IEEE Transactions on Intelligent Vehicles, 2022, 7, 93-101.	9.4	31

#	ARTICLE	IF	CITATIONS
19	VLSI Architecture for Real-Time HD1080p View Synthesis Engine. IEEE Transactions on Circuits and Systems for Video Technology, 2011, 21, 1329-1340.	5.6	29
20	Hardware-efficient DFT designs with cyclic convolution and subexpression sharing. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2000, 47, 886-892.	2.3	28
21	Stereoscopic images generation with directional Gaussian filter. , 2010, , .		28
22	A Secure File Sharing System Based on IPFS and Blockchain. , 2020, , .		28
23	Low-power FIR filter realization with differential coefficients and inputs. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2000, 47, 137-145.	2.3	26
24	Fast block type decision algorithm for intra prediction in H.264 FRext. , 2005, , .		26
25	Challenges and opportunities toward online training acceleration using RRAM-based hardware neural network. , 2017, , .		26
26	A 124 Mpixels/s VLSI Design for Histogram-Based Joint Bilateral Filtering. IEEE Transactions on Image Processing, 2011, 20, 3231-3241.	6.0	24
27	A zero-skipping multi-symbol CAVLC decoder for MPEG-4 AVC/H.264. , 0, , .		23
28	Low Memory Cost Block-Based Belief Propagation for Stereo Correspondence. , 2007, , .		20
29	A 242mW 10mm ² 1080p H.264/AVC High-Profile Encoder Chip. , 2008, , .		20
30	NV-BNN. , 2019, , .		20
31	Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. Journal of Display Technology, 2014, 10, 13-18.	1.3	19
32	Low Complexity Formant Estimation Adaptive Feedback Cancellation for Hearing Aids Using Pitch Based Processing. IEEE/ACM Transactions on Audio Speech and Language Processing, 2014, 22, 1248-1259.	4.0	19
33	Determining motions with an IMU during level walking and slope and stair walking. Journal of Sports Sciences, 2020, 38, 62-69.	1.0	19
34	PMRME: A Parallel Multi-Resolution Motion Estimation Algorithm and Architecture for HDTV Sized H.264 Video Coding. , 2007, , .		17
35	A reconfigurable inverse transform architecture design for HEVC decoder. , 2013, , .		16
36	SIFME: A Single Iteration Fractional-Pel Motion Estimation Algorithm and Architecture for HDTV Sized H.264 Video Coding. , 2007, , .		15

#	ARTICLE	IF	CITATIONS
37	Gradient-based PU size selection for HEVC intra prediction. , 2014, , .		15
38	Fast intra prediction algorithm and design for high efficiency video coding. , 2016, , .		15
39	A Low Cost Context Adaptive Arithmetic Coder for H.264/MPEG-4 AVC Video Coding. , 2007, , .		14
40	Efficient Accelerator for Dilated and Transposed Convolution with Decomposition. , 2020, , .		14
41	A Highly Efficient VLSI Architecture for H.264/AVC Level 5.1 CABAC Decoder. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 272-281.	5.6	13
42	A fast fractional pel motion estimation algorithm for H.264/MPEG-4 AVC. , 0, , .		11
43	A QFHD 30-frames/s HEVC Decoder Design. IEEE Transactions on Circuits and Systems for Video Technology, 2016, 26, 724-735.	5.6	11
44	Sparse Compressed Spiking Neural Network Accelerator for Object Detection. IEEE Transactions on Circuits and Systems I: Regular Papers, 2022, 69, 2060-2069.	3.5	11
45	Optimal Data Mapping for Motion Compensation in H.264 Video Decoding. Signal Processing Systems Design and Implementation (siPS), IEEE Workshop on, 2007, , .	0.0	9
46	Architecture Design of Shape-Adaptive Discrete Cosine Transform and Its Inverse for MPEG-4 Video Coding. IEEE Transactions on Circuits and Systems for Video Technology, 2008, 18, 375-386.	5.6	9
47	Three-Dimensional Virtual Touch Display System for Multi-User Applications. Journal of Display Technology, 2013, 9, 921-928.	1.3	9
48	IMU Based Deep Stride Length Estimation With Self-Supervised Learning. IEEE Sensors Journal, 2021, 21, 7380-7387.	2.4	9
49	A 61MHz 72K Gates 1280Ã—720 30FPS H.264 Intra Encoder. , 2007, , .		8
50	Real-Time Wearable Gait Phase Segmentation for Running And Walking. , 2020, , .		8
51	A 1280Ã—720 Pixels 30Frames/s H.264/MPEG-4 AVC Intra Encoder. , 0, , .		7
52	A Fast Algorithm and Its Architecture for Motion Estimation in MPEG-4 AVC/H.264 Video Coding. , 2006, , .		7
53	Low memory cost bilateral filtering using stripe-based sliding integral histogram. , 2010, , .		7
54	Architecture Design of Belief Propagation for Real-Time Disparity Estimation. IEEE Transactions on Circuits and Systems for Video Technology, 2010, 20, 1555-1564.	5.6	7

#	ARTICLE	IF	CITATIONS
55	Perceptual multiband spectral subtraction for noise reduction in hearing aids. , 2010, , .		7
56	Algorithm and Architecture Design of Bandwidth-Oriented Motion Estimation for Real-Time Mobile Video Applications. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2013, 21, 33-42.	2.1	7
57	Analysis and implementation of low-power perceptual multiband noise reduction for the hearing aids application. IET Circuits, Devices and Systems, 2014, 8, 516-525.	0.9	7
58	A hardware-efficient deblocking filter design for HEVC. , 2015, , .		7
59	High Performance Context Adaptive Variable Length Coding Encoder for MPEG-4 AVC/H.264 Video Coding. , 2006, , .		6
60	SoC Memory System Design. , 2006, , 73-118.		6
61	Analysis of color space and similarity measure impact on stereo block matching. , 2008, , .		6
62	A 94fps view synthesis engine for HD1080p video. , 2011, , .		6
63	Fast intra prediction algorithm with transform domain edge detection for HEVC. , 2012, , .		6
64	Stereo Matching and Viewpoint Synthesis FPGA Implementation. , 2013, , 69-106.		6
65	VSCNN: Convolution Neural Network Accelerator with Vector Sparsity. , 2019, , .		6
66	VSA: Reconfigurable Vectorwise Spiking Neural Network Accelerator. , 2021, , .		6
67	Device quantization policy in variation-aware in-memory computing design. Scientific Reports, 2022, 12, 112.	1.6	6
68	The IC design of a high speed RSA processor. , 0, , .		5
69	A Memory Bandwidth Optimized Interpolator for Motion Compensation in the H.264 Video Decoding. , 2006, , .		5
70	135-MHz 258-K Gates VLSI Design for All-Intra H.264/AVC Scalable Video Encoder. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2013, 21, 636-647.	2.1	5
71	Bare finger 3D air-touch system with embedded multiwavelength optical sensor arrays for mobile 3D displays. Journal of the Society for Information Display, 2013, 21, 381-388.	0.8	5
72	The IDCT processor on the adder-based distributed arithmetic. , 0, , .		4

#	ARTICLE	IF	CITATIONS
73	Hardware efficient transform designs with cyclic formulation and subexpression sharing. , 0, , .		4
74	Fast motion estimation by adaptive early termination. , 0, , .		4
75	Combined Frame Memory Motion Compensation for Video Coding. IEEE Transactions on Circuits and Systems for Video Technology, 2006, 16, 1280-1285.	5.6	4
76	A high throughput VLSI design with hybrid memory architecture for H.264/AVC CABAC decoder. , 2010, , .		4
77	A low-power Mandarin-specific hearing aid chip. , 2010, , .		4
78	A lossless embedded compression codec engine for HD video decoding. , 2012, , .		4
79	Fast prediction unit selection for HEVC fractional pel motion estimation design. , 2013, , .		4
80	Fast rate distortion optimization design for HEVC intra coding. , 2015, , .		4
81	Hardware Efficient Skip Mode Detection for H.264/AVC. , 2008, , .		3
82	Adaptive De-Interlacing With Robust Overlapped Block Motion Compensation. IEEE Transactions on Circuits and Systems for Video Technology, 2008, 18, 1437-1440.	5.6	3
83	RD Optimized Bandwidth Efficient Motion Estimation and Its Hardware Design With On-Demand Data Access. IEEE Transactions on Circuits and Systems for Video Technology, 2010, 20, 1565-1576.	5.6	3
84	Fast zero block detection and early CU termination for HEVC Video Coding. , 2013, , .		3
85	Low complexity real time BCI for stroke rehabilitation. , 2015, , .		3
86	Deep Gait Tracking With Inertial Measurement Unit. , 2019, 3, 1-4.		3
87	A 14 \times 14 Decision Keyword-Spotting Accelerator With In-SRAM Computing and On-Chip Learning for Customization. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2022, 30, 1184-1192.	2.1	3
88	Low power FIR filter realization with differential coefficients and input. , 0, , .		2
89	Data reuse analysis of local stereo matching. , 2008, , .		2
90	Fast stereo matching with predictive search range. , 2010, , .		2

#	ARTICLE	IF	CITATIONS
91	Sub μ W Noise Reduction for CIC Hearing Aids. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2012, 20, 937-947.	2.1	2
92	A 135 MHz 542 k Gates High Throughput H.264/AVC Scalable High Profile Decoder. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 626-635.	5.6	2
93	A 385 MHz 13.54 K Gates Delay Balanced Two-Level CAVLC Decoder for Ultra HD H.264/AVC Video. IEEE Transactions on Circuits and Systems for Video Technology, 2012, 22, 1604-1610.	5.6	2
94	Thermal-aware memory management unit of 3D-stacked DRAM for 3D high definition (HD) video. , 2014, , .		2
95	Fast rate distortion optimization with adaptive context group modeling for HEVC. , 2017, , .		2
96	A Real-Time 1280 Å– 720 Object Detection Chip With 585 MB/s Memory Traffic. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2022, 30, 816-825.	2.1	2
97	Hardware-Robust In-RRAM-Computing for Object Detection. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2022, 12, 547-556.	2.7	2
98	Embedded memory module design for video signal processing. , 0, , .		1
99	A compact IDCT processor for HDTV applications. , 0, , .		1
100	Platform-dependent database and performance estimation for video application in embedded system. , 0, , .		1
101	An MPEG-4 shape-adaptive inverse DCT with zero skipping and auto-aligned transpose memory. , 0, , .		1
102	A low power and memory efficient distributed arithmetic design and its DCT application. , 0, , .		1
103	Combined Frame Memory Architecture for Motion Compensation in Video Decoding. , 0, , .		1
104	Block-based belief propagation with in-place message updating for stereo vision. , 2008, , .		1
105	Memory analysis for H.264/AVC scalable extension encoder. , 2009, , .		1
106	Fast algorithm for local stereo matching in disparity estimation. , 2011, , .		1
107	An efficient mode pre-selection algorithm for H.264/AVC scalable video extension fractional motion estimation. , 2011, , .		1
108	A low complexity speech coder for binaural communication in hearing aids. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
109	A low-power body-channel communication system for binaural hearing aids. , 2012, , .		1
110	An Efficient Mode Preselection Algorithm for Fractional Motion Estimation in H.264/AVC Scalable Video Extension. IEEE Transactions on Circuits and Systems for Video Technology, 2013, 23, 1837-1848.	5.6	1
111	A real time 1080P 30FPS Gaussian Mixture Modeling design for background subtraction and object extraction. , 2014, , .		1
112	Zebra: Memory Bandwidth Reduction for CNN Accelerators with Zero Block Regularization of Activation Maps. , 2020, , .		1
113	Pre-RTL DNN Hardware Evaluator With Fused Layer Support. , 2021, , .		1
114	An 1-bit by 1-bit High Parallelism In-RRAM Macro with Co-Training Mechanism for DCNN Applications. , 2022, , .		1
115	A Multiplierless Reconfigurable Resizer For Multi-window Image Display. , 1997, , .		0
116	A multiplierless reconfigurable resizer for multi-window image display. IEEE Transactions on Consumer Electronics, 1997, 43, 826-832.	3.0	0
117	Architecture design of MPEG-4 texture decoder supporting object-based video coding. , 0, , .		0
118	A bandwidth efficient subsampling-based block matching architecture for motion estimation. , 0, , .		0
119	A Display Order Oriented Scalable Video Decoder. , 2006, , .		0
120	ISID : In-order scan and indexed diffusion segmentation algorithm for stereo vision. , 2008, , .		0
121	A memory efficient Fine Grain Scalability coefficient encoding method for H.264/AVC Scalable Video Extension. , 2009, , .		0
122	Low-memory cost belief propagation architecture for disparity estimation. , 2009, , .		0
123	Bandwidth-rate-distortion optimized motion estimation. , 2009, , .		0
124	Efficient inter-layer prediction hardware design with extended spatial scalability for H.264/AVC scalable extension. , 2010, , .		0
125	Bandwidth-constrained motion estimation for real-time mobile video application. , 2011, , .		0
126	A high throughput CAVLC design for HEVC. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
127	Fast disparity estimation for 3DTV applications. , 2012, , .		0
128	Correction to "Low Complexity Formant Estimation Adaptive Feedback Cancellation for Hearing Aids Using Pitch Based Processing" [Aug 14 1248-1259]. IEEE/ACM Transactions on Audio Speech and Language Processing, 2014, 22, 2256-2256.	4.0	0
129	A multi-bin constant throughput CABAC decoder for HEVC. , 2015, , .		0
130	Perceptual oriented depth cue enhancement for stereoscopic view synthesis. , 2016, , .		0
131	Run Time Adaptive Network Slimming for Mobile Environments. , 2019, , .		0
132	Image Synthesis With Efficient Defocus Blur for Stereoscopic Displays. IEEE Access, 2020, 8, 176304-176312.	2.6	0
133	Real Time On Sensor Gait Phase Detection with 0.5KB Deep Learning Model. , 2020, , .		0
134	Low-Complexity Stereo Matching and Viewpoint Interpolation in Embedded Consumer Applications. , 0, 307-330.		0