Matthew Truong

List of Publications by Year
in descending order

37 papers	695 citations	686830 13 h-index	610482 24 g-index
37 all docs	37 docs citations	37 times ranked	1419 citing authors

#	Article	IF	Citations
1	Cribriform pattern and perineural invasion on MR/US fusion biopsy predict failure of selection criteria for prostatic hemigland ablation. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 38.e1-38.e8.	0.8	2
2	Variation in Adequate Lymph Node Yield for Gastric, Lung, and Bladder Cancer: Attributable to the Surgeon, Pathologist, or Hospital?. Annals of Surgical Oncology, 2020, 27, 4093-4106.	0.7	4
3	Preclinical studies show using enzalutamide is less effective in docetaxel-pretreated than in docetaxel-naÃ¯ve prostate cancer cells. Aging, 2020, 12, 17694-17712.	1.4	2
4	Predicting Benign Prostate Pathology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy in Men with a Prior Negative 12-core Systematic Biopsy: External Validation of a Prognostic Nomogram. European Urology Focus, 2019, 5, 815-822.	1.6	18
5	Can systematic biopsy be safely avoided at the time of magnetic resonance imaging/ultrasonography fusion biopsy?. BJU International, 2019, 123, 558-559.	1.3	0
6	Multi-institutional Clinical Tool for Predicting High-risk Lesions on 3 Tesla Multiparametric Prostate Magnetic Resonance Imaging. European Urology Oncology, 2019, 2, 257-264.	2.6	5
7	Reply to Evaluation of magnetic resonance imaging and targeted biopsy: The difficulty of finding the right reference standard. Cancer, 2018, 124, 1300-1301.	2.0	0
8	PD37-03 MULTI-INSTITUTIONAL MACHINE LEARNING TOOL FOR PREDICTING HIGH RISK LESIONS ON 3 TESLA MULTIPARAMETRIC PROSTATE MRI. Journal of Urology, 2018, 199, .	0.2	0
9	Historical and contemporary perspectives on cribriform morphology in prostate cancer. Nature Reviews Urology, 2018, 15, 475-482.	1.9	28
10	Institutional Learning Curve Associated with Implementation of a Magnetic Resonance/Transrectal Ultrasound Fusion Biopsy Program Using PI-RADSâ„¢ Version 2: Factors that Influence Success. Urology Practice, 2018, 5, 69-75.	0.2	3
11	A Comprehensive Analysis of Cribriform Morphology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy Correlated with Radical Prostatectomy Specimens. Journal of Urology, 2018, 199, 106-113.	0.2	70
12	Multiâ€institutional nomogram predicting benign prostate pathology on magnetic resonance/ultrasound fusion biopsy in men with a prior negative 12â€core systematic biopsy. Cancer, 2018, 124, 278-285.	2.0	41
13	Editorial Comment. Journal of Urology, 2018, 200, 757-757.	0.2	0
14	Editorial Comment. Journal of Urology, 2018, 200, 113-113.	0.2	0
15	MP30-08 PERINEURAL INVASION PREDICTS FAILURE OF MR/US FUSION BIOPSY-BASED SELECTION CRITERIA FOR HEMIABLATIVE FOCAL THERAPY IN PATIENTS WITH INTERMEDIATE-RISK PROSTATE CANCER. Journal of Urology, 2018, 199, .	0.2	0
16	Impact of Gleason Subtype on Prostate Cancer Detection Using Multiparametric Magnetic Resonance Imaging: Correlation with Final Histopathology. Journal of Urology, 2017, 198, 316-321.	0.2	74
17	MP87-13 ESTROGEN RECEPTOR Î± IN CANCER ASSOCIATED FIBROBLASTS SUPPRESSES PROSTATE CANCER INVASION VIA REDUCING CCL5, IL6 AND MACROPHAGE INFILTRATION IN THE TUMOR MICROENVIRONMENT.. Journal of Urology, 2017, 197, .	0.2	0
18	Perineural invasion by prostate cancer on MR/US fusion targeted biopsy is associated with extraprostatic extension and early biochemical recurrence after radical prostatectomy. Human Pathology, 2017, 66, 206-211.	1.1	27

#	Article	IF	Citations
19	MP08-14 DEVELOPMENT AND VALIDATION OF A NOMOGRAM FOR PREDICTING PIRADS 4-5 LESIONS ON MULTIPARAMETRIC PROSTATE MRI. Journal of Urology, 2017, 197, .	0.2	1
20	PD11-10 IMPACT OF GLEASON PATTERN 4 CRIBRIFORM ARCHITECTURE ON PROSTATE CANCER DETECTION USING MULTIPARAMETRIC MRI. Journal of Urology, 2017, 197, .	0.2	0
21	Magnetic resonance imaging detection of prostate cancer in men with previous negative prostate biopsy. Translational Andrology and Urology, 2017, 6, 424-431.	0.6	6
22	Cautery artifact understages urothelial cancer at initial transurethral resection of large bladder tumours. Canadian Urological Association Journal, 2017, 11, 203.	0.3	14
23	Spontaneous Ureteral Urine Extravasation From Invasion of a High-grade Angiosarcoma. Urology Case Reports, 2016, 9, 6-8.	0.1	0
24	Overexpression of the Novel Senescence Marker β-Galactosidase (GLB1) in Prostate Cancer Predicts Reduced PSA Recurrence. PLoS ONE, 2015, 10, e0124366.	1.1	53
25	HP1γ expression is elevated in prostate cancer and is superior to Gleason score as a predictor of biochemical recurrence after radical prostatectomy. BMC Cancer, 2013, 13, 148.	1.1	43
26	Development and multi‐institutional validation of an upgrading risk tool for Gleason 6 prostate cancer. Cancer, 2013, 119, 3992-4002.	2.0	66
27	Toward the Detection of Prostate Cancer in Urine: A Critical Analysis. Journal of Urology, 2013, 189, 422-429.	0.2	107
28	Using the Epigenetic Field Defect to Detect Prostate Cancer in Biopsy Negative Patients. Journal of Urology, 2013, 189, 2335-2341.	0.2	32
29	201 HP1γ IS ELEVATED IN PROSTATE CANCER AND IS SUPERIOR TO GLEASON SCORE AS A PREDICTOR OF BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2013, 189, .	0.2	0
30	2132 EMPLOYING THE EPIGENETIC FIELD EFFECT TO DETECT PROSTATE CANCER IN BIOPSY-NEGATIVE PATIENTS. Journal of Urology, 2013, 189, .	0.2	0
31	CpG Island Hypermethylation Frequently Silences <i>FILIP1L</i> Isoform 2 Expression in Prostate Cancer. Journal of Urology, 2013, 189, 329-335.	0.2	25
32	Analysis of promoter non-CG methylation in prostate cancer. Epigenomics, 2013, 5, 65-71.	1.0	9
33	Analysis of urological procedures in men who died from prostate cancer using a population‐based approach. BJU International, 2013, 111, E65-70.	1.3	6
34	Even-skipped homeobox 1 is frequently hypermethylated in prostate cancer and predicts PSA recurrence. British Journal of Cancer, 2012, 107, 100-107.	2.9	10
35	766 PREDICTORS OF UROLOGICAL PROCEDURES IN MEN DYING FROM PROSTATE CANCER USING A POPULATION-BASED APPROACH. Journal of Urology, 2012, 187, .	0.2	0
36	1315 EVEN-SKIPPED HOMEOBOX 1 (EVX1) IS FREQUENTLY HYPERMETHYLATED IN PROSTATE CANCER AND PREDICTS PSA RECURRENCE. Journal of Urology, 2012, 187, .	0.2	0

#	ARTICLE	IF	CITATIONS
37	Resveratrol Induces Notch2-Mediated Apoptosis and Suppression of Neuroendocrine Markers in Medullary Thyroid Cancer. Annals of Surgical Oncology, 2011, 18, 1506-1511.	0.7	49