

Raymond Salvador

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/266425/raymond-salvador-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

6,697
citations

29
h-index

81
g-index

87
ext. papers

7,955
ext. citations

5.2
avg, IF

5.3
L-index

#	Paper	IF	Citations
78	Combining fMRI and DISC1 gene haplotypes to understand working memory-related brain activity in schizophrenia.. <i>Scientific Reports</i> , 2022 , 12, 7351	4.9	
77	New insights of the role of the KCNH2 gene in schizophrenia: An fMRI case-control study. <i>European Neuropsychopharmacology</i> , 2022 , 60, 38-47	1.2	
76	Altered brain responses to specific negative emotions in schizophrenia.. <i>NeuroImage: Clinical</i> , 2021 , 32, 102894	5.3	0
75	Comparison of non-parametric T relaxometry methods for myelin water quantification. <i>Medical Image Analysis</i> , 2021 , 69, 101959	15.4	4
74	Autobiographical memory and default mode network function in schizophrenia: an fMRI study. <i>Psychological Medicine</i> , 2021 , 51, 121-128	6.9	2
73	Structural brain abnormalities in borderline personality disorder correlate with clinical severity and predict psychotherapy response. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2502-2512	4.1	3
72	Neural correlates of disturbance in the sense of agency in schizophrenia: An fMRI study using the TefacementTparadigm. <i>Schizophrenia Research</i> , 2021 ,	3.6	1
71	Auditory hallucinations activate language and verbal short-term memory, but not auditory, brain regions. <i>Scientific Reports</i> , 2021 , 11, 18890	4.9	3
70	Interindividual variability of functional connectome in schizophrenia. <i>Schizophrenia Research</i> , 2021 , 235, 65-73	3.6	1
69	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2021 ,	5.9	7
68	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T relaxometry. <i>Neurobiology of Aging</i> , 2021 , 106, 68-79	5.6	2
67	Activation and deactivation patterns in schizophrenia during performance of an fMRI adapted version of the stroop task. <i>Journal of Psychiatric Research</i> , 2021 , 144, 1-7	5.2	0
66	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020 , 14, 569540	5.1	2
65	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
64	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020 , 25, 102131	5.3	8
63	Brain imaging correlates of self- and other-reflection in schizophrenia. <i>NeuroImage: Clinical</i> , 2020 , 25, 102134	5.3	9
62	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14

61	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
60	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
59	Evidence for default mode network dysfunction in borderline personality disorder. <i>Psychological Medicine</i> , 2020 , 50, 1746-1754	6.9	6
58	Effects of mindfulness training on the default mode network in borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 562-571	2.9	5
57	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 449-457	3.8	11
56	Multimodal Integration of Brain Images for MRI-Based Diagnosis in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1203	5.1	14
55	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 679-693	3.7	17
54	Deficits in nominal reference identify thought disordered speech in a narrative production task. <i>PLoS ONE</i> , 2018 , 13, e0201545	3.7	9
53	Cognitive impairment associated with cocaine use: The role of co-existent alcohol abuse/dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 189, 70-75	4.9	5
52	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
51	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
50	Sensitivity and specificity of hypoactivations and failure of de-activation in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 201, 224-230	3.6	3
49	Non redundant functional brain connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2017 , 11, 552-564	4.4	7
48	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017 , 12, e0175683	3.7	57
47	Differential failure to deactivate the default mode network in unipolar and bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 386-395	3.8	25
46	Patterns of activation and de-activation associated with cue-guided spatial navigation: A whole-brain, voxel-based study. <i>Neuroscience</i> , 2017 , 358, 70-78	3.9	1
45	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2016 , 42, 229-38	3.8	23
44	Converging Medial Frontal Resting State and Diffusion-Based Abnormalities in Borderline Personality Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 107-16	7.9	40

43	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 41-7	2.9	24
42	Structural and functional brain changes in delusional disorder. <i>British Journal of Psychiatry</i> , 2016 , 208, 153-9	5.4	21
41	Examining hippocampal function in schizophrenia using a virtual reality spatial navigation task. <i>Schizophrenia Research</i> , 2016 , 172, 86-93	3.6	14
40	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016 , 11, e0158867	3.7	21
39	Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 136-44	5.4	40
38	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. <i>PLoS ONE</i> , 2015 , 10, e0138910	3.7	21
37	Cognitive-behavioural therapy for the symptoms of schizophrenia: systematic review and meta-analysis with examination of potential bias. <i>British Journal of Psychiatry</i> , 2014 , 204, 20-9	5.4	315
36	Structural abnormalities in bipolar euthymia: a multicontrast molecular diffusion imaging study. <i>Biological Psychiatry</i> , 2014 , 76, 239-48	7.9	49
35	Validity of modulation and optimal settings for advanced voxel-based morphometry. <i>NeuroImage</i> , 2014 , 86, 81-90	7.9	79
34	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014 , 219, 1463-72	4	23
33	Statistical analysis of brain tissue images in the wavelet domain: wavelet-based morphometry. <i>NeuroImage</i> , 2013 , 72, 214-26	7.9	11
32	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013 , 148, 170-8	6.6	58
31	Structural brain changes associated with tardive dyskinesia in schizophrenia. <i>British Journal of Psychiatry</i> , 2013 , 203, 51-7	5.4	28
30	Effect of the interleukin-1 β gene on dorsolateral prefrontal cortex function in schizophrenia: a genetic neuroimaging study. <i>Biological Psychiatry</i> , 2012 , 72, 758-65	7.9	25
29	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 616-26	3.8	39
28	Procedural learning in schizophrenia: reconciling the discrepant findings. <i>Biological Psychiatry</i> , 2011 , 69, 49-54	7.9	16
27	Validation of the Word Accentuation Test (TAP) as a means of estimating premorbid IQ in Spanish speakers. <i>Schizophrenia Research</i> , 2011 , 128, 175-6	3.6	88
26	Neural correlates of cognitive impairment in schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 199, 202-10	5.4	35

25	Medial prefrontal cortex pathology in schizophrenia as revealed by convergent findings from multimodal imaging. <i>Molecular Psychiatry</i> , 2010 , 15, 823-30	15.1	142
24	Conditional mutual information maps as descriptors of net connectivity levels in the brain. <i>Frontiers in Neuroinformatics</i> , 2010 , 4, 115	3.9	29
23	Are there valid subtypes of schizophrenia? A grade of membership analysis. <i>Psychopathology</i> , 2010 , 43, 53-62	3.4	10
22	Overall brain connectivity maps show cortico-subcortical abnormalities in schizophrenia. <i>Human Brain Mapping</i> , 2010 , 31, 2003-14	5.9	113
21	CamBAfx: Workflow Design, Implementation and Application for Neuroimaging. <i>Frontiers in Neuroinformatics</i> , 2009 , 3, 27	3.9	2
20	Early metabolic characteristics of lesion and nonlesion tissue after head injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 965-75	7.3	25
19	A simple view of the brain through a frequency-specific functional connectivity measure. <i>NeuroImage</i> , 2008 , 39, 279-89	7.9	176
18	Failure to deactivate in the prefrontal cortex in schizophrenia: dysfunction of the default mode network?. <i>Psychological Medicine</i> , 2008 , 38, 1185-93	6.9	251
17	Frequency based mutual information measures between clusters of brain regions in functional magnetic resonance imaging. <i>NeuroImage</i> , 2007 , 35, 83-8	7.9	68
16	Permutation testing of orthogonal factorial effects in a language-processing experiment using fMRI. <i>Human Brain Mapping</i> , 2006 , 27, 425-33	5.9	28
15	A resilient, low-frequency, small-world human brain functional network with highly connected association cortical hubs. <i>Journal of Neuroscience</i> , 2006 , 26, 63-72	6.6	1843
14	Age and cholinergic effects on hemodynamics and functional coherence of human hippocampus. <i>Neurobiology of Aging</i> , 2006 , 27, 1395-404	5.6	89
13	Neurophysiological architecture of functional magnetic resonance images of human brain. <i>Cerebral Cortex</i> , 2005 , 15, 1332-42	5.1	1019
12	Functional disconnectivity of the medial temporal lobe in Asperger's syndrome. <i>Biological Psychiatry</i> , 2005 , 57, 991-8	7.9	164
11	Physiological thresholds for irreversible tissue damage in contusional regions following traumatic brain injury. <i>Brain</i> , 2005 , 128, 1931-42	11.2	140
10	Formal characterization and extension of the linearized diffusion tensor model. <i>Human Brain Mapping</i> , 2005 , 24, 144-55	5.9	126
9	Undirected graphs of frequency-dependent functional connectivity in whole brain networks. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005 , 360, 937-46	5.8	354
8	Relationship between flow-metabolism uncoupling and evolving axonal injury after experimental traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 1025-36	7.3	51

7	Direct comparison of cerebrovascular effects of norepinephrine and dopamine in head-injured patients. <i>Critical Care Medicine</i> , 2004 , 32, 1049-54	1.4	127
6	Responses of posttraumatic pericontusional cerebral blood flow and blood volume to an increase in cerebral perfusion pressure. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 1371-7	7.3	61
5	Wavelets and statistical analysis of functional magnetic resonance images of the human brain. <i>Statistical Methods in Medical Research</i> , 2003 , 12, 375-99	2.3	102
4	An assessment of the spatial variability of basal area in a terrain covered by Mediterranean woodlands. <i>Agriculture, Ecosystems and Environment</i> , 2000 , 81, 17-28	5.7	2
3	A Parametric Model for Estimating Relations Between Unprecisely Located Field Measurements and Remotely Sensed Data. <i>Remote Sensing of Environment</i> , 1999 , 67, 99-107	13.2	2
2	On the applicability of Landsat TM images to Mediterranean forest inventories. <i>Forest Ecology and Management</i> , 1998 , 104, 193-208	3.9	22
1	Brain correlates of impaired goal management in bipolar mania. <i>Psychological Medicine</i> , 1-9	6.9	