

M J Harries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2664572/publications.pdf>

Version: 2024-02-01

74
papers

2,236
citations

270111

25
h-index

263392

45
g-index

79
all docs

79
docs citations

79
times ranked

1575
citing authors

#	ARTICLE	IF	CITATIONS
1	The epidemiology of alopecia areata: a population-based cohort study in UK primary care*. British Journal of Dermatology, 2022, 186, 257-265.	1.4	32
2	The associated burden of mental health conditions in alopecia areata: a population-based study in UK primary care*. British Journal of Dermatology, 2022, 187, 73-81.	1.4	25
3	Baricitinib in Alopecia Areata. New England Journal of Medicine, 2022, 386, 1751-1752.	13.9	8
4	Frontal fibrosing alopecia sparing a vascular naevus: the RenbÅrk phenomenon. Clinical and Experimental Dermatology, 2021, 46, 727-728.	0.6	3
5	The Alopecia Areata Consensus of Experts (ACE) study part II: Results of an international expert opinion on diagnosis and laboratory evaluation for alopecia areata. Journal of the American Academy of Dermatology, 2021, 84, 1594-1601.	0.6	33
6	The clonal structure and dynamics of the human T cell response to an organic chemical hapten. ELife, 2021, 10, .	2.8	6
7	Human epithelial stem cell survival within their niche requires "tonic" cannabinoid receptor signaling. Lessons from the hair follicle. Experimental Dermatology, 2021, 30, 479-493.	1.4	13
8	A Global eDelphi Exercise to Identify Core Domains and Domain Items for the Development of a Global Registry of Alopecia Areata Disease Severity and Treatment Safety (GRASS). JAMA Dermatology, 2021, 157, 439.	2.0	13
9	Guidelines for clinical trials of frontal fibrosing alopecia: consensus recommendations from the International FFA Cooperative Group (IFFACG)*. British Journal of Dermatology, 2021, 185, 1221-1231.	1.4	14
10	Clinicopathologic Characteristics and Response to Treatment of Persistent Chemotherapy-Induced Alopecia in Breast Cancer Survivors. JAMA Dermatology, 2021, 157, 1335.	2.0	12
11	A folliculocentric perspective of dandruff pathogenesis: Could a troublesome condition be caused by changes to a natural secretory mechanism?. BioEssays, 2021, 43, e2100005.	1.2	3
12	Frontal Fibrosing Alopecia survey of severity assessment methods in routine clinical practice and validation of the IFFACG measurement guidance. Clinical and Experimental Dermatology, 2021, , .	0.6	0
13	Scarring Alopecias: Pathology and an Update on Digital Developments. Biomedicines, 2021, 9, 1755.	1.4	4
14	Epidemiology, management and the associated burden of mental health illness, atopic and autoimmune conditions, and common infections in alopecia areata: protocol for an observational study series. BMJ Open, 2021, 11, e045718.	0.8	6
15	Folliculitis decalvans and lichen planopilaris phenotypic spectrum: a case series of biphasic clinical presentation and theories on pathogenesis. Clinical and Experimental Dermatology, 2020, 45, 63-72.	0.6	29
16	Cholesterol homeostasis: Links to hair follicle biology and hair disorders. Experimental Dermatology, 2020, 29, 299-311.	1.4	31
17	Profiling the human hair follicle immune system in lichen planopilaris and frontal fibrosing alopecia: can macrophage polarization differentiate these two conditions microscopically?. British Journal of Dermatology, 2020, 183, 537-547.	1.4	22
18	Does dysfunctional autophagy contribute to immune privilege collapse and alopecia areata pathogenesis?. Journal of Dermatological Science, 2020, 100, 75-78.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Frontal fibrosing alopecia: a descriptive cross-sectional study of 711 cases in female patients from the UK. <i>British Journal of Dermatology</i> , 2020, 183, 1136-1138.	1.4	10
20	Does mitochondrial dysfunction of hair follicle epithelial stem cells play a role in the pathobiology of lichen planopilaris?. <i>British Journal of Dermatology</i> , 2020, 183, 964-966.	1.4	5
21	Effect of oral minoxidil for alopecia: Systematic review. <i>International Journal of Trichology</i> , 2020, 12, 147.	0.1	19
22	Fibrosis and stem cell epithelial-mesenchymal transition in primary cicatricial alopecias. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e165-e166.	0.6	8
23	Genome-wide association study in frontal fibrosing alopecia identifies four susceptibility loci including HLA-B*07:02. <i>Nature Communications</i> , 2019, 10, 1150.	5.8	82
24	Frequency of the Types of Alopecia at Twenty-Two Specialist Hair Clinics: A Multicenter Study. <i>Skin Appendage Disorders</i> , 2019, 5, 309-315.	0.5	61
25	Re: The increasing incidence of frontal fibrosing alopecia: in search of triggering factors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e250-e251.	1.3	1
26	Efficacy of topical dithranol (Dithrocream [®]) in the treatment of alopecia areata: a retrospective case series. <i>British Journal of Dermatology</i> , 2019, 180, 1246-1247.	1.4	6
27	Diphenylcyclopropanone for alopecia areata: a U.K. survey. <i>British Journal of Dermatology</i> , 2018, 179, 514-515.	1.4	7
28	Lichen Planopilaris and Frontal Fibrosing Alopecia as Model Epithelial Stem Cell Diseases. <i>Trends in Molecular Medicine</i> , 2018, 24, 435-448.	3.5	89
29	Retrospective review of 18 British South Asian women with frontal fibrosing alopecia. <i>International Journal of Dermatology</i> , 2018, 57, 490-491.	0.5	2
30	Epithelial-to-Mesenchymal Stem Cell Transition in a Human Organ: Lessons from Lichen Planopilaris. <i>Journal of Investigative Dermatology</i> , 2018, 138, 511-519.	0.3	58
31	Establishing and prioritizing research questions for the prevention, diagnosis and treatment of hair loss (excluding alopecia areata): the Hair Loss Priority Setting Partnership. <i>British Journal of Dermatology</i> , 2018, 178, 535-540.	1.4	5
32	Response to "Development and validation of the Frontal Fibrosing Alopecia Severity Score". <i>Journal of the American Academy of Dermatology</i> , 2018, 79, e115-e116.	0.6	1
33	Frontal fibrosing alopecia in men: an association with facial moisturizers and sunscreens. <i>British Journal of Dermatology</i> , 2017, 177, 260-261.	1.4	64
34	Re: Frontal Fibrosing Alopecia Severity Index (FFASI): a call for a more inclusive and globally relevant severity index for frontal fibrosing alopecia: reply from the authors. <i>British Journal of Dermatology</i> , 2017, 177, 884-884.	1.4	1
35	Establishing and prioritizing research questions for the treatment of alopecia areata: the Alopecia Areata Priority Setting Partnership. <i>British Journal of Dermatology</i> , 2017, 176, 1316-1320.	1.4	15
36	Towards a consensus on how to diagnose and quantify female pattern hair loss " The "Female Pattern Hair Loss Severity Index (FPHL) " [™] . <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 667-676.	1.3	30

#	ARTICLE	IF	CITATIONS
37	Frontal fibrosing alopecia: possible association with leave-on facial skin care products and sunscreens; a questionnaire study. <i>British Journal of Dermatology</i> , 2016, 175, 762-767.	1.4	121
38	Frontal fibrosing alopecia: a disease fascinating for the researcher, disappointing for the clinician and distressing for the patient. <i>Experimental Dermatology</i> , 2016, 25, 853-854.	1.4	6
39	Frontal fibrosing alopecia: there is no statistically significant association with leave-on facial skin care products and sunscreens: reply from the authors. <i>British Journal of Dermatology</i> , 2016, 175, 1408-1409.	1.4	4
40	Reply to "Frontal Fibrosing Alopecia Severity Index (FFASI): a validated scoring system for assessing frontal fibrosing alopecia": reply from the authors. <i>British Journal of Dermatology</i> , 2016, 175, 648-649.	1.4	2
41	Primary cicatricial alopecia and inflammatory bowel disease "is there a link?". <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1198-1199.	1.3	4
42	Frontal Fibrosing Alopecia Severity Index (FFASI): a validated scoring system for assessing frontal fibrosing alopecia. <i>British Journal of Dermatology</i> , 2016, 175, 203-207.	1.4	44
43	Alopecia in general medicine. <i>Clinical Medicine</i> , 2016, 16, 74-78.	0.8	15
44	Frontal Fibrosing Alopecia and Increased Scalp Sweating: Is Neurogenic Inflammation the Common Link. <i>Skin Appendage Disorders</i> , 2015, 1, 179-184.	0.5	12
45	Infliximab-Associated Psoriasiform Alopecia. <i>American Journal of Gastroenterology</i> , 2015, 110, S300-S301.	0.2	1
46	The role of beliefs: lessons from a pilot study on illness perception, psychological distress and quality of life in patients with primary cicatricial alopecia. <i>British Journal of Dermatology</i> , 2015, 172, 130-137.	1.4	69
47	Anterolateral leg alopecia: Common but commonly ignored. <i>International Journal of Trichology</i> , 2014, 6, 75.	0.1	6
48	Treatment of frontal fibrosing alopecia and lichen planopilaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1404-1405.	1.3	20
49	Patchy hair loss in an otherwise healthy man. <i>Cmaj</i> , 2013, 185, 1591-1592.	0.9	0
50	Lichen planopilaris is characterized by immune privilege collapse of the hair follicle's epithelial stem cell niche. <i>Journal of Pathology</i> , 2013, 231, 236-247.	2.1	201
51	Hair loss in hospital medicine: a practical guide. <i>British Journal of Hospital Medicine (London)</i> , Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.2	3
52	Recurrent episodes of hair loss in a 37 year old woman. <i>BMJ, The</i> , 2012, 345, e6798-e6798.	3.0	8
53	Frontal fibrosing alopecia in black patients. <i>British Journal of Dermatology</i> , 2012, 167, 208-210.	1.4	47
54	Lichen planopilaris following hair transplantation and face-lift surgery. <i>British Journal of Dermatology</i> , 2012, 166, 666-370.	1.4	64

#	ARTICLE	IF	CITATIONS
55	Primary cicatricial alopecias: a U.K. survey. <i>British Journal of Dermatology</i> , 2012, 167, 694-697.	1.4	24
56	Does collapse of immune privilege in the hair-follicle bulge play a role in the pathogenesis of primary cicatricial alopecia?. <i>Clinical and Experimental Dermatology</i> , 2010, 35, 637-644.	0.6	32
57	Multiple nodules on the arms and legs. <i>Clinical and Experimental Dermatology</i> , 2010, 35, 931-932.	0.6	2
58	The Pathogenesis of Primary Cicatricial Alopecias. <i>American Journal of Pathology</i> , 2010, 177, 2152-2162.	1.9	150
59	Management of alopecia areata. <i>BMJ: British Medical Journal</i> , 2010, 341, c3671-c3671.	2.4	93
60	Hair loss as a result of cutaneous autoimmunity: Frontiers in the immunopathogenesis of primary cicatricial alopecia. <i>Autoimmunity Reviews</i> , 2009, 8, 478-483.	2.5	25
61	How not to get scar(r)ed: pointers to the correct diagnosis in patients with suspected primary cicatricial alopecia. <i>British Journal of Dermatology</i> , 2009, 160, 482-501.	1.4	96
62	Scarring Alopecia and the PPAR- β Connection. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1066-1070.	0.3	37
63	Management of primary cicatricial alopecias: options for treatment. <i>British Journal of Dermatology</i> , 2008, 159, 1-22.	1.4	104
64	Evidence that the bulge region is a site of relative immune privilege in human hair follicles. <i>British Journal of Dermatology</i> , 2008, 159, 1077-85.	1.4	148
65	Allergic contact dermatitis to methyl aminolevulinate (Metvixi;1/2) cream used in photodynamic therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2007, 23, 35-36.	0.7	38
66	Folic acid supplementation and methotrexate therapy for psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, 366-367.	0.6	7
67	Co-amoxiclav-induced acute generalized exanthematous pustulosis confirmed by patch testing. <i>Contact Dermatitis</i> , 2006, 55, 372-372.	0.8	11
68	Pyoderma Gangrenosum Masquerading as Dermatitis Artefacta. <i>Archives of Dermatology</i> , 2006, 142, 1508.	1.7	13
69	Disorders of aging skin. <i>Reviews in Clinical Gerontology</i> , 2006, 16, 165.	0.5	3
70	Fumaric acid esters for severe psoriasis: a retrospective review of 58 cases. <i>British Journal of Dermatology</i> , 2005, 153, 549-551.	1.4	52
71	Lichen dermatitis in a rock climber. <i>Contact Dermatitis</i> , 2005, 52, 287-288.	0.8	3
72	Occupational skin infections. <i>Occupational Medicine</i> , 2004, 54, 441-449.	0.8	28

#	ARTICLE	IF	CITATIONS
73	Failure to normalize parathyroid hormone during treatment of vitamin D deficiency in Asian patients. <i>Clinical Endocrinology</i> , 2004, 61, 603-606.	1.2	8
74	Recurrent Henoch-Schonlein purpura controlled with ciclosporin. <i>Journal of the Royal Society of Medicine</i> , 2004, 97, 184-185.	1.1	8